

# PHONOLA - BECKER mod. 731

## AUTORADIO

CAPACITÀ					RESISTORI				
Nomin.	Valore	Toll. %	Tensione di prova in c. c.	Tipo	Nomin.	Valore	Toll.	Watt	Tipo
C 1	50 pf.	± 5	375 VP	Styroflex	R 1	2000 Ω	± 10	½	Neohm
C 2	30 >	>	1050 >	>	R 2	0.47 MΩ	>	>	>
C 3	30 >	>	>	>	R 3	0.47 MΩ	>	>	>
C 4	300 >	>	>	>					
C 5	10.000 >	± 20	>	Rosalt					
C 6	200 >	± 5	>	Styroflex	R 10	1 MΩ	± 10	½	Neohm
C 7	25.000 >	-10+25	1500 >	Carta	R 11	470 KΩ	>	>	>
C 8	100 >	± 2.5	1500 >	Styroflex	R 12	330 KΩ	>	>	>
C 9	100 >	>	1050 >	>	R 13	1000 Ω	>	>	>
C 10	10 >	± 5	1500 >	Sedeca	R 14	10 KΩ	>	1	>
C 11	50 >	>	375 >	Styroflex	R 15	1 MΩ	>	½	>
C 12	50 >	± 2.5	>	>	R 16	47 KΩ	>	½	>
					R 17	47 KΩ	>	½	>
					R 18	47 KΩ	>	½	>
C 20	1000 pf.	± 10	375 VP	Styroflex	R 19	1 MΩ	>	½	>
C 21	25.000 >	± 20	1000 >	Carta	R 20	33 KΩ	>	>	>
C 22	230 >	± 5	375 >	Styroflex	R 21	4700 Ω	>	>	>
C 23	40 >	>	>	>					
C 24	100 >	>	1050 >	>					
C 25	25.000 >	± 20	>	Carta	R 30	10 KΩ	± 10	1	Neohm
C 26	25.000 >	>	>	>	R 31	3000 Ω	>	½	>
C 27	50 >	± 5	>	Styroflex	R 32	4.7 MΩ	>	>	>
C 28	160 >	± 2.5	>	>	R 33	120 KΩ	>	>	>
C 29	500 >	>	>	>	R 34	47 KΩ	>	1	>
C 30	25.000 >	± 20	375 >	Carta	R 35	47 KΩ	>	½	>
C 31	2200 >	± 10	>	Styroflex	R 36	1000 Ω	>	>	>
C 32	300 >	>	>	>	R 37	1000 Ω	>	>	>
					R 38	10 MΩ	>	>	>
					R 39	470 KΩ	>	>	>
C 40	100 pf.	± 10	750 VP	Styroflex	R 40	680 KΩ	>	>	>
C 41	1 Mf.	-10+70	350 VL	Elettr.	R 41	470 KΩ	>	>	>
C 42	25.000 pf.	± 20	1050 VP	Carta	R 42	100 KΩ	>	1	>
C 43	100 Mf.	-10+70	25 VL	Elettr.	R 43	1.5 MΩ	>	½	>
C 44	10.000 Pf.	± 20	375 VP.	Sedeca	R 44	1 MΩ	>	>	>
C 45	300 >	± 10	>	Styroflex	R 45	100 KΩ	>	>	>
C 46	300 >	>	>	>	R 46	470 KΩ	>	>	>
C 47	200 >	± 5	>	>	R 47	100 KΩ	>	>	>
C 48	7 >	± 0.5	1050 >	Sedeca	R 48	1 MΩ	>	>	>
C 49	100 >	± 5	375 >	Styroflex	R 49	1 MΩ	>	>	>
C 50	200 >	± 2.5	>	>	R 50	100 KΩ	>	>	>
C 51	500 >	>	>	>	R 51	220 KΩ	>	>	>
C 52	100 >	± 10	>	>					
C 53	25.000 >	>	>	Carta					
C 54	15 >	± 5	1050 >	Styroflex	R 60	150 Ω	± 10	½	Neohm
C 55	25.000 >	± 10	375 >	Carta	R 61	400 Ω	>	2	Rosental
C 56	25.000 >	± 20	1050 >	>	R 62	1000 Ω	>	½	Neohm
C 57	200 >	± 2.5	375 >	Styroflex	R 63	680 KΩ	>	>	>
C 58	200 >	>	>	>	R 64	470 KΩ	>	>	>
C 59	25.000 >	± 20	>	Carta	R 65	47 KΩ	>	>	>
C 60	50 Mf.	-10+70	350 >	Elettr.	R 66	47 KΩ	>	>	>
C 61	100 >	>	25 >	>	R 67	100 KΩ	>	>	>
					R 68	400 Ω	>	2	Rosental
					R 69	270 Ω	>	1	Neohm
C 70	1000 pf.	± 20	750 VL ca.	carta tropic.	R 70	270 Ω	>	>	>
C 71	250 >	± 10	> VP	Styroflex	R 71	200 Ω	>	>	>
C 72	10.000 >	>	1500 >	carta tropic.					
C 73	10.000 >	>	>	>					
C 74	50 Mf.	-10+70	350 VL	Elettr.					
C 75	30.000 pf.	± 10	750 > ca.	carta tropic.					
C 76	100 Mf.	-10+70	25 >	Elettr.					
C 77	100 >	>	>	>					