SEPTEMBER 1980 Volume 5 Mumber 9 \$2.50 in USA/\$2.95 in Canada

®

the small systems journal

A MCGRAW-HILL PUBLICATION

HOMEBREWING

# **OFTEN FIRST - ALWAYS THE BEST**

When we introduced the "S" system last year we knew that we were ahead of the industry. We didn't realize just how far.

#### WE KNEW THE NEEDS-

When we began designing the S/09 computer, we knew that the normal eight-bit microprocessor system was not adequate for any but the smallest, single user business applications. What was worse there was little that could be done to expand the capabilities of the system if the customer needed it. There is nothing much worse to a business customer than a "dead end" system.

#### MEMORY IS THE KEY-

Obviously a business system should be able to operate with multiple terminals if needed. It should also be able to do a variety of jobs; not just data processing, but also word processing and computer aided instruction. With a system limited to 64K bytes of memory addresses such a system is just not practical. The amount of user memory available to each terminal is too small for useful work.

#### HOW DO YOU GET IT-

The common solution to this problem is called bank switching. This process is similar to a selector switch that turns on the bank of memory that you want to work with. This, however, has a few problems. It is inefficient, therefore expensive, plus being slow. It is also extremely clumsy when data must be exchanged between two different programs. Besides with all this you still cannot use more than 64K of memory for any one program. So what is the alternative?

#### DO IT RIGHT-

The alternative is an address bus with more than the normal 16 bits found on eight-bit microprocessors. By using 20 address bits you can, for instance, address up to a million memory locations directly.

This way you have access to any part of memory at any time without any intermediate processes. Program interaction is now no problem at all.

#### SOFTWARE MUST MATCH-

So far we have a computer system with a large memory capacity and the ability to operate with many terminals, but this is not enough. You need an operating system just as sophisticated as the hardware to complete the job. It must be a multitasking (therefore multiuser) operating system and it must be fast if it is to be useful with multiterminal systems. UniFLEX® fills these requirements and more. It also has multiple directories, log-in and password features. UniFLEX® was patterned after UNIXT.M., which is one of the most highly regarded operating systems around.

#### PERIPHERALS TOO-

To complete the system we offer our smart terminals, and a variety of disk systems. We have everthing from a 390K byte floppy to a 40 Meg/byte Winchester drive. All peripherals are compatible and so you can start with a small single terminal system and upgrade if necessary to a fully expanded system—16 terminals, 768 bytes of RAM memory and 96 Meg/bytes of disk storage.

#### GET THE WHOLE STORY-

If you are planning to install, or sell business systems you should get our information package on the most versatile and cost effective system on the market, the S/09. You can get a 128K system (less printer) for a little over \$5,000.00.

\*UNIX is a Trademark of Bell Laboratories.

#### SYSTEM SOFTWARE

LanguagesOperating SystemsAssemblerFLEX\*BASICUniFLEX

FORTRAN Pascal

PILOT

Word Processing

Utilities

Text Processor

Word Processing Editor

Data Processing
General Ledger

Accounts Receivable
Accounts Payable


Payroll

Jobcost Debug Package
Inventory Sort-Merge
Mail List Diagnostics


\*Supplied with over 40 utilities



SOUTHWEST TECHNICAL PRODUCTS CORPORATION 219 W. RHAPSODY SAN ANTONIO, TEXAS 78216 (512) 344-0241



Management Information Display



Ultrasonic heart sector scan



High-resolution display with alphanumerics

# Get the professional color display that has BASIC/FORTRAN simplicity

#### LOW-PRICED, TOO

Here's a color display that has everything: professional-level resolution, enormous color range, easy software, NTSC conformance, and low price.

Basically, this new Cromemco Model SDI\* is a two-board interface that plugs into any Cromemco computer.

The SDI then maps computer display memory content onto a convenient color monitor to give high-quality, high-resolution displays (756 H x 482 V pixels).

When we say the SDI results in a highquality professional display, we mean you can't get higher resolution than this system offers in an NTSC-conforming display.

The resolution surpasses that of a color TV picture.

#### **BASIC/FORTRAN** programming

Besides its high resolution and low price, the new SDI lets you control with optional Cromemco software packages that use simple BASIC- and FORTRAN-like commands.

Pick any of 16 colors (from a 4096-color palette) with instructions like DEFCLR (c, R, G, B). Or obtain a circle of specified size, location, and color with XCIRC (x, y, r, c).

\*U.S. Pat. No. 4121283



Model SDI High-Resolution Color Graphics Interface

#### **HIGH RESOLUTION**

The SDI's high resolution gives a professional-quality display that strictly meets NTSC requirements. You get 756 pixels on every visible line of the NTSC standard display of 482 image lines. Vertical line spacing is 1 pixel.

To achieve the high-quality display, a separate output signal is produced for each of the three component colors (red, green, blue). This yields a sharper image than is possible using an NTSC-composite video signal and color TV set. Full image quality is readily realized with our high-quality RGB Monitor or any conventional red/green/blue monitor common in TV work.



Model SDI plugs into Z-2H 11-megabyte hard disk computer or any Cromemco computer

#### **DISPLAY MEMORY**

Along with the SDI we also offer an optional fast and novel **two-port** memory that gives independent high-speed access to the computer memory. The two-port memory stores one full display, permitting fast computer operation even during display.

#### **CONTACT YOUR REP NOW**

The Model SDI has been used in scientific work, engineering, business, TV, color graphics, and other areas. It's a good example of how Cromemco keeps computers in the field up to date, since it turns any Cromemco computer into an up-to-date color display computer.

The SDI has still more features that you should be informed about. So contact your Cromemco representative now and see all that the SDI will do for you.





# Here's the state of the art in low-cost hard-disk computers

#### 11 MEGABYTES OF

#### **FAST HARD-DISK STORAGE**

Yes, the Cromemco Model Z-2H is in a class by itself in the computer field.

These Z-2H features tell you why:

- 11 megabytes of hard-disk storage
- 64 kilobytes of fast RAM
- Two dual-sided floppy disk drives
- Z-80A type processor
- Fast 4 MHz operation—150 nanosecond access time
- Fast hard-disk transfer rate of 5.6 megabits/second
- Low cost

And that's not all you get. Not nearly.

#### BROAD SOFTWARE SUPPORT

You also get Cromemco software support—the broadest software sup-

port in the microcomputer field. Software that Cromemco is known for. Like this:

- Structured BASIC
- FORTRAN IV
- RATFOR (RATional FORtran)
- COBOL
- Z-80 Macro Assembler
- Word Processing System
- Data Base Management

And more all the time.

#### FIELD PROVEN

The Z-2H is clearly in a class by itself. We introduced it last summer. It's field proven. It's reliable.

And it's rugged. Housed in a sturdy, all-metal cabinet.

#### **EASILY EXPANDABLE**

As always with Cromemco, you get expandability. The fast 64K RAM in this Model Z-2H can be expanded to 512 kilobytes. That amount of RAM combined with 11 megabytes of hard-disk storage gives you enormous

computer power—the equal or even beyond what much larger computers sometimes offer.

What's more, this computer gives you a 12-slot card cage. That's to plug in your special circuits as well as additional RAM and interface cards.

This expandability is supported by still more Cromemco value — the Z-2H's heavy-duty power supply that gives you 30A at 8V and 15A at ±18V to support plug-ins.

#### LOW COST — SEE IT NOW

The Z-2H is real. It's been in the field for many months. It's proven itself.

You should see the Z-2H now. Contact a Cromemco representative and arrange for a demo. Learn that Cromemco is a survey-winner for reliability.

And learn that the Z-2H is under

In the long run it always pays to get the best.



# In The Oveve



Page 26



Page 46



Page 76



Page 126

#### Foreground

**26** BUILD A LOW-COST, REMOTE DATA-ENTRY TERMINAL by Steve Ciarcia

This terminal increases the flexibility of computer home-control systems.

**46** AN 8088 PROCESSOR FOR THE S-100 BUS, Part 1 by Tom Cantrell Part 1 covers the basic design considerations of an S-100 processor board based on Intel's 8088 microprocessor.

**86** PENNY PINCHER'S JOYSTICK INTERFACE by Steven Wexler For about \$6 and one night's work, you can add this interface to your system.

**116** APL CHARACTER GENERATOR by John W Langer
This is a simple modification for any video display employing the MCM6571 character generator.

126 CONSTRUCTION OF A FOURTH-GENERATION VIDEO TERMINAL, Part 2 by Theron Wierenga

Part 2 helps you to complete the construction of the terminal and learn to use the built-in debugging features.

**242** KHACHIYAN'S ALGORITHM, Part 2: Problems with the Algorithm by G C Berresford, A M Rockett, and J C Stevenson
A practical BASIC program can be used to explore the power and limitations of this new algorithm.

**270 EXPLORING BALLISTICS WITH YOUR COMPUTER** *by Robert W Jenks* This BASIC program helps the target shooter to calculate the complex path of bullets.

**282** AN INTERRUPT-DRIVEN REAL-TIME CLOCK FOR THE TMS 9900 by Thomas G Morris Jr

Three selectable interrupt rates make the Texas Instruments 16-bit processor count time.

**328** A BASIC FLOPPY-DISK ACCOUNTING SYSTEM by Joseph J Roehrig Here's a complete six-program package to keep your budget records in order.

#### Background

**76 DISSECTING THE TI SPEAK & SPELL** *by Michael A Rigsby* With these notes you can move toward the eventual goal of getting this toy to talk under personal-computer control.

102 MACHINE PROBLEM SOLVING, Part 1: Trial-and Error Search, A Mechanical Plan to Save the Missionaries by Peter W Frey Simple games help to express this method of solving problems with computers.

180 FCC REGULATION OF PERSONAL- AND HOME-COMPUTING DEVICES by Terry G Mahn

New rulings by the FCC will affect the use and manufacture of personal computers.

**206** VARIETIES OF THREADED CODE FOR LANGUAGE IMPLEMENTATION by Terry Ritter and Gregory Walker Some kinds of threaded code are position and system independent.

**230** EDUCATION FORUM: NEW CULTURES FROM NEW TECHNOLOGIES by Seymour Papert

Children should learn to compute in the same way they learn to talk.

#### **Nucleus**

- 6 Editorial: Intellectual Ethics and Software
- 14 Letters
- 66, 322, 324 Programming Quickies
- 304, 308, 310 Book Reviews
- 94 Languages Forum
- 96, 194, 314, 318, 321, 326 Technical Forum
- 114, 312 BYTE's Bits

- 164 BYTELINES
- 172 Ask BYTE
- 256 Clubs and Newsletters
- 260 Event Queue
- 268, 313 BYTE's Bugs
- 336 What's New
- 398 Unclassified Ads
- 399 BOMB, BOMB Results
- 400 Reader Service

**Publishers** 

Virginia Londoner, Gordon R Williamson Associate Publisher John E Hayes **Assistant** Cheryl A Hurd

Founding Editor Carl T Helmers Jr

Editor-in-Chief Christopher P Morgan

**Editors** 

Richard S Shuford, Gregg Williams, Curtis P Feigel, Harold Nelson Stan Miastkowski

Consulting Editor

Mark Dahmke

**Book Editor** 

Bruce A Roberts Chief Copy Editor

David William Hayward

Copy Editors

Faith Hanson, Warren Williamson, Robin M Moss, Anthony J Lockwood Assistant to the Editors

Faith Ferry

**Assistants** 

Debe Wheeler, Karen A Cilley

**New Products Editor** Clubs, Newsletters

Charles Freiberg

Drafting

Jon Swanson

**Production Director** 

Nancy Estle

**Assistant Production Director** 

Christine Dixon

Production/Advertising Coordinator

Wai Chiu Li

Production Art Holly Carmen LaBossiere,

Deborah Porter

Chief Typographer

Sherry McCarthy

Typographers

Debi Fredericks, Donna Sweeney

**Advertising Director** 

Thomas Harvey

**Assistants** 

Ruth M Walsh, Ms. Marion Gagnon Barbara J Greene, Janet Ames

Special Projects Coordinator

Jill E Callihan

**Marketing Coordinator** 

Laura A Hanson

Circulation Manager

Gregory Spitzfaden Assistants Agnes E Perry, Melanie Bertoni, Barbara Varnum, Louise Menegus,

Andrew Jackson **Dealer Sales** 

Thomas Yanni

Controller

Daniel Rodrigues

**Assistant** Mary E Fluhr

**Accounts Receivable Specialist** 

Karen Burgess Accounts Receivable Assistant

Jeanne Cilley

Receptionist

Jacqueline Earnshaw

Traffic Department

Mark Sandagata, Rob Hannings



#### **About This Issue**

BYTE is five years old this month, and we're taking the opportunity to discuss one of our favorite subjects: homebrewing. Much of the personal computer hardware sold today is already assembled; even so, many of our readers like to build or modify their own equipment, and even "homebrew" it from scratch. The cover photograph by Raoul Hackel, Stock Boston, shows some colorful wiring harnesses inside a computer chassis, a familiar sight to the intrepid do-it-yourselfer.

Theme articles in this issue include a build-it-yourself, low-cost, remote data-entry terminal (from Steve Ciarcia); exploring the TI Speak & Spell; a pennypincher's joystick interface; and the beginning of a multipart article on building an 8088 processor for the S-100 bus. Along with these are features on threaded code; FCC regulations and your personal computer; machine problem-solving; some tax hints for personal computer owners; and much more.

You've probably noticed that this issue of BYTE is on the large side. In fact, it's the biggest issue we've ever printed. The extra space allows us to bring you even more articles and features in this issue and in the coming months. . . . CM

Officers of McGraw-Hill Publications Company: Paul F. McPherson, President; Executive Vice Presidents: James E. Boddorf, Gene W. Simpson; Group Vice President: Daniel A. McMillan; Senior Vice President-Editorial: Ralph R. Schulz; Vice Presidents: Kemp Anderson, Business Systems Development; Stephen C. Croft, Manufacturing; Robert B. Doll, Circulation; James E. Hackett, Controller; William H. Hammond, Communications; Eric B. Herr, Planning and Development; John W. Patten, Sales; Edward E. Schirmer, International.

Officers of the Corporation: Harold W McGraw Jr, President, Chief Executive Officer and Chairman of the Board; Robert F Landes, Senior Vice President and Secretary; Ralph J Webb, Treasurer.

BYTE is published monthly by BYTE Publications Inc, 70 Main St, Peterborough NH 03458, a wholly-owned subsidiary of McGraw-Hill, inc. Address all mail except subscriptions to above address: phone (603) 924-9281. Address subscriptions, change of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, PO Box 590, Martinsville NJ 08836. Controlled circulation postage paid at Waseca, Minnesota 56093 - USPS Publication No. 528890 (ISSN 0360-5280). Canadian second class registration number 9321. Subscriptions are \$18 for one year, \$32 for two years, and \$46 for three years in the USA and its possessions. In Canada and Mexico, \$20 for one year, \$36 for two years, \$52 for three years. \$32 for one year air delivery to Europe. \$32 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$2.50 in the USA and its possessions, \$2.95 in Canada and Mexico, \$4.00 in Europe, and \$4.50 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.

Address all editorial correspondence to the editor at the above address. Unacceptable manuscripts will be returned if

accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1980 by BYTE Publications Inc. All rights reserved. BYTE® is available in microform from University Microfilms International, 300 N Zeeb Rd, Dept PR, Ann

Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ ENGLAND.

Subscription WATS Line: (800) 258-5485

Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - Noon, Eastern Time



#### **NATIONAL ADVERTISING SALES REPRESENTATIVES:**


NORTHEAST (617) 444-3946

Hajar Associates 280 Hillside Ave. Needham Heights MA 02194

MIDWEST (312) 864-3467 Hajar Associates 2405 Lawndale Evanston IL 60201

EAST & SOUTH (212) 682-5844 Hajar Associates 521 Fifth Ave. New York NY 10017

SOUTHWEST (714) 540-3554 NORTHWEST (415) 964-0706 Hajar Associates 1000 Elwell Ct., Suite 227 Palo Alto CA 94303




# MICROANGELO

HIGH RESOLUTION GRAPHICS SINGLE BOARD COMPUTER

by

**SCION**CORPORATION





RS-170 composite or direct drive output


Local or external sync generation

4 or 5 Mhz Z80 microprocessor

60 hertz realtime clock

8 level interrupt tie-in

IEEE S100 bus compatible



Light pen interface

Time multiplexed refresh

4K resident Screenware™ Pak I operating system

32K RAM isolated from host address space

High speed communications over parallel bus ports

#### Screenware™ Pak I

A 4K byte operating system resident in PROM on MicroAngelo.™ Pak I emulates an 85 character by 40 line graphics terminal and provides over 40 graphics commands. Provisions exist for user-defined character sets and directly callable user extensions to Screenware Pak I.

SCION Corporation 8455-D Tyco Road Vienna, Va. 22180 (703) 827-0888

#### Host Resident Terminal Software

An interface software package that coordinates input/output from the MicroAngelo™ graphics board, the MicroAngelo™ keyboard, and your computer. The result is a flexible, yet sophisticated graphics terminal.

European Distributor: Micro Diversions UK Ltd. 17/19 Mesnes Street Wigan, England WN1 1QP 09-423 4311

#### Now-Break Through The 64K Micro-Memory Limit!

### SWEET SIXTEEN

Bank Selectable 16K Static RAM



#### SAVE \$50.00 LIMITED TIME OFFER

Don't buy any more antique RAMs (RAM without bank select) — now there's Netronic's new SWEET SIXTEEN board featuring a universal software bank select system. SWEET SIXTEEN is capable of addressing 2.048 different banks With SWEET SIXTEEN boards you can add memory beyond the 64K limit, or expand to a multiterminal system.

#### LOOK AT THESE FEATURES:

- 300 NS, low power 2114's.
- Software Bank Selector Universal decoder works with Cromenco, Alpha Micro, Netronics, most other systems, or your design, Onboard dip switches: Bank Select Enable: Reset Enable: Reset Disable; Port Address; Port Data.
- All Inputs And Outputs meet the proposed IEEE standards for the S-100 bus.
- 4.0 MHz Operation.
- Schmitt Trigger Buffer on all signals for maximum noise immunity.
- Addressable On 16k Boundaries, 0-64k, dip switch selectable.
- Phantom Option, dip switch selectable.
- PWR/MWRITE Option, dip switch selectable.
- LED Indicator to display status.
- Glass Epoxy PC Board with gold-plated contacts and double-sided solder mask.
- Fully Socketed.
- Four Separate Regulators for maximum stability.

10-Day Money-Back Policy For Wired & Tested Unit: Try a fully wired board — then either keep it, return it for kit, or simply return it in working condition.

Continental U.S.A. Credit Card Buyers

Outside Connecticut:

# CALL TOLL FREE: 800-243-7428

From Connecticut Or For Assistance: (203) 354-9375

Please send the items checked below:

- □ **SWEET SIXTEEN kit; No. S-16** . . . (reg. price \$249.95) now \$199.95\*
- □ SWEET SIXTEEN, fully assembled, tested, burned in; No. S-16W . . . (reg. price \$289.95) now \$239.95\*
- \*Plus \$2 postage & insurance. Connecticut residents add sales tax.

Total Enclosed: S

□ Personal Check □ Money Order/Cashier's Check
□ VISA □ Master Charge (Bank No. \_\_\_\_\_)

Acct. No. \_\_\_\_\_Exp. Date\_\_\_\_ Signature \_\_\_\_

Print Name

Address \_\_\_\_\_

B NETDONIC

#### METRONICS

RESEARCH & DEVELOPMENT, LTD. 333 Litchfield Rd., New Milford, CT 06776

# **Editorial**

### Intellectual Ethics and Software

# An Inquiry Into the Nature of Ideas, Academia, and Commerce

#### Carl Helmers

Recently, I encountered an old problem again. A problem in this sense is a body of questions and my tentative answers. An old problem is like an old jacket. You get familiar with the intricacies of its individual creases, wrinkles, and holes. It may not be currently stylish, or even in the best of conditions. Yet it is hardly worth throwing out because of a shared body of experience. So, I had long ago packed this problem away in my mental baggage.

The problem I refer to is ethical in nature; it has epistemological attributes as well. It is the problem of interfacing the world of ideas with the world of commerce. In its simplest form it is a two-part question: "who originated an idea?" and "what is the value of that idea?" The problem, which has great practical implications in our technological civilization, is that of encouraging innovation by means of rewards in the worlds of ideas and commerce. The ethical position implicit in my viewpoint is simple honesty. Its intellectual expression is that credit should be given where credit is due in a freely operating world of ideas. In a laissez-faire world of commerce, its expression is that value in the marketplace should be given where value is due, in a framework of freely chosen relationships.

We humans have two worlds of activity: the intellectual world and the world of commerce. Each has its own characteristics. One deals with ideas and thoughts freely expressed. The other deals with material goods freely traded in the marketplace. We can engage in both of these very natural human pursuits to the extent that we are politically free of arbitrary laws and interference.

What, you might ask, brings about a discussion of ethics in the marketplace at this time? The particular impetus to this discussion is an incident that came to my knowledge at a recent trade show. Inasmuch as the incident is far from closed, I will not disclose the names of the parties involved. But the situation in its abstract form is worth using to explore some of the ethical problems of commerce in ideas, particularly software for small computers.

Several years ago, a small group of academics began pursuing a particular line of inquiry that related to the nature of computer design for human interaction. The charter of this group of researchers might have been expressed as: "Find the problems of human interaction with computers, and experiment with any solutions you may find." As in any academic pursuit, the inquiry generated many published papers over more than a decade. The fact that these papers also generated some exciting hardware and systems software entered the picture along the way.

Both the software and hardware developments of this group's research have been and are generously underwritten by the sponsoring organization where the activity takes place. In fact, the sponsoring organization did not expect the research to have any immediate practical expression in the marketplace, because it was basic research.



### "For reliable data storage, I recommend systems with Shugart disk drives." Tom Knight, President-Nycom, Los Altos, California

"The last thing you need when you put your personal computer or small business system to work is a disk drive that you can't rely on. If the drive quits, your system is out of business."

That's why more and more manufacturers and dealers depend on Shugart disk drives for reliable data storage. These professionals don't want disk drive problems any more than you do. Shugart has a

large family of drives, too—in all sizes and capacities to suit your system storage needs. For the smaller system, the original 5¼-inch Minifloppy ™ stores 250 to 500 kilobytes (single or double-sided)—that's about 50 to 100 pages of printed material. Our single and double-sided 8-inch floppys store 800 to 1600 kilobytes. And for systems that need a larger data base, our 8-inch or 14-inch fixed disk drives

store from 5 to 58 megabytes. No other manufacturer offers such a wide variety of disk storage for personal computer and small business systems.

Word processing, general business, accounting—big system or small, you can rely on Shugart drives. We're known as the Headstrong company for good reason. We're Headstrong about reliability, quality, and value. Ask your dealer. He knows us.

# Rely on the Headstrong Company.

**Shugart** 

# OUR PRICES ARE TOO LOW TO ADVERTISE!

CHECK THEM—CALL TOLL FREE!

**800-243-7428** LOOK WHAT WE OFFER!

- HAZELTINE Terminals
- CENTRONICS
  Printers
- LEAR-SIEGLER Terminals/Printers
- DATAPRODUCTS
   Printers
- ANADEX Printers

# BE SMART-DON'T BUY UNTIL YOU CHECK OUR PRICES!

MASTERCHARGE
VISA COD
PERSONAL CHECK
MONEY ORDER

### **NETRONICS**

RESEARCH & DEVELOPMENT, LTD. 333 Litchfield Rd., New Milford, CT 06776

Naturally, the members of the group communicated with others at similar academic and industrial research laboratories of the land, by means of conversations at conferences and meetings, as well as written communications of academic professional organizations. This type of communications between peers is an essential part of any productive research field. In short, word of their ideas got out.

Enter the publicist.

Now, intellectually and ethically we cannot argue with the following thought: when an opportunity is available to pursue some perceived value, we should go ahead and pursue it. There is no way one could complain about this kind of action since it is the essence of human activities. This attitude is a prelude to all research and innovation.

The publicist had all the *right* words. He was fluent in the jargon of computers. He perceived the enthusiasm with which the researchers described their activities personally and in print. He thought it would be good to tell the world about what was going on. And that is what he proceeded to do by means of a self-published work which was indeed ahead of the technology of practical general-purpose microcomputers.

Up to this point, our publicist had done nothing to which we could object. He was taking published works, analyzing them and pointing out the implications that these works have. But having caught the enthusiasm, he was beginning to grow impatient. After all, our researcher friends are involved in research, not in entrepreneurial activities. What our publicist had done, however, was create among people stimulated by small computers an intellectual and commercial demand for an excellent concept.

Enter the entrepreneurial programmer. He is the archetypal programmer who, given a challenge, immediately proceeds to code. Probably as a result of the ballyhoo created by the publicist, the entrepreneurial programmer proceeded to dig up the published works of our thinker friends.

These works were indeed complete, and can be found in the technical journals published during the 1970s. They even include all the information necessary for the entrepreneurial pro-

grammer to implement a version of one of the crude, early approaches our researcher friends investigated in their pursuit of the problem. Now, as a published work, these documents were intended for use by other researchers and anyone else with a programming problem.

The problem arises when we examine the manner in the which the publicist was going to use the published works of our researchers. It is one thing to implement a version of a program and sell the particular example as a toy. But it is quite another thing to name it the same as our researchers' ongoing project, imply in advertising that it is the same (when it is not), and generally imply that its use is sanctioned by its original authors at the research establishment. This is not the same as simply crediting the source in a published work and proceeding to implement a version under a different name and with particular variations.


Here, we find the complicity of the publicist and the entrepreneurial programmer as a pair. The publicist now had an opportunity to reach for the brass ring of the software that our research friends had not yet made available to him. He found the ring in the entrepreneurial programmer's product. So, the publicist has recently been pushing the entrepreneurial programmer's product at whatever forum he can find. This situation had been fermenting for some time when all parties showed up at a recent convention.

The situation came to a head at the convention when our researcher friends arrived on the scene. I became involved to the extent of providing a sympathetic ear in conversation with one of my friends from the laboratory in question. By all reports, the entrepreneurial programmer later became involved in some heated discussion of these points with the publicist, my research friends, and several individuals well aware of the issues involved (not including myself).

As of this writing, the matter remains unresolved. The entrepreneur still has not decided whether to change the name of his program or not, but I hope that, through the mediation of several individuals who know the facts of the matter, he will recognize the error of his ways and, in so doing, learn a bit about the in-

# At Intersystems, "dump" is an instruction. Not a way of life.

(Or, when you're ready for IEEE S-100, will your computer be ready for you?)



We're about to be gadflies again.
While everyone's been busy

trying to convince you that large buses housed in strong metal boxes will guarantee versatility and ward off obsolescence, we've been busy with something better. Solving the real problem with the first line of computer products built from the ground up to conform to the new IEEE S-100 Bus Standard. Offering you extra versatility in 8-bit applications today. And a full 16 bits tomorrow.

We call our new line Series II. And even if you don't need the full 24-bit address for up to 16 megabytes (!) of memory right now, they're something to think about. Because of all the perform-

ance, flexibility and economy they offer. Whether you're looking at a new mainframe, expanding your present one or upgrading your system with an eye to the future. (Series II boards are compatible with most existing S-100 systems and all IEEE S-100 Standard cards as other manufacturers get around to building them.)

Consider some of the features: Reliable operation to 4MHz and beyond. Full compatibility with 8- and 16-bit CPUs, peripherals and other devices. *Eight* levels of prioritized interrupts. Up to 16 individually-addressable DMA devices, with IEEE Standard overlapped operation. User-selectable functions addressed by DIPswitch or jumpers, eliminating soldering. And that's just for openers.

The best part is that all this heady stuff is available now! In our advanced processor—a full IEEE Bus Master featuring Memory Map™ addressing to a full megabyte. Our fast, flexible 16K Static RAM and 64K Dynamic RAM boards. An incredibly versatile and


economical 2-serial, 4-parallel Multiple I/O board. 8-bit A/D-D/A converter. Our Double-Density High-Speed Disk Controller. And what is undoubtedly the most flexible front panel in the business. Everything you need for a complete IEEE S-100 system. Available separately, or all together in our new DPS-1 Mainframe!

Whatever your needs, why dump your money into obsolete products labelled "IEEE timing compatible" or other words people use to make up for a lack of product. See the future now, at your Intersystems dealer or call/write for our new catalog. We'll tell you all about Series II and the new IEEE S-100 Bus we helped pioneer. Because it doesn't make sense to buy yesterday's products when tomorrow's are already here.

Ithaca Intersystems Inc., 1650 Hanshaw Road/P.O. Box 91, Ithaca, NY 14850 607-257-0190/TWX: 510 255 4346



### The deys of complicated, unrelieble, dynamic RAM ere gone:



JAMS

the ultrabyte memory board

complete kit with 16K memory

Netronics consistently offers innovative products at unbeatable prices. And here we go again — with JAWS, the ultrabyte 64K \$100 memory board.

#### ONE CHIP DOES IT ALL

JAWS solves the problems of dynamic RAM with a state-of-the-art chip from Intel that does it all. Intel's single chip 64K dynamic RAM controller eliminates high-current logic parts . . . delay lines . . . massive heat sinks . . . unreliable trick circuits.

#### REMARKABLE FEATURES OF JAWS

Look what JAWS offers you: Hidden refresh . . . fast performance . . . low power consumption . . . latched data outputs . . . 200 NS 4116 RAMs . . . on-board crystal . . . 8K bank selectable . . . fully socketed . . . solder mask on both sides of board . . . designed for 8080, 8085, and Z80 bus signals . . . works in Explorer, Sol, Horizon, as well as all other well-designed S100 computers.

GIVE YOUR COMPUTER A BIG BYTE OF MEMORY POWER WITH JAWS — SAVE UP TO \$90 ON INTRODUCTORY LIMITED OFFER SPECIAL PRICES!

UNDECIDED? TRY A WIRED 16K JAWS IN YOUR COMPUTER ON OUR 10-0AY MONEY- BACK OFFER (SPECIFY YOUR COMPUTER).

CONTINENTAL U.S.A. CREDIT CARD BUYERS OUTSIDE CONNECTICUT CALL

CALL TOLL FREE 800-243-7428
From Connecticut Or For Assistance. (203) 354-9375 Dept.

NETRONICS RESEARCH & B9
DEVELOPMENTLTD.

333 Litchfield Road, New Milford, CT 06776

Please send the items checked below:

- ☐ JAWS 16K RAM kit, No. 6416, \$199.95.\*
- JAWS 16K RAM fully assembled, tested, burned in, No. 6416W, \$229.95.\*
- JAWS 32K RAM kit, No. 6432, (reg. price \$329.95), SPECIAL PRICE \$299.95.\*
- ☐ JAWS 32K RAM fully assembled, tested, burned in, No. 6432W, (reg. price \$369.95), SPECIAL PRICE \$339.95.\*
- JAWS 48K RAM kit, No. 6448, (reg. price \$459.95), SPECIAL PRICE \$399.95.\*
- JAWS 48K fully assembled, tested, burned in, No. 6448W, (reg. price \$509.95), SPECIAL PRICE \$449.95 \*
- JAWS 64K RAM kit, No. 6464, (reg. price \$589.95), SPECIAL PRICE \$499.95.\*
- JAWS 64K RAM fully assembled, tested, burned in, No. 6464W, (reg. price S649.95), SPECIAL PRICE \$559.95.\*
- Expansion kit, JAWS 16K RAM module, to expand any of the above in 16K blocks up to 64K, No. 16EXP, \$129.95 \*

\*All prices plus \$2 postage and handling. Connecticut residents add sales tax.

residents add s	
Total enclosed: S_	
Personal Check	Money order or Cashiers Check
□ VISA	MASTER CHARGE (Bank No )
Acct. No	Exp. Date
Signature Print Name	
Print Name	
Address	
City	

-----

Send me more information

State

10

tellectual versus commercial realms of endeavor. I have learned that some sort of decision will probably have been made by the time you read this.

As for the publicist, he continues in his inimitable style to spin wheels of fancy.

In the intellectual marketplace of ideas, the coin of the realm is thought. He or she who owns a reputation as a result of careful thought has a purse full of golden coins ready for the bazaar of ideas. A marketplace of ideas or commerce is a human activity where all parties benefit as a part of trade. One cannot expect willing and bountiful trading when one party plays by a set of rules different and incompatible from the other's set.

The productive results of innovation and thought carry a requirement for the respect of the rules of the game. One of these rules in the intellectual world could be stated "thou shalt not take thy neighbor's reputation as thine own." When you use an idea, credit its source where appropriate, but do not pretend to imply that your version of the thought is the same.

It is perfectly fine to use an inspiration from someone's published thought in a commercial product of your own. But be sure that you make clear that the product is your own! Credit the inspiration to be sure. However, if you do not have an endorsement from the source of the inspiration, do not attempt to advertise that thought in any way as a product endorsed by the source of the inspiration.

Naturally, the ideal state is that in which the researcher is also able to capitalize directly on the results of his or her innovation. By being the first to it and the best able to understand the problem, an inestimable advantage is gained over the nonoriginal machinations of those who merely implement the published designs.

The main rewards of research must be understood for what they are: an appreciation of difficult problems and the satisfaction of seeing them through to a better understanding.

Occasionally in research a commercial gold mine is found that exudes some of its wealth on the innovator. But this is a small part of motivation for a life of ideas. The innovator's reputation is based on a mutual trust and fascination with

ideas. Entrepreneurs with a long-term point of view respect this trust by avoiding any semblance of potential violation of that trust. End of commentary.

A Note


The lives of individuals are marked by a series of changes through growth. Enterprises evolve in much the same way. BYTE has gone through many such changes. It began as an idea in the minds of my associates and me five years ago. After much hard work it matured to the point where it now has a circulation in excess of 160,000 and an assured future as a member of the family of magazines published by McGraw-Hill. This issue marks the fifth anniversary of BYTE's first issue, published in September 1975.

Since BYTE has matured to the point where a founder's day-to-day input is no longer a requisite to the continued health of the venture, I am now in the fortunate position of being able to indulge in my other interests and goals. While continuing with many of the functions at BYTE that have occupied me over the last five years, I will be able to engage in consulting activities related to the technology of, and markets for, small computer systems. Such activities have always been of great interest to me. Only with the evident maturity of BYTE and the cooperation of McGraw-Hill am I now able to spend about half of my time on such ventures.

The day-to-day operations of the magazine will be in the very capable hands of my successors, Chris Morgan and the technical editors of BYTE's staff. My new relationship with BYTE is reflected in a new title on the masthead: "Founding Editor." With my continued intimate involvement with BYTE, I shall truly have the best of both worlds. . . . CH •

### The American Economic System.

We should all learn more about it.



If you have an Apple\* and you want to interface it with parallel and serial devices, we have a board for you that will do both. It's the AIO.™

# Serial Interface.

The RS-232 standard assures maximum compatibility with a variety of serial devices. For example, with the AIO you can connect your Apple\* to a video terminal to get 80 characters per line instead of 40, a modem to use time-sharing services, or a printer for hard copy. The serial interface is software programmable, features three handshaking lines, and includes a rotary switch to select from 7 standard baud rates. On-board firmware provides a powerful driver routine so you won't need to write any software to utilize the interface.



This interface can be used to connect your Apple\* to a variety of parallel printers. The programmable I/O ports have enough lines to handle two printers simultaneously with handshaking control. The users manual includes a software listing for controlling parallel printers or, if you prefer, a parallel driver routine is available in firmware as an option. And printing is only one application for this general purpose parallel interface.



The AIO is the only board on the market that can interface the Apple Two boards in one. to both serial and parallel devices. It can even do both at the same time. That's the kind of innovative design and solid value that's been going into SSM products since the beginning of personal computing. The AIO comes complete with serial PROM's, serial and parallel cables, and complete documentation including software listings. See the AIO at your local computer store or contact



# Maybe we can save you a call.

Many people have called with the same questions about the AIO. We'll answer those and a few more here.

Q: Does the AIO have hardware handshaking? A: Yes. The serial port accommodates 3 types-RTS. CTS, and DCD. The parallel port handles ACK, ACK, BSY, STB, and STB.

Q: What equipment can be used with the AIO?

A: A partial list of devices that have actually been tested with the AIO includes: IDS 440 Paper Tiger, Centronics 779, Qume Sprint 5, NEC Spinwriter, Comprint, Heathkit H14, IDS 125, IDS 225, Hazeltine 1500, Lear Siegler ADM-3, DTC 300, AJ 841.

Q: Does the AIO work with Pascal?

A: Yes. The current AIO serial firmware works great with Pascal. If you want to run the parallel port, or both the serial and parallel ports with Pascal, order our "Pascal Patcher Disk".

Q: What kind of firmware option is available for the parallel interface?

A: Two PROM's that the user installs on the AIO card in place of the Serial Firmware PROM's provide: Variable margins, Variable page length, Variable indentations, and Auto-line-feed on carriage

Q: How do I interface my new printer to my Apple using my AIO card?

A: Interconnection diagrams for many popular printers and other devices are contained in the AIO Manual. If your printer is not mentioned, please contact SSM's Technical Support Dept. and they will help you with the proper connections.

Q: I want to use my Apple as a dumb terminal with a modem on a timesharing service like The Source. Can I do that with the AIO?

A: Yes. A "Dumb Terminal Routine" is listed in the AIO Manual. It provides for full and half duplex, and also checks for presence of a carrier.

Q: What length cables are provided? A: For the serial port, a 12 inch ribbon cable with a DB-25 socket on the user end is supplied. For the parallel port, a 72 inch ribbon cable with an unterminated user end is provided. Other cables are available on special volume orders.

The AIO is just one of several boards for the Apple that SSM will be introducing over the next year. We are also receptive to developing products to meet special OEM requirements. So please contact us if you have a need and there is nothing available to meet it.



SSM Microcomputer Products 2190 Paragon Drive San Jose, California 95131 (408) 946-7400



# ht and the Apple.

If you could talk to Thomas Edison, he'd tell you what it was like to turn the lights on in 1879. You could tell him about some bright ideas of the 20th century... particularly, a technological phenomenon that can handle everything from solar heat control to lighting your home via voice command. The Apple personal computer.

# Expand your own inventiveness with the always-expandable Apple.

Take a look inside your local computer store. There's a range of Apple systems for you...whether you want expansion capabilities of four or eight accessory slots...or memory expandable to 64K bytes or 128K bytes. With this kind of flexibility, the possibilities for creating your own computer system are endless.

Want to add an A to D conversion board? Apple makes it happen. Want to plug into time sharing, news and elec-



With Apple, Edison could've written a program to determine why some filaments burned longer than others.

tronic mail services? Apple does it all. Because Apple is the most popular personal computer with the least complicated interface, over 100 companies supply peripherals for the Apple family...including an IEEE 488 bus for instant control.

# Disk drives, a tool kit and creativity in color.

Apple was one of the first to use disk drives for increased performance and application versatility. Today, our 5\frac{1}{4}" disk drive offers high density (143K bytes)

high speed and low cost. No wonder this drive is the most popular on the market.

But now Apple goes one better with the DOS Tool Kit. A series of utility programs, it gives you the freedom to easily design 280h x192v graphic displays in a palette of living color...depending on your choice of Apple system.

Edison was first with the movie camera and projector. Now, with Apple's DOS Tool Kit, you can be first to work wonders with colorful creative animation.

# Imagine the broadest line of software programs ever.

Apple's broad line of peripherals is equalled only by the most extensive line of software you'll find in the personal computing world. Since more than 170 companies offer software for the Apple family, you can have one of the most impressive program libraries ever.

When you write your own programs, your Apple speaks creatively in BASIC,



Edison had the first movie camera... and Apple has the DOS Tool Kit that takes you into the colorful world of animation.

Pascal, FORTRAN, PILOT and 6502 assembly language. Use these languages to score a sonata. Apple will play back your musical masterpiece on its built-in speaker.

Edison listened to his voice on a revolutionary phonograph in the 1800s... now you can listen to the sounds of today with Apple's inventive family of personal computers.

# Where to find even more illuminating Apple experiences.

There's always something new being invented at Apple to set your imagination soaring. And there's always an expert to tell you all about it in detail. Your Apple dealer. If you already own an Apple, there's a whole future ahead to

challenge man, mind and machine.

If you're considering a personal computer, stop by the computer store and compare. Apple's reliability, proven performance and recognized technological leadership will help you see the light. Don't let history pass you by. Visit your nearest Apple dealer, or call 800-538-9696. In California, 800-662-9238.



#### Cromemco Lauded

After reading of the many horror stories of poor documentation and service within the microcomputer industry, I want to point out the excellent treatment I have received from Cromemco Inc.

In July, 1979, I purchased a System III with four disk drives and most of Cromemco's available software. Lately, I

have added the 3102 Terminal and the 3355A Printer. I have found the documentation very complete. The manuals for the above products form a pile 10 inches high.

When I first received the System III, I had some difficulty using the third and fourth disk drives. Because I was not too familiar with the system, and the drives worked in certain situations, I concluded that the drives were probably OK, and

that I did not understand some detail of the system's operation. Several weeks ago I was forced to conclude that the drives were defective, and I called Cromemco. Even though the warranty on the drives had expired six months earlier, they accepted the responsibility for the defect and had the repaired drive back to me within two weeks.

In addition, I have begun receiving updated software on disks. The software has been considerably enhanced. There is no charge for the additional features. I don't even have to pay for the disks.

Finally, though I had done a lot of programming on large systems and am quite knowledgeable about electronics, I had never worked with FORTRAN or COBOL, and initially I was not up to speed on the system aspects of microcomputers, especially the use of the disk drives. My questions were always answered courteously, even when they were naive, and my telephone calls were always returned.


The equipment is conservatively designed and well constructed. The software and operating system are capable and straightforward to use.

I have never been more pleased with all aspects of a purchase than I am with my Cromemco system.

Wil Schuemann Sage Instruments 501 Maple St Parkersburg WV 26101

# NEW OPEN FRAMES AND SWITCHERS...

at our same old low prices!



More new open frames to choose from - plus new special-purpose models for specific applications such as Microprocessor and Floppy-Disk systems. Also, Power-One now offers a growing line of switching D.C. Power supplies with the same high quality and reliability as our open frame models.

#### PREE

New 1980-81
Product Catalog...
plus our new
Tour Guide.
Phone or write for
your copies today!






Power-One, Inc. • Power One Drive • Camarillo, California 93010 Phone: (805) 484-2806 • (805) 987-3891 • TWX: 910-336-1297

#### Making Music

Hal Chamberlin's article on "Advanced Real-Time Music Synthesis Techniques" (April 1980 BYTE, page 70) was timely and informative. Since I have been experimenting with similar techniques for several years, I can vouch for the viability of his procedures, but I would also like to comment on several points raised in the article.

I agree that most digital synthesizers on the market do not have sufficient control for either education or serious musical work. A recent informal poll of musicians showed that the majority desired at least four voices, and complete control over envelope, timbre, loudness, and pitch for these purposes.

While Mr Chamberlin's technique provides for the important change of timbre with time that is so often neglected, his sequence table is stepped through at a rate determined by the tempo setting, so a voice will behave differently at slow



#### Store up to 354 Kbytes of formatted data on five-inch disks.

- Increase formatted storage capacity of your minidiskettes from 1½ to almost 4 times.
- Use with standard 5-inch drives rated for double-density operation.
- The DOUBLER™ reads, writes and formats either single- or doubledensity disks.
- Proprietary design allows you to continue to run TRSDOS\*, NEW-DOS‡, Percom OS-80™ or other single-density software without making any changes to software or hardware.



Mini-Disk Systems
More storage capacity, higher reliability — from Percom, the industry
leader. One-, two-

and three-drive configurations in either 40- or 77-track format, starting at only \$399.

- Includes DBLDOS,™ a TRSDOS\* compatible doubledensity disk operating system.
- CONVERT utility, on DBLDOS™ minidiskette, converts files and programs from single- to double-density or double- to single-density.
- Plug-in installation: No strapping. No trace cutting. Restore your Expansion Interface disk controller to original configuration by simply removing the DOUBLER™ and reinstalling the original disk controller chip.

PERCOM DISCOUNT COUPON worth \$20

toward
The Purchase of a
DOUBLER™
Coupon No. B10101

Expires December 30, 1980 Void where prohibited by law. • The DOUBLER™ circuit card includes high-performance data separator, write precompensation cir-

cuits for reliable disk read operations
— even on 77-track drives.

Introductory price, including DBLDOS<sup>™</sup> and format conversion utility on minidiskette, **only** \$219.95. Use the coupon for even greater savings.

Call toll-free, 1-800-527-1592, for the address of your nearest dealer, or to order direct from Percom

†Percom TFD-200™ drive, OS-80D™ operating system



PERCOM DATA COMPANY, INC. 211 N. KIRBY GARLAND. TEXAS 75042

(214) 272-3421

- PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
- \*\* trademark of Percom Data Company, Inc.

  \* trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company.

  ‡ rademark of Apparat Company, Inc.

and fast tempi, Most musical instruments, however, vary their amplitude (tremolo), pitch (vibrato), and timbre (we need a word for this-tambolo?!) at a rate almost independent of the score tempo, but in a manner suited to the instrument and type of music played. This could be accomplished by adding one more counter for vibrato-tremolotambolo update independent of the tempo counter.

The computation of signal/noise (S/N) ratios for synthesizers can be misleading. If the intent is to reproduce a musical sound, then a resolution of 60 to 80 dB is a necessity. However, if the intent is to produce music from scores, a much lower S/N ratio can be tolerated if the distortion partials are harmonic. After all, the "noise" content of flutes or harpsichords can be very high, but is considered part of the natural sound of the instrument. Eight-bit D/A (digital-toanalog) converters and 256-byte wave tables do seem adequate for musicsynthesis experimentation, at least until computer memory and power become somewhat cheaper.

Mr Chamberlin's method of generating up to 8 K bytes of waveform tables is well suited to single D/A output but requires extensive dedicated storage, plus time spent in creating the wave tables. This can be markedly reduced by noting

that the ratios of the harmonic amplitudes remain nearly constant for a considerable fraction of the note duration for many instruments. This suggests that if the envelope amplitude were provided by a separate D/A converter and its output were multiplied by a waveform multiplying D/A converter, that many fewer waveform tables would be necessary since they would contain only waveshape information, not envelope information, and they could better be reused for other voices. The additional \$10 for a multiplying D/A converter would be more than offset by the savings in memory. Incidentally the envelope "volume control" must precede the waveform D/A converter, not follow it as implied in the text, so that the required envelope filter does not cut off the harmonics of the waveform,

Finally, there is a very serious problem with the low sampling rates (6.9 kHz to 8 kHz) mentioned in the article. Suppose that the highest fundamental desired is C<sub>6</sub> (≈2100 Hz) and that at least four harmonics are necessary to produce the desired timbre (both of these figures are very conservative). Then the highest frequency present in the sampled waveshape is ≈ 8400 Hz, and since a "headroom" of at least 10% is needed for the anti-aliasing lowpass filters, the filter stop-band edge can

be no lower than ≈ 9300 Hz. So for these requirements, the sampling frequency must be at least 18,600 Hz by the Nyquist criterion. A lower sampling frequency will:

- produce aliasing distortion, or
- limit the highest fundamental to a smaller value, or
- force you to accept fewer harmonics in the waveform (at least at higher pitches) if aliasing is to be prevented.

A solution might be to use different waveform tables with fewer harmonics for the higher pitches, but this further complicates the algorithm, requires more waveform storage, and introduces pitch breaks into a voice's timbre like that of an organ mixture stop.

The length of my comments reflects favorably on the thought-provoking nature of this article. Mr Chamberlin's work should be of great help to new experimenters in the field of music synthesis, and will, I hope, stimulate discussion on this topic.

Donald L Shirer Director, Computer-Based Instruction Laboratory University of Arizona Tucson AZ 85721

A CREATION OF COMPUTER HEADWARE

# (Wow! How'd All That Stuff get In There?)

A sophisticated, self-indexing filing system flexible, infinitely useful and easy to use, that adapts to your needs.

> WHATSIT comes ready to run on your Apple, NorthStar, or CP/M computer. See your dealer...or write or call:

NEW! Now available for AlphaMicro users.

All the standard WHATSIT features plus SORT capabilities.



P.O. Box 14815 • San Francisco, CA 94114 • Tel: (415)621-2106

Suspected Brain Malfunction Disables Op Code Equivalence

My article in the June 1980 BYTE "Z80 Op Codes for an 8080 Assembler" (page 64) contains a monumental goof, which I can only explain in terms of brain malfunctions and the like.

To define a symbol such as XAF as being equivalent to hexadecimal 08, one doesn't write "XAF DB 08H"; obviously one writes "XAF EQU 08H". Table 2 on page 70 makes sense only if you put EQU statements between the columns, not DBs and DWs as I said.

Judging from letters I have received, BYTE readers aren't dumb enough to believe everything they read, thank goodness. My intelligence seems to have gone down about 10 DB or if you like, 10 DW. Sorry, people.

Bill Powers 1138 Whitfield Rd Northbrook IL 60062

> Z80 Op Codes...The Continuing Saga


There is an error in the article "Z80 Op Codes for an 8080 Assembler" which appeared in the June issue of BYTE. On page 64 the statement "XAF DB 08H" should read "XAF EQU 08H". As writ-

# FINALLY AN ALTERNATIVE TO DISKS

THE EXATRON STRINGY FLOPPY (MASS STORAGE

SUBSYSTEM)

**LOW COST** RELIABILITY **SPEED** 



\$299.50

INFORMATION PACKAGES AVAILABLE NOW FOR:

**APPLE PET TRS-80**  OSI KIM/SYM/AIM S-100

**RS-232** STD-BUS **OEM** 




# CALL OUR HOT LINE TODAY

TO REQUEST AN INFORMATION PACKAGE

EXATRON, INC. • 181 COMMERCIAL STREET • SUNNYVALE, CA 94086

# Have some great memories.



#### 16K PROM boards.


- PROM card has 2708-type memory
- Quality board construction 0-4 wait states
- Address any 4K group to any 4K boundary
- Control up to 8 banks of memory Fully assembled and tested ■ PRICE—\$300 (California residents add 6% sales tax)

#### Expandable 5 MHz RAM boards.

8-32K expandable RAM board uses TI 4044 memory ■ Runs at 5MHz ■ Fast 250ns access time ■ Bank select ■ Address any 4K block to any 4K boundary ■ Quality board construction

PRICE-8K-\$210: 16K-\$378: 24K-\$570: 32K-\$744: 8K add-on kits-\$162 (California residents add 6% sales tax)

#### Call or write Artec for details



605 Old County Rd., San Carlos, CA 94070 Telephone (415) 592-2740

ten, XAF is assigned the address to which a byte of value 8 is assembled. The actual intent is to assign XAF the value 8. The pseudo-operation EQU serves the function of an "equivalence statement."

Using mnemonic conventions such as those developed in this article, it is simpler to use Z80 code on an 8080 assembler. However, the readability of the resultant programs will be poor. I would suggest the use of macroinstructions in lieu of the DW...DB sequences. If a macroassembler is not available, then a preprocessor could be created to expand the Z80 instructions into sequences understandable to an 8080 assembler. Either way, the source code will retain readability and will probably be less error-prone.

I believe that the basic software tools make a tremendous difference to the quality of software produced. Every Z80 computer should have at least one good Z80 assembler.

Lest I seem too critical, I did enjoy this article very much.

Anthony Skjellum 1695 Shenandoah Rd San Marino CA 91108

#### Information Please

Are any of my fellow BYTE readers willing to share information with me on interfacing microcomputer systems to the IBM Models 50 or 60 electronic typewriters? I would like to use my Model 60 as an output printer, and I would appreciate some advice, if any is to be had. Thanks very much.

Michael Pinneo 3757 Vienna Dr Aptos CA 95003

#### Selectric Information Sought

Do any readers of BYTE know of any commercial devices that can interface a Radio Shack TRS-80 to an old model of an IBM Selectric typewriter (a Model 71)? I would also like to hear from anyone who has bought an alreadyinterfaced Selectric from McClain and Associates or from Worldwide Electronics. Thank you.

N Vijayan 1332 Notre Dame Dr Davis CA 95616

#### Performance Improvements

I have studied the article "TRS-80 Performance Evaluation by Program Timing," by James Lewis (March 1980 BYTE, page 84) with interest. I am only concerned here with the Level II

BASIC program.

The largest number a figure is divisible by without becoming redundant is its square root. If we include the statement:

20 C = INT(SOR(A)) + 1

and change the second FOR-NEXT loop

30 FOR B=3 TO C STEP 2

we will find the program runs much faster. For example, in the original program 9901 goes through the inner loop roughly 4500 times. Using the modified program, the second loop is only used 50 times which is ninety times faster. I find this version will run in about 25

Here is a listing of the modified program:

CLS:PRINT"1 2 3"; FOR A = 5 TO 10000 STEP 2 C = INT(SQR(A)) + 1 FOR B = 3 TO C STEP 2

10 20 30

40 D = A/B

50 IF INT(D) = D THEN NEXT A

NEXT B PRINT A;

**NEXT A** 

**Brian Glover** POB 2102 Inuvik, Northwest Territories X0E 0T0, Canada

#### More Improvements

Mr Lewis, in his article in the March 1980 BYTE, seems to compare two dissimilar computers. It was unclear to me what could be gained by this kind of comparison. The run time of a program is not only sensitive to the computer being used, as well as the programming language, but also to many other seemingly trivial factors.

For instance, Mr Lewis wanted to find all the prime numbers less than 10,000. His method was to divide by successive odd numbers. If division occurred without a remainder, then the number being divided is not a prime. The problem was that he kept dividing until the divisor was half of the dividend. For example, to check a number that was almost 10,000 he would keep dividing by numbers until he has used up all those less than 5000. It is easy to show that the time to stop is at the square root of the number, not half the number. He could have stopped after checking numbers up to 100 instead of

This is true because, if some number greater than 100 is divided without a remainder, the quotient would be some number less than 100 and this would have been revealed before ever reaching

# Mountain Hardware makes more peripherals for the Apple Computer than Anybody.

#### INTROL X-10

Intelligent Home Controller for lights and appliances. Real-time schedules and energy conservation. Complete applications software package. Home security with random scheduler. Power usage accounting package for home energy cost control. No wiring required.

#### APPLE CLOCK

Real-time and date information. Interrupts permit Foreground/Background operation of two programs simultaneously. Battery back-up. Crystal-controlled for ± .001% accuracy. Onboard ROM for easy access from BASICs. Supports PASCAL. Time from one millisecond to one year.

#### SUPERTALKER SD200

Input/Output Speech Digitizer. Permits talking programs. I/O capability allows interactive programs with speech-prompted inputs. Use output for speech directed activities in business systems, announcements in a control-room, or sound effects in entertainment programs. Easy to use because input as well as output is under user control with special software operating system:

#### ROMWRITER

Program your own EPROMs. Create your own firmware. Programs 2K, 2716 5V EPROMs. Disk software package provides easy EPROM programming. EPROMs are verified after BURN. RUN your programs from on-board socket or install them on ROMPLUS+.

#### ROMPLUS+

More power for your system through firmware. Six sockets accept 2716 EPROMs or ROM equivalents. Six or any combination can be used at once. Scratch-pad RAM and two TTL connectors. Special 2K ROMs available for powerful system enhancement: Keyboard Filter ROM—COPYROM—Others coming soon.

#### **MusicSystem**

Sophistication previously available only on experimental mini and mainframe computer synthesizers. Digital instrumental music synthesizer system. 16 voices in stereo. Instrument definitions simulate the sound of real instruments—and more. Fully programmable waveforms. Envelope Control. Composition system—sheet music input using standard music notation. Chords and multi-part scoring up to 16 voices. A true instrument that anyone with an Apple can play.

#### A/D+D/A

16 channels analog to digital input. 16 channels digital to analog output. Eight bit resolution. Super-fast  $8\mu$  sec. conversion time. Monitor and output to the real world. All on one

and . . . a place to put them



#### EXPANSION CHASSIS

By popular demand! Eight more slots for your Apple. Attractive sturdy enclosure. Its own heavy duty power supply. Easy to use. Address cards in Expansion Chassis the same way as in your Apple. Only one additional command to specify in Apple or in Expansion Chassis. Compatible with all Apple peripherals.

MOUNTAIN HARDWARE has the most comprehensive line of Apple peripherals available. Anywere. From anybody. We know the Apple inside and out and are committed to providing the most innovative and unique products to expand and enhance its capabilities and use. After all, we were the first company to make an Apple peripheral—except Apple Computer.

The message is simple. If you have an Apple, you need to know MOUNTAIN HARDWARE.

Available at Apple Dealers worldwide.

	F.	Δ	٧	ч	
U	7/		"	۸	
п	0	æ			
ı	7		١,	ą	
			9	c	
1					

CITY

#### Mountain Hardwore

Leadership in Computer Peripherals A Division of Mountain Computer, Inc. 300 Harvey West Blvd.

Santa Cruz, CA 95060 (408) 429-8600

STATE

Apple is a trademark of Apple Computer Inc.

I wrote the following short program, PRIME, and ran it on my North Star computer in about 24 minutes:

```
10 REM PRIME

20 FOR K = 5 TO 10000 STEP 2

30 I= 3

40 IF INT(K/I) = K/I THEN 80

50 I= I+2

60 IF I 1 2 < = K THEN 40

70 !K

80 NEXT

90 END
```

Division for a conventional microcomputer for which double precision is necessary is slow, and the fewer occurrences in a program the quicker the program will run. When I eliminated one division in my program to produce PRIME 2, the running time was reduced to 17 minutes:

```
10 REM PRIME 2

20 FOR K = 5 TO 10000 STEP 2

30 I = 3

40 X = K/I

50 IF INT(X) = X THEN 90

60 I = I + 2

70 IF I 1 2 < = K THEN 40

80 !K

90 NEXT

100 END
```

But the most important consideration is how the translator works; an inter-

preter is devilishly slow. A computer will run considerably faster because machine code is actually executed. I wrote a short Pascal program for my North Star, *primes*, and was surprised to find that it executed in 1 minute and 46 seconds. (See listing 1.)

Mr Lewis' results for the large IBM computer was 1 minute and 19 seconds using a PL/I compiler. Does this mean that my microcomputer is almost equivalent to this huge IBM machine? I think not.

Comparisons of this sort do not prove much; they just show how many variables are involved in determining the time it takes to run a program!

Ivan Flores Flores Associates Computer Consultants 108 8th Ave Brooklyn NY 11215

Comparisons of this sort may not prove much, but you (and many other readers) found the idea interesting enough to experiment with. Evaluation of performance encourages programmers and designers to work their crafts with efficiency, and to search for the elegantly simple solutions that improve .... CPF

#### Listing 1

```
program primes; {writes out a number of primes} var i, j, k, n: integer; begin  k:=2; \\ \text{while } k<=5000 \text{ do begin} \\ n:=2*k+1; \\ j:=1; i:=3; \\ \text{while } (i*i<=n) \text{ and } (j=1) \text{ do begin} \\ \text{if n mod } i=0 \text{ then } j:=0 \text{ else} \quad i:=i+2; \\ \text{end;} \\ \text{if } j=1 \text{ then write(n, '');} \\ k:=k+1; \\ \text{end;} end.
```

#### Pascal Precision

The letter from Martin Berman concerning numerical precision in UCSD Pascal (BYTE, June 1980, page 17) struck one of my current concerns. The actual precision available in UCSD Pascal is 7.2 decimal digits; ie: the data type *real* will accommodate integer values as large as 16,777,216 (2<sup>24</sup>) exactly. However, the output routine is limited to six significant digits. To print the remaining available 1.2 digits will require either a revision to the systemoutput routine or an output routine custom-made for the application.

I am not privy to the design process at UCSD, but suspect that this is an attempt to "protect" the user from round-off error. I, for one, deplore such at-

tempts at protection since the user who actually knows what he is doing is forced to "program around" the system. A reasonable precaution is to give no more precision than the system has (eight digits in the case of UCSD Pascal), although even this is open to question—a fellow programmer was once caught by this type of "protection" even though he was using only powers of two which are exactly represented throughout the range of the system.

Incidentally, there is a routine available for determining the actual precision of floating-point routines. It may be found in *Pascal News*, number 13 (December 1978). I enclose a copy of the code as I ran it on my UCSD Pascal system, along with the output it generated.

#### Industrial quality components for S-100 system builders, from California Computer Systems.

density controller. Single and double density controller for up to four 5¼" or 8" single-sided drives, or two double-sided drives. Shipped with CP/M 2.0, the controller reads and writes IBM-standard single density. Automatically determines disk density—single or double. Supports PerSci auto eject, plus fast-seek for voice coil systems.

2810 280 CPU Board. Capable CPU for S-100 Systems operates at 2 or 4MHz, is fully Altair/Imsai compatible. Z-80 monitor is available separately. Includes auto addressing to 4K boundaries, plus a serial port for serial devices, including terminals and printers. Supports both front-panel operation and power-on memory jump, plus wait-state generation for slower memories. Compatible with proposed IEEE S-100 standards.

2032A 32K Static RAM. Fast static memory operates without wait states at a full 4MHz. Supports full and partial bank select, for expansion beyond 64K. Addressable in 8K blocks at 8K boundaries. Address and data lines are fully buffered, and there are no DMA restrictions.

2016 16K Static RAM. Fully buffered board features 2114 static RAMs for +5v operation. Bank select available by bank port or bank byte, for system expansion beyond 64K. Addressable in 4K blocks at 4K boundaries. LED indicators for board selection and bank selection. Available in 200, 300, or 450 nsec versions. All versions support 4MHz operation with no wait states.

2200AMainframe. Rock solid, heavy gauge cabinet includes 12-slot, actively terminated S-100 motherboard, fan, and power supply. Power supply features 105, 115, or 125 volt AC input power; provides +8vDC at 20 amps, ±16v DC at 4 amps. Available in five colors. Includes convenient, front mounted, lighted reset switch.

**2501A Mother Board.** 12 slots, actively terminated, with all S-100 connectors included. Distributed power line bypass, low inductance interconnect—extremely low bus noise.

**Prototype Boards.** Four high quality prototype boards: Solder Tail, Extender/Terminator, Wire Wrap, and Etch.

**P2802AA 6502 CPU.** Stand-alone CPU generates fully S-100 compatible I/O signals; executes 6502 machine language. Operates at 2MHz; capable of DMA operation.

#### Available nationally.

California Computer Systems industrial quality S-100 products are available at over 250 computer retailers. Volume customers should contact the marketing department at CCS

**CCS.** Industrial standards.

# ee the S-10 ediffere Industrial quality means top grade materials, com-

We mass-produce S-100 products to deliver industrial quality, at industrial prices.

5=

You systems builders who need top quality, full featured, *workhorse* S-100 building blocks at the most competitive prices now have a source. California Computer Systems.

Industrial quality means top grade materials, components, and assembly, plus complete testing for absolute reliability.

Industrial quality means solid designs, a full complement of the important features you require, and a product line that delivers performance.

Industrial pricing comes from mass production. We buy at the right prices, and build *in quantity*, using state-of-the-art facilities and techniques. Including complete burn-in, for full performance right off the shelf.

Our industrial point of view means you get higher performance, greater reliability, and lower prices. If these are features you would like to see in your S-100 system, see things our way.

Because for serious users with serious uses for the S-100, these are the industrial standards.



California Computer Systems

250 Caribbean Sunnyvale, CA 94086 (408) 734-5811

#### **SUPERBRAIN**



32K or 64K (Double or Quad Density units available). Uses two Z-80 CPU's. Commercial-type terminal with 12" monitor. Dual double density minifloppies. Over 350 kilobytes of storage (twice that with quad density drives). Two serial RS232 ports, I/O ports standard. Expandable with optional S-100 S-100 interface. Comes with CP/MTM 2.2 operating system. MiniMicroMart includes BASIC interpreter and can supply a wide range of CP/M Development and Application software.

w/32K Double Density, List \$2995 . **\$2685** w/64K Double Density, List \$3345 . . . . \$2883 w/64K Quad Density, List \$3995 . . . . \$3595 64K Special Quad **V**ersion . . . . . . \$3395

#### **INTERSYSTEMS**

formerly ITHACA AUDIO



#### LIMITED TIME \$1299\*

The new Series II CPU Board features a 4 MHz Z-80A CPU and a full-feature front panel. 20-slot actively terminated motherboard, with 25 amp power supply (50/60 Hz operation, incl. 68 cfm fan).

COMPLETE SYSTEM with InterSystem 64K RAM, I/O Board w/priority interrupt and double density disk controller board. Full 1-year warranty, List \$3595

ONLY \$2895\*

Above less disk controller, \$3195 . . . . \$2539\*

\* Limited Time offer expires Sept. 15, 1980.

#### HEWLETT-PACKARD HP-85A



Desk-Top Computer Call for Price!

F.O.B. shipping point. All prices subject to change and all offers subject to withdrawal without notice. Advertised prices are for prepaid orders. Credit card and C.O.D. 2% higher. C.O.D. may require deposit.

- WRITE FOR FREE CATALOG -

#### **MiniMicroMart**

1618 James Street Syracuse, NY 13203 (315) 422-4467

#### Listing 1

```
program representation;
var base, numberofdigits, i
                               : integer;
   rounding
                               : boolean:
   epsilon
                               : real:
procedure enquiry (var radix, digits: integer;
                   var rounds : boolean);
  var number, increment
begin
         (*find large integral value just beyond integer limits*)
  number :=2:
  while (((number + 1) - number) = 1) do
   number := number * 2;
  (*end while*)
        (*manufacture the next largest real value*)
  increment := 2;
  while ((number + increment) = number) do
   increment := increment * 2;
  (*end while*)
        (*subtract these to give radix of representation*)
  radix := trunc((number + increment) - number);
        (*see if it rounds or truncates by adding (radix - 1)^*)
  rounds := ((number + (radix - 1)) NEQ number);
        (*work out how many digits in mantissa*)
  digits := 0;
  number := 1;
  while (((number + 1) - number) = 1) do begin
   digits := digits + 1;
   number := number * radix;
  end; (*while*)
end; (*enguiry*)
beain
        (*find out basic properties*)
  enquiry(base,numberofdigits,rounding);
  writeln(' Base = ',base);
  writeln(' Number of digits = ',numberofdigits);
  if rounding then
   writeln('Rounded')
  else
   writeln(' Truncated');
  (*end if*)
        (*compare the precision bounds*)
  epsilon := 1;
  for i := 1 to numberofdigits do
   epsilon := epsilon/base;
  (*end for*)
  if rounding then epsilon := epsilon/base;
        (*print the best and worst precision*)
  writeln(' Best and worst precisions are ',
             epsilon,(epsilon*base));
```

My hard-copy terminal does not have greater-than or less-than symbols. Thus "NEQ" is inserted for the Pascal "not equal" symbol.

Base = 2 Number of digits = 24 Rounded Best and worst precisions are 2.98023E-8 5.96046E-8

end.

Fred Crary 7750 31st Ave NE Seattle WA 98115

May We Suggest a Gasp Mask?

Philip K Hooper is not alone. I too noticed the foul odor of the magazine.

(See Letters, April 1980 BYTE, page 16.) Not only do I love computer science, but I love my body, and my health is paramount. I therefore abstain from the inhalation of foul vapors and fumes.

A Healthy Minority Jon Dattorro 1379 Kingstown Rd Apt 1A Kingston RI 02881

I am told that our printer used an improper glue to bind the pages together, causing the unusual smell. The printer has promised to henceforth use a different glue, and we expect that the odor problem will not recur....RSS

# When It Comes To Add-on Memory...

# LOBO Has It All.

LOBO DRIVES manufactures a full line of S-100 computer compatible disk drives. All drives are software compatible with most S-100 disk operating systems and applications software programs. Only LOBO DRIVES offers you the variety and choice of floppy and fixed disk drives. Choose from 5¼ and 8-inch floppies, 5¼ and 8-inch Winchester technology fixed disk drives, and several Floppy/Fixed disk combinations. Each LOBO DRIVES system is thoroughly tested and burned-in and has the famous LOBO DRIVES One Year, 100% Parts/Labor Warranty.



#### MODEL 400 5¼-INCH FLOPPY DISK MEMORY SYSTEM

A high-speed (298) Msec Access), highreliability (8000 hrs MTBF), low-cost floppy disk memory system. It is available in both soft and hard sector formats, and a choice of single or double density configurations.

- Up to 220 KBytes Capacity
- Single/Double Density
- Soft Sector Format
- Complete Software Compatibility

#### MODEL 800/850 DUAL FLOPPY DISK DRIVE MEMORY SYSTEM

LOBO DRIVES offers you a choice of single-sided, single or double density (Model 800) or double-sided, single or double density (Model 850) dual 8-inch memory subsystems. Each system comes complete with chassis and power supply, cables, controller and interface.

- Compatible with Most S-100 DOS Systems
- Up to 3.2 MByte Capacity

#### MODEL 1850 DUAL FLOPPY/FIXED DISK MEMORY SYSTEM

No more worries about back-up. LOBO DRIVES has combined the latest state-of-the-art Winchester technology with the proven reliability and dependability of its Model 850 8-inch floppy disk drive to bring you the ultimate in memory expansion for your S-100 computer. The Model 1850 is the ideal memory system for small business and word processing applications.

- 5 or 10 MByte Fixed Disk Capacity
- 1.6 MByte Floppy Disk Capacity
- Software Compatibility
- Sealed Environment
- Winchester Reliability
- 70 Msec Average Access Time

#### MODEL 950 DUAL FLOPPY/FIXED DISK MEMORY SYSTEM

All the advantages of Winchester technology fixed disk memory: large capacity (6.38 MBytes), high speed (170 Msec avg. access time), and extended reliability, combined with the convenience of a built-in floppy disk back-up in one cabinet. Only LOBO can bring you the storage capacity of 16 mini-floppies at a fraction of the price.

- The Storage Capacity of 16 Mini-Floppies
- Built-in Back-up
- 170 Msec Access (Avg)
- Software Compatibility

See your nearest dealer, call, or write for the complete LOBO DRIVES story... find out just how competitively priced a quality drive can be.



935 Camino Del Sur Goleta, California 93017 (805) 685-4546 Telex: 658 482



## ATARI: PERSONAL COMPUTER

#### START WITH A BETTER COMPUTER.

Atari personal computers have built-in capabilities you can't even add on to many other personal computers. Three programming formats (slip-in ROM cartridges, disk and cassette). A 57-key upper/lower case ASCII keyboard with 29 keystroke graphics. 128 colors

and hues. Four separate sound channels and a built-in speaker. Four game and graphics controller ports. A built-in RF modulator. FCC approval for connection to any TV. Plus, nationwide Atari Authorized Service Centers. And more.

#### ADD MEMORY.

The ATARI 800<sup>™</sup> comes with 16K of memory. Expand up to a full 48K of memory with 8K or 16K RAM Memory Modules<sup>™</sup> you install yourself. In less than a minute. The

ATARI 400™ is supplied with
8K of RAM which can be
expanded to 16K at
Authorized Service
Centers. Both models
may be expanded to

26K of ROM with slip-in ROM cartridge programs.

#### ADD PERIPHERALS.

Atari peripherals are specifically © 1980, Atari, Inc.

A Warner Communications Company
 Atari reserves the right to make changes to products or programs without notice.

designed to complement your system. Add the ATARI 410<sup>™</sup> Audio-digital Program Recorder. Add disk drives (single or dual double-density\*). The ATARI 800 individually accesses up to four drives. Add the ATARI 850<sup>™</sup> RS232 Interface Module. Add high-speed 40 or 80-column dot-matrix printers, or, a 40-column thermal printer. Add an acoustic modem for remote data access. Add a light pen.\* And there are more Atari peripherals on the way.

#### ADD PROGRAMS.

Atari's rapidly expanding software library includes some of the most useful, enlightening and entertaining programs available. (Some programs may require more than 16K RAM.)

- Personal Finance and Record Keeping. Sophisticated investment analysis programs, including bond analysis, stock analysis, stock charting and mortgage and loan analysis.
- \*Available Fall, 1980



## SYSTEMS THAT GROW WITH YOU

- Personal Interest and Development. Conversational languages.\* Music composition. Touch typing. Biorhythm. And more.
- Professional Applications. Graphics, statistics and programmable calculator programs. Plus VisiCalc,† the "what if" problem solving program.
- Education. ATARI Talk & Teach™ programs offer instruction from primary through college level. Plus, instructive games for all ages.
- Information & Communication. Turn your Atari into an interactive terminal, Access stock quotations, news services and other useful data banks. Transmit and receive data over Compare the Atari to any personal regular phone lines. And more.
- Entertainment. Colorful, exciting programs include Star Raiders,™ Chess, Blackjack ... and many more. \*Trademark: Personal Software, Inc.

- Programming Languages. An ATARI BASIC cartridge is included. An Assembler/ Editor Cartridge is available for the advanced programmer. PILOT, extended BASIC and Pascal will be available in 1081.
- Small Business Accounting. General Ledger. Accounts Receivable. Accounts Payable. Inventory Control. Order Entry.

ADD IT UP FOR YOURSELF.

computer in its price range. Compare built-in features. Compare expandability. Compare peripherals and accessories. Compare programming and formats (ROM

cartridge, disk or cassette). And if you run a business, ask your Atari retailer about the Atari Accountant,™ the complete, computerized accounting system for small businesses.

At Atari we're building computer

systems you won't outgrow.

#### **PERSONAL COMPUTERS**

1265 Borregas Avenue, Sunnyvale, CA 94086 Call toll-free (800) 538-8547 (Except Alaska and Hawaii) (In California: (800) 672-1404) for the name of your nearest Atari retailer.

## Ciarcia's Circuit Cellar

# Build a Low-Cost, Remote **Data-Entry Terminal**

Steve Ciarcia POB 582 Glastonbury CT 06033

Remote data-entry terminals are not something new. They are devices which provide a means of direct, specialized communication with a computer. In July's Circuit Cellar I said that a pushbutton switch on the end of a long cable is probably the least expensive and most secure form of remote data entry. This is still true, but now it is time to look at more sophisticated forms of remote data entry.

There is no formal definition of what constitutes a remote data-entry terminal. The application defines the classification. While a regular videodisplay terminal can be used for data entry, remote data-entry terminals are usually specially fabricated to fit the application and environment. Remote data-entry terminals almost always communicate in duplex mode, and are capable of displaying computer directives to the operator as well as sending operator input to the computer.

A further refinement is that the buttons on the panel frequently have function/numeric nomenclature

rather than the character set we normally associate with keyboards. A key bearing the label "START" may in fact transmit an ASCII (American Standard Code for Information Interchange) "A" when pressed. Application software running on the control computer is used to recognize that a letter "A" means "initiate the process." The transmission length and protocol should be preset to reduce operator error and entry-panel complexity.


Remote data-entry terminals are usually specially fabricated to fit the application and the environment.

For example, an entry terminal associated with a dip-plating line in a factory would probably have a panel with a numeric keypad and function buttons labeled "Bath 1", "Bath 2",

"Anode Current", "Voltage", "Time", and "Temperature". If the operator has to set the anode current in the plating tank, he presses the "Anode Current" button and then enters a four-digit value on the numeric keypad. When the control computer detects the anode-current function button being pressed, it reads the next four characters as numeric information pertaining to the anode-current function. Other function keys could have entirely different entry sequences.

To minimize error, most industrial data-entry terminals rely on considerable handshaking. At the very least, they include an accept/reject indicator for the operator. If the numeric portion of the anode-current entry did not fit within the limits prescribed for the process, a reject signal must be given to the operator so the data can be reentered.

In the more sophisticated units, the data-entry panel often incorporates an alphanumeric display. Usually, it is unnecessary to display textual material to the operator, and these



That's the MEASUREMENT systems & controls DMB Series of S-100 bus memory modules, fully compatible with ALPHA MICRO, CROMEMCO, NORTH STAR, MP/M, and most other S-100 systems.

Definitely a winner, the DMB Series is available with Bank Select (DMB6400) or without (DM6400) and utilizes industrial quality construction, provides outstanding reliability, and is backed by dedicated customer service and a one year guarantee.

The DMB6400 uses I/O port addressing for the bank select feature. A switch provides the ability to select any one of the 256 I/O ports for addressing the memory banks. The memory is configured as four totally independent 16K software selectable banks, with each bank addressable on any 16K boundary.

Systems Group

A Division of MEASUREMENT systems & controls

incorporated

Outstanding features such as those listed below make the DMB series the UNBEATABLE S-100 Memory.

- Four independent 16K software selectable banks.
- Each bank is independently addressable on any 16K boundary.
- Switch selectable bank sizes from 16K to 64K in 16K increments.
- Eight banks (512K) per I/O port for each of the 256 ports.
- Z-80 4MHz operation with no wait states using transparent refresh.
- On-board diagnostic LED's.
- Low power 8 watts maximum.
- · Reliable, tested and burned-in memory.
- IEEE S-100 compatible timing.
- One year guarantee.
- Attractive Dealer & OEM Prices.

See your nearest computer dealer, or contact us for the complete story on the UNBEAT-ABLE S-100 Memory.



**Photo 1:** Deluxe remote data-entry terminals, intended for industrial use, often contain specialized equipment to read card-badges, or control unusual functions. Many are constructed with a hazardous environment in mind, and are waterproof or blast-proof. This particular unit is a function/numeric panel (FNP) manufactured by General Digital Corporation in East Hartford CT.

displays are generally limited to a single line of sixteen to eighty characters. Gas-plasma displays or alphanumeric LED (light-emitting diode) matrices work well and are cost-effective in these applications.

Since the panel can communicate in both directions, it is possible for the operator to interrogate the process data base in the computer for specific information. Pressing the "Bath 1" and "Temperature" buttons could result in the appearance of "#1 TEMP = 192 C" on the sixteen-character display for example.

The entire remote dataentry terminal can be constructed with only two integrated circuits.

### Entry Panels for Personal Computers

Deluxe industrial data-entry terminals include numeric keypads, function buttons, badge readers for operator identification, Hollerithcard readers for part identification, alphanumeric displays, and elaborate self-test features. A typical unit is

shown in photo 1. They can be made waterproof, blast-proof, and idiot-proof as required by the application. These are hardly attributes that suggest their use in the home. However, the concept of remote data-entry panels connected to a personal computer is not as alien as it once seemed.

In the past few months I have been presenting articles on various aspects of home control. If you have attached any control devices to your computer and have it controlling the lights and appliances around your home, you undoubtedly are using a program which manipulates logic outputs based on time, status of input sensors, and operator commands. What you have is in fact a practical, even if rudimentary, process-control system. It has fundamental similarities to the dip-plating system previously discussed.

There seems to be considerable interest in home control these days. Many new systems and peripheral devices have been introduced to meet the demand. In my opinion, however, they address only half the problem. They all seem to be limited to central-system use with no facility for remote data entry or effective human engineering.

The handheld remote-control devices I detailed in my July article

# NEW FROM QT

Disk Cabinet for Single 8" Drive

STOCK



+ 110V to 125V or 200V to 250V + 50 or 60 HZ + Data Cable + Fan + Accepts Persci, Shugart, Siemans, Remex DDC-8+ \$250.00

APPLE CLOCK CALENDAR+

AVAIL. SEPT.



+ Day month year + Day of week + 2400 hour time or 12 hour AM PM (selectable) + Leap year + Interrupt timer 4 interval: 1024 Hz (approx 1 millisec), 1 sec, 1 min, 1 hour + On board backup battery + Simple setting of time and date + Simple software interface + Time advance protection while reading Bare Board (with manual) \$45.00 Kit \$100.00 Assembled & Tested \$150.00

RAM 16+

STOCK



+ Addressable in 4K steps by easily accessible DIP switch. + Memory protection in 1K increments defined by an easily accessible DIP switch. Protection may be from the bottom board address up or from the top down. + May deactivate up to six 1K segments of the board to create 'tholes' for other devices. Accomplished with jumpers. + Wait states selected by DIP switch. + 8 bank select lines provided for expansion into ½ million byte systems. + All data, address, and control lines input buffered. + Ignores I/O commands at board address. + Assembled, tested, and burned-in at factory. + 1.3 A typical current consumption.

Bare Board \$ 20.00 4 MHZ Kit \$180.00 2 MHZ Kit \$160.00 4 MHZ A&T \$210.00

S-100 (SMART) PROTO BOARD+ STOCK

\$190.00

2 MHZ A&T



+ Wire Wrap or Solder Sockets + Accepts All Standard Sockets (.30" & .60" CTR) + Allows Grid Distributed Power + 3 Voltage Regulators + Kluge Area for Discretes, External Drives + 2 Bus Bars for ± Voltages (Internal & External) + Accepts Standard Edge Connector on .1" CTR + Kit Includes 3 Reg/3 Heat Sinks/Filter Caps/2 Bus Bars/Manual Bare Board \$30.00 Kit \$50.00

## LOOK TO



## FOR THE

**EXPANDABLE** + DYNAMIC MEMORY (16K to 64K)



+ Works with the following Z-80 CPU Boards: Cromemco Systems, S.D. Systems, SSM (CB2A), Jade (Big Z), Q.T. (Z+80) and many others + Uses 3242 Refresh Chip with delay line + Four layer PC Board insures a quiet board + Supports 16K, 32K, 48K or 64K of memory + 24 Address lines per IEEE specifications + Optional M1 Wait state allows error-free operation with faster processors + Optional PHANTOM disable + Uses Z-80 Refresh signal + Bank on/off signal selected by I/O port 40 (Hex) per industry standard. + Bank in use determined by convenient DIP switch selection of data bus bits. + Low power consumption - 5 watts. + Convenient LED indication of bank in use Typical access time of board — (1) using (4116-200ns) (4Mhz) 240ns — (2) using (4116-150ns) (6Mhz) 200ns

Bare Board \$ 50.00 \$280.00 16K Kit **16K A&T** \$325.00 32K Kit \$360.00 32K A&T \$420.00 48K Kit \$440.00 **48K A&T** \$500.00 64K Kit \$510.00 **64K A&T** \$570.00

STOCK

Z+80 CPU REV II



+ 1K Ram On Board + 2 Programmable Timers + Power On Jump to On-Board 1K, 2K or 4K EPROM (2708-2716-2732) Can be Addressed on any 1K or 2K boundary + Parallel I/O Port + Programmable Baud Rate Selection (110 to 9600) + On-Board EPROM May be Used in Shadow Mode, Allowing Full 64K RAM to be Used + On-Board USART for Synchronous or Asynchronous RS-232 Operation (Serial I/O Port)

\$ 45.00 Bare Board \$190.00 Kit \$280.00 A&T 1K Memory Kit \$ 12.00

**AVAILABLE SEPTEMBER** 

CLOCK CALENDAR +



+ Time of Day in Hours, Minutes and Seconds + 24 Hour Time Format + Month and Day Date Function + Simple Read Instructions Allow Simple Interface to Basic, CPM, Etc. + Will Run With 4MHZ Processors Can be Located at any Group of 4 I/O Port Addressed + On Board Battery Back-up

Bare Board \$ 45.00 \$100.00 Kit A&T \$150.00

STOCK

I/0+



+ Two Independent SYNC/ASYNC Serial Ports + One Strobed Eight Bit Parallel Input Port With Handshaking + Three Eight Bit Parallel Ports (Undedicated, User Configured) + Three Independent Sixteen Bit Timers + Eight Level Priority Interrupt Controller + Large Prototyping area has regulated +5VDC, +12VDC,-12VDC + Two software programmable baud rate generators with crystal controlled frequencies (±.01%)

\$ 69.00 Bare Board \$275.00 Kit A&T \$375 00

STOCK

SILENCE + **MOTHER BOARDS** 



+ No Need for Termination  $\,+$  Very High Crosstalk Rejection  $\,+$  LED Power Indicator  $\,+$  Fits in Most Mainframes  $\,+$  6, 12 and 18 Slots Available

Bare Board Kit

A&T

+ Has Operated to 14 MHZ Quietly

6-SLOT		12-SLOT		18-SLOT
\$24.95	Bare Board	\$29.95	Bare Board	\$ 49.95
\$39.95	Kit	\$69.95	Bare Board Kit	\$ 99.95
\$49.95	Bare Board Kit A&T	\$89.95	A&T	\$139.95

STOCK

### QT MAINFRAME +

Includes cabinet, 30 amp power supply, and the IEEE S-100 motherboard (12 or 18-slot). The QT MF+ is fan-cooled, has AC line filter to eliminate EMI, and is fully-assembled and factory-tested. Power and reset switches are located on

MF+12 \$450.00 MF+ Without Mother Board

MF+18

\$500.00 \$350.00

\$450.00

\$450.00

STOCK



#### MF + MD

Includes cabinet, 18 amp power supply, IEEE S-100 Motherboard (6-12-slot) and dual-minidisk provision with disk drive power supply. The QT MF+ MD is fan-cooled, has AC line filter to eliminate EMI, and is fully-assembled and factory-tested. Power and reset switches are located on the front panel.

MF+MD6 MF+MD12 \$500.00 MF+MD Without Mother Board

(Accepts 2 each 51/4" Disk Drives)



STOCK

#### QT SYSTEM +



+ Main frame W/P.S. and fan + Televideo #920B Terminal + CPU - Z80 - 4MHZ + 2-8" Disk Drives (801R Shugart) + Floppy Disk Controller (Double Density) + Dynamic Memory (48K - Expandable to 64K) + 2K Monitor Program and Disk Bios on 2716 EPROM + RAM/ROM/PROM, up to 8 Kin any combination on CPU + Hard Disk Compatible + 2 Serial/2 Parallel Ports + Real Time Clock + EPROM Programmer + CPM, 2.2 or 1.4 Operating System + MPM Compatible + Full line of business software available

SYSTEM+SS \$4500.00 (DBL DEN SINGLE SIDED) SYSTEM+DS \$5500.00 (DBL DEN DUAL SIDED)

STOCK

#### OT TECHNICAL HOTLINE (213) 973-2619

1 YEAR AGAINST DEFECTS IN MATERIAL AND WORKMANSHIP FROM DATE OF SHIPMENT ON ALL OT PRODUCTS




15335 South Hawthorne Boulevard Lawndale, California 90260 (213) 970-0952, 800/421-5150 (Continental U.S. Only) (Except Calif.)



Dealer Inquiries Invited







Now that you have a shiny new computer terminal, what are you going to put it on? Computer Furniture and Accessories makes a variety of furniture for a wide range of computer applications. In combinations of six widths, three depths, and three heights. With "L" shaped returns, Micro shelves, data shelves, RETMA mounting, and printer stands. With optional drawers, doors, CRT turntables, and casters. Sizes, shapes and colors designed to fit your office or computer room environment. Reasonably priced and shipped from stock.

Call CF&A. We'll get your system up where you can really put it to use.



**Computer Furniture and** Accessories. Inc. 1441 West 132nd Street Gardena, CA 90249 (213) 327-7710



Photo 2: The remote data-entry terminal. Using a new serial keyboard-interface integrated circuit, construction is simple and inexpensive.

were only one part of the solution. They facilitate operator feedback, to a limited degree, but like any transmit-only wireless device, they cannot be relied upon in critical applications. Consistent success in control can be obtained only with closedloop communications hard-wired directly between the operator and the control computer. If you press a button on the entry panel, the computer signifies acceptance of the command by flashing an LED or displaying "HEY, GOOD BUDDY."

The easiest way to satisfy the requirements of direct communication is to use a standard video-display terminal at each remote location. The environment in the average home is not as hazardous as a factory plating line. With video terminals at \$700 each, it is at least worth thinking about.

#### Limitations of Video Terminals

However, one problem is that most video-display terminals have an RS-232C serial output which is not supposed to be used for communication line lengths over 50 feet. Before you throw out the terminal you were saving to put in the bedroom at the end of the hall (51 feet from the computer), I should point out that this specified limitation becomes significant only at a data rate of 19,200 bps (bits per second). At 300 bps, the problem is of less concern. I have personally driven 1000 feet of transmission line at 300 bps through an RS-232C port. This is a little unorthodox so don't tell anyone I told

There are many computer owners like me who don't particularly care to put a \$700 terminal in the garage. If your garage is anything like mine, you'd either have to keep it wrapped in plastic or periodically wipe the oil off, and dump the leaves and the dirt out of it. The average open-chassis video terminal would last about a week. Terminals specifically designed for these extremes would be very expensive and probably come in NEMA 4 or NEMA 10 (National Electrical Manufacturers Association specifications) oil- and water-tight enclosures.

#### Build a Low-Cost **Data-Entry Terminal**

The personal computer applications which would warrant using a \$5000 submersible data-entry panel are limited in number. I prefer instead to build something that is less expensive. A remote-entry panel, in the garage for instance, might only require functions such as lights on and off, alarm on and off, and maybe a few heating-system functions. A unit installed in the bedroom might have a couple additional functions.

For my own use, I felt I could be satisfied with a combination of ten numeric digit codes (0 thru 9) and ten function inputs. Control-system response could be handled adequately with an 8-bit display. Proper choice of components used in construction (with regard to temperature and voltage ranges, etc) would allow use of the panel in a slightly heated garage as well as the bedroom, and make it inexpensive enough to almost

be considered disposable.

Thanks to a new serial keyboardinterface integrated circuit from National Semiconductor, the entire remote data-entry terminal, shown in photo 2, can be constructed with only two integrated circuits. The entry panel, which communicates with the host computer in standard 1200 bps serial format, can be placed as far away as 2 miles from the control computer with the addition of a line driver and receiver. With the exception of the hexadecimal display shown on the prototype, the entire



Suddenly, S-100 microcomputer systems can easily handle 100 million bytes. Because Morrow Designs™ now offers the first 26 megabyte hard disk memory for S-100 systems—the DISCUS M26™ Hard Disk System.

It has 26 megabytes of useable memory (29 megabytes

unformatted). And it's expandable to 104 megabytes.

The DISCUS M26™ system is delivered complete a 26 megabyte hard disk drive, controller, cables and operating system—for just \$4995. Up to three additional drives can be added, \$4495 apiece.

The DISCUS M26™ system features the Shugart SA4008 Winchester-type sealed media hard disk drive, in a handsome metal cabinet

with fan and power supply.

The single-board S-100 controller incorporates intelligence to supervise all data transfers, communicating with the CPU via three I/O ports (command, status, and data). The controller has the ability to generate interrupts at the completion of each command to increase system throughput. There is a 512 byte sector buffer on-board. And each sector can be individually write-protected for data base security.

The operating system furnished with DISCUS M26™

systems is the widely accepted CP/M\* 2.0.

See the biggest, most cost-efficient memory ever introduced for S-100 systems, now at your local computer shop. If unavailable locally, write Morrow Designs,™ 5221 Central Avenue, Richmond, CA 94804. Or call (415) 524-2101, weekdays 10-5 Pacific Time.






Thinker Toys


terminal can be built for under \$50.

The heart of my entry panel is the MM57499 serial keyboard-encoder circuit. This device bears some similarity to other scanning keyboard-encoder read-only memories sold by many manufacturers. It scans a 12 by 8 key matrix and produces the ASCII code for each key. However, using an inexpensive

color-burst (3.579 MHz) crystal and an internal data-rate generator, it transmits the characters serially at 1200 bps. In addition, it has the capability to receive serial data (1200 bps) as well. This information can be displayed 1 byte at a time using a single 8-bit shift register. The communications protocol in either case is fixed at 1 start bit, 8 data bits, 1 stop



**Photo 3:** It is amazing what can be done with so few parts. Most of the components shown here are quite common and easily available. The use of such materials as a color-burst crystal and a standard hexadecimal keypad make this project reliable and nearly bulletproof.



**Photo 4:** This twenty-eight-pin integrated circuit keeps things simple by performing the keyboard encoding and transmitting resulting data serially. It also takes care of display functions, with the addition, in figure 2a, of a single shift register.

bit, and no parity bit. The data rate can be changed by selecting a different crystal or injecting a TTL (transistor-transistor logic)-level clock signal into pin 2 of the MM57499.

A block diagram of the interface is shown in figure 1, and the schematic diagram is illustrated in figure 2. The keyboard I used is a standard twentykey hexadecimal pad. The keys are individually connected across the X and Y matrix inputs as shown. When the A key is pressed, it will short Y<sub>8</sub> and X<sub>1</sub> together sending out the ASCII code for lowercase "a". Pressing the shift key and the A key together will send an uppercase "A". The ten letters A thru E and a thru e constitute our primary function keys. The numeric-digit keys 0 thru 9 are wired into the matrix in a similar manner. Pressing the shift key and a digit can provide ten more ASCII symbols as function indicators if needed. The key codes corresponding to the cross points of the matrix are outlined in figure 3. To change a particular key, simply determine which scan and strobe lines produce the desired code and wire the key between those points.

Three keys, F, H, and L in my unit, are given operations that are different from what their nomenclature might indicate. The F key is wired as a semicolon ";", the L key is wired as a Control "CTL" key and, the H key is now an Escape "ESC". These three keys facilitate using the programmable phrase feature of the MM57499.

During normal use, pressing the A key will send an "a". This could be interpreted by the host computer as the set-alarm signal to the home security system. To reduce potential problems, a numeric code or password could be required with all entries. Fortunately, frequent transmission of a lengthy password is not a problem.

The MM57499 contains a fourteen-character programmable memory. Pressing a Control-Escape enables this function and automatically transmits a hexadecimal FA to tell the control computer that the panel is in the program mode. The next one to fourteen keystrokes (character or control) will be stored in memory. To halt the entry process, for instance after entering a password of "abAB", we just type a Control-semicolon. This will transmit the stored message

# COMPUSTAR

#### INTERTEC'S NEW \$2500 MULTI-USER SMALL BUSINESS COMPUTER

At last, there's a multi-user microcomputer system designed and built the way it should be. The CompuStar™. Our new, low-cost "shared-disk" multi-user system with mainframe performance.

Unlike any other system, our new CompuStar offers what we believe to be the most practical approach to almost any multi-user application. Data entry. Distributed processing. Small business. Scientific. Whatever! And never before has such powerful performance been available at such modest cost. Here's how we did it . . .

The system architecture of the CompuStar is based on four types of video display terminals, each of which can be connected into an auxiliary hard disk storage system. Up to 255 terminals can be connected into a single network! Each terminal (called a Video Processing Unit) contains its own microprocessor and 64K of dynamic RAM. The result? Lightning fast program execution! Even when all users are on-line performing different tasks! A special "multiplexor" in the CompuStar Disk Storage System ties all external users together to "share" the system's disk resources. So, no single user ever need wait on another. An exciting concept . . with some awesome application possibilities!

CompuStar™ user stations can be configured in almost as many ways as you can imagine. The wide variety of terminals offered gives you the flexibility and versatility you've always wanted (but never had) in a multi-user system. The CompuStar Model 10 is a programmable, intelligent terminal with 64K of RAM. It's a real workhorse if your requirement is a data entry

or inquiry/response application. And if your terminal needs are more sophisticated. select either the CompuStar Model 20, 30 or 40. Each can be used as either a standalone workstation or tied into a multi-user network. The Model 20 incorporates all of the features of the Model 10 with the addition of two, double-density mini-floppies built right in. And it boasts over 350,000 bytes of local, off-line user storage. The Model 30 also features a dual drive system but offers over 700,000 bytes of disk storage. And, the Model 40 boasts nearly 11/2 million bytes of dual disk storage. But no matter which model you select, you'll enjoy unparalleled versatility in configuring your multi-user network.

Add as many terminals as you like - at prices starting at less than \$2500. Now that's truly incredible!

No matter what your application, the CompuStar can handle it! Three disk storage options are available. A tabletop 10 megabyte 8" winchester-type drive complete with power supply and our special controller and multiplexor costs just \$3995. Or, if your disk storage needs are more demanding, select either a 32 or 96 megabyte Control Data CMD drive with a 16 megabyte removable, top loading cartridge. Plus, there's no fuss in getting a CompuStar system up and running. Just plug in a Video Processing Unit and you're ready to go . . . with up to 254 more terminals in the network by simply connecting them together in a "daisy-chain" fashion. CompuStar's special parallel interface allows for system cable lengths of up to one mile . . . with data transfer rates of 1.6 million BPS!

Software costs are low, too.

CompuStar's disk operating system is the industry standard CP/M\*. With an impressive array of application software already available and several communication packages offered, the CompuStar can tackle even your most difficult programming tasks.

Compare for yourself. Of all the microcomputer-based multi-user systems available today, we know of only one which offers exactly what you need and should expect. Exceptional value and upward growth capability. The CompuStar™. A true price and performance leader!



2300 Broad River Rd. Columbia. SC 29210 (803) 798-9100 TWX: 810-666-2115

A PHENES DAVA SYSTEMS | COMPLETAR




Figure 1: Block diagram of a minimal-component remote-entry panel, capable of serial communication with most host computers.


to the computer. The first time it is transmitted, a hexadecimal F9 is affixed to the beginning of the message to tell the computer that the terminal is no longer in the programming mode. At any time after this point, whenever a Control-semicolon is

pressed, the stored password will be transmitted. Reprogramming this phrase is accomplished by simply pressing Control-Escape again and repeating the sequence.

Receiving data from the control computer in response to an operator

input is where the real power of this interface becomes apparent. The computer can signify the acceptance or rejection of a command input, or the completion of a task by turning on one of the LEDs connected to IC2.

Text continued on page 42





# Multi-User

UniFLEX is the first full capability multi-user operating system available for microprocessors. Designed for the 6809 and 68000, it offers its users a very friendly computing environment. After a user 'logs-in' with his user name and password, any of the system programs may be run at will. One user may run the text editor while another runs BASIC and still another runs the C compiler. Each user operates in his own system environment, unaware of other user activity. The total number of users is only restricted by the resources and efficiency of the hardware in use.



UniFLEX is a true multi-tasking operating system. Not only may several users run different programs, but one user may run several programs at a time. For example, a compilation of one file could be initiated while simultaneously making changes to another file using the text editor. New tasks are generated in the system by the 'fork' operation. Tasks may be run in the background or 'locked' in main memory to assist critical response times. Intertask communication is also supported through the 'pipe' mechanism.



The design of UniFLEX, with its hierarchical file system and device independent I/O, allows the creation of a variety of complex support programs. There is currently a wide variety of software available and under development. Included in this list is a Text Processing System for word processing functions, BASIC interpreter and precompiler for general programming and educational use, native C and Pascal compilers for more advanced programming, sort/merge for business applications, and a variety of debug packages. The standard system includes a text editor, assembler, and about forty utility programs. UniFLEX for 6809 is sold with a single CPU license and one years maintenance for \$450.00. Additional yearly maintenance is available for \$100.00. OEM licenses are also available.

# **FLEX**<sup>M</sup>

UniFLEX is offered for the advanced microprocessor systems. FLEX, the industry standard for 6800 and 6809 systems, is offered for smaller, single user systems. A full line of FLEX support software and OEM licenses are also available.




Box 2570, West Lafayette, IN 47906 (317) 463-2502 Telex 276143

"UniFLEX and FLEX are trademarks of Technical Systems Consultants, Inc.

X012345670123456701234567012345670123456701234567	Matri
Y00000001111111222222233333334444444555555555555	Como +
80 81 82 83 84 85 86 78 88 88 88 88 89 99 99 99 99 88 87 77 75 75 75 75 75 75 75 75 75 75 75 75	Standard
80 81 82 83 84 85 86 87 88 88 88 88 89 91 92 93 94 95 96 97 87 87 87 87 87 87 87 87 87 87 87 87 87	With
80 81 82 83 84 85 86 87 88 88 88 80 81 80 81 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 70 70 70 70 70 70 70 70 70 70 70 70 70	With S
80 81 82 83 84 85 86 87 88 88 88 88 88 89 91 92 93 94 95 96 97 97 97 77 77 77 77 77 77 77 77 77 77	Win Press
FN2345678CMBBCLEOSDCLTTBBS()~ - 0123456789FCSPN BREAK	Associated they
X012345670123456701234567012345670123456701234567	2
Y 66666667777778888888999999999100100101111111111	Connections
30 31 32 33 34 35 36 37 38 38 39 30 40 61 62 40 61 62 63 64 65 66 66 67 67 67 67 67 67 67 67 67 67 67	8/5
30 31 32 33 34 35 36 37 38 39 3A 3B 2C 2D 2E 2F 00 01 02 03 04 05 06 07 08 09 00 00 00 00 00 00 00 00 00 00 00 00	Cocoaro
30 21 22 23 24 25 26 27 28 29 2A 2B 3C 3D 3E 3F 00 01 02 03 04 05 06 07 08 09 00 00 00 00 00 00 00 00 00 00 00 00	With
30 21 22 23 24 25 26 27 28 29 20 20 30 31 40 40 40 40 40 40 40 40 40 40 40 40 40	Will Prospo
O123456789/@ABCDEFGH-JKLMNOPQRSTUVWXYZ LLETRIFT CShift RNTFT	100 SOUTH 100 YOU

**Table 1:** Hexadecimal key-code assignments. Using this set of assignments, the computer can reply to data entered at the terminal. The data received at the remote terminal is displayed on eight LED indicators or an optional two-digit hexadecimal readout.



VAK-4 DUAL 8K-RAM \$279.00 \$325.00 plus shipping VAK-2 8K-RAM (½ populated) \$239.00

## **VAK-4 16K STATIC RAM BOARD**

- Designed specifically for use with the AIM-65, SYM-1, and KIM-1 microcomputers
- Two separately addressable 8K-blocks with write protect.
- Designed for use with the VAK-1 or KIM-4\* motherboards
- Has provisions for mounting regulators for use with an unregulated power supply
- Made with 1st quality 2114 static ram chips
- · All IC's are socketed
- · Completely assembled, burned-in, and tested

We manufacture a complete line of high quality expansion boards. Use reader service card to be added to our mailing list, or U.S. residents send \$1.00 (International send \$3.00 U.S.) for airmail delivery of our complete catalog.

\*Product of MOS Technology



2951 W. Fairmount Avenue • Phoenix, AZ 85017 • (602) 265-7564 Please note new address

# ALTOS COMPUTER SYSTEMS PROUDLY ANNOUNCES



**AC)8000-6** 



# THE **VERY** FIRST

Double Density Z80 Micro-Computer plus Twin 8" Floppies plus 14.5Mb Winchester Disk for under \$9,500!

And more! 4 user CP/M® for under \$12,000!

\*GP/M is a registered trademark of Digital Research, Inc.

# ALTOS COMPUTER SYSTEMS, LEADER IN SINGLEBOARD TECHNOLOGY DOES IT AGAIN WITH ITS SINGLEBOARD ACS8000-6. TOTAL BUSINESS COMPUTER

#### HIGH TECHNOLOGY AGAIN

The new ACS8000-6 single board computer is packed with ultra-high technology: Z80 double-density computer, up to 208Kb of high speed RAM, Floppy-disk and Winchester Hard Disk controllers, DMA, up to 6 serial/2 Parallel I/O, optional 32 bit floating point processor . . . All on One Board, fully socketed, fully documented reliable and maintainable.

#### ADVANCED MULTI-USER SOFTWARE

Our new ALTOS Multi-User Executive (AMEX) supports four independent CP/M compatible programs in any of six languages: Basic, Fortran, Cobol, Pascal, APL, C, and a wealth of complete business application packages.

#### WINCHESTER MASS STORAGE

We're staying with Shugart for both floppies and Winchester hard disk. Why? Simple, low price, solid reliability and they're our next door neighbor. Our single board computer supports up to 4 Mbytes of floppies and 58 Mbytes of Winchester running under AMEX.

# MINI PERFORMANCE FOR 1/2 COST

Prices you will love. Entry level ACS8000-6 Hard Disk System \$9,450 2 users \$10,670, 4 users \$11,960, AMEX separate at \$250.

#### **AVAILABLE NOW!**

Call for your nearest Altos dealer. (408) 946-6700. Telex 171562 ALTOS SNTA.

**VICO7** 

# COMPUTER SYSTEMS

2360 Bering Drive San Jose, CA 95131




Figure 2a: Schematic of the remote data-entry terminal. Use of the MM57499 serial keyboard-interface circuit allows for simple construction. Data is entered via a standard keypad, and encoded by the interface circuit. Data may then be sent serially at 1200 bps to the computer over any of a number of types of transmission line.

In this circuit, all diodes are 1N914s, and not all Yn lines are used since a hexadecimal keypad does not require them. Holding any key down causes a 15-cps automatic repeat.

# \* System for TRS-80 Model

The most portable operating system now supports FORTRAN. Pascal and/or FORTRAN modules are compiled in universal P-code, so they can run on most microprocessors, often without recompiling. Programs execute up to 10 times faster than comparable BASIC programs, and use much less memory. Ready to run on TRS-80 Model II (64K).

#### **FEATURES**

- Interactive operating system—dynamic overlays, disk file handling, run-time support and block I/O routines.
- Fast, one pass compilers.
- Two Editors—one screen oriented for programming and text editing, one character oriented for hard copy terminals.
- File handler to manipulate disk files.
- Macro-assembler that produces code for linking with Pascal or Fortran programs.
- Linker for link-editing of object and assembly code modules.
- Library of program modules and utilities.

#### PLUS, from PCD Systems

- Disk formatting program to initialize diskettes in single or double density formats.
- Configuration program for serial I/O.
- Disk-set program to permit separate assignment of density and format characteristics for each disk drive.

## DOCUMENTATION

- UCSD System Manual (400 pages).
- Beginner's Guide To UCSD Pascal.
- Pascal User Manual & Report.
- Fortran User's Manual with Fortran systems.

PO Box 143 Penn Yan, NY 14527 315-536-3734

#### **PRICES**

■ UCSD System with Pascal Compiler	\$350
with Pascal and Fortran Compilers	\$500

■ Fortran Compiler alone \$200 (requires Version II.0) ■ P-Code Interpreter alone (either LSI-11 or Z-80) \$ 85

**Optional Utility Programs** 


■ CP/M<sup>‡</sup> to Pascal file conversion ■ TRSDOS\* to Pascal file conversion \$ 50 ■ Z-80 Disassembler/Dump program \$ 50

#### ALSO AVAILABLE

- UCSD System for MINC® or PDT®.
- Z-80 Adaptable System (you write BIOS).
- UCSD System for CP/M environments.

PCD Systems is a licensed distributor of the UCSD System for Pascal and Fortran. Dealer inquiries are invited.

\*Trademark of the Regents of the University of California 'Trademark of Tandy Corporation 'Trademark of Digital Research 'Trademark of Digital Equipment Corporation



# Solve your personal energy crisis. Let VisiCalc™Software do the work.

With a calculator, pencil and paper you can spend hours planning, projecting, writing, estimating, calculating, revising, erasing and recalculating as you work toward a decision.

Or with the Personal Software "VisiCalc program and your Apple\* II you can explore many more options with a fraction of the time and effort you've spent before.

VisiCalc is a new breed of problem-solving software. Unlike prepackaged software that forces you into a computerized straight jacket, VisiCalc adapts itself to any numerical problem you have. You enter numbers, alphabetic titles and formulas on your keyboard. VisiCalc organizes and displays this infor-

your keyboard. VisiCalc organizes and displays this information on the screen. You don't have to spend your time programming.

Your energy is better spent using the results than getting them.

Say you're a business manager and want to project your annual sales. Using the calculator, pencil and paper method, you'd lay out 12 months across a sheet and fill in lines and columns of figures on products, outlets, salespeople, etc. You'd calculate by hand the subtotals and summary figures. Then you'd start revising, erasing and recalculating. With VisiCalc, you simply fill in the same figures on an electronic "sheet of paper" and let the computer do

Once your first projection is complete, you're ready to use VisiCalc's unique, powerful recalculation feature. It lets you ask "What if?", examining new options and planning for contingencies. "What if" sales drop 20 percent in March? Just type in the sales figure. VisiCalc instantly updates all other figures affected by March sales.

Or say you're an engineer working on a design problem and are wondering "What if that oscillation were damped by another 10 percent?" Or you're working on your family's expenses and wonder "What will happen to our entertainment budget if the heating bill goes up 15 percent this winter?" VisiCalc responds instantly to show you all the consequences of any change.

Once you see VisiCalc in action, you'll think of many more uses for its power. Ask your dealer for a demonstration and discover how VisiCalc can help you in your professional work and personal life.

You might find that VisiCalc alone is reason enough to own a personal computer.

VisiCalc is available now for Apple II computers with versions for other personal computers coming soon. The Apple II version requires a 32k disk system.

For the name and address of your nearest VisiCalc dealer, call (408) 745-7841 or write to Personal Software, Inc., 592 Weddell Dr., Sunnyvale, CA 94086. If your

favorite dealer doesn't already carry Personal Software products, ask him to give us a call.



PERSONAL


VisiCalc was developed exclusively for Personal Software by Software Arts, Inc., Cambridge, Mass.

> TM-VisiCalc is a trademark of Personal Software, Inc.


> > \* Apple is a registered trademark of Apple Computer, Inc.

Circle 24 on inquiry card.

the work.



**Figure 2b:** Transmission-line drivers for the terminal are capable of transmitting over 10,000 feet of 100-ohm line. The capacitors at pin 4 of IC4 and IC5 help to reduce noise pick-up by decreasing the frequency response of the receiver.



# x,y Genesis Applesoft subroutines add graphics to your programs.

From

# **FUTUREWORLD**

2514 University Drive Durham, NC 27707 Dept B9 (919) 489-7486

# x,y Genesis now has:

- ability to dump graphics screen to printers,
- standard format graphs (pie chart, bar chart, scatter plot, line plot).

Interfaces to popular file management systems under development.

\$74.95

New additions to our select software list:

VISICALC™ \$150.00

A product of Software Arts Inc.


\* VISICALC Models \*

Save hours of setup time!

Visible Bookkeeper \$59.95 Nine basic bookkeeping models with explanations for adapting to your own small business.

Business Projector \$39.95 Basic one year general business projection model with cash flow, ratio analysis and supporting schedules.

# After you've broken the pole vault record, see if you can outsmart the killer dwarves.



There are plenty of computer games around. But most of them probably won't hold your interest for more than a few hours.

That's what makes these two releases from Microsoft so remarkable. They'll keep challenging you in new ways every time you play.

## Olympic Decathlona real workout!

There's never been a

program that tests your reflexes and coordination like Olympic Decathlon. Just like the real one, Microsoft's has 10 events, including shot put, pole vault, long jump, javelin throw, and six more. Win-


ning takes a combination of strategy, timing, coordination, and physical

endurance (really!).

When you jump or throw, the program calculates the actual trajectory, and shows you what's happening with exciting animated graphics. After each event, the scores of all competitors (up to 8) are displayed. It's the ultimate party game to show off your computer!

Disk-based Decathlon runs on a 32k TRS-80. The cassette version requires a 16k Level I or Level II system.

TRS-80 is a trademark of Radio Shack Corp. Apple II is a trademark of Apple Computer, Inc.



Versions for the Apple II available soon.

## Adventure—the classic mind game.

If you've ever been lucky enough to play Adventure on a big computer, you know how addictive it is. Fantasy, deduction, and magic all come into play as you explore the chambers of Colossal Cave, collecting treasure while avoiding pitfalls and hostile creatures. There are surprises around every corner, and

even veteran players keep discovering new things and improving their scores.

Microsoft has the complete microcomputer version of the original FORTRAN Adventure that runs on large timesharing systems. It runs on TRS-80 and Apple II systems with at least 32k memory and one disk.

#### Microsoft—a name worth trusting.

As the world's most experienced producer of microcomputer software, Microsoft's policy is to offer only the best, most rewarding programs in existence.

After playing Adventure and Olympic Decathlon, we think you'll agree.

Visit your computer retailer soon for a real challenge. Or ten.

# CONSUMER PRODUCTS

400 108th Ave. N.E., Suite 200 Bellevue, WA 98004 (206) 454-1315




Figure 2c: The MM57499 serial keyboardencoder integrated circuit, which scans a 12 by 8 matrix and produces the appropriate ASCII code for each key.

Text continued from page 34:

This is accomplished by sending an ASCII character to the entry receiver that has a key code corresponding to the bits we wish to light. These codes are listed in table 1.

For example, to light the LSB (least-significant bit) of the display, a hexadecimal 01 is sent. This corresponds to a "Control-shift-A". The Break key code FF would turn on all the indicators. To successfully use these LEDs, a lookup table and bit map should be included in any software driver for the terminal. My prototype included both an 8-bit LED display and a two-digit hexadecimal display. They are wired in parallel and display the same information.

#### Long Distance Transmission

No one bothers to construct a remote-entry terminal for placement next to the control computer. In most cases you will not have to resort to extraordinary means to communicate a couple hundred feet. Should you need to communicate long distances, such as 3000 feet to the barn, the line-driver circuitry of figure 2 should be used. It is capable of driving 10,000 feet of 100-ohm transmission line. For short distances it isn't absolutely necessary to use this wire or circuit. A

SHIFT   CONTROL   REPEAT   CAP   COCK   SHOFT   Z   Y   X   Y   Y   Y   Y   Y   Y   Y   Y									_	
w       v       u       t       s       r       q       P       Y10         O       N       M       L       K       J       I       H       Y9         O       n       m       l       k       j       i       h       Y9         G       F       E       D       C       D       B       A       A       D       Y8         P       S       =       C       C       B       A       A       D       Y8         P       S       =       C       C       B       A       A       D       Y8         P       S       F       E       D       C       C       B       A       D       Y9       Y9       Y9       Y9       Y9       Y9       Y6       Y6       Y6       Y4       Y2       Y4       Y4       Y4       Y4       Y4       Y4       Y2       Y4       Y2       Y2       Y2       Y2       Y2       Y1       Y1       Y1       Y1       Y1       Y1       Y1       Y1       Y1       Y2       Y1       Y2       Y2       Y2       Y4       Y4       Y4 <td< td=""><td>SHIFT KEY</td><td>CONTROL</td><td>REPEAT</td><td></td><td></td><td>z</td><td>у</td><td>x</td><td>Y<sub>11</sub></td><td></td></td<>	SHIFT KEY	CONTROL	REPEAT			z	у	x	Y <sub>11</sub>	
O N M M I L K J I I H Y9  G F E D C B A C	w	٧	U	Т	s	R	Q	Р	3	
O N M 1 K j i h Y9  G F E D C B A Q Y8  P A S A A A A A A A A A A A A A A A A A	w	٧	u	t	s	r	q	р	Y <sub>10</sub>	
g f e d c b a @ Y8  ?	1								Yg	
/ , ; : 9 8 Y <sub>7</sub> 7 6 5 4 3 2 1 0 Y <sub>6</sub> BREAK - RTN SP ESC LF 9 8 Y <sub>5</sub> 7 6 5 4 3 2 1 0 Y <sub>4</sub> DEL - ^ ]									Y <sub>8</sub>	
7 6 5 4 3 2 1 0 Y6  BREAK - RTN SP ESC LF 9 8 Y5  7 6 5 4 3 2 1 0 Y4  DEL		,	<u>-</u>	1					Y <sub>7</sub>	
BREAK         -         RTN         SP         ESC         LF         9         8         Y <sub>5</sub> 7         6         5         4         3         2         1         0         Y <sub>4</sub> DEL         ^         1									Y <sub>6</sub>	
DEL	BREAK		RTN	SP	ESC	LF	9	8	Y <sub>5</sub>	SCAN LINES
	7	6	5	4	3	2	1	0	Y <sub>4</sub>	
EOL EOS CLEAR SC B TAB DE ADM IC Y1  LS FN7 FN6 FN5 FN4 FN3 FN2 FN1 Y0	DEL —		}		}	BS	TAB	ı	Y3	
LS FN7 FN6 FN5 FN4 FN3 FN2 FN1 Y0	-	ł	t	FMT	ΊL	DC	DL	FS	Y <sub>2</sub>	
	EOL	EOS	CLEAR	sc	B TAB	DE	ADM	IC	Y <sub>1</sub>	
X7 X6 X5 X4 X3 X2 X1 X0	LS	FN7	FN6	FN5	FN4	FN3	FN2	FN1	Yo	
	×7	х <sub>6</sub>	X 5	×4	х3	× 2	×1	× <sub>0</sub>	,	

**Figure 3:** Key function chart. Although not all scan lines are used for the hexadecimal keypad, the MM57499 circuit is capable of encoding the full ASCII character set. In the unit described, shorting  $X_3$  and  $Y_5$  produces an ESC (Escape) code, while shorting  $X_5$  and  $Y_5$  gives the code for 5.

STROBE LINES

pair of MC1488 and MC1489 RS-232C drivers can be substituted for short runs and twisted-pair wiring used instead of 100-ohm cable. The degree of leeway allowed depends upon the electrical noise between the terminal and the computer. If in doubt, use the heavy-duty driver I've outlined.

Whether you build this interface or not is immaterial so long as you recognize the advantages it presents for those readers interested in control applications. I've only scratched the surface concerning the capabilities of the MM57499. We could also have used it as a single-chip remote-status transmitter, or we could have expanded the receiver section for full message displays. Trying to cover all

potential applications is impossible in a single article. I assure you that I am not through with this device, and I'll think up a few more gadgets that use it. If in the meantime you have any brainstorms concerning home control, I'd appreciate hearing about them.

For information on the MM57499 write to:

Mike Van Slack Product Marketing Engineer National Semiconductor 2900 Semiconductor Dr Santa Clara CA 95051

**Next Month:** We will explore some ways to use LCDs (liquid-crystal displays). ■

# If you can type, you can handle your accounting, word processing and much more on ISC's Small **Business Computer!**

The Intecolor® 8963 is just one of a complete line of ISC desktop computers designed for businessmen who don't know how- or don't have time- to write programs. It's CP/M® compatible, so you can choose from hundreds of CP/M business programs—programs that have been proven in hundreds of actual applications.


Programs like General Ledger, Accounts Receivable and Payable, Payroll, Mailing List and Inventory Control are now available in color. You'll comprehend data faster, thanks to the proven readability of ISC's eight-color display.

To compose letters and other documents quickly and easily, you'll want ISC's unique color-coded Word Processing program. With an optional printer, you can print out as many mistake-free originals as you want!

The Intecolor 8963 gives you all the benefits of color graphics computing at a price that's competitive with black-and-white. It's complete with 19" color graphics display, typewriter-like keyboard, dual disk drive for data storage even a color version of Microsoft® Business BASIC for those of you who do want to program.

Don't let your business get behind the times. Call your ISC sales representative or visit your nearest Factory Authorized ISC dealer and get a "hands on" demonstration today.

Color Communicates Better<sup>SM</sup>



\* U.S. domestic price. Unretouched photo of screen. CP/M is a registered trademark of Digital Research Corp.

OEM Quantity Discounts are available to Qualified Dealers and Volume Users of 25 Systems (or greater) per year. Call your nearest ISC Representative listed below

Duantity Discounts are available to Qualified Dealers and Volume Users of 25 Systems (or greater) per year. Call your nearest ISC Representative listed be ISC SALES REPRESENTATIVES: AL: 205883-8660, AZ: 602/994-5400, AR: (TX) 214/661-9633, CA: Alhambra 213/281-2280, Goleta 805-964-8751, Irvine 714/557-4460, Los Angeles 213/476-1241, Los Altos 415/948-4563, San Diego 714/292-8525, CO: 303/355-2363, CT: 203/624-7800, DE: (PA) 215/542-9876, DC: (VA) 703/569-1502, Ft. Ft. Lauderdale 305/776-4800, Melbourne 305/723-9766, Orlando 305/425-5505, Tallahassee 904/878-6642, GA: Altanta 404/455-1035, Ht. 808/524-8633, ID: (UT) 801/928-8145, IL: (No.) 312/564-5440, (So. MO) 816/765-3337, KS: (MO) 816/765-3337, MS: (



# Your vehicle for com The Challenger 8P DF.


The general purpose microcomputer was first introduced as a computer for hobbyists and experimenters. However, as the industry has grown, microcomputers have become specialized for personal use or for small business use. There is virtually no computer for the serious experimenter with one important exception, the Ohio Scientific Challenger 8P.

The C8P is unique in that it incorporates the features of state-of-the-art personal computers, with the memory and disk storage capacity of business computers, along with the "mainframe" bus architecture and open ended expansion capability of industrial control computers.

models. It has upper and lower case and graphics in 16 colors. The C8P's standard I/O capabilities are far more extensive than any other computer, with joystick and keypad interfaces, sound output, an 8-bit D/A converter, 16 parallel I/O lines, modem and printer interfaces, AC remote control and security monitor interfaces and a universal accessory port that accepts a prom blaster, 12-bit analog I/O module, solderless prototyping board and more.

Ohio Scientific offers a large library of personal applications programs, including exciting action games such as Invaders and Star Trek, sports simulations, games of logic and educational games, personal applications such as biorhythms, calorie counter, home programs such as checking and savings account balancers and a home budgeter just to name a few. A new Plot BASIC makes elaborate animations easy, and music composition program allows you to play complex multi-part music through the computers DAC.

At the systems level the machine comes standard with OS-65D, an advanced disk operating system with Microsoft BASIC and an interactive Assembler Editor. Optional software includes UCSD PASCAL and FORTRAN and an Information Management System (OS-MDMS). Dozens of independent software suppliers now also offer personal programs for the C8P.



# puter explorations.

**Business Computer Features** 

The C8P DF utilizes dual 8" floppy disk drives which store up to eight times as much information as personal computer mini-floppies, and an available double-sided option expands capacity to 1.2 megabytes of on-line storage. The C8P DF is compatible with Ohio Scientific's business computer software, including OS-65U an advanced operating system, and an Information Management System (OS-DMS) with supplementary inventory, accounting, A/R-A/P, payroll, purchasing, estimation, educational grading and financial modeling packages. The system also supports word processing (WP-3) and a fully integrated small business accounting system (OS-AMCAP V1.6). The C8P DF's standard modem and printer ports accept high-speed matrix printers and word-processing printers directly.

Home Control and Industrial Control

The C8P DF has the most advanced home monitoring and control capabilities ever offered in a computer system. It incorporates a real time clock and a unique FOREGROUND/BACKGROUND operating system which allows the computer to

function with normal BASIC pro-

grams, at the same time it is monitoring external devices. The C8P DF comes standard with an AC remote control interface, which allows it to control a wide range of AC appliances and lights remotely, without wiring, and an interface for home security systems which monitors fire, intrusion, car theft, water levels and freezer temperature, all without messy wiring. In addition. the C8P DF can accept Ohio Scientific's Votrax voice I/O board and/or Ohio Scientific's new universal telephone interface (UTI). The telephone interface connects the computer to any telephone line. The computer system is able to answer calls, initiate calls and communicate via touch-tone signals, voice output or 300 baud modem signals. It can accept and decode touch-tone signals, 300 baud modem signals and record incoming voice messages. These features collectively give the C8P DF capabilities to monitor and control home functions with almost human-like capabilities.

For process control applications, a battery back up calendar clock with automatic computer restart capabilities is available. Ohio Scientific's unique accessory ports allow the connection of a nearly unlimited number of 48 line parallel I/O cards and 12-bit high speed instrumentation quality analog I/O modules to the computer by inexpensive 16-pin ribbon cables.

**Exploring New Frontiers** 

Ohio Scientific's vocalizer software processes normal BASIC print statements with conventional spellings and speaks them clearly in real-time

on computers equipped with the UTI (CA-15B or CA-14A). This voice output capability, combined with the C8P's remote control, remote sensing, telephone interface capabilities and reasonable cost open up new frontiers for computer applications.

#### **Documentation**

The C8P DF is not a beginner's computer and doesn't come with beginner's documentation. However, Ohio Scientific does offer detailed documentation on the computer which is meaningful for experts. including a Howard Sams produced hardware service manual that includes detailed block diagrams, schematics, parts placement diagrams and parts lists. Ohio Scientific is now also offering fully documented Source Code in machine readable form for OS-65D. the Challenger 8P's operating system allowing experimenters and industrial users to customize the system to their specific applications.

#### What's Next?

Ohio Scientific is working on a speech recognizer to complement the UTI system, with a several hundred word vocabulary. The company is also developing an 8 megabyte low-cost, add-on hard disk for use in conjunction with natural language parsing to further advance the stateof-the-art in small computers. The modular bus architecture of the C8P assures system owners of being able to make use of these new developments as they become available just as the owner of a 1976 vintage Challenger can directly plug in voice output, the UTI and other current state-of-the-art OSI products.

The C8P DF with dual 8" floppies, BASIC and two operating systems costs about \$3000, only slightly more than you would pay for a dual mini-floppy equipped personal computer with only a fraction of the capabilities of the C8P.

For more information and the name of the dealer nearest you, call 1-800-321-6850 toll free.

# OHIO SCIENTIFIC

1333 SOUTH CHILLICOTHE ROAD AURORA, OH 44202 • [216] 831-5600



# An 8088 Processor for the S-100 Bus

# Part 1

Thomas Woodward Cantrell 2475 Borax Dr Santa Clara CA 95051

The 16-bit microprocessor has definitely arrived. No one doubts that this new wave of high-performance processors will soon be operating on the familiar S-100 bus. In fact, Seattle Computer Products is already shipping its Intel 8086-based processor card, along with a support card that includes vectored-interrupt control, hardware mathematical operations, and miscellaneous timer/counters.

Godbout Electronics has designed a card containing two microprocessors and the logic allowing transfer of control between them by software. One of the processors on this board is an Intel 8085A-2, which allows

the board to be placed in 8080A/8085A/Z80A-based S-100 systems with a minimum amount of hassles.

Using various existing or soon-to-be-developed cross-software products, programs can be developed for the other processor on the board, the Intel 8088. When the new software is developed and loaded, control can be transferred from one microprocessor circuit to the other for checkout and debugging. This is a novel solution to the problem of bootstrapping a system consisting of both new hardware and new software.

Microsoft and Digital Research,

both highly renowned producers of quality software, are making their contributions to the processor revolution. Microsoft is already shipping an 8086/8088 version of its popular BASIC interpreter as well as an 8086/8088 cross-macroassembler which runs under Digital Research's CP/M. A disk operating system and other system software are to follow.

Digital Research has an 8086/8088 based version of CP/M in the works. Expect this to be followed with new versions of MP/M and PL/I. The multitude of vendors who supply software to run under CP/M should already be converting their software for use with the new CP/M.

#### Problems Remain

Be that as it may, the S-100/16-bit processor picture is not as bright as it may seem. The fundamental problem is that the S-100 bus was originally designed by MITS (of Altair fame) for the Intel 8080, an 8-bit microprocessor. To "upgrade" the S-100 bus to the higher levels of performance offered by the new machines, certain problems must be addressed. The IEEE (Institute of Electrical and Electronics Engineers) Standards Committee, through its S-100 bus standard definition, has assured a future for the S-100 bus in two ways.

First, the problem of incompatibility between different "S-100" modules will be laid to rest. Woe be unto today's computerist who attempts to use a Brand X DMA color video-display board with a Brand Y



**Photo 1:** A wolf in sheep's clothing. The panel may say "8080," but the processor card in this system is based on Intel's high-performance 8088.



# **MICROTEK MT-80**

SOLID VALUE FOR YOUR DOLLAR

The market is flooded with low-cost printers that look and last more like toys.

The Microtek MT-80, our versatile alphanumeric line printer, has a high quality print mechanism that gives you solid value for your dollar. It has been designed with a superior brain resulting in more advanced features and more dependable performance. Our printer is so reliable that we offer you an incredible 365 days warranty.

We stand behind every printer we make because we build quality into each one. So stop tinkering with toys and get serious. Demand 100% value by specifying the MT-80.

OUR UNIT PRICE \$795 Parallel \$895 Serial (RS-232C)

#### LOADED WITH INNOVATIONS

- 40, 80 or 120 columns (software selectable)
- Non-thermal paper, pin feed
- 125 CPS, 70 lines per minute
- 9 × 7 dot matrix
- · Vertical format unit
- 96-character ASCII (upper and lower case)
- Adjustable forms width to 9½"
- Parallel and serial (RS-232C) interfaces available



# MICROTEKing.

For more information contact: MICROTEK, Inc., 9514 Chesapeake Drive, San Diego, CA 92123 Tel.(714)278-0633 TWX 910-335-1269

# CPA/Tax Professionals...

Here's how you can solve your professional practice development problems.

Are you satisfied with the growth of your tax practice? Our field tested professional tax preparation software can help!

One tax practitioner reported his tax season income jumped from \$12,000 to \$30,000 using a micro computer. It can happen to you too!! Call or write for details.

# Income Tax Software Specialists

Complete System, including: •Federal individual • State individual • Corporate

SOFTWARE

dealer inquiries invited

3600 WILSHIRE BOULEVARD, #1510, LOS ANGELES, CALIFORNIA 90010 • (213) 738-9972

P.S.—We want to be your software source. Give us the opportunity to beat any nationally advertised price!

CP/M® DISK WITH OSBORNE ¶ MANUAL ONLY #General Ledger 59/\$20 #Acct Rec/Acct Pay
MICROSOFT Basic-80
Word-Star /Mail-Merge. \$489/\$65 DataStar \$279/\$35 Word-Master. \$119/\$25 SuperSort II. \$169/\$25 SuperSort III. \$119/\$25
Tiny "C" \$ 69/\$40 CBASIC (Ver 2.06) \$ 89/\$15 Pascal/Z (Ver 3) \$ 3369/\$35 Pascal/MT (Ver 3) \$229/\$30 Magic Wand \$299/\$45 CBS \$279/\$45 ‡1.I.M \$3369/\$45 Electric Pencil II less 15%
COMPUTER PATHWAYS #Pearl (level 1),. \$ 99/\$25 #Pearl (level 2)\$299/\$25 #Pearl (level 3)\$549/\$25

‡General Ledger. ‡Accts Receivable. ‡Accts Payable. ‡Payroll. ‡Inventory. ‡Property Mgt ‡C.P.A. Client Write-u ‡Mailing Address.	\$449/\$35 \$449/\$35 .\$449/\$35 \$499/\$35 \$899/\$35 p.\$899/\$35 \$399/\$35
STRUCTURED SY: #General Ledger #Accts Receivable. #Accts Payable. # Payroll. # Inventory Control. # Analyst. # Letteright. # NAD. QSORT.	\$747/\$25 .\$747/\$25 .\$747/\$25 .\$747/\$25 .\$447/\$25 .\$197/\$15 .\$167/\$25 .\$87/\$20 .\$87/\$20
GRAHAM-DORIAN #General Ledger. #Accts Receivable. #Accts Payable. #Payroll # Inventory. #Cash Register. #Apartment Mgt. #Job Costing.	\$793/\$35 \$793/\$35 \$793/\$35 \$493/\$35 \$493/\$35 \$493/\$35
#Selector III-C2 #Selector IV #Glector S-BasicCompiler	\$469/\$35
WHITESMITHS *"C" Compiler	\$600/\$30

	· · · · · · · · · · · · · · · · · · ·	
UAL 10000771 55 55 55 60 65	PEACHTREE* 1  ‡General Ledger. \$449/\$35 ‡Accts Receivable \$449/\$35 ‡Accts Payable. \$449/\$35 ‡Payroll. \$449/\$35 ‡Payroll. \$449/\$35 ‡Payroll. \$499/\$35 ‡Inventory. \$499/\$35 £Property Mgt. \$899/\$35 \$C.P.A. Client Write-up. \$899/\$35 **Mailing Address. \$399/\$35 **STRUCTURED SYSTEMS  #General Ledger. \$747/\$25 #Accts Receivable. \$747/\$25 #Accts Receivable. \$747/\$25 #Inventory Control. \$447/\$25 #Inventory Control. \$447/\$25 # Analyst. \$197/\$15 **Letteright. \$167/\$25 **NAD. \$87/\$20 CSORT. \$87/\$20	S.O.F.T.WA.R.E.¶  ‡ Microtax* — Prof. tax preparation Federal individual \$749/\$50 Federal corporate \$249/\$25 State individual \$249/\$25 State individual \$249/\$25 Accounts Payable \$ 79/\$25 Accounts Payable \$ 79/\$25 Accounts Payable \$ 79/\$25 All 4 \$269/\$99  SUPERSOFT    Forth
5 25 25 25 25 25 25 25 25 25 25 25 25 25	GRAHAM-DORIAN ¶  #General Ledger . \$793/\$35  #Accts Receivable . \$793/\$35  #Acts Payable . \$793/\$35  #Payrol . \$493/\$35  # Inventory . \$493/\$35  #Cash Register . \$493/\$35  #Apartment Mgt . \$493/\$35  #Job Costing . \$793/\$35	MICROSOFT Softcard (CP/M)\$292 PERSONAL SOFT WARE Visicalc*\$122 CCA Data Mgr\$84 Desktop/Plan\$84 MUSE Super-Text\$84 Other disk software. less 10%
5 5 15 %	MICRO-AP         #Selector III-C2       \$269/\$20         #Selector IV       \$469/\$35         #Glector       \$299/\$25         S-BasicCompiler       \$229/\$25	TRS-80 <sup>®</sup> MODEL II CP/M 2.2\$149 Electric Pencil II less 15%
5 5 5	<b>WHITESMITHS</b> *"C" Compiler\$600/\$30 *Pascal (incl "C")\$750/\$45	TRS-80® MODEL I CP/M 1.4

Other software requirements—Call

CP/M users: specify disk systems and formats. Most formats available.

★ - Special Bonus with order # -- Requires CBASIC-2

‡ -Requires microsoft BASIC

¶-Supplied in source code

#### VISA • MASTERCHARGE

ORDERS ONLY—CALL TOLL FREE **1-800-854-2003** ext. **823** Calif. 1-800-522-1500 ext. 823

Add\$2.50 postage and handling per each item. California residents add6% sales tax. Allow 2 weeks on checks, C.O.D. ok.

Prices subject to change without notice. All items subject to availability.

For information write or call

# THE DISCOUNT SOFTWARE GROUP

1610 Argyle Ave., Bldg. 102 • Los Angeles, CA 90028 • (213) 665-8280

Z80 processor card and a Brand Z dynamic memory board. If they all work together it's a miracle! By more clearly defining things like DMA (direct-memory access) protocols and timing, as well as eliminating some of the archaic or abused S-100 signals, board compatibility can more likely be assured.

Second, provisions have been made to ease the adaptation of new, higher-performance processors to the bus. This expandability has been achieved in three distinct ways:

- 16-Bit Data Transfers MITS chose to split the 8080's bidirectional 8-bit data bus into separate input and output data buses. While the wisdom of this was often questioned, it has proven to be a saving grace. The IEEE S-100 standard adds two signals (SXTRQ\*, Sixteen Request, and SIXTN\*, Sixteen Acknowledge) to allow 16-bit data transfers by ganging the output data input and bus. (Note that throughout this article I will use the "\*" notation to designate active low signals; this is the accepted usage in the IEEE standard.)
- Extended Memory Addressing — Eight of the unused S-100 bus lines have been designated as address lines A16 thru A23. With 24 address bits (A0 thru A23), 16 megabytes of memory can be addressed directly.
- Extended I/O (input/output) Addressing — The 8080 was capable of addressing 256 I/O ports. The 8-bit I/O port address was placed on both the low byte (A0 thru A7) and high byte (A8 thru A15) of the 16-bit address bus. The IEEE standard allows this echoing of the port address on both halves of the address bus, but recommends that A0 thru A15 be used for I/O addressing. The 16-bit I/O address gives S-100 systems the ability to directly utilize up to 64 K I/O ports.

These standardization efforts will allow a controlled evolution of the S-100 bus. However, I realize that of the dozens of S-100 boards I have (including some of very recent vintage), probably none meets the IEEE standard. I cannot afford to replace them

# Buy now and get FREE Solid State Software Libraries.



TI Programmables lead the field in performance, quality and value. When you're choosing a programmable calculator consider: Power. Total software support. Flexibility. And price/performance. You'll dis-

cover a clear-cut answer. A TI Programmable 58C or 59.

The TI-59 has up to 960 program steps or up to 100 memories. Magnetic card read/write capability lets you record your own custom programs or those received from PPX (Professional Program Exchange).

The TI-58C features up to 480 program steps or 60 memories. And it has TI's Constant Memory™ feature that retains data and program information even when the calcula-

tor is turned off.

And now free modules give you that added productivity you need. From August 15 to October 31, 1980 is your special opportunity to purchase one of the world's most advanced programmable calculators. And get a minimum of \$40 worth of free software modules with a TI-58C. Or, when you buy a TI-59, get a minimum of \$80 worth of software modules and an \$18 one-year membership in PPX. This will allow you to select up to 3 programs (from over 2,500) written by professionals in your field.

Visit your TI retailer for more information, and let him help you select the TI Programmable and free software that's right for you.


my first choice I've bough my members grams from the	nt a TI-58C, send me my ce and an alternate. Int a TI-59, send me my to ship (which entitles me the source catalog at no co es and an alternate.	wo free modules and to select three pro-
3.		
Send to: TI TX 79408.	Library Offer, P.O. Bo	x 1984, Lubbock,
(packed in b	coupon: (1) with custom ox), (2) <u>a dated copy of</u> 15 and Oct 31, 1980— ov 7, 1980.	proof of purchase,
Name		
Name Address		
	State	Zip
Address City		ВҮ
Address City Calculator Se	erial Number (from back o	BY
Address City Calculator Se Please allow where prohibi		BY of unit) er void

Texas Instruments technology — bringing affordable electronics to your fingertips.

# TEXAS INSTRUMENTS

\*US suggested retail price. © 1980 Texas Instruments Incorporated

INCORPORATED



**Figure 1:** The internal architecture of the 8088. By combining a 16-bit execution unit with an 8-bit bus-interface unit, the 8088 can use a powerful instruction set and still remain compatible with most existing hardware. The functional division of processing allows the 8088 a speed advantage by performing fetch and execute concurrently.

all. In fact, my IMSAI computer's front panel does not meet the standard either.

## A Solution

Intel's 8088 microprocessor is a remarkable machine. By combining a 16-bit execution unit with an 8-bit bus interface, the 8088 can represent the best of both worlds for many users. (See figure 1.) In particular, the 8088 allows you to reap the benefits of a powerful new architecture while preserving your investment in 8-bit hardware. In addition, many datahandling-oriented applications (such as intelligent terminals, data concentrators, and small business computers) are more naturally implemented with a machine that communicates using 8-bit characters.

#### New Architectures

The microprocessor revolution is fascinating because it represents a microcosm of the computer revolution. In the last 5 years we have seen computers on silicon follow the footsteps of 30 years of computing history. The effort of the computing pioneers has not been in vain, for it has served to chart our course.

Consider current VLSI (very large

scale integration) processing technologies. Semiconductor manufacturers have the capability of placing 30,000 transistors on a chip of silicon today, with as many as 100,000 in the near future. Now imagine a second-generation mainframe computer of the 1960s. It fills an airconditioned room and consists of large metal boxes and massive power supplies. Inside some of the metal boxes are large racks filled with circuit cards. These circuit cards are covered with transistors, resistors, and capacitors. Today, the computing equivalent of these metal boxes is a small group of integrated circuits.

The user may be initially impressed by the complexity of the computer being used, but he will ultimately judge the machine on the basis of its power and ease of use; therefore, the challenge for the manufacturers is not as simple as maximizing the number of devices. The problem is designing microprocessors that respond to the needs of the user.

The high-performance solution is to implement mainframe architectures that contain tried and proven virtues. Concepts like attached coprocessors, concurrent I/O process-

ing, pipelining, memory segmentation and hardware mathematical operations are being adopted and put on silicon. When I say the architecture of the 8088 is "new and revolutionary," I am really saying that the day of the "mainframe-on-a-chip" has arrived.

#### The Best of Both Worlds

The 8088 contains two processors in its 40-pin package. One is called the EU (execution unit) and the other is the BIU (bus-interface unit). The BIU is optimized for communicating with the rest of the computer system, while the EU is optimized for executing programs.


The EU most closely resembles what is conventionally considered the processor; it contains the working registers, the status flags, and the ALU (arithmetic/logic unit). As its name implies, this is where programs are executed.

The EU of the 8088 is the same as the one in the 16-bit 8086 processor. All the registers (twelve of them) are 16 bits wide, though some of them can be treated as two separate 8-bit registers by the programmer. In addition, all math operations (addition, subtraction, multiplication and division) can utilize 16-bit operands.

The 8-bit BIU manages much of the work associated with the address, data, status, and control bus interfaces. The BIU of the 8088 uses an 8-bit data bus for receiving and transmitting data, as opposed to the BIU of the 8086, which uses a 16-bit data bus. An example of the bushandling optimization of the BIU is that the speed requirements placed on the rest of the system (ie: memory and I/O devices) are very easy to deal with. An 8088 running at 5 MHz can use relatively slow memories (ie: 450 ns access time) with no wait states. Save those old, slow memory boards.

The connection between the BIU (which fetches and stores data) and the EU (which processes the data) is the *queue* or *pipeline*. The BIU keeps the pipeline filled with instructions fetched from memory, while the EU draws instructions from the queue as it needs them.

In less sophisticated computers, the rest of the system (especially memory) might sit idle, waiting for the processor to finish a long instruction. To eliminate this waste of



# Diablo printers spend more time in this position.

A printer isn't much good if it can't do the

job when it's needed.

That's why, at Diablo, we don't just design printers that work. We design printers that keep on working. In fact, we make them so reliable, you can just open the carton, plug in and play.

Diablo offers the widest range of reliable printers and options to give the flexibility you need. Which stands to reason. After all, we pioneered the daisy wheel technology and we're still the leader in it.

So if your printers spend too much time in the "off" position, you know what to do.

Switch.

# Diablo Systems

system resources, the BIU of the 8088 will fetch more information and put it in the queue for later use by the EU. Similarly, when the BIU tries to read some extra-slow memory and encounters a wait state, the EU can continue reading instructions from the queue and executing them. All the EU ever "sees" is the queue, regardless of differences in the BIU that feeds it.

This powerful internal architecture, combined with the simple 8-bit I/O, makes the 8088 a natural for the S-100 and other 8-bit buses.

## Design and Interfacing

My S-100/8088 board is designed as a simple, yet powerful, base com-

puter with the support logic necessary to interface to the S-100 bus. I will explain the design accordingly by first discussing the design of the minimal system, and then the techniques for interfacing to the S-100 bus.

Several years ago it would not have been uncommon to overhear: "My computer's got a microprocessor, 2 K bytes of EPROM, 1 K bytes of programmable memory, and a couple of I/O ports." Today, the same machine can be created using four integrated circuits. In fact, such a system is shown in figure 2.


This system uses a 5 MHz 8088 processor, driven by an 8284 clock generator, with an 8185-2 1-K-by-8-

bit static memory circuit and an 8755A-2 2-K-by-8-bit EPROM (erasable programmable read-only memory). The 8755A-2 also includes two 8-bit parallel ports.

Notice how simple the basic system is. Each part was designed with compatibility in mind, so the interfacing task is essentially "connect the dots."

# The 8088 Microprocessor


In the following section, detailed hardware aspects of these key components will be discussed. My reference is Intel's 8086 Family User's Manual, which contains a wealth of information on the 8088, 8086, and other high-performance members of



**Figure 2:** A minimum system is possible with the 8088 family using only four dual-in-line packages. This system uses a 5 MHz 8088 central processor, driven by an 8284 clock generator. An 8185-2 1-K-by-8-bit programmable memory and an 8755A-2 2-K-by-8-bit EPROM provide system memory and two 8-bit parallel I/O ports. Active-low signals are shown in the figures using the overbar notation, rather than asterisks.

- 1. Outlasts every competitor—200,000,000 character head warranty
- 2. No duty cycle limitations—even in demanding business applications
- 3. Professional print quality—9 x 7 matrix
- 4. Rugged business use construction—metal chassis—two motors
- 5. 80 characters per second
- Upper and lower case—full 96 character ASCII set
- 7. Double width characters

- 8. Connects directly to TRS-80,™ APPLE® and other computers
- 9. Block graphics—64 shapes for charts, graphs, diagrams
- 10. Friction and pin feed
- 11. Plain paper—up to 3 parts
- 12. 6 and 8 lines per inch—program controlled paper savings
- 13. 80 and 132 columns—program controlled
- 14. Price—the best value in the industry. Call or write today for the name of your local Microline 80 dealer.






Figure 3: The pinouts assigned to the 8088 microprocessor package. Notice that many pins serve dual functions depending on the mode selected (either minimum or maximum). Maximum mode is designed to facilitate concurrent processing, using the I/O processor and arithmetic processor also available in the 8088 family.

the family. See figure 3 for the 8088 pinouts.

The following paragraphs describe the function of the 8088 pins:

AD0 thru AD7: These form the time-multiplexed address and bidirectional data bus. In other words, they sometimes contain address information (A0 thru A7) and other times contain data (D0 thru D7). The obvious benefit of multiplexing is that eight fewer pins are needed on the package.

ALE (Address Latch Enable): The 8088 asserts ALE whenever the multiplexed address/data bus contains valid address information. ALE serves two fundamental purposes.

- When connected to other multiplexed-bus components (as in figure 2), ALE is a signal to them that the processor has address information on its address/data bus.
- We may want to demultiplex

the bus-in other words, the rest of the system may want to see a separate address bus and a separate data bus (the S-100 standard requires two separate buses). ALE can be used to strobe address information into a latch (hence the "latch enable" part of its name) (see figure 4).

A8 thru A15: These are address lines; they are not multiplexed.

You may note that the multiplexed bus and many of the following hardware-interface facets of the 8088 are the same as those of the popular 8085A. The 8088 is upward compatible with many existing 8085A designs, and the 8088 can easily use all the peripheral components designed to support both the 8080A and the 8085A

A16/S3 thru A19/S6: The upper four address lines (A16 thru A19, also known as S3 thru S6) extend the addressing capability of the 8088 to 1 megabyte. This is a very real perfor-




Figure 4: The ALE signal from the 8088 microprocessor is used to latch address information into an 8282 buffer. The buffer output is demultiplexed address information which has been separated from data that appears on the same pins.

#### YOU SEE EYE TO EYE WITH YOUR

The DS-65 Digisector® opens up a whole new world for your Apple II. Your computer can now be a part of the action, taking pictures to amuse your friends, watching your house while you're away, taking computer portraits... the applications abound! The DS-65 is a random access video digitizer. It converts a TV camera's output into digital information that your computer can process. The DS-65 features:

- High resolution: 256 X 256 picture element scan
  - Precision: 64 levels of grey scale
  - · Versatility: Accepts either interlaced (NTSC) or industrial video input
    - · Economy: A professional tool priced for the hobbyist


The DS-65 is an intelligent peripheral card with on-board software in 2708 EPROM. Check these software features:

- Full screen scans directly to Apple Hi-Res screen Easy random access digitizing by Basic programs Line-scan digitizing for reading charts or tracking objects
- Utility functions for clearing and copying the Hi-Res screen

Let your Apple see the world!

DS-65 Price: \$349.95 Advanced Video FSII Camera Price \$299.00 SPECIAL COMBINATION PRICE: \$599.00





APPLE SELF-PORTRAIT

P.O. BOX 1110 DEL MAR, CA 92014 714-942-2400



mance improvement over most 8-bit processors (usually limited to a 64 K-byte address space). These address lines are multiplexed with status information. During the early part of a bus cycle (T1, the first clock period of the four-clock bus cycle), a valid address is present. Then from clock cycles T2 to T4, each of these pins contains status information as follows:

- S6: This signal is always low.
- S5: This signal reflects the state of the EU's interrupt-enable flipflop. If this signal is high, it in-

- dicates that the processor can accept interrupts. If it is low, interrupts are currently disabled.
- S3 and S4: These two pins can encode four possible states. These states reflect the segment register used in forming the address for the current bus cycle. (See table 1.) This information can be used for monitoring program execution or for analyzing program performance. There is also the potential for implementing a memory bank-switching scheme, where the two lines are used to choose one

of four areas (banks) of memory.

MN/MX\*: Reflecting the needs of different users, the 8088 can be operated in two different modes. If MN/MX\* is high, the processor is in minimum mode; if this input is low, the processor is in maximum mode. Depending on the mode (min or max), certain pins on the processor will serve different purposes. In min mode the processor is responsible for generating all bus-control signals. In max mode, control signals are generated by an 8288 bus controller.

The control signals put out by the 8088 in *min* mode are then replaced with other signals that facilitate the design of higher-performance (and generally more expensive) systems. These *max* mode signals include a hardware *bus lock*, *queue status* information and the implementation of a memory access *request/grant* protocol used in multiprocessing.


The max mode gives a computer the ability to use multiple processors (eg: an 8088 processor with an 8089 concurrent-I/O processor and an 8087 ultra-high-performance numeric-data processor). Note: both min and max modes allow the 8088 to address the full megabyte of memory.

My S-100/8088 board is implemented in *min* mode, so when a signal that differs for *min* or *max* mode is defined, the *min* mode definition will be used.

 $RD^*$ : This is the general-purpose read signal that latches data from memory or an I/O device (the device involved depends on the state of IO/M\*) into the 8088.

WR\*: This is the general-purpose write signal. The 8088 uses WR\* to output information to memory or I/O devices.

IO/M\*: This line indicates whether the processor is communicating with I/O devices or



**Table 1:** Possible interpretations of information on pins S3 and S4 of the 8088. Each of the four states is associated with the segment register that helped form the current address.






1262 Loop Road Lancaster, Pennsylvania 17601 Phone 717/291-1116 VISA or Master Card Welcome



"Add \$2.50for shipping and handling. PA residents add 6% sales tax. Includes "Terminal" program on cassette, instruction manual.

# "Our inventory is our existence. Think we'd trust it to anything less than Scotch Brand Diskettes?"



Don Stone, President, Mass. Auto Supply Company, Inc., Boston, Mass.

Scotch Diskettes are the diskettes you can depend upon with the information *your* business depends upon.

Each one is tested and certified error-free before it leaves our factory. Because we know nothing less than perfection is acceptable for your vital business data.

Scotch Diskettes are available in regular or mini sizes, compatible with almost any system.

To find out where you can purchase Scotch Diskettes, call toll free: 800-328-1300. (In Minnesota, call collect: 612-736-9625.) Ask for the Data Recording Products Division. In Canada, write 3M Canada Inc., London, Ontario, N6A 4T1.

If it's worth remembering, it's worth Scotch
Data Recording Products.



memory.

DEN\* and DT/R\*: The data (DEN\*) and enable datatransmit/receive (DT/R\*) signals are primarily for use with the 8286 and 8287 bus transceivers. These devices serve to buffer the information going to or from the 8088 processor, DT/R\* configures the transceiver for either the transmission or reception of data. DEN\* is used to enable the 8286 or 8287 at the correct time. Since my system does not use these transceivers, DEN\* and DT/R\* are not used.

INTR: This interrupt-request line is the general-purpose interrupt input. The ability to receive interrupts can be masked via software using the clear interrupts (CLI) instruction, (similar to the 8080A DI instruction). If interrupts are not disabled, the processor will vector (ie: jump) to an appropriate interrupt-handling routine (see INTA\*, below).

INTA\*: Upon receipt of an INTR instruction, the 8088 will begin an (INTA\*) interrupt-acknowledge sequence. The INTA\* signal is used to read an interrupt type vector. Without going into details, this type

vector is used by the 8088 to determine the actual address of the appropriate interrupt routine. Commonly, INTA\* and INTR are connected directly to an 8259A programmable priority-interrupt controller, allowing an easy implementation of powerful and flexible interrupt-driven systems.

**NMI:** The nonmaskable interrupt line NMI is an input similar to the more general INTR except for two fundamental differences:

- Receipt of NMI does not generate an INTA\* sequence; rather, a fixed location (stored at hexadecimal address 08) is immediately vectored to.
- NMI interrupts cannot be masked (ie: via the CLI instruction, as for INTR); NMI interrupts are usually reserved for catastrophic events such as imminent power failure or recurrent bus errors.

**READY:** READY is an input to the 8088 which indicates that an addressed memory or I/O device is currently capable of completing an input

or output data transfer. The 8088 will enter and execute *wait states* (idle clock cycles with all control and address lines valid) until READY is brought high. This signal is normally used to allow operation with slow memories or I/O devices. It is also handy for implementing hardware single-step capability via a front panel switch.

TEST\*: This unique input line, in combination with an associated software instruction, yields a powerful hardware/software debugging capability. It works like this: when the 8088 executes a WAIT (wait for TEST\*) instruction, it immediately examines the state of the TEST\* input line. If TEST\* is low, execution simply continues with the next instruction; however, if TEST\* is high, the processor waits in an idle state. TEST\*, combined with the above mentioned READY-signal-based single-stepping capability, provides a powerful debugging aid that I have exploited in my design.

Another use for TEST\* is the synchronization of concurrent processing. An example will serve to explain this more fully.

# 32 K BYTE MEMORY

# RELIABLE AND COST EFFECTIVE RAM FOR 6502 & 6800 BASED MICROCOMPUTERS

AIM 65-\*KIM\*SYM PET\*S44-BUS

- \* PLUG COMPATIBLE WITH THE AIM-65/SYM EXPANSION CONNECTOR BY USING A RIGHT ANGLE CONNECTOR (SUPPLIED) MOUNTED ON THE BACK OF THE MEMORY ROARD
- BOARD.

  MEMORY BOARD EDGE CONNECTOR PLUGS INTO THE 6800 S 44 BUS.

  CONNECTS TO PET OR KIM USING AN ADAPTOR CABLE.
- CONNECTS TO PET OR KIM USING AN ADAPTOR CABLE.
   RELIABLE—DYNAMIC RAM WITH ON BOARD INVISIBLE.
   REFRESH—LOOKS LIKE STATIC MEMORY BUT AT LOWER COST AND A FRACTION OF THE POWER REQUIRED FOR STATIC BOARDS.
- HEUDINED FUR STATIC BUARDS.


  \* USES -54 ONLY, SUPPLIED FROM HOST COMPUTER.

  \* FULL DOCUMENTATION. ASSEMBLED AND TESTED BOARDS ARE GUARANTEED FOR ONE YEAR AND PURCHASE PRICE IS FULLY REFUNDABLE IF BOARD IS RETURNED UNDAMAGED WITHIN 14 DAYS.

112 1 0111112	0 0110/1111/1000 1111111111111111111111	0.
ASSEMBLED	WITH 32K RAM	\$419.00
&	WITH 16K RAM	\$349.00
TESTED	WITHOUT RAM CHIPS	\$279.00
HARD TO GE	T PARTS (NO RAM CHIPS)	
WITH BOARD	O AND MANUAL	\$109.00
DADE DOAD!	D & MANITAL	640 00

PET INTERFACE KIT — CONNECTS THE 32K RAM BOARD TO A 4K OR 8K PET CONTAINS: INTERFACE CABLE, BOARD STANDOFFS, POWER SUPPLY MODIFICATION KIT AND COMPLETE INSTRUCTIONS. \$49.00

U.S. PRICES ONLY



16K MEMORY EXPANSION KIT

**ONLY** \$58

FOR APPLE, TRS-80 KEYBOARD, EXIDY, AND ALL OTHER 16K DYNAMIC SYSTEMS USING MK4116-3 OR EQUIVALENT DEVICES.

- ★ 200 NSEC ACCESS, 375 NSEC CYCLE
- ★ BURNED-IN AND FULLY TESTED
- ★ 1 YR. PARTS REPLACEMENT GUARANTEE
- ★ QTY. DISCOUNTS AVAILABLE

ALL ASSEMBLED BOARDS AND MEMORY CHIPS CARRY A FULL ONE YEAR REPLACEMENT WARRANTY



ORANGE, CA 92668 (714) 633-7280

& Visa accepted. Please allow 14 days for checks to clear bank. Phone orders welcome. Shipping charges will be added to all shipments.

# PROBLEM.

# INT(X^N+X\*SIN(X^2),X)

# SOLUTION.


Surprised? You should be. Because until now, no software could solve anything but the most basic arithmetic problems without a series of complicated steps.

A big disadvantage? If you use a microcomputer for scientific, educational or engineering applications, you bet it is. That's why Microsoft has come up with a solution of its own, muMath.

muMath is a symbolic math package you'll recognize immediately as a major advance in microcomputer software.

muMath lets you efficiently and accurately perform the most complex mathematical operations: Exact, infinite precision rational arithmetic. Unbound variables. Complex expressions (even equations may be included). Exact solution of algebraic equations. Plus logarithmic, exponential and trigonometric simplifications and transformations.

That's right. It does in an instant what took you years



to learn at school. Rational arithmetic. Algebra. Trigonometry. Transcendental functions. Symbolic differentiation (including ordinary and partial derivatives.) Symbolic integration of indefinite and definite integrals. Matrix arithmetic and algebra.

Trigonometric simplification? But of course. Just type:

?SIN (2\*Y)\* (4\*COS(X)\*3 -COS(3\*X)+SIN(Y)\*COS (X+Y+#P1)-COS(X-Y)); Then instantly muMath returns:

@4\*SIN(Y)\*COS(X)\*COS(Y).
Adding fractions? Need
you ask?

?1/3+5/6+2/5+3/7; @419/210.

muMath is written in muSIMP, which is included in the muMath package.

muSIMP is an applicative, recursive language, ideal for describing complex mathematical concepts.

Because of its highly interactive nature and hierarchical structure, muMATH is an excellent math teaching device, from simple arithmetic to calculus.

muMATH is currently available for the CP/M® operating system.

The complete system, including muMATH and muSIMP on disk and documentation is \$250. Runs under CP/M.

Just what you need? We thought so. Shoot some questions at us about muMATH. We have all the answers.

Also new from Microsoft: the muLISP interpreter for CP/M. An efficient and reliable LISP system fully capable of supporting serious artificial intelligence efforts. \$200.

CP/M is a registered trademark of Digital Research.

# MICROSOFI

10800 NE Eighth Suite 819 Bellevue, WA 98004 206-455-8080 Telex 328945

We set the standard.

# NO FRILLS! NO GIMMICKS! JUST GREAT

# DISCOUNTS

MAIL ORDER ONLY

## ATARI 800

Personal	Computer	.=
	System .	 \$79900

## **NORTHSTAR**

Horizon II 32K	234900
Horizon II Quad	<b>. 2799</b> 00
Horizon II 64K	
Horizon Quad 64K	339900

# **TELEVIDEO**

912							74900
920							79900

# **HAZELTINE**

1420	79500
1500	84900
1510	. 104900
1520	122900

# OKIDATA

Microline 80.												6	9	9	0	0	
---------------	--	--	--	--	--	--	--	--	--	--	--	---	---	---	---	---	--

# **SOROC Technology**

IQ 120	 69900
IQ 140	 99900

# **CROMEMCO**

System 3				<b>5695</b> 00
Z2H	•			<b>7995</b> 00

# INTERTEC

Superbrain 32K.				. 6	24	950	<b>)</b> 0
Superbrain 64K				-	27	950	00

# **DECwriter IV**

	-	_								
LA34					ľ		97	9	00	

# **TEXAS INSTRUMENT**

810 Multi Copy Impact Printer . . . . . . **149900** 

We'll meet or beat any advertised prices!

Most items in stock for immediate delivery. Factory sealed cartons. Full manufacturer's guarantee.

# DATA DISCOUNT CENTER

Box 100 135-53 Northern Blvd., Flushing, N.Y. 11354 Visa • Master Charge • N.Y.S., residents add Sales Tax Shipping F.O.B., N.Y.

Phone Orders Call 212-465-6609

Imagine a *max*-mode 8088 system that also utilizes an independent 8089 I/O processor. A common occurrence will be the 8088 issuing a "command" to the 8089 to perform some I/O function (such as reading from or writing to a disk, or printing on a printer). While the 8089 is doing this, the 8088 can continue executing the user's program (resulting in concurrent or simultaneous processing).

However, in some cases, the 8088 must wait for the 8089 to finish its I/O task. For example, the user's program may not be able to continue processing until data is retrieved from a disk. In this case, the 8088 will command the 8089 to perform the read operation and will then execute a WAIT instruction. Meanwhile, the 8089 pulls the 8088's TEST\* input high until the I/O operation is complete. When the operation is finished, the 8089 will bring TEST\* low and the 8088 can continue executing.

SSO\*: This is a status output line which, combined with IO/M\* and DT/R\*, allows complete decoding of the current 8088 status. (See table 2.)

RESET: A high-logic state on this input causes the 8088 to terminate its present activity and restart execution. The CS (code-segment) register is set to hexadecimal 0FFFF and the IP (instruction pointer) is reset to 0, resulting in an absolute restart address of hexadecimal 0FFFF0. (See figure 5.)

CLK: This is the clock input to the processor and is normally driven by the 8284 clock generator. It is a 5 MHz, 33% duty-cycle signal.

#### The 8284

The 8284 clock generator is used to generate an optimal clock signal for the 8088 and condition some of the basic processor-control signals. (See figure 6.) Some of its functions are more directed towards *max*-mode

multiprocessing bus control and will not be discussed here.

The following paragraphs describe the functions of the 8284 pins.

X1 and X2: These pins are attached to the crystal that generates the fundamental clock frequency. Note that the crystal frequency is three times the desired operating frequency (ie: 15 MHz for a 5 MHz 8088). It is also recommended that a 3 pF to 10 pF capacitor be connected in series with X2.

CLK: This is the optimized clock output that is directly connected to the 8088 CLK input.

PCLK and OSC: The peripheral clock line (PCLK) is a TTL (transistor-transistor logic)-level, 50% duty-cycle clock output of the 8284 with a frequency of half that of the CLK output. The OSC line is similar but operates at the crystal frequency (eg: a 15 MHz crystal gives a 15 MHz OSC signal, which drives a 5 MHz 8088 CLK signal and a 2.5 MHz PCLK signal).

F/C\*: The frequency/crystal select line allows generation of a clock signal using either a crystal or an external frequency input (see EFI below). Since I use a crystal, F/C\* is tied low in my system.


EFI (External Frequency In): If F/C\* is high, the 8284 will use the EFI input line to generate the CLK and PCLK signals. Once again, the CLK output will be one-third the frequency present on EFI (OSC and PCLK act the same too).

AEN1\*, AEN2\*, RDY1, and RDY2: These signals are primarily used in multiprocessor systems; however, I do use RDY2 to condition the system READY signal for use by the 8088. AEN1\*, AEN2\* and RDY1 are not used in my system.

READY: As mentioned previously, this 8284 output line is a conditioned and synchronized reflection of the in-

IO/M*	DT/R*	SSO*	Status
1 1 1 1 0 0 0	0 0 1 1 0 0	0 1 0 1 0 1 0	Interrupt Acknowledge Read I/O port Write I/O port Halt Code Access Read Memory Write Memory Passive (idle)

**Table 2:** The status of the 8088 processor is completely encoded by the three signals above.



puts at RDY1 and RDY2 and is tied directly to the 8088 READY input.

RES\*: The reset-in signal (RES\*) is an 8284 input line that is connected to the system RESET line (through a front-panel switch). *Power-on-reset* as well as proper input conditioning are obtained by the use of an appropriate resistor/capacitor timing network.

RESET: This is the conditioned reset output of the 8284 (based on the RES\* input) and is tied directly to the 8088 RESET input line.

#### The 8755A-2 and the 8185-2

Looking at the 8755A-2 and 8185-2 pinouts (see figures 7a and 7c), we immediately notice that a lot of the signals are common to the 8088 and

have already been discussed. AD0 thru AD7 (and other address lines), ALE, IO/M\*, RD\*, WR\* and RESET are all used. This illustrates what I said earlier about the "connect the dots" ease of design using these multiplexed-bus components. Simply connect the 8088 pins AD0 thru AD7 to 8755A-2 pins AD0 thru AD7 and the 8185-2 pins AD0 thru AD7. Then connect the 8088 ALE pin to the 8755A-2 ALE pin and the 8185-2 ALE pin, etc.


The 8755A-2 is a 2-K-by-8-bit EPROM (erasable programmable read-only memory) much like the familiar 2716. The "-2" suffix means that it can run reliably at 5 MHz, compared to the 3 MHz rating of the standard 8755A. Two useful

enhancements are the addition of two independent 8-bit bidirectional parallel I/O ports and the use of the multiplexed bus; these make the system-design task much easier. The 8755A-2 is programmed in much the same way as the 2708 and the 2716, but differences do exist. Also, most EPROM programmers do not have 40-pin sockets. I hope some enterprising experimenter will develop an 8755-2 "byteburner" for the S-100 bus. This might be as simple as a "pin-scrambler" adapter (with a little extra circuitry) for existing EPROM programmers.


The 8185-2 is a 1-K-by-8-bit static memory circuit that is quite easily interfaced to the multiplexed bus. The byte-wide organization, low power and small physical size (only eighteen pins) make this a natural for minimal systems.

#### A Base on Which to Build

The front panel on my IMSAI computer has many functions that are irretrievably tied to the 8080A instruction set. As an example, when I enter an address on the front panel address switches and push the Examine switch, the front panel "jams" an 8080 JMP (jump, hexadecimal C3) instruction onto the processor's data bus; allows the processor to execute the jump while jamming the address I entered on the switches onto the data



**Figure 5:** Calculation of the reset address on the 8088. The 8088 reset address is derived from the code-segment register, which is set to hexadecimal OFFFF, and the value in the instruction pointer, which is reset to 0.



**Figure 6:** The 8284 clock generator. This device provides an optimum clock signal and serves to buffer and condition some of the basic processor signals. Figure 6a shows the pin labeling for the device, while figure 6b shows a block diagram of its internal structure.



# Digital IC Probe & Logic Pulser

PRB-1 DIGITAL LOGIC PROBE

Compatible with DTL, TTL CMOS, MOS and Microprocessors using a 4 to 15V power supply. Thresholds automatically programmed. Automatic resetting memory. No adjustment required. Visual indication of logic levels, using LED's to show high, low, bad level or open circuit logic and pulses. Highly sophisticated, shirt pocket portable (protective tip cap and removable coil cord).

Automatic threshold resetting • DE to > 50 MHZ

Compatible with all logic families 4-15 VDC ● 10 Nsec. pulse response

Supply O.V.P. to ± 70 VDC • 120 K Ω impedance

No switches/no calibration • Automatic pulse stretching to 50 Msec.

Open circuit detection • Automatic resetting memory

Range extended to 15-25 VDC with optional PA-1 adapter PLS-1 LOGIC PULSER

The PLS-1 logic pulser will superimpose a dynamic pulse train (20 pps) or a single pulse onto the circuit node under test. There is no need to unsolder pins or cut printed-circuit traces even when these nodes are being clamped by digital outputs.

PLS-1 is a multi-mode, high current pulse generator packaged in a hand-held shirt pocket portable instrument. It can source or sink sufficient current to force saturated output transistors in digital circuits into the opposite logic state.

Signal injection is by means of a pushbutton switch near the probe tip. When the button is depressed, a single high-going or low-going pulse of  $2\mu$  sec wide is delivered to the circuit node under test. Pulse polarity is automatic: high nodes are pulsed low and low nodes are pulsed high. Holding the button down delivers a series of pulses of 20 pps to the circuit under test.

 $\textbf{High input impedance} (off \, state) \; 1 \; meg \, ohm \; \bullet \; \textbf{Multi mode-single pulses or pulse} \; trains$ 

Low output impedance (active state) 2 ohms ● Automatic polarity sensing

Output pulse width 2  $\mu sec$  nominal  $\bullet$  Automatic current limiting; 7 amps nominal

Input over voltage protection +50 volts • Automatically programmed output level

Finger tip push button actuated . Circuit powered

Power lead reversal protection ullet No adjustments required

Multi-family RTL, DTL, TTL, CMOS, MOS and Microprocessors.

PRB 1 DIGITAL LOGIC PROBE \$36.95 PA 1 HIGH VOLTAGE ADAPTER \$8.50
PC 1 POWER CORD, Alligator Clips \$4.95 PT 2 REPLACEMENT PROBE TIP(2) \$1.50
PC 2 POWER CORD, Micro Hooks \$9.95 PLS 1 LOGIC PULSER \$48.95

# OK Machine & Tool Corporation

3455 Conner St., Bronx, N.Y. 10475 U.S.A. Tel. (212) 994-6600 Telex 125091

\*Minimum billings \$25.00, add shipping charge \$2.00 New York State residents add applicable tax




Figure 7: Pinouts and block diagrams of the 8755A-2 EPROM (figures 7a and 7b) and the 8185-2 user programmable memory (figures 7c and 7d). These circuits were designed specifically to work with the 8088 multiplexed bus lines; they provide two 8-bit parallel I/O ports without any additional hardware.

bus; and finally stops the processor once the jump is completed.

Similarly, for Examine-Next and Deposit-Next functions, the front panel jams and executes a NOP (nooperation, hexadecimal 00) instruction to move on to the next location.

The JMP and NOP instructions for these switch functions are hardwired into the front-panel circuitry: circuit traces must be cut to change them. Since the operation codes for the 8088 are completely different, every attempt at front-panel operation would produce bizarre results. Other difficulties include the two's-complement representation of 8088 JMP addresses and the IMSAI's use of S-100 control signals that have been outlawed by the IEEE standard.

Because of these difficulties, I decided to base my 8088 project on a different S-100 system. Fortunately, I was able to scrounge a vintage BYT-8 S-100 box at the local electronic flea market for a good price. The box did not contain any circuit boards, but the metal panel on the front did have cutouts for various LEDs (lightemitting diodes) and switches, which I used to implement a minimal front panel (see photo 1). While I agree with the principle of turnkey systems, which have only power and reset switches, a front panel is a useful tool for debugging any new hardware design. The front panel is a "window" into the machine, one that is needed in case the system does not work perfectly the first time.

#### Next Month

Next month's installment will cover some of the more interesting aspects of interfacing to the S-100 bus, including the amount of TTL "glue" necessary to emulate the control and status signals of the S-100 standard and the construction of the actual processor board.

#### References

Both the 8086 and 8088 microprocessors have been discussed by Steve Ciarcia in "Ciarcia's Circuit Cellar" articles in BYTE, as follows:

- "The Intel 8086", November 1979 BYTE,
- page 14. "Ease Into 16-Bit Computing: Get 16-Bit Performance from an 8-Bit Computer", March 1980 BYTE, page 17.
- "Ease Into 16-Bit Computing, Part 2: Examining a Small Multi-User System", April 1980 BYTE, page 40.

# Look what's happened to

# It's grown into a complete family of quality low cost digital plotters

Circle 42 for literature

Yes, they are UL listed! \*\*

Circle 375 to have representative call

In just two short years, The HIPLØT has become the most popular digital plotter among small systems users. With a record like that, what can we do for an encore? WE'VE IN-TRODUCED A COMPLETE LINE OF HIPLØTS...with a model suited for just about every plot-

ting application.

The HIPLØT DMP Series is a new family of digital plotters with both "standard" and "intelligent" models available with surface areas of 81/2" x 11" (DIN A4) and 11" x 17" (DIN A3). For the user needing a basic reliable plotter, we have the "old standard" DMP-2 (81/2" x 11") and the "new standard" DMP-5 (11" x 17"). For those needing a little more capability, there are the DMP-3 (81/2" x 11") and the DMP-6 (11" x 17")-both

microprocessor controlled and providing easy remote positioning of the X and Y axes (perfect for the OEM). For those who want this intelligence plus the convenience of front panel electronic controls, we've provided the DMP-4 (81/2" x 11") and the DMP-7 (11" x 17").

The "standard" plotters come complete with an RS-232-C and a parallel interface. The "intelligent" DMP plotters accept data from either an RS-232-C or Centronics data source. For the "standard" plotters, software is available from our ever expanding "Micrographic Users Group." The "intelligent" HIPLØTs use our exclusive DM/PL™ language which mininimizes plot software to a fraction of that normally as-

houston instrument

GRAPHICS DIVISION OF

BAUSCH & LOMB (7)

sociated wth digital plotting.

With the new DMP Series, high quality digital plotting can now be a part of your system. It just doesn't make sense to be without this valuable tool when there is a DMP plotter with the plot size, speed and capabilities that are exactly tailored to your specific needs...and your budaet.

Prices for the DMP series range from \$1,085\* to \$1,985\*. For complete information and descriptive literature, contact Houston Instrument, One Houston Square, Austin, Texas 78753. (512) 837-2820. In Europe contact Houston Instrument, Rochesterlaan 6 8240 Gistel, Belgium 059/277445. For rush literature requests and sales of-

fice information, persons outside Texas call toll free 1-800-531-5205.


\*U.S. suggested retail prices only.
\*DMP 2, 3 and 4 UL listed
DMP 5, 6 and 7 UL listing pending

TM HIPLOT and DM/PL are Trademarks of Houston Instrument

# **M7 Communicator**

# A complete A/D and D/A Control System –

Interface your computer to the analog world of process monitoring transducers and controlling actuators.



The M7 multiplexes analog and digital signals from your process sensors—temperature, pressure, level, flow, mass, strain, etc.—and continuously down-loads this data in digital form to your computer for display and processing. Simultaneously, command signals are transmitted to the control devices in your process.

# Order a complete basic M7 System ready for round-theclock process control—

including a 16/32-Channel A/D Input Module (expandable to 256 channels), a Computer Interface Module, and a 4-Channel (expandable) D/A Output Module. Supplied complete with cabinet, power supply, and all necessary hardware and software for basic control. Bus accommodates eight additional modules. Specify computer make

and model when ordering ... each \$2,990

# Or, order individual IEEE S-100 building block modules

Supplied complete with fundamental control software:

#### A/D Module, AIM-12

16/32 channel ● 12-bit precision/accuracy ● 30 kHz data rates ● 1-1000 gain amplifier optional ....... from \$575 Thermocouple Compensation Module, THM-8

Additional Support Programs, PROG A,B,C...

● Signal averaging ● control functions ● special display ●

D/A Module, AOM-12

Control Output-Current Module, VIC 4-20

• 4-20 mA standard industrial control output • 12-bit pre-

cision/accuracy • 4-channel • Use with AOM-12 .... \$395
Programmable Clock/Calendar Module, CLK-24

Minimum 1 year back-up ......\$25

Parallel Output Module, REL-8

• 8-channel on-off (bang-bang) control . . . . . . \$325

Add-On Nonvolatile Memory Modules

• 4K and 8K bytes .......from \$320

DUAL SYSTEMS CONTROL CORP. 1825 Eastshore Hwy. Berkeley, CA 94710

(415) 549-3854

system reliability/system integrity

# Programming Ovickies

# Time Your Tape

John O'Flaherty, St Louis Veterans Administration Medical Center, St Louis MO 63125

Recently I was involved in a research program that required long-term recording (eight hours) of physiological data on an analog instrumentation recorder. We needed a quick method of searching the tape for information occurring at certain times. Although a time marker was recorded on one channel, it could not be played back during fast-forward operation. Unfortunately, although the take-up-reel turns counter indexed unique locations on the tape, the readings obtained did not correlate simply with time. Obviously, one turn on a fully wound reel contains at least twice as much tape as one turn on a bare hub.


I developed a computer solution to the problem. Given the diameter of the take-up-reel hub, the length of the tape, and the turns-counter reading at the end of the tape, the program of listing 1 prints a table relating turnscounter reading, elapsed time, remaining time, footage used, and footage remaining.

The method used is simple (now!): the single datum needed is an accurate value for tape thickness as wound, and it is found by considering the side of the tape first as a very long, very thin rectangle, and then as a circle. The area of the side of the tape (ie: what is seen as you face the reel on its axis) can be approximated by a linear function of tape thickness:


Area = Tape Thickness × Tape Length

or by a nonlinear function of tape thickness:

Radius = Tape Thickness  $\times$  Turns Count + Hub Radius Area =  $\pi \times (Radius)^2$  - Hub Area



**Figure 1:** Area occupied by the side of a given length of tape as tape thickness is changed. The X-axis value at the nonzero intersection of area calculated by two different methods must be the actual tape thickness.



# Please send your free software catalog. (Check which software is of particular interest)

- ☐ C COMPILER. Optimized native code for VAX 11/780, PDP-11, LSI-11, Z80, 8085, 8080. Full C language as defined in Kernighan and Ritchie, with comprehensive portable library. Cross compilers available. Runs under VMS, IAS, RSX-11D, RSX-11M, RSTS/E, RT-11, UNIX, Idris, CDOS, CP/M. From \$600
- ☐ IDRIS OPERATING SYSTEM. System calls and file system identical to UNIX V6, including pipelines. Utilities include shell, editor, assembler, loader, archiver, compare, copy, grep, etc., plus system utilities for file system maintenance. Runs on LSI-11, PDP-11. From \$1000.
- PASCAL COMPILER. Optimized native code for VAX 11/780, PDP-11, CP/M. From \$750.

Idris is a trademark of Whitesmiths Ltd. UNIX is a trademark of Bell Laboratories. CP/M is a trademark of Digital Research Co.


PDP-11, LSI-11 are trademarks of Digital Equipment Corporation.

Name			
Compan <sub>y</sub>			
Street			
City	Ctata	7in	

# Whitesmiths, Ltd. Software for grownups. (212) 799-1200

P.O.B. 1132 Ansonia Station, New York, N.Y. 10023

# NOW YOU'RE TALKING!



# The missing link between your CP/M system and remote computers everywhere!

Byrom Software Terminal Monitor System

- talks to most dial-up remote computers.
- stores data from remote computers in CP/M files.
- copies data to CP/M list device if desired.
- transmits files to the remote computer.
- it will even "talk" to another CP/M console.
- features EXPAND and COMPRESS programs to translate binary files into character files and vice versa.
- uses the same simple installation procedure as BSTAM.

This system is great for recording data from remote time-sharing systems! It makes it possible to do local processing of data on a micro and then transmit it to the mainframe.

\$200 per computer. \$15 for manual alone.

Prices reflect distribution on 8" single density diskettes.
If a format is requested which requires additional diskettes, a surcharge of \$8, per additional diskette will be added.


a surcharge of \$8. per additional diskette will be added.

Apple is a trademark of Apple Computer.

MicroNET is a trademark of CompuServ.

# CP/M is a trademark of Digital Research. **Lifeboat Associates**

1651 Third Avenue, New York, N.Y. 10028 (212) 860-0300 Telex: 220501



THE

SOFTWARE SUPER-

MARKET

Lines 30 thru 80 of listing 1 find the intersection of these two functions by iteration for a fully wound reel of tape. (See figure 1.) Then lines 95 thru 230 generate a table by finding area through radius, and length and time from area for turns-counter increments of ten.

It has not been possible to test the routine on the instrumentation recorder yet, but I have applied the method to my own cassette recorder with very good results. For a C-60 cassette, which actually runs 32 minutes, 23 seconds per side, the tape length was precalculated to be  $(1943 \text{ s} \times 1\% \text{ ips}/12) = 303.6$  feet. By carefully disassembling the cassette, the hub diameter was found to be 0.8525 inches (five cassettes from different manufacturers were found to be identical in this respect). The ratio of indicated to actual turns of the takeup reel was found by turning the reel one hundred turns by hand (an index mark helps), and noting the turnscounter reading.

Then the program was run and table 1 (see page 74) was printed, and its accuracy was tested by actually running the tape and noting the times for turns-counter increments of ten.

The test results are printed as the last two columns in the table. As can be seen, the worst case error is 5 seconds, or 0.3% of the total time, which is surprisingly good, in view of tape counters' reputed inaccuracy, and the fact that no empirical trimming was done—the algorithms simply try to represent the physical realities of the situation.

One might also use the formulas above to program a portable calculator to find time for turns count or vice versa, without consulting a table.

**Listing 1:** An Applesoft BASIC program for correlating turnscounter readings with time. All documentation statement line numbers end in 5, and they may be ignored when keying in the program.

```
FREM SET CONSTANTS & MENTION VA
RIABLES FOR EFFICIENCY
```

```
10 PI = 3.141592654:TW = 2:W = 1:

TV = 12:D0 = .000001:HS = 0:

TT = 0:ITC = 0:HH = 3600:MM =

60:HF = 0.5:TC = 0
```

20 HOME : GOTO 1000

25 REM FIND ACTUAL TAPE THICKNE SS

30 PRINT "CALCULATING TAPE THICK NESS AS WOUND..."

35 REM AREA BY PI(R^2) MUST EQUA I

40 A1 = PI ◆ ((MTC ◆ TT + HS) ^ T W - HS ^ TW)

45 REM AREA BY L♦W

50 A2 = ML + TT + TV

60 CR = A1 / A2:TT = TT / CR

65 REM SO TRY NEW TT TILL IT DO

70 IF ABS (W + CR) > 80 THEN 40

80 PRINT : RETURN

95 REM GENERATE TABLE

100 FOR ITC = 0 TO MIT STEP 10


Listing 1 continued on page 70

# A Few Extraordinary Products for Your 6800/6809 Computer

SS-50 Bus LFD-400™ and LFD-800™ Systems

From Percom . . .

Low Cost Mini-Disk Storage in the Size You Want



EXORciser\* Bus LFD-400EX™ -800EX™ Systems

Percom mini-disk systems start as low as \$599.95, ready to plug in and run. You can't get better quality or a broader selection of disk software from any other microcomputer disk system manufacturer — at any price!

Features: 1-, 2- and 3-drive systems in 40- and 77-track versions store 102K- to 591K-bytes of random access data on-line • controllers include explicit clock/data separation circuit, motor inactivity time-out circuit, buffered control lines and other mature design concepts • ROM DOS included with SS-50 bus version — optional DOSs for EXORciser\* bus • extra PROM sockets on-board • EXORciser\* bus version has 1K-byte RAM • supported by extended disk operating systems; assemblers and other program development/debugging aids; BASIC, FORTRAN, Pascal and SPL/M languages; and, business application programs.

## Versatile Mother Board, Full-Feature Prototyping Boards

Printed wiring is easily soldered tin-lead plugged into an SS-50 bus. Features tors and distributed capacitor bypassing, and 50-pin ribbon connectors on top accommodate 14-, 16-, 24- and 40-pin edge, 10-pin Molex connector on side DIP sockets. Prototyping boards include edge. Price: \$24.95. bus connectors, other connectors and sockets are optional.

plating. Substrates are glass-epoxy. Pro- wide-trace conductors. Price: \$21.95 totyping cards provide for power regula- SS-50 BUS CARD — accommodates 34-

SS-30 BUS CARD — 11/4-inch higher than SWTP I/O card, accommodates 34-MOTHERBOARD — accommodates five pin ribbon connector and 12-pin Molex SS-50 bus cards, and may itself be connector on top edge. Price: \$14.95.

# The SBC/9™. A "10" By Any Measure.

The Percom SBC/9™ is an SS-50 bus compatible, standalone Single-Board Computer. Configured for the 6809 microprocessor, the SBC/9<sup>™</sup> also accommodates a 6802 without any modification. You can have state-of-the-art capability of the '09. Or put to work the enormous selection of 6800-coded programs that run on the '02.

The SBC/9<sup>™</sup> includes PSYMON<sup>™</sup>, an easily extended 1-Kbyte ROM OS. Other features include:


- · Total compatibility with the SS-50 bus. Requires no changes to the motherboard, memory or I/O.
- · Serial port includes bit-rate generator. RS-232-C compatible with optional subminiature 'D' connector installed. 10-pin Molex connector provided.
- Eight-bit, non-latched, bidirectional parallel port is multi-address extension of system bus. Spans a 30-address field; accommodates an exceptional variety of peripheral devices. Connector is optional.
- Includes 1-Kbyte of static RAM.
- Costs only \$199.95 with PSYMON™ and comprehensive users manual that includes source listing of PSYMON™
  - TM trademark of Percom Data Company, Inc trademark of the Motorola Corporation.

Prices and specifications subject to change without notice

# The Electric Window™: Instant, Real-Time Video Display Control

Memory residency and outstanding software control of display format and characters make this SS-50 bus VDC card an exceptional value at only \$249.95. Other features:

- · Generates 128 characters including all ASCII displayable characters plus selected Greek letters and other special symbols.
- Well-formed, easy-toread 7x12-dot characters. True baseline descenders.
- · Character-store (display) memory included on card.
- Provision for optional character generator EPROM for user defined symbols.
- Comprehensive users manual includes source listing of Driver software. Driver — called WINDEX™ is also available on minidiskette through the Percom Users Group.



PERCON

PERCOM DATA COMPANY, INC. 211 N. KIRBY GARLAND. TEXAS 75042 (214) 272-3421

Products are available at Percom dealers nationwide. Call toll-free, 1-800-527-1592, for the address of your nearest dealer, or to order direct.

Listing	1 continued:
110	TC = ITC + IR
120	R = TC + TT + HS
	$A = PI + (R \wedge TW - HS \wedge TW)$
	L = A / TT
	$T1 = L \times SPD$
	T2 = MXT - T1
	$F1 = INT (L \times TV + HF)$
	F2 = INT (ML - F1 + HF)
	PRINT ITC; TAB( 8);:TM = T1:
	60SUB 300
200	PRINT TAB( 18);:TM = T2: 608U
	300
210	PRINT TAB( 29)F1 TAB( 35)F2
220	IF CL = W THEN 260
230	NEXT
235	REM 220,240,250 TO CLOSE TA
	BLE NEATLY
240	IF
	0 THEN 260
250	CLOSE = 1:ITC = MIT: 60TO 110
260	END
295	REM CONVERT SEC TO HR, MIN, S
	EC AND PRINT
300	TM = INT (TM + HF)
310	H = INT (TM / HH):TM = TM -
	(H ◆ HH)
320	$M = INT (TM \times MM) : S = TM - (*)$
	M + MMD

# the electric pencil II™



# for the TRS-80 Model II\* Computer

The Electric Pencil is a Character Oriented Ward Processing System. This means that text is entered as a continuous string of characters and is manipulated as such. This allows the sur-enormous freedom and ease in the movement and handling of text. Since lines are not delineated, any number of characters, words, lines or paragraphs may be inserted or deleted anywhere in the text. The entirety of the text shifts and appears up or closes as needed in full view of the user. Car-riage returns as well as word hyphenation are not required since each line of text is formatted automatically.

As test is typed and the end of a screen line is reached, a partially completed word is shifted to the beginning of the following line. Whenever test is inserted or deleted, existing text is gushed down or pulled wo in a wrop oround fashion. Everything appears on the videod display screen as if accurs thereby eliminating any guesswork. Text may be reviewed at will be worklobb speed or pose-at-a-time scrolling both in the forward and reverse directions. By using the search or the search and replace function, ony string of characters may be located and/or replaced with any other string of characters as desired. Specific sets of characters within encoded strings may also be located.

When text is printed, The Electric Pencil automatically inserfs carriage returns where they are needed. Numerous combinations of Line Length, Page Length, Character Spacing. Line Spacing and Page Spacing allow for any form to be handled. Right justification gives right-hand margins that are even. Pages may be numbered as well as titled.

#### the electric pencil

The TRSDOS versions of The Electric Pencil II are our best ever! You can now type as fast as you like without losing any characters. New TRSDOS features include word left, word right, word delete, bottom of page numbering as well as extended cursor controls for greater user flexibility. BASIC files of you look on the written and simply edited without additional software.


Our CP/M versions are the same as we have been distributing for several years and allow the CP/M wer to edit CP/M files with the addition of our CONVERT utility for an additional \$35.00. CONVERT is not required if only quick and easy word processing is required. A keyboard buffer permits fast typing without character loss.

CP/M TRSDOS

Serial Diablo, NEC, Gume \$ 300.00 \$ 350.00 All other printers . . . . \$ 275.00 \$ 325.00

The Electric Pencil I is still available for TRS-80 Model I users. Although rot as sophisticated as Electric Pencil II, it is still on extremely easy to use and powerful word processing system. The software has been designed to be used with both Level I (166 s, system) and Level II models to the TRS-80. Two versions, one for use with cassette, and one for use with diskly ore ovailable on cassette. The TRS-80 disk version is early transferred to disk and is fully interactive with the READ, WRITE, DIR, and KILL routhness of TRS-DOS.

TRC Cassette . . . . \$ 100,00



#### Features

Features
ITSDOS or CP/IM Compatible \* Supports Four Disk
Drives \* Dynamic Print Formatting \* Diablo, NEC &
Grue Print Packedges \* Multi-Column Printing \* Print
Vatue Chaining \* Page-at-at-ine Scralling \* Baldrectional Multisped Scralling \* Subsystem with
Print Valve Scoreboard \* Automatic Word & Record
Number Tolly \* Global Search & Replace \* Full Morgin
Control \* End of Page Control \* Nan Printing Text
Commenting \* Line & Paragraph Indentation \*
Centering \* Underlining \* Boldface





3025

9999

END

MICHAEL SHRAYER SOFTWARE, INC 1198 Los Robles Dr. Palm Springs, CA. 92262 (714) 323-1400

325 REM PRETTYPRINTING 330 Q = H: GOSUB 380: PRINT 340 Q = M: GOSUB 380: PRINT ":"; 350 Q = S: GOSUB 380 RETURN 360 :Bi:Ei: () IF Q < 10 THEN PRINT "O"; 390 PRINT Q:: RETURN 995 REM INPUT NECESSARY INFORMA TIDH 1000 INPUT "HUB DIAMETER (INCH)? ";HS:HS = HS / 2 INPUT "TAPE LENGTH LESS LEA 1010 DER (FEET) ? ";ML INPUT "TURNS COUNT AT END O 1020 F TAPE? ";MIT PRINT "TURNS COUNT READING 1030 FOR" 1035 MTC WILL BE ACTUAL REM TURNS COUNT INPUT "100 ACTUAL TAKE-UP T 1.040URNS? ";IR:IR = 100 / IR:MTC = MIT + IR "1...15/16 IPS" 1050PRINT "2...1-7/8 IPS" 1060PRINT 1070PRINT "3...3-3/4 IPS" IPS" "4...7-1/2 1080PRINT "5...15 IPS" 1090PRINT "6...30 PRINT IPS" 1100INPUT "WHICH TAPE SPEED? "; 1110SPD 1115 REM -KLUGE TO FIND SPEED FROM TABLE ENTRY SPD = .9375 ★ 2 ^ 1120 (SPD - 1)REM FIND MAX. TIME 1125 1130 MXT = (ML + 12) SET START VAL FOR REM 1135 TT AND FIND ACTUAL VALUE 1140 TT = .001: G⊟SUB 30 1145 REM - PRINT COLUMN HEADS PRINT "TURNS" TAB( 8) "ELAPS 1150 ED" TAB( 18)"REMAINING" TAB( 29)"FEET" TAB( 35)"FEET" PRINT "COUNT" TAB( 8) "TIME" 1160 TAB( 18)"TIME" TAB( 29)"USE D" TAB( 35)"LEFT" 1170 PRINT 1175 REM GENERATE TABLE 1180 60SUB 100 2005 REM TT=TAPE THICKNESS 2015 REM HS=HUB SIZE 2025 REM ML=TOTAL TAPE LENGTH 2035 REM MIT=MAX INDIC. TURNS 2045 REM MTC=MAX ACTUAL TURNS 2055 REM ITC=IND. CURRENT T.C. 2065 REM TC=ACT, CURRENT T.C. 2075 REM IR=ACT./IND. RATIO REM RyAyL.RADyAREAyLENGTH 2085 2095 REM MXT=TOTAL TIME 3005 REM TM,Q..TEMP VAR FOR TIME CONV 3015 REM T1,T2.TIME USED,LEFT

REM F1,F2.FEET USED,LEFT

# There are two sides to our story.


# Side One

# The DISCUS™2+2 Quad-Density Hardware

Now you can use your S-100 system to tackle big jobs. Because the DISCUS™ 2+2 Quad-Density Disk System puts 1.2 megabytes of fast-access memory on your side for just \$1545.00 complete.

With the DISCUS™ 2+2 System, complete means complete.

You get a full-size (IBM-compatible 8") double-sided/double-density disk drive,



factory mounted in a cabinet with power supply, fully-buffered S-100 single-board controller, and interconnecting cables. All fully assembled, system-tested and fully warranteed.

You get the speed and efficiency of 1.2 megabyte-per-diskette memory...
and you get it for 0.13¢ per byte.

# **Side Two**

# The DISCUS™2+2 Quad-Density Software

1.2 megabyte quad-density hardware is only one side of the story. The DISCUS™ 2+2 System price includes all the fully-interfaced, high-performance software you need to take full advantage of your quad capacity.

The system includes our exclusive BASIC-V™ virtual disk BASIC, which allows you to address your quad-

density diskettes as easily as main memory. The operating system you get is the widely accepted CP/M\* 2.1. And you get our powerful DISK-ATE text editor/assembler; The most advanced software



development tool available.

Micro-Soft BASIC 5.1 and Micro-Soft FORTRAN are available as options. Both run under CP/M\* 2.1.

Check out the full system price of DISCUS™ 2+2 Quad against any other floppy disk system at your local computer store. At \$1545.00, we think you'll take sides with DISCUS™ 2+2.

If your dealer doesn't carry THINKER TOYS products, write MORROW DESIGNS Inc., 5221 Central, Richmond, CA 94804. Or call (415)524-2101 9-5 weekdays (Pacific Time).

# MORROW DESIGNS Thinker Toys

# Today one dollar buys about ¾ of a gallon of gas.



# Today one dollar buys 6% readers who actually see your sales message.



As your selling dollar buys less and less, it pays more and more to advertise in McGraw-Hill magazines.

As prices keep going up and up, McGraw-Hill magazines help 10.8 million decision-makers keep costs down.

For example, *Fleet Owner* readers learned how they could use re-manufactured air cleaners to save money without sacrificing quality. And Chemical Week constantly warns manufacturers about even more government regulations.

By helping 10.8 million readers solve their inflation problems, we help you

solve yours.

Today, the price of reaching one potential customer in McGraw-Hill magazines is only 16¢.¹ This compares to a cost of \$6.07 for sending a business letter,<sup>2</sup> over \$3.50 for a business phone call,<sup>3</sup> and an in-person sales call which, believe it or not, now costs over \$100.4

In times like these, when everything costs more, you may be tempted to spend less on your advertising budget. But our Laboratory of Advertising Performance (LAP) Report #5262, demonstrates that "Industrial companies which maintained or increased their advertising expenditure during the 1974-75 recession enjoyed higher sales growth than those which cut advertising." Write for LAP Report #5262 today at 1221 Ave. of the Americas, N.Y., N.Y. 10020. And let us help you make your advertising more efficient, as the price of all other selling tools becomes more expensive.

<sup>1</sup>One reader-noted impression in the average McGraw-Hill publication. <sup>2</sup>The Dartnell Institute of Business Research. <sup>3</sup>"Telephone Marketing" by Murray Roman, P. 87, McGraw-Hill 1976. <sup>4</sup>Laboratory of Advertising Performance Report #8013.4, McGraw-Hill Research.

McGraw-Hill Magazines.



With inflation, we're an even better buy.

] ]RUN

Table 1: A tape counter/time table (produced by the program in listing 1) for a cassette recorder using C-60 tape. The last two columns were not printed by the program, but are a check value from an actual test of the program's ac-

CALCULATING TAPE THICKNESS AS WOUND						
TURNS COUNT	ELAPSED TIME	REMAINING TIME	FEET USED	FEET LEFT	TIME BY TEST	ERROR (SEC)
0 10 20 30 40 50 60 70 80 90 110 120 130 140 150 160 170 180 220 2210 2230 2240 2250 220 220 220 220 230 240 250 260 270 330 340 350 340 440 450 470 480 490 550 550 560 570 570 570 570 570 570 570 570 570 57	00:00:00 00:00:19 00:00:19 00:00:38 00:00:57 00:01:17 00:01:37 00:01:58 00:02:18 00:02:40 00:03:01 00:03:23 00:03:46 00:04:08 00:04:31 00:04:55 00:05:43 00:06:07 00:06:32 00:06:58 00:07:23 00:07:49 00:08:16 00:08:43 00:09:37 00:10:05 00:10:34 00:11:02 00:11:31 00:12:01 00:12:30 00:13:31 00:14:02 00:14:33 00:15:04 00:15:36 00:15:36 00:15:36 00:15:36 00:16:41 00:17:15 00:17:48 00:18:22 00:18:56 00:19:30 00:20:05 00:20:41 00:21:52 00:22:29 00:23:43 00:24:20 00:24:58 00:26:54 00:27:33 00:28:53 00:29:33 00:30:14 00:30:14 00:30:15 00:20:55 00:20:41 00:21:50 00:22:29 00:23:43 00:24:20 00:24:58 00:26:54 00:27:33 00:28:53 00:29:33 00:30:14 00:30:15 00:30:15 00:30:15 00:30:14 00:30:15 00:26:54 00:27:33 00:28:53 00:29:33 00:30:14 00:30:29:33 00:30:14 00:30:29:33	00:32:23 00:32:04 00:31:45 00:31:26 00:31:26 00:30:46 00:30:26 00:30:25 00:29:43 00:29:22 00:29:00 00:28:37 00:28:15 00:27:52 00:27:28 00:27:04 00:26:40 00:26:40 00:26:40 00:25:51 00:25:50 00:23:43 00:24:34 00:24:07 00:23:43 00:22:46 00:22:18 00:21:50 00:21:21 00:20:52 00:20:23 00:19:53 00:19:53 00:19:53 00:19:53 00:19:53 00:19:53 00:19:23 00:18:52 00:17:19 00:16:47 00:16:47 00:16:47 00:16:49 00:11:07 00:10:31 00:09:54 00:09:18 00:09:54 00:09:18 00:09:54 00:09:18 00:00:250 00:00:250 00:00:250 00:00:250 00:00:250 00:00:250 00:00:250 00:00:250 00:00:260 00:00:260 00:00:20:20 00:00:250 00:00:250 00:00:260	0 3 6 9 12 15 18 2 25 28 32 339 42 46 50 4 57 61 669 73 77 82 66 90 95 90 108 113 117 127 132 136 146 151 156 162 167 177 183 184 199 205 122 228 224 225 225 227 283 296 303 304	304 304 309 298 299 289 289 276 279 265 262 258 254 250 247 243 235 214 209 205 218 191 187 172 168 163 153 148 142 177 110 105 99 98 88 76 70 70 70 70 70 70 70 70 70 70 70 70 70	0:00 0:19 0:39 0:58 1:18 1:38 1:39 2:20 2:42 3:04 3:26 3:48 4:11 4:34 4:58 5:22 5:46 6:11 6:36 7:01 7:27 7:53 8:20 8:47 9:14 9:41 10:09 10:37 11:06 11:35 12:04 12:34 13:35 13:34 14:05 14:37 15:08 15:40 16:12 16:45 17:18	0012111223323333443444444444443453344434333333222111110000011220 

# anew star is born!



# a better computer system any way you look at it.

The facts speak for themselves. The QUAY 500 SERIES offers more for the money than North Star Horizon computers.

MORE TECHNICAL FEATURES. A single board computer instead of a backplane with multiple boards, means fewer parts, fewer interconnections and fewer problems □ additional disk capacity for more program storage □ DMA controlled disk transfers for increased system performance □ on-board expansion capabilities for additional parallel and serial ports, and EPROM □ AC convenience outlets □ a more compact design. IMMEDIATE DELIVERY. The 500 SERIES is available off the shelf for virtually immediate delivery. No waiting for far off delivery dates for this one.

LOWER PRICE. The advanced technology engineered into Quay computers actually lowers our cost to manufacture. The price of the 500 SERIES is about 20% lower than the



Advanced single board modular design.

Horizon-2-32K-D — and our 520 SERIES also offers significant savings over the Horizon-2-32K-Q.

The bottom line is simple. There is a new star in the computer field. The 500 SERIES by Quay. It outshines all of the competition.

#### **COMPARE FOR YOURSELF:**

SPECIFICATION	QUAY 500	HORIZON-2-32K-D
Architecture	Single Board	S100 bus
CPU	Z80A, 4MHz.	Same
Dynamic RAM (std/max)	32/64 Kb.	Same
Disk drive type	Doubledensity	Same
No. of drives (std/max)	2/4	Same
Capacity per drive (on-line)	200 Kb.	180 Kb.
Direct Memory Access (DMA)	Yes	No
CP/M® disk operating system	Standard	Optional
Unit Price	\$2,500.	\$3,095.

SPECIFICATIONS	QUAY 520	HORIZON-2-32K-Q
Disk drive type	Quad density	Same
Capacity per drive (on-line)	400 Kb.	360 Kb.
Unit Price	\$3,200.	\$3,595.

# The QUAY 500 offers technical superiority—availability—a \$2,500 price!

CP/M\* is a registered trademark of Digital Research



DISTRIBUTOR AND REPRESENTATIVE INQUIRIES WELCOME

# **SAVE MORE THAN 20%**

NORTH STAR — INTERTUBE — MICROTEK ZENITH - RCA-COSMAC - ITHACA THINKER TOYS — GODBOUT — SUPERBRAIN

The smartest computers at the smartest price



FACTORY ASSEMBLED & TESTED	LIST (	ONLY
HORIZON-1-32K-DOUBLE DEN	\$2695	\$1994
HORIZON-2-32K-DOUBLE DEN	3095	2299
HORIZON-2-32K-QUAD DENSITY	3595	2699
HORIZON-2-64K-QUAD+HARD DISK	9329	7199
	16K 389 3	
HORIZON MEMORY KIT	16K 359 3	2K 535
NORTH STAR HARD DISK AD AS		3939
PASCAL FOR NORTH STAR ON DISK	199	190
Powerful NORTH STARBASICThe Best		FREE
2 NORTH STAR SOFTWARE DISKS w/HORIZON		FREE
NSSE 1-22 & PO1 TERRIFIC PROGRAMS	ONL	LY 10
NORTHWORD 299 MAILMAN 239	INFOMAN	369
RCA-COSMAC VP-111 99 RCA-COSMAC	VP-711	189
COLOR! RAINBOW 385 CAT-100 1369	SPECTRUM	M 2B9
ITHACA FRONT PANEL COMPUTER 64K Z-8001 CPU CARD 16-bit ITHACA S-100 8Mb ITHACA MEMORY B/16-bit 64K	3195	2695
Z-8001 CPU CARD 16-bit ITHACA S-100 8Mb		1179
ITHACA MEMORY B/16-bit 64K	995	845
SEATTLE 8086 CPU 16 bit 10 x fester		556
SEATTLE MEMORY 8/16 BIT 16K 4Mhz		356
SSM KITS Z-BO CPU 221 VIDEO BRD VB	3 4Mhz	412
MEASUREMENT MEMORY 64K A & T 4mHz		599
MEASUREMENT MEMORY 64K BANK SELECT		789
ECONORAM XIV UNKIT 16K	299	254
CENTRAL DATA 64K RAM	665	599
DISCUS/2D A & T + CP/M	1199	975
THINKER TOYS HARD DISK 26 Mb	4995	3995
DISCUS/2+2 1.2 Mbytes A & T	1549	12B5
TARBELL DISK CONTROLLER OD	495	445
TARBELL CASETTE INTERFACE KIT	120	109
SUPERBRAIN	2995	2395
SUPERBRAIN QUAD DENSITY	3995	2995



ZENITH-HEATH Z-89 48K	2895	2495
INTERTUBE II SMART TERMINAL	995	725
ZENITH-HEATH SMART TERMINAL	995	739
ZENITH-HEATH WH-11 16bit COMPUTER		2995
CAT NOVATION MODEM	179	169
MICROTEK PRINTER	795	675
ANADEX PRINTER DP-8000	995	865
ANADEX PRINTER DP-9500-1	1650	13B9
NEC PRINTER Fast Typewriter Quality	2915	2799
SECRETARY WORD PROCESSOR The Best!	85	77
TEXTWRITER III Book Writing Program	125	11 2
GOFAST NORTH STAR BASIC Speeder Upper	79	71
PDS SUPER Z-BO ASSEMBLER & Mora	99	89
SUPER BASIC DEBUGGER \$89 COMPILER 135	HOS	40
EZ-80 MACHINE LANGUAGE TUTOR 25 ST	ATISTICS	190
EZ-CUDER Translates English to BASIC	79	71
ECOSOFT FULL ACCOUNTING PKG	350	319
BOX OF DISKETTES 29 IN PLASTIC CAS	SE .	30
Which Computers are BEST? BROCHURE		FREI
North Star Documentation refundable w/HRZ		20

ORDER 2 or more COMPUTERS....BIGGER DISCOUNTS YES WE WILL BEAT OUR COMPETITION'S PRICE! FACTORY ASSEMBLED & FACTORY WARRANTY

#### **AMERICAN** SQUARE COMPUTERS

KIVETT DR \* JAMESTOWN NC 27282 (919)-889-4577

# Dissecting the TI Speak & Spell

Michael A Rigsby 5164 Sunburst Dr Norcross GA 30092

There is now an economical way to provide limited voice output for computer-controlled devices. (Texas Instruments) provides most of the hardware in its familiar toy called the "Speak & Spell."

Because I am fascinated by toys (my system is a hand-wired 1802 processor used in a self-contained, mazesolving mouse), it was only natural that I should procure my own birthday present—a toy—and immediately tear it apart.

Speak & Spell is an educational aid designed for children aged seven or older. It contains a vocabulary of greater than 230 words in addition to the letters of the alphabet. Asking questions and playing games with electronic speech, it expects answers to be entered on its 40-switch keyboard. Each entry evokes an audible response, and the machine even keeps score. Plug-in modules are available to expand the vocabulary. Suggested retail price for the toy is \$65, though I bought mine for less than \$40 at a major Atlanta department store.

Operation of the electronic portion of the Speak & Spell involves many unknowns. I am sure that the manufacturer would probably prefer to keep these unknowns secret, but I can provide some insight into the operation of the Speak & Spell.

great The first obstacle encountered when opening the machine is the back cover. Removing the two Phillips-head screws is a good step, but not good enough. There are still four slots, each containing a plastic hook over a plastic ledge. Take a thin-bladed screwdriver and push the hook toward the outside edge of the case, at the same time pull the front and back of the case apart

with substantial force. Continue until all four hook slots are free. Take care not to allow any backsliding. I have done this three times, each time expecting to destroy it, but everything is still intact.

After reaching the inside, there is not much to see except the back of a double-sided printed-circuit board. To turn the board over, the matrix switch cards (figure 1) must be released from the front of the case. This involves springing delicate plastic hooks. If one of these hooks should break, the toy is lost. Somehow I slipped the cards out and turned the main board over. (See photo 1 and figure 2 on page 82.) On the opposite side of the main board are a circuit board (with a little black round thing on it) on top of the main circuit board, an 8-character alphanumeric display, and four integrated circuits, each with a distinctive proprietary number. The small circuit board appears to be a power supply.

The toy operates from a 6 V supply (four C cells), but +6 V, -6 V, and -20 V may be found throughout the board. The processor has five input lines from the switches; five lines seem to interconnect most of the circuits. The five input lines from the switches are activated upon contact closure by -20 V pulses generated within the processor.

At this point I will refer to figure 1. Eight bits from any processor may be used to control each of thirty-two lines by means of the 74154 binaryto-hexadecimal decoder. Each output line must go to a PNP transistor capable of switching a -20 V signal. The drawing in figure 1 indicates which wires go with which letters,

Text continued on page 84

# **ATARI 800 SYSTEM**



MicroWorld now offers complete systems based around the Atari 800 Personal Computer . . . all peripherals available! The Atari 850 Interface Module, with four R\$232 serial ports, an 8-bit parallel port, and an I/O port for connection to the Atari 800 allows for extensive upgrading of the basic system. Choose between two printers: the Atari 820 40-column printer. or the 825 80-column printer, both packed with standard features. Atari's new 810 floppy disk drives provide up to 92K of storage each ... up to four of these drives may be accommodated within a system! The Atari 410 program recorder with both digital and audio tracks is used by the Atari Talk and Teach educational cassettes, and by the Invitation to Programming Series. A Bell 103/113 compatible modem is also available for use with the Atari 800 or 400, allowing communications with other types of computers, including time share services. The complete line of Atari products, plus Atari's vast library of applications software. .. all from MicroWorld!

**Call for Special Price!** 



# **OKIDATA MICROLINE 80**

Compact, low-cost 80 cps printer; 9x7 matrix, friction or pin feed! 132 col.w/compressed print, graphics, and more! Tractor feed optional.

CALL FOR PRICE!



# **CENTRONICS 737**

Low-cost 50-90 cps RO printer. Proportional spacing, generales full ASCII, prints sub- and superscripts, underlinel

CALL FOR PRICE!



#### TI 99/4 HOME COMPUTER

Packed with features! Superior sound, 16-color graphics, powerful TI BASIC, optional speech! Up to 72K total memory capacity.

CALL FOR PRICE!



#### LIVERMORE STAR

Exclusive triple seal allows for superior acoustic isolation! 0 to 300 baud, locks into standard headset. Full duplex/test/half duplex modes.

CALL FOR PRICE!



# **LEAR SIEGLER ADM-3A**

The original "Dumb Terminal" ... 12" non-glare screen, 24x80 display. Feature direct cursor addressing, RS232 extension port, baud rates to 19,200!

CALL FOR PRICE!



# TI 810 FULLY LOADED!

RO printer; low price includes full ASCII, vertical forms control, compressed print, 150 cps, RS232, tractors, 3" to 15" form width, bidirectional printina!

**CALL FOR PRICE!** 



# ZENITH-HEATH Z-89 ALL-IN-ONE COMPUTER

Built-in minifloppy drives, smart terminal with 25x80 display. Low price includes HDOS and 48K memory!


**CALL FOR PRICE!** 




#### **TELEVIDEO 920C**


Low-cost terminal loaded with features; full-function keyboard, 24x80 display, blink, reverse, self-test!

**CALL FOR PRICE!** 





**Figure 1a and 1b:** During normal operation, the Speak & Spell will voice a phoneme (letter sound) after a key is pressed on one of the keyboards. The Speak & Spell can be controlled by a microprocessor interfaced to the keyboard lines as shown in figure 1c.




# Building Blocks for Microcomputer Systems, Dedicated Controllers and Test Equipment.


# **5th Anniversary Sale**

SAVE 10% ON ALL ECT PRODUCTS INCLUDING THESE POPULAR ITEMS

Offer expires September 30, 1980

R<sup>2</sup>I/O S-100 ROM, RAM & I/O BOARD






RM-10 S-100 RACK MOUNT CARD CAGE


Specializing in Quality Microcomputer Hardware
Industrial • Educational • Small Business • Personal
Card Cages, Power Supplies, Mainframes, CPU's, Memory, I/O, OEM Variations

ELECTRONIC CONTROL TECHNOLOGY (201) 686-8080

763 Ramsey Ave., Hillside, NJ 07205

# Introducing quality print at matrix speed. For only \$1295.





# Now! North Star Application Software!

North Star now offers application software for use on the HORIZON! Now you have one reliable source for both hardware and software needs! The first packages available are:

### NorthWord-

NorthWord is a simple-to-operate word processing system designed for use with the popular North Star HORIZON. NorthWord enables you to increase office efficiency and cut document typing time and cost. NorthWord incorporates the most sought-after word processing features: easy editing, on-screen text formatting, simultaneous document printing, and much more. NorthWord can be integrated with other North Star software packages to produce customized letters, labels and reports quickly and efficiently.

# MailManager-

MailManager enables you to compile and maintain complete organized mailing lists. Lists are easily accessible and can be compiled with a great deal of flexibility. Entries, corrections and deletions are easily made. The North Star MailManager can print your list on individual envelopes, on mailing labels, or in compact summary form.


# InfoManager—

InfoManager is a powerful list-oriented, data management system. It will accept up to 50 categories of information for each record and has the ability to select and sort before printing. The North Star InfoManager has power and flexibility for many applications: product inquiry, inventory, customer/client records, calendar reminders, and as an easy way to fill in often-used forms.

### GeneralLedger—

General Ledger and Financial Reporting, two programs in one, maintains general ledger accounts based on such input as checks, bank deposits and journal entries, and uses the information in the general ledger to produce customized financial statements and financial reports.

NorthWord is the central building block for all the North Star application software to follow. Packages now being tested include other accounting and professional application packages. For more information or a demonstration, contact your local North Star dealer.



# WHEN IT COMES FROM US, IT WORKS.

Most Northstar Systems are purchased for business and scientific applications where down-time means money.

That's why Scottsdale Systems pretests every Northstar BEFORE we sell it. And package it for SAFE delivery to you.

But we don't stop there. Our Northstar Systems, with a SOROC IQ-120 terminal, and either an NEC Spinwriter or a TI 810, include full integration.

When it comes from Scottsdale Systems, it's ready to work for you.



Horizon II 32K DD
Horizon II 32 K Quad
CCS 16K RAM \$259
SOROC IQ-120
TI-810 Basic
NEC-5510 w/tractor
NEC-5520 w/tractor
(NEC's include ribbon, thimble)



ATARI 800 \*798\* (w/16K RAMI)

400 \*449\*



**TI-99/4\*** w/monitor **1879** w/o monitor **1736** 



### **SEPTEMBER SPECIALS**

\*Accessories sold only w/systems Prices subject to change Arizona residents add 5%. Charge cards add 2%.


# SCOTTSDALE SYSTEMS

6730 E. McDowell Road • Suite 103 Scottsdale, AZ 85257 OPEN 6 TO 6 PM • M.-SAT.





**Photo 1:** Detailed photograph of the disassembled Speak & Spell. The main circuit board is shown in the same position as in figure 2; the board in the upper left-hand corner is the power supply. The black box at bottom center is one of the two keyboard assemblies.



**Figure 2:** Layout of the Speak & Spell main circuit board, viewed from the front of the


# The new microcomputer FORTRAN you'll be proud to take anywhere.

Microcomputer users like you want the best of all worlds. A single development and run-time system that can support FORTRAN on hundreds of thousands of systems ... a standard FORTRAN that is available immediately for whatever micro you have...plus the power, portability and completeness of the UCSD™ System. Impossible? It was until now. Until SofTech Microsystems introduced FORTRAN-77. a major extension to the UCSD

market your applications to the broadest range of microcomputers possible.

Since UCSD Pascal and our new FORTRAN-77 are fully compatible. you can write applications that use the advantages of each language. For instance, you can utilize powerful Pascal subroutines for data display and graphics and FORTRAN subroutines for numerical calculations. And, because our system is modular, you can start now with

> Pascal or FORTRAN and add additional language compilers when you are ready.



Power... ANSI-77 **FORTRAN** 

FORTRAN-

77 is the newest ANSI standard language for engineering and scientific applications, with powerful new features included for more rapid development of reliable soft-

ware. Support for structured programming and improved character types are just a few of the FORTRAN-77 features designed to increase your productivity.

And, since most FORTRAN-66 programs can be run with little or no change, you can take advantage of the FORTRAN applications programs that already exist.

FORTRAN-77 applications are as portable as UCSD Pascal™ applications. This is because the UCSD System runs on most all major micros...giving you the freedom to choose the hardware best suited to your needs...and the ability to

the UCSD System

# Solution...the complete **UCSD System**

For all the tools and support you'll ever need, order the UCSD System. Get a complete development and

runtime package that includes an operating system, screen editor, file handler, macro assemblers, linker, P-code interpreter, the language compiler of your choice, and full documentation.

Whether you run UCSD Pascal or our new FORTRAN-77 on whatever microcomputer you have, you'll join the more than 10.000 satisfied UCSD System software users worldwide.

Call or write for more information: Master Charge or Visa orders accepted.



# A SUBSIDIARY OF SOFTECI

9494 Black Mountain Road, San Diego, CA 92126. (714) 578-6105.

You've got your choice with UCSD™ System Software. Use it on microcomputers with CP/M, or on any system using a Z-80, 8080/8085, LSI-11,™6502, 6800, 6809, or 9900 microprocessor.

- $\square$  Send me the Complete set of UCSD System documentation including the FORTRAN and Pascal languages. My check or money order for \$50 is enclosed.
- ☐ Send me more information about the UCSD System with FORTRAN
- $\square$  Send me more information about the UCSD System with Pascal
- ☐ Send me more information about the UCSD System with both FORTRAN and Pascal
- ☐ Send me Distributor information


Company.

Address

City/State/Zip\_

Telephone. Massachusetts and California residents add applicable sales tax. CM-17E-(5/80)

CP/M™ is a registered trademark of Digital Research Corporation. LSI-11 is a registered trade-mark of Digital Equipment. UCSD Pascal and UCSD are registered trademarks of The Regents of the University of California.



**Figure 3:** Pin assignments for the SN76477N complex-sound generator. It is suspected that this well-known device is marked TMC0271NL in the Speak & Spell. The pins marked with asterisks are in a logical low state unless they are pulled up by an external voltage.

	Pin # of	Connected To		d To
Behavior	TMC0271NL	Pin	Device #	Informal Name
steady pattern when letters are pronounced, variable pattern for	22	4	TMC0351NL	Unknown #
all words	25 27		TMC0271NL TMC0271NL	
variable pattern for all speech	26	6	TMC0351NL	Unknown #1
	28	36	TMC0271NL	

**Table 1:** Experimental behavior of selected logic lines coming from the TMC0271NL device on Speak & Spell circuit board.

Text continued from page 76:

while figure 2 shows the location of these wires in the toy. Each line must be released before the processor will accept another input command.


Returning to the operation of the device, the 40-pin circuit is undoubtedly a processor. There are two integrated circuits which I have labeled as high-density read-only memory (however, this is only a guess). They contain the information for the 230 spoken words; the processor (TMC0271NL) appears to contain the spoken letters and a few brief words. Of the forty pins on the processor, five are input lines from the switches, seven are pulsed output lines to the switches, fifteen or more are output

lines to the display, and three are output lines to the sound generator. Three of the lines that go to the display are part of the five lines that connect the processor to unknown circuit #1 (mentioned above as possibly being a high-density readonly memory). If the unknown circuits are memory devices, the individual byte locations are not addressed by the processor (there is an insufficient number of interconnecting lines for that purpose), but are possibly left to be sequenced by a clock and stopped by processor control.

I am reasonably certain that the sound is generated by a complex sound generator, SN76477N. This

circuit is controlled by numerous resistor-capacitor combinations and seven digital-control lines. (See figure 3 and table 1.) If this device is the chip marked TMC0271NL in the Speak & Spell, then it is two of the seven control lines (pins 1 and 9) that are tied to ground all of the time. Five of the lines have varying signals, though three of these maintain a constant pattern when letters are being pronounced. The narrowest spike in a pulse train that is connected to a control line is 0.1 ms long. With a 230-word vocabulary, there is a controlled speech time of well over 100 seconds. Five lines multiplied by 100 seconds multiplied by 10,000 pulses per second yields 5,000,000 bits of information stored somewhere in the Speak & Spell-providing one assumes that each word is composed of individually stored pulses. There are probably subroutines that cause the production of phonetic elements. I can see no way to access these phonetic elements, because they seem to be internal and not directly addressable by normal address lines. Someone with more memory than I have (1 K bytes of user memory) could monitor the control lines on the sound generator (see figure 3) and perhaps determine the phonetic makeup of individual sounds.

If you don't mind listening to your computer spell everything, give it a voice and let it speak. ■



CP/M-the industry standard in operating systems: now Sybex makes it easy as ABC with a new step-by-step guide: THE CP/M® HANDBOOK (with MP/Mtm).

Gain a clear understanding of CP/M's basic operation, learn how to use the editor and assembler, then explore all versions of CP/M, including CDOS and multi-user MP/M.

Numerous sample programs, practical operating hints and handy reference tables make the CP/M HANDBOOK a must for anyone-from beginner to experienced programmer.

For sophisticated editing or simple copying, the new CP/M HANDBOOK gives you a hand-and makes CP/M easy as ABC.

By Rodnay Zaks, 250 pp., Ref. C300, \$13.95

CP/M  $^{\bullet}$  and MP/M  $^{\dagger m}$  are trademarks of Digital Research Circle 55 on inquiry card.



Dept. B9 2344 Sixth St. Berkeley, CA. 94710

# **AVAILABLE AT BOOKSTORES** AND COMPUTER SHOPS **EVERYWHERE**

TO ORDER:

By Phone: (415) 848-8233, Visa, MC, Am Ex By Mall: Indicate quantity. Prepayment required Shipping: \$1.50 per book (UPS) or 75¢ (4th Class) Tax: In California please add tax

MAIL TO: SYBEX 2344 S	ixth St., Berkeley, CA	94710
Send me copy(s)	of The CP/M Handbo	xxk @ \$13.95
Name		
Company		
Address		
City	State	_Zip
Amount enclosed	DPS	3 🗆 4th class
Charge my 🗆 Visa	☐ Master Charge	☐ Am. Ex.
Card number		
Expiration date		
Signature		
☐ Send me your free o	catalog	C300B9

# Penny Pincher's Joystick Interface

Steven Wexler 1634 Buck Hill Dr Huntingdon Valley PA 19006

One of the more entertaining input devices that can be operated by a human hand is the joystick. Physically, the device consists of a lever that moves in two dimensions. The lever operates two potentiometers, which translate the position of the lever into two analog resistance values. A joystick hardware interface, in conjunction with the appropriate software, can convert the resistance values into corresponding binary integer values. These integers can be used to move a cursor, alter music, or control a robot, along with a myriad of other applications.

There are several ways to interface a joystick to your computer. Each scheme has its advantages and disadvantages. The particular method I have chosen has the advantages of being inexpensive, easy to build, easy to understand, and of requiring a minimum of input/output (I/O) programming.

The disadvantages? This method is slower than some other interfaces I have seen, uses more software than do the expensive hardware-intensive schemes, and is less precise than some of the more elaborate circuit concoctions.

#### Operating Theory

The key to my "penny pincher's"

joystick interface is the 556 dual timer configured as two monostable multivibrators or one-shots, as shown in figure 1. In English, this means that if you trigger the one-shot, its output will go high for a predetermined interval, after which the output will return to its normal low state.

By using a joystick potentiometer as a timing resistor, the duration of one output pulse will be proportional to the position, in one dimension, of the joystick lever. Software is used to convert the pulse duration into a binary value. Duplicating the circuit for the second timer, the other joystick potentiometer will yield a different output-pulse duration and binary value for the other dimension. Remember, joysticks operate in two or more dimensions.

#### **Iovstick Interface Circuit**

Careful study of figure 1 will reveal a most curious aspect of the interface. The *trigger* and *reset* lines for each circuit are all tied to a common processor output line. This certainly saves output lines, but how can you trigger and reset simultaneously? An explanation of the trigger requirements for the timer circuits should help to clear up this anomaly.

Normally, the timer will start to output a pulse on the high-to-low

transition (ie: negative-going edge) of the input trigger signal. For the device to work properly, it is necessary to return the trigger input to its normal high state before the timed-output pulse returns low. In other words, before the device times out, the trigger input must go high.

If the timer receives a trigger signal in the middle of an output pulse, the signal is ignored. The obvious conclusion is that we must either trigger each of the 556 timers independently, or we must reset the second timer before it is triggered. Otherwise, how are we to avoid attempting to trigger the second timer before it has timed out from the initial signal? Tying the resets and triggers to a common computer-output line avoids the timing pitfall, while simplifying both hardware and software.

When the computer-output line goes low, the timing function is reset and the device returns to its initial state. As the processor-output line returns high (ie: positive-going edge), the circuit is reset before it is triggered; this allows the timing pulse to begin normally. The I/O line used to reset and trigger the 556 can also be used to reset and trigger additional joysticks. How's that for efficiency! I have not included the values of the timing capacitors and potentiometers

For years many small business system buyers thought that in order to get "real" performance and enough storage to be a "real" business system they would have to sacrifice the family jewels.

But with the introduction of the Smoke Signal Chieftain series office computers a lot of people's

minds have been changed.

Because we designed the highly reliable Chieftain small business system with the most innovative combination of performance and efficiency around.

At your fingertips there are 64,000 characters of random access memory and you can address anywhere from 740,000 characters to 2 million characters with Smoke Signals's new double density controller. For larger concerns, there's a 20M byte hard disk available.

At a time when other small computer manufacturers tell you "you're on your own", Smoke Signal offers an abundance of easy-to-use software accounts receivable, invoice entry, payroll, word processing and much, much more. There's BASIC, COBOL and FORTRAN — even a multi-user BOS (Business Operating System) that allows for numerous users simultaneously.

Chieftain systems starting at under \$200.00 per month display performance on par with systems costing twice to three times as much.


So call (213) 889-9340 for your nearest authorized Smoke Signal dealer — he'll be glad to demonstrate the Chieftain's high reliability and ease of operation.



For dealers only, circle 57 All other inquiries, circle 56







**Figure 1:** The key to the penny pincher's joystick interface is the 556 dual timer, configured as two monostable multivibrators. The interval of each output pulse is determined by the joystick resistance, in conjunction with a user-selected timing capacitor.



in figure 1; these values depend on software, processor speed, and personal preference.

#### Software

The software needed for the penny pincher's interface is very straightforward. The 556 timers are triggered by setting the proper computer-output line first low, then high. After this, the processor should enter a tight, time-efficient counting loop until one circuit times out. The software should immediately store the count and then start the process over for the next timer. It is recommended that you disable interrupts during the counting process; otherwise an inaccurate count may occur.

Listing 1 presents the joystick-driving software for my KIM-1 computer (6502 processor). The program assumes that the reset/trigger line is tied to the KIM-1 I/O line B1. The timer's outputs are tied to B2 and B3; a second joystick may be tied to lines B4 and B5

B4 and B5.
Utilizing cons

Utilizing consecutive I/O lines in this manner allows for efficient I/O line polling by merely shifting an I/O mask. Figure 2 is a flowchart of the

ALL Z80/8080/8085 COMPUTERS.

\*CP/M is a trademark of Digital Research

A.C.T. and PASCALM are trademarks of Surcir

PO Box 32505

SAN JOSE, CA 95152




# INTRODUCING VIDEOPRINT: The picture perfect peripheral.


Videoprint is the convenient economical means of obtaining distortion-free line or continuous tone hardcopy from raster line computer graphics displays in full, brilliant color. The entire system is self contained in the convenient desk-top unit shown above.

Videoprints eliminate such off-the-screen photography problems as barrel distortion, color de-saturation and loss of color fidelity. Videoprints also minimize the effects of raster lines and video noise.

Videoprints are instantly produced with Polaroid® SX-70 or Polacolor 4" x 5" films, as well as with conventional color negative or 35 mm slide transparency films, offering you a range of handy sizes. The pictures can be made by untrained personnel at the push of a button.







If you've ever wanted to distribute copies of computer graphics or TV video stills or file them in your permanent records, or send them through the mail or project them as slides, you need Videoprint.

If you've ever wanted to document alternatives in an interactive graphics process, or monitor periodic events without 24-hour observation, you need Videoprint.

In fact, if you use computer graphics in any form, you really need Videoprint. Find out all about this exciting new tool. Write or call us today.



The Videoprint People.

Image Resource Corporation

2260 Townsgate Road, Westlake Village, CA 91361 (805) 496-3317




Figure 2: The joystick-driving software consists mainly of a counting loop; this determines the stick position by timing the output pulse interval. High resolution can be attained by using a fast counting loop.

**Listing 1:** The software used on the author's KIM-1 system resets the interface timers with a low logic state on I/O line B1. When the same line goes high, the timers are retriggered. This technique, using only one output line, contributes to the simplicity of the hardware.

		POT 1, X AXIS POT 2, Y AXIS
8516 A9 02 8518 8D 03 17 851B 08 851C 78 851D 0A 851E A0 00 8520 8C 02 17 8523 A0 02 8525 8C 02 17 8528 A0 FF 852A CA	BNE HOP  JOY2 LDX #3  HOP LDA #2  STA PBDD2  PHP  SEI  LP ASL  LDY #0  STY PBD2  LDY #2  STY PBD2  LDY #FF  LPI INY  BIT PBD2  BNE LP1  PHA  TYA	FORCED JUMP. ENTRY FOR TWO JOYSTICKS. INITIALIZE TIMER POINTER. SET LINE B1 FOR OUTPUT, REST INPUT. SAVE INTERRUPT STATUS. DISABLE INTERRUPT. UPDATE TIMER POINTER. TRIGGER TIMER VIA LOW TO HIGH TRANSITION
8535 68 8536 CA 8537 10 E4 8539 28 853A 60	PL <b>A</b> D <b>EX</b>	MORE TIMERS? NO, RESTORE INTERRUPT STATUS.

program. Remember to keep the counting loop as efficient as possible.

### Calibration

The count we obtain from the interface is equivalent to the duration of the timing pulse divided by the processing time required by the computer to execute one counting loop. My 6502 system, running at a clock frequency of 1 MHz, will execute the counting loop in listing 1 (hexadecimal 852A thru 852E) in 9  $\mu$ s. It stands to reason that if you want a joystick to read from 0 to 100 on this machine, you would choose a potentiometer and capacitor that would set the maximum duration of the timing pulse to 909  $\mu$ s (101  $\times$  9  $\mu$ s).

The following formula is used to derive the value of the timing capacitor:

$$C = \underline{\text{pulse duration}}$$

$$1.1 \times R$$

where *C* is in farads, duration is in seconds, and *R* is in ohms. Assuming

a joystick with 100 k-ohm potentiometers, a 0.0083  $\mu$ F capacitor is needed to produce a 909  $\mu$ s timing pulse. Since the actual value of most capacitors is not precisely known, it may be desirable to trim the maximum timer intervals. This can be done by placing extremely small-value capacitors in parallel with the main timing capacitor of the circuit that has the *smaller* maximum pulse of the two. Silver mica capacitors should work well here.

#### Construction

The circuit is quite simple and compact. With point-to-point wiring, several joystick interfaces can be constructed on a small circuit card. Placement of components is not critical. Each interface should draw less than 40 mA from a +5 V supply. Surplus joysticks can be purchased for about \$4, while the 556 timer costs less than \$1; so, for about \$6 and one night's work, you can add this joystick interface to your system. ■

# Apple vs I BM

IBM/370 users have VSAM (Virtual Storage Access Method) to provide fast, flexible keyed-access to their data. Now KRAM (Keyed Random Access Method), from United Software of America, gives APPLE users the same flexibility, substantially increasing the processing power of the APPLE.

Until KRAM, the only "random access" capability in the APPLE consisted of a crude form of "relative record" processing. While this is usable for very simple applications, it falls far short of the needs of today's business & analytical applications. Using KRAM, records may be processed by a "key" value, which may consist of any kind of data: numbers, letters, special characters, etc. Even APPLE's long-awaited DOS 3.3 doesn't have anything like this!!

Just compare: Consider an employee file in a Payroll application:

FUNCTION	APPLE'S DOS 3.3 RANDOM ACCESS	KRAM	FEATURES
Retrieve by Social Sec. #	NO	YES	Relative record is limited to 7 digit #'s;
			KRAM keys up to 48 bytes!
Retrieve by Last Name	NO	YES	Relative record cannot file alphabetically
Erase a record	NO	YES	Relative record cannot erase records
Dynamic record allocation	NO	YES	KRAM files grow as needed
Dynamic compression	NO	YES	KRAM recaptures space when records are deleted
Mutliple files open	NO	YES	KRAM can keep 5 files open simultaneously
BEST WAY	NO	YES	It's obvious

As you can see, KRAM now attains levels of sophistication on the APPLE that rival those of IBM mainframes. . . So why let the IBM users have all the power? Power up your APPLE with KRAM!

#### **KRAM RELEASE 2.0 FUNCTIONS:**

- Create/Open a dataset
- Put record by key
- Add & Delete records by key
- Get any record by Full or
- Partial key in .4 sec.
- (.2 sec. with Corvus Disk)
- Supports multiple disks
- Read next or previous record
- Dynamic space allocation
- Dynamic space reclamation
- Dynamic index compression
- Never needs reorganization

An 80 page manual fully documents KRAM 2.0 functions and illustrates with programming samples. KRAM architecture is fully explained and a sample mailing list application program is included.

#### **APPLE & PET Requirements:**

KRAM is designed to work with both APPLE's Disk II and Corvus Systems 10 Megabyte Winchester Disk, and Commodore's 2040, 3040, and 8050 Disk units. KRAM 2.0 requires 32K/48K APPLE with Integer Basic in ROM (compatible with APPLESOFT) and at least one disk drive. KRAM works on any 40/80 column 16K/32K PET.

Introductory Specia

\$99.95



Look for the RED-WHITE-BLUE United Software Display at your local computer dealer, or send check or moneyorder, plus \$3.00 shipping to:

**DEALER INQUIRIES INVITED** 

Biologically based paradigms provide insights into artificial intelligence.

# THE SELF

As researchers begin to unravel the mysteries of the brain's chemical, electrical and synaptic circuitry their findings are becoming immediately applicable to advances in robotic behavior and computer design, Ernest W Kent, a computerist and professor of both physiological psychology and psychopharmacology. dissects the brain to create biologically based paradigms providing new insights into computer design and artificial intelligence.

Professor Kent has written one of those rare and important works that transcends previously perceived disciplinary

boundaries. The everincreasing relationship between man and machines is freshly examined; a relationship, Professor Kent concludes. that more and more is being modeled after man's own neurological self image.

This and other BYTE/McGraw-Hill books are available from BYTE BOOKS or your local computer store.

Peterborough, NH 03458 ISBN #0-07-034123-0 Brains of Men Price \$15.95 Please remit in U.S. funds or draw on a U.S. Bank and Machine Please send 
\_\_\_\_\_ copies of The Brains of Men and Machines Name Title Street City State/Province Code □ Check enclosed in the amount of \$\_ □ Bill Visa □ Bill Master Charge Card No. Exp. Date \_\_\_\_ Add 75¢ per book to cover postage and handling. by Ernest Kent Available at the end of October 1980.

# The best in data base management for your micro-computer

Get the most out of your micro-computer. Use our advanced and progressive data management system.

HDBS is an extended hierarchal data base system

- fixed length records
- file-level read/write protection
- one-to-many set relationships

MDBS is a full network data base system offered as an upgrade from HDBS...or it may be ideal as your initial system. Unique and versatile, it adds these features:

- full network CODASYL-oriented data structures
- variable length records
- multiple levels of read/write protection
- one-to-one, many-to-one, and many-to-many sets
   non-redundancy of data, easy updating
- occurrences of a record type may own other occurrences of the same type
- a single set may have multiple owner and member record types

MDBS-DRS. As an add-on to MDBS, the DRS system offers extraordinary flexibility in data base restructuring to meet new needs.

 Item, record, and set types can be added, deleted, or renamed in an existing data base as well as other data base characteristics. You can redesign the data base after it is already on-line!

MDBS-RTL. As an add-on to MDBS, the RTL (Recovery Transaction Logging) logs all data base transactions, so that in the event of a system failure, the data base can be recovered with minimal loss of information.

 The recovery processor permits selective reloading of the data base from the transaction file. Users can log messages, indicate complex transaction sequences, and effect selective control over the recovery process

MDBS-QRS. An interactive Report-Writer/Query-System for HDBS/MDBS data bases. Features..

- may be customized for non-technical users
- complex retrieval conditions may be specified
- detailed reports can be quickly generated
   wildcard and "match-one" string specifications

# HDBS and MDBS Packages Include:

- DDL data definition language analyzer/editor
- 260-page users manual
- DMS data management routines callable from host language
- Sample application program and DDL files
- Relocator to re-org all routines
- System specific manual for bringing up our software



Coming soon: Multi-User Versions of MDBS, and a Z8000 Version.

54-page "primer" on data base systems for micro-computers only \$10.00 per copy.

# Both HDBS and MDBS Systems...

CP/M with Microsoft BASICs, FORTRAN or COBOL; InterSystem PASCAL/Z; Sorcim PASCAL/M; Micro Focus CIS COBOL; Digital Research PL/I

MVT/FAMOS with BASIC

**OASIS** with BASIC

TRSDOS and NEWDOS (Models I and II) with Disk BASIC

North Star DOS with North Star BASIC Apple DOS and Applesoft BASIC

Machine Language Interface available on all above systems.

- Up to 254 record-types definable in the data base;
   each record-type may contain up to 255 item-types;
   each item-type may be up to 9,999 bytes in length.
- Names of data items, records, sets, and files are wholly user definable.
- · Commands to add, delete, update, search, and traverse the data base.
- Straightforward use of ISAM-like structures.
- Records can be maintained in several sorted orders.
- Written in machine language for maximum execution efficiency and minimal memory usage.
- Independent of types and sizes of disk drives. Support data base spread over several disk drives (max.8); disks may be mini- or full-sized floppies or hard disks.
- Available versions: Z80 (requires approx. 18K), 6502 (approx. 26K), 8080 (approx. 22K) Total memory requirement must allow for buffer
- 8086 version available. (Call or write for details

### Ordering and pricing information:

(applicable to Z80, 8080 and 6502 versions):

(	
HDBS	\$ 300.00
MDBS	900.00
DRS	300.00
RTL	300.00
QRS	300.00
HDBS upgrade to MDBS	650.00
MDBS with DRS.	
RTL, and QRS	1500.00
HBDS/MDBS Manual	35.00
DRS Manual	5.00
RTL Manual	5.00
QRS Manual	5.00
System Specific	
Manuals (each)	5.00

Within a given operating system, add \$125.00 for each additional language selected.

For prices outside the U.S. and Canada, please ask for price lists.

Add \$2.50 handling fee for non-cash order (\$5.00 outside U.S.).

When ordering, specify intended

1. North Star DOS and BASIC CP/M - Microsoft BASIC 4.XX
 CP/M - Microsoft BASIC 5.XX
 CP/M - Microsoft BASIC

Compiler or FORTRAN-5. CP/M - Microsoft COBOL-80

CP/M - Microsotte MPASCAL/Z
 CP/M - Sorcim PASCAL/M
 CP/M - Digital Research PL/I
 CP/M - Micro Focus CIS

COBOL 10. TRSDOS/NEWDOS and TRS Disk BASIC (Models I and II)
Apple DOS and Applesoft BASIC

MVT/FAMOS and BASIC 13. OASIS and OASIS BASIC

Machine Language Programs (Specify operating system.)

Indiana residents add 4%. We accept Visa and Master Charge.

Finally, our software may cost a little more... but it's worth a lot more in quality and versatility.

# Data Base Sustems. inc.



Box 248, Lafayette, Indiana 47902 317-742-7388 or 317-448-1616

# Languages Forum

# Pascal and the Great Race

David A Mundie, 104 Oakhurst Cir, Charlottesville VA 22903

I have some comments on the record maintenance techniques described in "The Great Race and Micro Disk Files," by J J Roehrig (April 1980 BYTE, page 142).

Mr Roehrig's initial method took almost a minute just to write 120 real variables, so it is little wonder that he began looking for a better way. His decision to minimize disk transfers by not sorting the records on the disk seems eminently sensible. However, his other decision, to read and write individual elements of the array instead of using a FOR...NEXT loop is lamentable. Surely there is something wrong with a language so inefficient that loops are prohibitively slow. One wonders what he would have done had there been 1000 elements in the array rather than twelve.

Mr Roehrig might consider changing programming languages as a solution to his problem. The root of his difficulty is that BASIC does not allow for files of arrays (or any other structured data type, for that matter). In Pascal, it would be possible to define SCRATCH as a file

# 779 UPPER CASE/lower case "Conversion Kit I"

Expand the capabilities of your 779 line printer to include word processing!! Available to all Centronics 779/TRS 80 Printer I owners is the option of lower case and changing slash 0 Zero to standard 0. No etch cuts or soldering needed. Installs in minutes with a screwdriver. No program modification or additional interface is required.

Price \$125.00

# MOTOR CONTROL "CONVERSION KIT II" FOR ALL CENTRONICS 779/TRS 80 PRINTER I LINE PRINTERS!!

Our "Conversion Kit II" Motor Controller gives your 779 the ability to turn the motor on and off automatically. Removes the annoying noise of constant run, increasing the life span of your 779 / TRS 80 line printer motor! No soldering, software or hardware changes needed. Installs easily.

Price \$95.00

**SAVE!** Buy Service Technologies "Conversion Kit I" and "Conversion KIt II" together for the single price of \$199.00

To order, please send check or money order in the proper amount to:

32 Ni Nash (603)

Service Sechnologies, Snc. 32 Nightingale Rd. Nashua, N.H. 03062 (603) 883-5369

Visa and Master Charge accepted (please include signature, expiration date and phone number)

Service Technologies will pay all shipping and handling.

of arrays of reals, with twelve reals in each array. Writing an array is then accomplished by the simple statement PUT(SCRATCH), while reading is done by GET(SCRATCH)—no loops, and especially no referencing of each element of the array.

#### Listing 1

```
PROGRAM RACETEST;
CONST DUMMYVALUE = 1.23456;
TYPE REALARRAY = ARRAY[1..12] OF REAL;
VAR I,J: INTEGER;
 DUMMY: REALARRAY;
 SCRATCH: FILE OF REALARRAY;
PROCEDURE CLOCK;
BEGIN
 WRITELN ('CLOCK: ');
 READLN
END.
BEGIN (*RACETEST—MAIN PROGRAM*)
 FOR I := 1 TO 12 DO
   DUMMY[I] := DUMMYVALUE;
 CLOCK:
 REWRITE (SCRATCH, 'SCRATCH');
 FOR I := 1 TO 10 DO
   BEGIN
     SCRATCH1 := DUMMY;
     PUT (SCRATCH)
   END:
 CLOCK;
 FOR J := 1 TO 5 DO
   BEGIN
     RESET (SCRATCH);
     FOR I := 1 TO 10 DO
        DUMMY := SCRATCH1;
        GET (SCRATCH)
      END:
   END;
 CLOCK:
 CLOSE (SCRATCH)
END.
```

A Pascal program equivalent to his program is given in listing 1. Because ten arrays of twelve reals do not fill up the minimum UCSD Pascal buffer of 512 bytes, for benchmarking purposes I actually used an array size of 120 real variables, then divided the execution times by 10. This yields a time of about 0.4 seconds to write ten records, compared to Mr Roehrig's minimum of 3 seconds, or the estimated 20 seconds using loops. Reading ten records five times took about 1 second, compared to his minimum of 6 seconds. Part of the difference may be attributable to hardware (I used a Pascal Microengine with double-density 8-inch disks), but I am convinced that the difference is largely due to Pascal's more rational handling of files. In this case, at least, higher-level constructs seem to be not only easier to use, but also more efficient than those at a low level.



# ...Bulk Storage from Industrial Micro Systems

# THE NEW MODEL 16

The new Industrial Micro Systems Model 16 Hard Disk Subsystem is a "fixed-removable" high speed, bulk storage device providing from 32 megabytes (32 million characters) to 96 megabytes of on-line storage for the Industrial Micro Systems 8000 or Series 5000 microcomputer systems. The Model 16 includes a credenza enclosure that provides a quiet, strong and

attractive package for office or industrial applications where large memory is required. The Model 16 also includes a fully buffered DMA S-100 bus controller for fast and easy interfacing.

# WINCHESTER TECHNOLOGY WITH BUILT-IN BACKUP

The Model 16 includes a 16 megabyte removable cartridge and a 16, 48, or 80

megabyte fixed media that employs Winchester 3340 technology. Files and programs may be copied between the fixed media and the removable cartridge for fast, easy backup and archival storage.

### **FAST ACCESS**

The interface between the Model 16 hard disk and the

Industrial Micro Systems computer is provided by the Hard Disk Controller. The Hard Disk Controller utilizes Direct Memory Access (DMA) for fast data transfer with minimum processor intervention. The maximum data transfer rate is 1.2 megabytes per second and the controller fully buffers the data, a sector at a time, to and from the disk. Available in 220 V, 50 HZ Versions



Now you don't have to look hard for fast computing power. Contact your Industrial Micro Systems Dealer today.

# **INDUSTRIAL MICRO SYSTEMS**

Marketing

628 N. Eckhoff, Orange, CA 92668 (714) 978-6966 Manufacturing

2800 Lockheed Way, Carson City, NV 89701 (702) 883-7611

# Technical Forum

The article "A Power-Line Protection Circuit" by Neil Schneider and Bror Erickson (March 1980 BYTE, page 126) generated a great deal of correspondence. This included the following criticism by Mr Newswanger and the circuit offered by Mr Schafer.

# **Protection Circuits**

Donald W Newswanger, Dept of Building and Safety, City Hall, Rm 485, Los Angeles CA 90012

I was disappointed to see the article "A Power-Line Protection Circuit" (March 1980 BYTE, page 126). No direct internal connection should ever be made to a *hot-chassis* transformerless television set. The antenna terminals may be safely used with a suitable RF (radiofrequency) modulator, but no attempt should be made to connect directly into the video circuit. Transformerisolated television sets and monitors are readily available for this purpose.

The circuits in both figure 1 and figure 2 of that article introduce problems into the building wiring system. The use of either circuit will trip a ground-fault circuit breaker. Circuit 2 is particularly bad since it directly interconnects the ground wire and the neutral during normal operation. The neutral conductor of a two-wire cir-

# TRS-80 MOD II WORD PROCESSING



# The best is now even better...

New Features New Commands New Capabilities New Manual

# **SPECIAL PACKAGE INCLUDES:**

- Wp Daisy<sup>™</sup> word processor
- Mail Merge™ mailing list package
- I/OS operating system full CP/M™ & CDOS compatability

#### Includes

- Diablo, Spinwriter and
- Qume support
- Printer spooling30 programs

. -

CP/M™ TM of Digital Research



cuit carries the same current as the *hot* wire of the circuit. The interconnection of the neutral and ground wire will cause part of the normal neutral current from all applicances connected to the circuit to flow through the ground wire. The ground wire is intended to provide a ground path for appliances and should never be used as a current-carrying conductor. These circuits violate the provisions of the National Electrical Code and the UL/ANSI Standards.

I have a low-cost personal computer and feel that my 120 VAC/12 VDC portable television set was a good investment. BYTE should encourage the use of line-isolated television sets and monitors and discourage the use of makeshift substitutes.

#### Steven A Schafer, 202 West Dr, Princeton NJ 08540

The purpose of the ground wire in the standard power delivery system is to provide a stable reference and to bleed away any small charges caused by leakage currents or static. It should *never* be used to supply power to any device. A current of more than a few milliamperes in the ground line is enough to trigger a ground-fault interrupter, if such a device is installed.

For the same reason, the neutral wire should never be connected to the ground wire; even though they are supposedly at the same potential, the neutral wire is not guaranteed to be at earth-ground, and connecting it to the ground wire will often cause a small current to flow. For obvious safety reasons, neither the hot nor the neutral side of the power line should be connected to any exposed conductor.

The circuit shown in figure 1 is a nearly foolproof way to protect against wiring errors. If a polarity error exists between the protected equipment and any other devices connected to it, relay 2 and the neon indicator will turn on, disabling relay 1 and preventing power from being applied to the protected equipment. If there is no error, relay 2 remains off, and depressing the push-button switch





Figure 1: Steven Schafer's power-line protection circuit. The line marked H is the hot side of the power line; the line marked N is the neutral side of the power line. The resistor in series with the neon lamp should have a value of 100 k ohms.













# **VIDEO DATA PROCESSOR**

Called the VDP, comes complete with 16K memory, its own color text and graphics generator and is designed to superimpose its graphics and text over incoming video signals from video tape, video disk, TV camera, Apple Video or Broadcast • Color text and graphics on an independent screen • Video titling or video interactive training uses. It's like your own TV station, works with OUR Light Pen too! Available directly from Symtec at \$1500.00.

# SPECIAL PROBLEMS

We can help. Symtec does custom engineering, fabrication, hardware and software design for microprocessor. Beginning at \$1500, these services can solve your custom application needs for industrial, scientific, medical, engineering or personal uses.

# **SUPER SOUND GENERATOR**

Apple Music Power with a plus • 3 voices, 6 in stereo version • Noise generator • Independent control of volume, envelope and shape by channel • Full power, easy to use software to compose, edit, play in hi-res graphics, PLUS, input and output ports allow extra uses: • Printer interface • Remote ASCII or music keyboard interface • and, optional BSR X-10 Adapter is available. Suggested retail \$159.95 mono, \$259.95 stereo.

### SYMTEC X-10 CONTROL

Now for the Apple II, a low cost control to link your computer to the BSR X-10 Home Control System. Control your home or office lighting and appliances • Energy management • Display lighting Security and more. Suggested retail \$49.95.

# **LIGHT PEN**

A professional quality, full feature light pen for the Apple II Computer Hi-resolution — draw on the screen . X, Y and sensitivity adjustments — fits any standard TV • Sync adjustment for remote video source . Touch switch sets interface flag . Rugged metal case Recommended by Apple. Complete, ready to go, the Symtec Light Pen is provided with software and documentation in Basic, Applesoft and machine code. Muse's Pilot II Language using the . Symtec Light Pen is also available. The Light Pen is useable for graphics, games, education, exhibits, freedom from the keyboard. Suggested retail \$249.95.



See your Apple Dealer for a demonstration of the Symtec Light Pen, Supersound Generator or Symtec Apple X-10 Control. Other products and services are available directly from Symtec. Apple is a trade mark of Apple Computer Inc. BSR System X-10 is a trade mark of BSR Ltd. Muse is the trade mark of Micro Users Software Exchange, Inc.



# **More Printing Terminals** From MICROMAIL



# DIABLO

1650

- Prints at 40 cps, using 88, 92, or 96 char, metalized printwheels.
- Vertical resolution 1/48"; Horizontal 1/120". Capable of proportional spacing, bidirectional printing, and graphics under software control.
- Bidirectional normal and direct tabs. Left, right, top and bottom margins.

R.O. \$2890.00 KSR \$3285.00

#### DIABLO

1640

- Uses plastic printwheel and prints at 45 cps. Otherwise, shares identical features with 1650 including:
  - Friction or tractor feed, up to wide. Cartridge ribbon, fabric or carbon.

R.O. \$2745.00 KSR \$3140.00



810

- Includes upper/lower case option.
- · Bidirectional printing at 150 cps.
- Tractor-feed forms, 3" to 15"

\$1599.00

#### Options:

Forms length control - \$100.00 Vertical Format Control with Compressed Print - \$125.00



(Shown with optional forms tractor and numeric keypad).

- Prints 10, 12, 13.2, or 16.5 characters per inch, upper/lower
- 2, 3, 4, 6, 8, or 12 lines per inch.
- Friction feed, paper width to 15 \$969.00

- Numeric keypad \$80.00
- Adjustable forms tractor -\$130.00



#### ANADEX DP-9500/9501

- High Density Graphics
- Parallel, RS-232C, and Current Loop interfaces standard.
- Double width printing
- 132/175 or 132/220 columns.
- 50 to 200+ lines/min., 150/200 CPS 9 x 7/7 x 9 font or 120/200 CPS with 11 x 9/7 x 9 font.
- 9-wire print head, 650 million
- · Bi-Directional printing with shortest distance sensing logic.
- Adjustable width tractor paper feed.
- · Complete forms control.

**Call for Low Price** 

We Also Represent the Following Manufacturers:

TELETYPE

GTC

TeleVideo

TEC

SOROC

Write or Call In for Our Free Catalogue!



TO ORDER: Send check or money order to: MICROMAIL, P.O. Box 3297, Santa Ana, CA 92703. Personal or company checks require two weeks to clear. Terminals in stock are shipped the business day after receipt of certified funds. All equipment includes factory

HANDLING: All orders are subject to MICROMAIL's handling charges. Less than \$750.00, add 3%. \$750.00 to \$2,000.00, add 2%. Over \$2,000.00 add 1%.

wallanty.

SHIPPING: We ship freight collect by UPS when possible. Larger terminals are shipped by motor freight. Air and express delivery is available on all products.

will latch relay 1 on and apply power to the load. The only way to defeat the circuit is to hold the push-button switch closed while inserting the power plug in the wall socket.■

# Making 6502 Indirect Subroutine Calls **Efficient**

Philip K Hooper, 5 Elm St, Northfield VT 05663

I enjoyed the article "Indirect Addressing for the 6502," by Kenneth Skier (January 1980 BYTE, page 118), and I would like to suggest some alternative techniques. These are based on the observation that once the subroutine of interest has finished executing, control may return directly to the original calling program rather than to the interim location holding the volatile address of the subroutine. Implementing this permits savings in both time and storage, as will be shown.

Approach A involves initially writing hexadecimal 4C (the IMP op code) into the first of three read/write memory locations, the second and third of which will be set dynamically to the actual address of the desired subroutine, as in Mr Skier's article. The subroutine will then be summoned correctly by a simple JSR to the read/write memory location containing the 4C. Return will be to the main program.

Approach B requires no initialization of read/write memory, although two consecutive bytes of read/write memory must be reserved for use as a pointer. The main program does require three additional bytes containing hexadecimal 6C (op code for JMP indirect) followed by the address, low byte first, of the read/write memory location reserved for the pointer. In use, the pointer will be loaded (as before) with the actual subroutine address, and a JSR to the byte containing the 6C will result in the correct location, execution, and return from the desired subroutine.

#### Table 1. Approach used in Approach A Approach B article Time overhead (JSR JSR RTS RTS) (JSR JMP RTS) (JSR JMPI RTS) in μs Bytes needed to 8 or 10 4 or 5 0 do initialization Additional bytes 0 3 of program memory Bytes of read/write 3 2 4 memory required 4 2 2 Bytes required by stack


Table 1 summarizes the storage and time overhead requirements of these three JSR(I) techniques. For sheer speed, approach A performs best, while approach B can save two or three bytes, at a cost of two cycles per invocation.■


Circle 65 on inquiry card.

# GG FIRST CLASS

### 1/2 MByte

TM-100-3 (Single-sided)
Capacity (unformatted):
500K bytes
TPI: 96 or 100
Tracks per side:
80 maximum
Recording density:
5535 BPI
Access time:
• Track to track: 3 ms
• Average: 90 ms





# 1 MByte

TM-100-4 (Double-sided)
Capacity (unformatted):
1,000K bytes
TPI: 96 or 100
Tracks per side:
160 maximum
Recording density:
5877 BPI
Access time:
- Track to track: 3 ms
- Average: 90 ms

# At an economy Price

It doesn't cost anymore to go first class when it's a Tandon 5¼" flexible disk drive. The reason is simple. We're the recognized leader in mini-floppy read/write head technology. In fact, our patented, double-sided head design is used by all the other major mini-floppy suppliers. And, it makes no difference if you buy one or one-thousand drives, you'll always get the first class price/performance that's made Tandon first choice among OEMs of word processing, small business systems, and personal computers. Tandon is rapidly becoming the first name in mini-floppies because we offer up to *one megabyte* of storage capacity, the fastest access time, a choice of single or double-sided recording, and 96 or 100 tracks per inch. All with proven reliability at an unbeatable price. Because we are the leaders in head technology, Tandon mini-floppies are designed beginning with the head to assure dependability throughout each drive. With Tandon, going first class is both sensible and economical.



9333 Oso Ave. Chatsworth, California 91311 (213) 993-6644

Heads Above The Rest in Disk Technology

#### Michael Fallgatter, 514 Bethesda Ct, Waukesha WI 53186

The article "Indirect Addressing for the 6502," by Kenneth Skier (referenced above), was most interesting, but I would like to point out that, in the case of indirect transfers to subroutines, a much faster-running linkage is possible. Rather than using the linkage routine:

JSR variable address RTS

the linkage using the 6502 indirect-jump command

JMP variable pointer

produces the same result, takes less memory, and cuts the time required for the transfer of control by over 50%, from thirty-eight to eighteen machine cycles. Using this technique and assuming a table of subroutine addresses residing in a single page of memory, the listings in Mr Skier's article become those shown here.

### Listing 1: Initiate zero-page bytes

LDA #\$6C

STA zero-page byte #1

LDA #\$table page STA zero-page byte #3 Write JMP indirect via pointer to subroutine address table

#### **Listing 2**: Transfer from main program

LDX subroutine #-pointer to address in table

STX zero-page byte #2 JSR zero-page byte #1

Listing 3: Zero-page linkage routine to create subroutine call

STX zero-page byte #2

JMP indirect, via subroutine address table

**Listing 4**: Simulate indirect subroutine jump

LDX subroutine #
JSR CALL SUBROUTINE(X)

Finally, since no indexed instructions are involved, the A register could be used instead of X. Also, there is a very minimal memory and execution-time penalty paid for using a nonzero page for the transfer routine.

Technical Forum is a feature intended as an interactive dialog on the technology of personal computing. The subject matter is open-ended, and the intent is to foster discussion and communication among readers of BYTE. We ask that all correspondents supply their full names and addresses to be printed with their commentaries. We also ask that correspondents supply their telephone numbers, which will not be printed.

# PRINTERS & CRT'S From Orange Micro



"The BASE 2 outperforms every printer in its price range. Do a comparison and see for yourself..."

### ★ GRAPHICS ★ TRACTORS/FRICTION FEED

• 2K Input Buffer • RS-232 Serial, Centronics® Parallel, IEEE-488, 20 ma • TRS-80 Cable option • 60 LPM - 100 CPS • Fast form feed • User programmable character set • 64, 72, 80, 96, 120, 132 Columns / line • Expanded characters • 9.5" wide paper • Automatic skip-over-perforation • Horizontal & Vertical tabs • Programmable vertical line spacing • Intel 8085 Microprocessor — over 40 software commands • Self test • 15 Baud rates to 9600 Baud • Optional foreign character sets

Interfaces to TRS-80, Apple, Atari, PET, Northstar, and most other computers.

Circle 66 on inquiry card.



# PRINTERS OKIDATA CENTRONICS 779 w/tractors \$ Call 730 \$ Call 737 849 PAPER TIGER 912 Parallel 499 912 Serial 535 QUME Letter Quality 5/45 2499 w/tractors 2684

# TOLL FREE (800) 854-8275

CALIF. (714) 630-3322

Phone orders WELCOME. Same day shipment for VISA, MASTER CHARGE, and AMERICAN EXPRESS. Personal checks require 2 weeks to clear. Add 3% for shipping and handling. California residents add 6%. Manufacturer's warranty included. Prices subject to revision.



VISA

# THE NATIONAL COMPUTER SHOWS

# HAVE WE GOTA PROGRAM FOR YOU!

The new computers are showing off.
Over \$50 million worth of equipment in over 100,000
square feet of space, including the latest software and hardware for business, government, home and personal use. Everything the NCC show has and more will be on display, and you can
buy it all right on the spot.

Computers costing \$150 to \$250,000, mini and micro computers, data- and word-processing equipment, telecommunications, office machines, peripheral equipment and services from leading names in the industry like IBM, Xerox, Radio Shack

and Apple will all be there.

There'll be conferences on business uses of small to medium sized computers, and how to make purchasing evaluations.

There'll be robots, computerized video games, computer art and computer music.

Everyone from kids to people who earn their living with computers will have a great time at the largest computer show ever organized in each region.

est computer show ever organized in each region.
Admission for adults is \$5. The public is invited, and no pre-registration is necessary.

Don't miss the computer show that mixes business with pleasure. Show up for the show.

# THE MID:ATLANTIC — COMPUTER — SHOW

#### WASHINGTON, D.C.

D.C. ARMORY/STARPLEX
THURSDAY-SUNDAY
SEPTEMBER 18-21
11 A.M. TO 9 P.M. THURS.-SAT.
11 A.M. TO 5 P.M. SUN.

# THE MID-WEST COMPUTER SHOW

#### CHICAGO

McCORMICK PLACE THURSDAY-SUNDAY OCTOBER 16-19 11 A.M. TO 9 P.M. THURS.-SAT. 11 A.M. TO 5 P.M. SUN.

Produced by National Computer Shows, 824 Boylston Street, Chestnut Hill, MA 02167. Telephone (617) 739-2000.

Please send me:

# THE NORTHEAST COMPUTER SHOW

#### BOSTON

HYNES AUDITORIUM PRUDENTIAL CENTER THURSDAY-SUNDAY NOVEMBER 20-23 11 A.M. TO 9 PM. THURS.-SAT. 11 A.M. TO 5 PM. SUN.

□adult tickets at \$5 each. I have e	
☐ Hotel registration information	☐ Exhibitor rental information
leaseprint:Name	THE PERSON OF TH
Address	

# Machine Problem Solving, Part 1:

# Trial-and-Error Search, A Mechanical Plan to Save the Missionaries

Professor Peter W Frey Northwestern University Cresap Neuroscience Laboratory 2021 Sheridan Rd Evanston IL 60201

Modern computers are famous for their numbercrunching ability. Their facility at inverting a 60 by 60 matrix or at solving a set of linear differential equations is truly impressive. In fact, machines are so good at solving numerical problems that most of us take these skills for

Computers are also useful as general-purpose control devices. Many personal-computing enthusiasts enjoy impressing their neighbors with their machine's ability to control lights, water sprinklers, and burglar alarms, and to take telephone calls and regulate the furnace. Homes of the future will be completely computerized.

The computer also makes an excellent bookkeeper: faithfully recording financial transactions, maintaining mailing lists, and generating timely reminders for important meetings. Personal computers also provide many hours of entertainment for their owners with games of manual dexterity, games of chance, and simulated battles among the stars or in dark dungeons. These many uses provide a clear rationale for the rapidly developing popularity of the personal computer.

The most exciting application of the computer lies in still another direction. It is as a *thinking machine* that the modern computer truly sparks our imagination. When faced with a problem that has no easy numerical solution, men have typically discarded their mechanical calculators and put on their proverbial thinking caps. For this type of problem, the human brain has always been superior to mechanical devices. An immense amount of respect for the human brain can be gained by trying to program a computer to select the best move in a game like chess. Even a multimillion-dollar mainframe computer turns out to be a woodpusher when asked to compete against a skilled human player.

# Solutions by Searching

When machines confront nonnumerical problems, their primary weapon in finding a solution is to examine a vast labyrinth of potential outcomes in search of one which satisfies the desired conditions. Although this approach is not very elegant, it is, in fact, highly similar to that used by humans. The noted psychologist Donald Campbell (see reference 1) observed that trial-and-error search plays a key role in human problem solving: "a blind-variation-and-selective-survival process is fundamental to all inductive achievements, to all genuine increases in knowledge, to all increases in fit of system to environment."

It is as a *thinking machine* that the modern computer truly sparks our imagination.

Campbell also concluded that specialized problemsolving skills such as those observed in an experienced surgeon or airline pilot are "inductive achievements achieved originally by a blind-variation-and-selectivesurvival process." Thus, trial-and-error search provides the cornerstone for human efforts in acquiring new knowledge.

Search is even more important in solving problems by computer. With most problems, humans have background information which can be successfully employed to direct the solution process. Machines generally lack this. Problem solving by computer usually requires that all relevant facts be discovered during the solution process. This important difference between human and machine problem solvers has been addressed by recent efforts in artificial intelligence. By developing specialized information libraries, the computer scientist has created search programs which are reasonably competent at tasks such as diagnosing medical problems or developing threedimensional models for complex chemical structures. For



# A NEW MASTERPIECE IN PRINTERS

The MODEL 800 MST is certainly pleasing to look at, but its true beauty lies beneath the surface. A glimpse at its features reveals why it is rapidly becoming the most sought after printer in the world.

- Four standard interfaces:
   RS-232 (15 baud rates)
   Centronics compatible parallel
   IEEE-488
   20ma current loop
- Six line densities: 64, 72, 80, 96, 120, 132
- 100 CPS at all six densities
- Unidirectional or bidirectional printing
- Sixteen horizontal and ten vertical tabs
- Elongated characters in all six densities
- 1920 character buffer
- Uses either perforated or roll paper
- Fully adjustable tractors to 91/2"
- Auto self-test

- Up to 10 character fonts
   Standard 96 character ASCII
   User defined character font
   Provision for up to eight additional fonts
- Dot resolution graphics in six densities
- Variable line spacing control from 0 to 64 dots in half-dot increments
- Auto form-feed for any form length at any line spacing
- Heavy-duty all aluminum chassis
- 110vac or 220vac, 50/60Hz.
- 100 million character printhead
- Measures only 15" wide, 3" high, and 11" deep
- Weighs only 15 lbs.

. . . but maybe its most attractive feature is the price . . . . . \$699.00.

oa∕e, inc.

P.O. BOX 3548 FULL., CAL. 92634 / (714) 992-4344

most problem-solving efforts, however, it is much easier to emphasize search rather than sophisticated pattern matching.

### Games as Problems

Games and puzzles provide excellent sample problems. Marvin Minsky states that "it is not that the games and mathematical problems are chosen because they are clear and simple; rather it is that they give us, for the simplest initial structures, the greatest complexity, so that one can engage some really formidable situations after a relatively minimal diversion into programming." (See reference 2.) Man's fascination with intellectual games is not a new phenomenon. The Dutch scholar Huizinga suggested many years ago that the human race should have been named homo ludens (the game player) rather than homo sapiens.

There are two important aspects of playing a game or solving a puzzle. The first consists of representing the problem in a way that permits efficient analysis. The second involves devising a search technique which is capable of finding a solution. The first task, finding a good way to represent the problem, is usually the key to an elegant solution. Unfortunately, few guidelines exist that provide a mechanical rule for developing a good representation. For this reason, problem representation generally must be devised individually for each game or puzzle by the human programmer.

The situation is quite different in respect to the search process. In this case, there are well-developed principles that have proven useful in many different problem areas. My purpose in this article will be to focus on the search

# NORTHSTAR DISCOUNTS

Dbl. Dens. Drive for Horizon (orig mfr) \$ 325 Single Drive Cabinet and power supply (kit) \$ 79 Horizon 2 dbl dens. drives 32K (asmb) \$2750 Horizon 2 quad drives 32K (asmb) \$3250 Northstar SOFT-DOC Software Manual \$ 9 Northstar T-SHIRTS (Blue, Orange, S, M, L, XL) \$ 5 DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea. ACT-V CRT TERMINAL (clearance) \$ 795 ANADEX DP-9500, DP-9501 132	Quad Drive for Horizon (orig mfr)	\$ 550	
Horizon 2 dbl dens. drives 32K (asmb) \$2750 Horizon 2 quad drives 32K (asmb) \$3250 Northstar SOFT-DOC Software Manual \$9 Northstar T-SHIRTS (Blue, Orange, S, M, L, XL) \$5 DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea. ACT-V CRT TERMINAL (clearance) \$795 ANADEX DP-9500, DP-9501 132	Dbl. Dens. Drive for Horizon (orig mfr)	\$ 325	
Horizon 2 quad drives 32K (asmb) \$3250  Northstar SOFT-DOC Software Manual \$ 9  Northstar T-SHIRTS (Blue, Orange, S, M, L, XL) \$ 5  DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea.  ACT-V CRT TERMINAL (clearance) \$ 795  ANADEX DP-9500, DP-9501 132	Single Drive Cabinet and power supply (kit)	\$ 79	
Northstar SOFT-DOC Software Manual \$ 9 Northstar T-SHIRTS (Blue, Orange, S, M, L, XL) \$ 5 DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea. ACT-V CRT TERMINAL (clearance) \$ 795 ANADEX DP-9500, DP-9501 132	Horizon 2 dbl dens. drives 32K (asmb)	\$2750	
Northstar T-SHIRTS (Blue, Orange, S, M, L, XL) \$ 5 DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea. ACT-V CRT TERMINAL (clearance) \$ 795 ANADEX DP-9500, DP-9501 132	Horizon 2 quad drives 32K (asmb)	\$3250	
DYSAN MINIDISKS (10 Sector) Dbl \$4.75 ea. Quad \$5.40 ea. ACT-V CRT TERMINAL (clearance) \$ 795 ANADEX DP-9500, DP-9501 132	Northstar SOFT-DOC Software Manual	\$ 9	
ACT-V CRT TERMINAL (clearance) \$ 795 ANADEX DP-9500, DP-9501 132			
ANADEX DP-9500, DP-9501 132			
		\$ 795	
column dot matrix printer \$1350	column dot matrix printer	\$1350	

See LetterGo — DATEK's Word Processing software for Northstar systems, Northstar DOS compatible, easier to use, and more powerful.than any other word processing package. Documentation only, \$25. Software \$400. Dealer inquiries invited.

All items are new, and normally in stock. Every hardware item is burned in and tested by our factory trained technicians before shipment.

When placing an order, please include a shipping charge of 1 percent of the total (minimum \$1.00)

YOU MUST MENTION THIS AD WHEN PLACING YOUR ORDER TO RECEIVE THESE PRICES

DATEK Systems, Inc.

MAIL ORDERS: Box 4146, Arlington, Va. 22204
PHONE ORDERS AND INFORMATION: (703) 243-3770
RETAIL STORE: 4786 Lee Highway, Arlington, Va. 22207

VISA and MASTERCARD accepted. (Please give card number and exp. date)

# The most basic type of search is called the trial-and-error search.

process and to consider general techniques that have broad applicability.

# Trial-and-Error Search

The most basic type of search process is called *trial-and-error search*. In this case, the problem solver examines various operations until a sequence is found that leads to a solution. In primitive implementations, the different options are considered haphazardly rather than being ordered according to a specific plan. To demonstrate this approach, we will develop a solution for the missionaries-and-cannibals problem.

In its traditional form, this problem involves three missionaries and three cannibals who are located on one bank of a river and wish to cross. A boat is available which will hold two people and which can be navigated by one or two people. The special restriction that makes the problem interesting is that the sequence of river crossings must never result in an arrangement where the cannibals outnumber the missionaries on either bank. If the missionaries are outnumbered, their life expectancy will be immediately and permanently shortened.

In determining the number of individuals on each bank, the persons in the boat when it reaches shore are considered to be residents of that bank. The object for the problem solver is to develop a schedule of river crossings which transports the entire party across without losing any missionaries.

### Representing the Problem

The first step in addressing this problem is to find a representation that is compatible with a machine problem-solving approach. For our effort, we would like to write a program in Level II BASIC for the Radio Shack TRS-80 computer. This machine is widely available and has more than enough power to solve this puzzle. We will consider the problem in terms of discrete *states* and discrete *operations*. We will not concern ourselves with the details of paddling a boat across a river, but rather with the executive decisions, ie: who is to be in the boat on each journey across.

The *state space* will consist of a description of the number and types of occupants on each bank before the boat makes a crossing or after a crossing is completed. We will employ a shorthand notation which represents a missionary by the letter M, a cannibal by the letter C, the boat by the symbol <=>, and the river by two vertical lines. Therefore, the character sequence CCMM |<=>|CM indicates that there are two cannibals and two missionaries on the left bank of the river and one cannibal, one missionary, and the boat on the right bank. This notation is adequate to describe all possible states of the problem.

The *operations* (ie: legal moves) we can perform to transpose one state into another are quite limited in number. In fact, there are a maximum of five operations that can be used, and often only a subset of these will be feasible. The five operations consist of transporting (1) one


# Announcing Texas Instruments Author Incentive Program... win up to \$3,000.

















# Texas Instruments is looking for unique home computer programs. If you have some, we can help you turn them into profit makers. To begin with-you could win up to \$3,000. You'll still own the programs...we may help you sell them.

One of the most exciting things about the home computer revolution is discovering the many ways a computer can be used.

If you've been working with small computers for a while, chances are you've developed some innovative application programs. This is your chance to put them to work — for a profit.

Texas Instruments is looking for quality programs. We've created an Author Incentive Program to make it worth your while. The award for the top program will be \$3,000. And there are five \$1,000 awards, plus twenty \$500 awards. All winners will be recognized with national publicity. Even if you don't receive one of these monetary awards, we may see enough market potential for your program to help you develop it and sell it.

We want programs that offer real utility and lasting value. Programs that are self-teaching, that communicate on human terms. After all, the TI Home Computer was designed to be the first home computer the whole family can use.

TI is interested in education, personal finance and technical or managerial programs for professionals. Home management programs, hobby and simulation programs. We prefer that your submissions exclude entertainment packages.

Your entry can be a program you've created for use on the TI-99/4 or other microcomputers — in any high-level language, from Pascal and BASIC to FOR-TRAN or COBOL — or even assembly

language. All the way up to 48K RAM.

Keep in mind that programs for the TI Home Computer can incorporate highquality color graphics, music and sound effects, and TI's remarkably-human synthesized speech.

To submit an entry, call the toll-free number below or use the reader service card in this magazine. We'll send you an entry submission form plus full

details. Please don't send anything until you receive and fill out this entry form.

Programs must be in by November 15, 1980 — so get your entry form soon.



# For an entry form, call 1-800-858-4565.

Call between 8 a.m.-4:30 p.m. CDT, Mon-Fri. In Texas call 1-800-692-4279.

# Texas Instruments

©1980 Texas Instruments Incorporated Offer void where prohibited by law. Author Incentive Program not open to TI employees, TI consultants and contractors or their families

INCORPORATED

cannibal, (2) two cannibals, (3) one missionary, (4) two missionaries, or (5) one cannibal and one missionary.

To execute one of these operations in a particular direction, the boat must be located on the departure bank. In addition, an operator cannot be applied if the appropriate individuals are not present on the departure bank. For example, we cannot move two missionaries from the left bank to the right bank if there are fewer than two missionaries on the left bank at that point in time.

Programming the Problem

Our program will start with a few "housekeeping" functions that are necessary even though they have little to do with the logic of our solution. It is necessary to set aside 300 bytes of memory for string variables, to inform the machine that all variables that are not specifically defined as string variables are to be treated as integer variables (this saves memory and speeds execution), to define two special variables (X\$ and Y\$) for clearing sections of the video display, and to blank out the entire screen.

In addition, for our graphic presentations we need a representation for the boat on the left side of the river (BL\$) and one for the boat on the right side of the river (BR\$). All of this is accomplished in our first two lines (given here and as part of listing 1; the function STRING\$ (n, "X") returns a string consisting of n symbols using the first character of "X"):

```
100 CLEAR 300: DEFINT A-Z:

Y$=STRING$(40,""): CLS

110 X$=STRING$(9,""):

BL$="<=>"+X$:BR$=X$+"<=>"
```

It is also helpful to set up a few arrays to store essential information. We need to know the position of the boat, the number of cannibals on the left bank, and the number of missionaries on the left bank after each river crossing. This information will be retained in arrays B, C, and M. We also need to remember which of the crossing options (1 cannibal, 2 cannibals, 1 missionary, etc) we have considered at each choice point in our crossing sequence. This information is stored numerically by array D and for graphic purposes in string array MV\$. Finally, we need to specify the crossing options with respect to the cannibals, array CT, and the missionaries, array MT. The TRS-80 is instructed to establish these arrays in line 120:

```
120 DIM B(30), C(30), CT(5), D(30), M(30), MT(5), MV$(30)
```

To make the program more interesting, we will generalize the problem so that the number of travelers can vary from four to sixteen. The number of travelers will be represented by the variable N which can be specified by the user:

```
130 PRINT@526, "NUMBER OF TRAVELERS
(4 TO 16)";: INPUT N
140 CLS: IF N < 4 OR N > 16 THEN 130
```

Line 140 makes sure that the value entered for N is in the proper range. This is important with the TRS-80 because

keyboard bounce is apt to provide a value like 122 when we intended 12. The program would experience difficulties if it attempted execution with N set at a value of 122.

Next, we set the stage properly. First we need a title (line 150) and then we need a river for our travelers to cross (line 160):

```
150 PRINT@24, "MISSIONARIES AND CANNIBALS";
160 FOR K=4 TO 43: SET (58,K): SET (85,K): NEXT K
```

Program Operation

Now it is time to get on with the main act. The initial number of cannibals on the left bank (CI) is computed as

**Listing 1:** Trial-and-error solution to the cannibals-and-missionaries problem, written for the TRS-80 in Level II BASIC.

100 CLEAR 300: DEFINT A-Z: Y\$ = STRING\$(40," "): CLS

```
110 X$=STRING$(9," "): BL$="<=>"+X$:BR$=X$+"<=>"
 120 DIM B(30), C(30), CT(5), D(30), M(30), MT(5), MV$(30) 130 PRINT@526, "NUMBER OF TRAVELERS (4 TO 16)";:
    INPUT N
 140 CLS: IF N < 4 OR N > 16 THEN 130
 150 PRINT@24, "MISSIONARIES AND CANNIBALS";
 160 FOR K = 4 TO 43: SET(58,K): SET(85,K): NEXT K
 200 CI = INT(N/2): MI = N - CI: BP = 1: I = 0
 210 CL = CI: CR = 0: ML = MI: MR = 0
 220 CT(1) = 2: CT(2) = 1: CT(3) = 0: CT(4) = 0: CT(5) = 1
 230 MT(1) = 0: MT(2) = 0: MT(3) = 2: MT(4) = 1: MT(5) = 1
 300 GOSUB 2000: GOSUB 1000
 310 C(I) = CL: M(I) = ML: B(I) = BP
 320 IF ML = 0 AND CL = 0 THEN 700
 330 FOR K = 1 TO 800: NEXT K
 340 I = I + 1: D(I) = 0
 350 D(I) = D(I) + 1: IF D(I) > 5 THEN 600
 360 \text{ IF BP} = -1 \text{ THEN } 380
 370 IF CL < CT(D(I)) OR ML < MT(D(I)) THEN 350 ELSE 390
 380 IF CR < CT(D(I)) OR MR < MT(D(I)) THEN 350
 390 CL = CL - BP*CT(D(I)): CR = CI - CL
 400 ML = ML - BP*MT(D(I)): MR = MI - ML: BP = - BP
 410 IF ML>0 AND CL>ML THEN 500
 420 IF MR>0 AND CR>MR THEN 500 ELSE K = 0
 430 IF CL = C(K) AND ML = M(K) AND BP = B(K) THEN 500
 440 K = K + 1: IF K < I THEN 430
 450 A$ = STRING$(CT(D(I)), "C"): B$ = STRING$ (MT(D(I)), "M")
 460 IF BP = -1 THEN MV$(I) = A$ + B$ + "->"
    ELSE MV\$(I) = "< -" + A\$ + B\$
 470 GOTO 300
 500 BP = -BP: CL = CL + BP \cdot CT(D(I)): CR = CI - CL
 510 ML = ML + BP*MT(D(I)): MR = MI - ML: GOTO 350
600 PRINT@960, "BACK UP AND TRY SOMETHING ELSE";
 610 I = I - 1: IF I < 1 THEN PRINT@ 960, Y$;: GOTO 800
620 CL = C(I-1): CR = CI - CL: ML = M(I-1): MR = MI - ML
 630 BP = B(I - 1): GOSUB 2000: GOSUB 1000
640 FOR K = 1 TO 800: NEXT K
650 PRINT@ 960, Y$;: GOTO 350
700 PRINT@ 960, "SUCCESS";: GOTO 700
800 PRINT@ 64, X$;: PRINT@ 960, "FAILURE";: GOTO 800
1000 IF I = 0 THEN RETURN
1010 FOR K = 1 TO 14: PRINT@ K*64, X$;: NEXT K
1020 S = I - 13: IF S< 1 THEN S = 1
1030 FOR K = S TO I: J = K - S + 1
1030 FOR K = 5 10 1: J = K - 5 + 1

2000 Z$ = STRING$(8 - CR," "): CR$ = STRING$(CR,"C") + Z$

2010 Z$ = STRING$(8 - CL," "): CL$ = Z$ + STRING$(CL,"C")

2020 Z$ = STRING$(8 - MR," "): MR$ = STRING$(MR,"M") + Z$

2030 Z$ = STRING$(8 - ML,""): ML$ = Z$ + STRING$(ML,"M")
2040 IF BP = 1 THEN B$ = BL$ ELSE B$ = BR$
2050 PRINT@ 468, CL$;: PRINT@ 492, CR$;: PRINT@ 478, B$;
2060 PRINT@ 532, ML$;: PRINT@ 556, MR$;: RETURN
```

# The MAGIC WAND is ALIVIOST ALIVIOST PERFEC.

## We've been saying it for a few months now, and the reviewers seem to agree.

6 6 Until I saw the Magic Wand, if I were allowed to own one and only one editor, Word Star\* would have been it. . . . My personal preference is for Pencil or Magic Wand for text creation. ? ?

Jerry Pournelle On Computing, Summer 1980

- 6 The basic functions of the Magic Wand editor are as easy to learn as those of Electric Pencil\*... Magic Wand dominates in the area of print formatting. 9 Larry Press

  On Computing, Summer 1980
- 6 6 Of all the word processors I have used (and that includes a dozen or more), the Magic Wand is the most versatile. The Wand has almost all of the features of other processors, plus many new ones of its own. It measures up to even the word-processing software running on the largest mainframe computers. 9 Rod Hallen

Microcomputing, June 1980

6 6 The Magic Wand is one of the most flexible word processing packages available, and should be considered by any potential word processing purchaser. 9 9 Glenn A. Hart

Creative Computing, August 1980

Available for both the CP/M® and OASIS operating systems

## small business applications, inc.

3220 Louisiana • Suite 205 • Houston, Texas 77006 • 713-528-5158

Electric Pencil is a trademark of Michael Shrayer Software, Inc. WordStar is a trademark of Micro Pro International, Inc. CP/M is a registered trademark of Digital Research Corp.

is the initial number of missionaries on the left bank (MI). We will assume an equal number of missionaries and cannibals when N is even and an extra missionary when N is odd. (If there were an extra cannibal at the beginning, our problem would end before we had a chance to try our first crossing.)

The position of the boat will be indicated by the variable BP. When the boat is on the left bank, BP will have a value of 1. A value of -1 will indicate that the boat is on the right bank. The index reflecting the number of crossings (I) is set to zero and the values for the variables indicating the number of cannibals on the left bank (CL), the number of cannibals on the right bank (CR), the number of missionaries on the left bank (ML), and the number of missionaries on the right bank (MR) are also initialized:

We also wish to specify each crossing option by specifying the number of cannibals (CT) and the number of missionaries (MT) who are transported:

The main loop of our program begins with calls to two subroutines which handle the graphic display. One subroutine (which appears later in this article at line

**FULL COLOR** GRAPHICS The original 256-color imaging system with high resolution video FRAME GRABBER for the S-100 bus. Capture and digitize a video frame in 1/60 of a second. Select the best resolution for your application, from 256 to 1280 pixels per TV line. Display your digitized or computer processed image with 256 gray levels or 256 colors on standard BEW, NTSC or RGB Compact two-board basic system Features: Highest possible quality 480x512x8 digital video image presently available on the market Input capability from TV camera or other sources Variety of synchronization choices 2 selectable video A/D conversion circuits Choice of 1, 2, 4, 8, 16 or 32 bits per pixel 32K-byte image memory on the basic system 32, 64, 128 & 256K byte system capacity • Lightpen input Photographic trigger control input Software selectable system parameters Interfaces for TRS-80 and other processors Comprehensive line of accessories, monitors and SEND FOR FREE CATALOG DIGITAL GRAPHIC SYSTEMS 441 California Ave., Palo Alto, CA 94306 415/494-6088

1000) displays an up-to-date list of the crossings attempted so far. The other subroutine (line 2000) provides a pictorial representation of the current position of the missionaries, cannibals, and boat. These routines are not essential for solving the problem, but they add a nice touch to the program and allow the user to watch the machine's "thought processes." These subroutines are invoked at line 300:

300 GOSUB 2000: GOSUB 1000

Each time through the loop, it is necessary to make a permanent record of the current status of our principal characters:

310 
$$C(I) = CL: M(I) = ML: B(I) = BP$$

and then to check to see if the problem has been solved:

If not, we create a brief delay so that the human observer will not miss any of the action:

and then get about our main business, examining the feasibility of making a particular crossing by incrementing I by one and initializing D(I), which keeps track of the particular crossing option we are trying at each step I in the crossing sequence. The variable D(I) is then incremented and a test is made to see if we have exhausted the available options:

340 
$$I=I+1$$
:  $D(I)=0$   
350  $D(I)=D(I)+1$ : IF  $D(I)>5$  THEN 600

#### Testing Options

If all options have been tried without success, the machine is directed to line 600 and asked to execute a back-up procedure that tries another option at an earlier position in the sequence. If we still have a viable option at this previous value of I, we continue by examining the particular crossing option which is indicated. First, we determine the location of the boat (line 360), then make sure we have a sufficient number of missionaries and cannibals on the departure bank to carry out the indicated crossing (lines 370 and 380), and finally we make the crossing (lines 390 and 400):

```
360 \text{ IF BP} = -1 \text{ THEN } 380
370 IF CL < CT(D(I)) OR ML < MT(D(I))
    THEN 350 ELSE 390
380 IF CR < CT(D(I)) OR MR < MT(D(I)) THEN 350
390 CL = CL - BP*CT(D(I)): CR = CI - CL
400 ML=ML-BP*MT(D(I)): MR=MI-ML:
    BP = -BP
```

Next, we check to make sure that the cannibals do not outnumber the missionaries on either bank. If they do, we go to line 500 to reverse the crossing, and then to line 350 to select another crossing option:

410 IF ML>0 AND CL>ML THEN 500 420 IF MR>0 AND CR>MR THEN 500 ELSE K=0



## BASIC SOFTWARE L NOW $\star$ 10 $\star$ Volumes and Growing

IS SPONSORING A

## \$10,000.00 Give Away

WHY Pay hundreds of dollars for Software that does Not work when WE offer the BEST available Software for only a few dollars a program. And what is better OURS WORKS!

We have over 100,000 in circulation since 1975 and we are still around and That's more than Anyone else can say. We used to sell hundreds of programs individually, the programs in Volume X were sold for several years at over \$10,000, in Volume III for over \$6,000 but a few years ago we decided to promote software to the mass public and it was an

#### For Homeowners, Businessmen, Engineers, Hobbyists, Doctors, Lawyers, Men and Women

Vol. I \$24.95 Business & Personal Bookkeeping Programs Building Compound Decision 1 Decision 2 Depreciation Efficient Flow Installment Interest Investments Mortgage Optimize Order Pert Tree Rate Return 1 Return 2 Schedule 1

Games & Pictures

Line Up Pony Roulette Sky Diver Tank Teach Me A. Newman J.F.K. Linus Ms. Santa Nixon Noel Noel Nude Peace Policeman Santa's Sleigh Snoopy Virgin

Animals Four

Astronaut Bagel

Bio Cycle

Checkers

Cannons

Dogfight Golf Judy

Craps

Vol. II \$24.95 Binomial Chi-Sq. Coeff.
Confidence 1 Confidence 2 Correlations Curve Differences Dual Plot Exp-Distri Least Squares Paired Plot Plotpts Polynomial Fit

Regression Stat 1 Stat 2 T-Distribution Unpaired Variance 1 Variance 2

**APPENDIX A** 

Beam Conv. Filter

Integration 1 Integration 2 Intensity Lola Macro Max. Min. Navaid Optical Planet PSD Rand 1

Variable

Vector

\$49.95 Mini-Ledger Payroll A/R Rand 2 Solve Sphere Trian Inventory Peprec. Ledger Stars Triangle

Vol. VII \$39.95 Wdproc Utility

\$39.95 Billing

Payroll Risk

Inventory

Schedule 2

Shipping Stocks

Switch

Vol. VI

\$9.95 Bingo Bonds Bull Enterprise

Football Funds 1 Funds 2 Go-Moku Jack Life Loans Mazes

Poker Popul Profits Qubic Rates Retire

Savings SBA Tic-Tac-Toe

Vol. VIII . \$9.95 \$19.95 1040-Tax Andy Cap Baseball Compare Confid 10 Descrip Balance

Differ

Engine Fourier

Horse

Integers

Logic Playboy

Primes Probal Quadrac

Red Baron

Roulette

Santa Stat 10

Stat 11 Steel

Regression 2 Road Runner

APPENDIX B

Checkbook Instol 78 Deprec 2

APPENDIX C Favorites

Vol. IX Vol. X \$19.95 \$69.95 Intro. A/R A/P Auto Cypher Hurrtrac ID Lorana Merinv Check Map Navigate Omega Patterns Assets Payroll Bal Sh P/L Year End Radar RDF Data Base Tax Up Basic St.

Volume VI — Disk programs are compatible with TRS-80 disk basic

The disk programs in Volumes VI, VII and X are written in (CP/M) M Basic and Disk Extended Microsoft Basic. Other programs written in 8K

FIRST DRAWING — September 11, 1980 and every week thereafter until December 18, 1980. Winners will be notified within one week. For a list of winners send a self-addressed stamped envelope with a request for the winners list.

No PURCHASE Necessary, to enter send name & address on a 3 x 5 card. You are automatically entered every time you make a purchase from us. Void where prohibited by LAW.

Unconditional Money Back Guarantee.

Add \$1.50 per volume handling, all domestic shipments sent U.P.S. except APO and P.O. Box which go parcel post. Foreign orders add \$6.00/volume for air shipment and makepayable in U.S. dollars only.

AVAILABLE AT MOST COMPUTER STORES Master Charge and Bank Americard accepted. Our Software is copyrighted and may not be reproduced or sold.

Unlike others we have NOT raised our prices in five years

KEMCO, LTD.

P.O. Drawer 2208L

Petersburg, VA 23803

Circle 72 on inquiry card.

IN GERMANY Ing. W. Hofacker, GmbH Holzkirchen, W. Germany

IN HOLLAND Nanton Press B.V. Bilthoven, Holland

## **OVER 116,000 IN USE TODAY**

## The Ultimate Software Package

from High Technology, Inc."



### INFORMATION MASTER™

INFORMATION MASTER<sup>114</sup>, the software package that will organize your customer lists, inventories, expense records, student information files, accounts receivable and payable... AND IF THAT'S NOT ENOUGH, it will print your mailing labels, product catalogs, budget analysis, physical inventory checksheets... it's so adaptable that the applications are virtually limitless.

FLEXIBLE

EASY

TO USE

POWERFUL

IT'S THE

#### ULTIMATE PACKAGE...

Designed for flawless performance and revolutionary user-ease INFORMATION MASTER™ performs all the following functions using the APPLE II™:

ORGANIZING SORTING SEARCHING SELECTING ALPHABETIZING SCHEDULING INDEXING CALCULATIONS
MULTIPLICATION
DIVISION
ADDITION
SUBTRACTION
EXPONENTIATION
SUMMATION

REPORTING PAGING LABELING CATALOGING SUMMARIZING TOTALING SUBTOTALING



But the final word is DOCUMENTATION. We at High Technology know that even a brilliantly conceived program is useless if you can't understand it. That's why user-ease is the distinction between what is merely a good package and a truly excellent one. INFORMATION MASTER™ user's manual contains over 100 pages of illustrations, examples and explanations of the program, beginning with a step-by-step trial run.

Your computer dealer has a demonstration package. Drop by and see what THE ULTIMATE PACKAGE can do for you.



#### High Technology, Inc.

P.O. Box 14665 Oklahoma City, Oklahoma 73113

(405) 840-9900

"APPLE is a registered trademark of APPLE COMPUTER, INC.

In addition to an insufficient number of the appropriate persons or the threat of cannibalism, there is another reason for discarding the current crossing plan and going to line 350 to try another. This third reason has to do with repetition of a previous state of the system. We have no desire to create loops which transport the same individuals back and forth forever. In lines 430 and 440, we check to make sure that the current state has not occurred previously:

```
430 IF CL=C(K) AND ML=M(K) AND BP=B(K)
THEN 500
440 K=K+1: IF K<I THEN 430
```

If our current crossing option passes these three tests, then we are ready to proceed. The crossing is recorded for posterity's sake; then we jump to line 300 to start the process once again:

```
450 A$=STRING$(CT(D(I)),"C"):
B$=STRING$(MT(D(I)),"M")
460 IF BP=-1 THEN MV$(I)=A$+B$+"->"
ELSE MV$(I)="<-"+A$+B$
470 GOTO 300
```

Backing Up

This completes the main loop of the program. We have a few loose ends which need to be taken care of before the job can be considered finished. When we found that a crossing option was not feasible either because of cannibalism (lines 410 and 420), or because of repetition of a previous position (lines 430 and 440), the machine was instructed to go to line 500 and reverse its previous move. Line 500 must therefore exist as follows:

```
500 BP=-BP: CL=CL+BP*CT(D(I)):

CR=CI-CL

510 ML=ML+BP*MT(D(I)):


MR=MI-ML: GOTO 350
```

After returning to line 350 to try another crossing, we may find that all five options have been exhausted. If so, it is time to back up our search and try something different at an earlier point in the crossing sequence. The back-up instructions start at line 600:

```
600 PRINT@960, "BACK UP AND TRY SOMETHING ELSE";
610 I=I-1: IF I<1 THEN PRINT@ 960, Y$;: GOTO 800
620 CL=C(I-1): CR=CI-CL: ML=M(I-1): MR=MI-ML
630 BP=B(I-1): GOSUB 2000: GOSUB 1000
640 FOR K=1 TO 800: NEXT K
650 PRINT@ 960, Y$;: GOTO 350
```

The back-up procedure is a little tricky. First, we decrement I by 1, then we set the current status of our main characters to the way it was *before* we made the last crossing. Our objective is to examine another crossing option at the new value of I. To do this, the position we transform must be the situation as it existed before the

## WHEN OPPORTUNITY KNOCKS ...



Open the door, and experience the dream. Your own business, the one you've always yearned for. No more limits on your creativity or earning potential. No more working for someone else.

If you're a successful computer professional and have access to some capital, chances are you could own a MicroAge Computer Store. MicroAge Computer Stores are built around a whole new concept of what a computer store should be. Designed to provide solutions, not just sell hardware.

MicroAge Computer Stores are firmly positioned in the business and professional marketplace. And as a MicroAge Computer Store owner, you'll be backed by one of the acknowledged leaders, industry pioneers in microcomputing. Contact the Director of Franchising today to receive a complete Franchise Information Package free of charge and at no obligation. Opportunity is knocking...you'll see what we mean.

Micro Age.

1425 W. 12th Place • Tempe, AZ 85281 • (602) 967-1421

A search program such as this one can be quite effective if the number of possible move combinations is not too large.

last move. The back-up procedure also calls our graphic routines (line 630), delays a bit for dramatic effect (line 640), and then erases the back-up message (line 650) before exiting for line 350.

There are two terminal conditions for the search process. If we move all the cannibals and missionaries across the river, our mission is successfully completed. This condition is detected by line 320 which directs the machine to line 700:

```
700 PRINT@ 960, "SUCCESS";: GOTO 700
```

If we back up to the point where I=0, then we have exhausted all possibilities and our search has failed. This state of affairs is tested in line 610 and if it holds, the machine is sent to line 800:

```
800 PRINT@ 64, X$;: PRINT@ 960, "FAILURE";:
   GOTO 800
```

This finishes our program except for specifying the two subroutines which maintain our video display. The first of these occurs at line 1000 and keeps an up-to-date listing of the crossing sequence:

```
1000 IF I = 0 THEN RETURN
1010 FOR K=1 TO 14: PRINT@ K*64, X$;:
   NEXT K
1020 S = I - 13: IF S < 1 THEN S = 1
1030 FOR K=S TO I: J=K-S+1
1040 PRINT@ J*64, K; ""; MV$(K);:
   NEXT K: RETURN
```

The second subroutine provides a graphic display of the current position of the boat and of all missionaries and cannibals:

```
2000 Z$=STRING$(8-CR,""):
   CR\$ = STRING\$(CR,"C") + Z\$
2010 Z$=STRING$(8-CL," "):
   CL$=Z$+STRING$(CL,"C")
2020 Z$=STRING$(8-MR,""):
   MR$=STRING$(MR, "M")+Z$
2030 Z$=STRING$(8-ML," "):
   ML$=Z$+STRING$(ML,"M")
2040 IF BP=1 THEN B$=BL$ ELSE B$=BR$
2050 PRINT@ 468, CL$;: PRINT@ 492, CR$;:
   PRINT@ 478, B$;
2060 PRINT@ 532, ML$;: PRINT@ 556, MR$;:
   RETURN
```

#### Limitations and Features

A search program such as this one can be quite effective if the number of possible move combinations is not too large. The missionaries-and-cannibals problem is an

ideal example for this type of search because there is a limited number of options at each choice point. If there were many options at each choice point, a simple trialand-error search might take a very long time to find a solution sequence. If there were a solution, however, it would find it.

The key features of this program are the I index and the D(I) array. If we use game terminology, the I variable indexes the move number (ie: first move, second move, third move, etc) and the D(I) array keeps track of which move option is currently being considered at each level I of the search. In the missionaries-and-cannibals problem, our program exhaustively considers the various move options. It accepts the first legal move option it can find at each level I of the search.

A move is legal unless it fails one of the three tests (insufficient passengers, lines 370 and 380; cannibalism, lines 410 and 420; or repetition, lines 430 and 440). The search continues forward until it reaches a level where none of the five possible move options are feasible. It then backs up until it can find a new move option at a lower level and then starts forward again. This is a simple yet powerful strategy.

#### Improving the Process

Our implementation of this strategy could be made considerably more "intelligent" if we gave some thought to the order in which crossings are considered. In lines 220 and 230, we define the five crossing options. We could reduce the number of back-ups by establishing one order of move consideration for trips across to the right bank and another order for trips back to the left bank.

The interested reader might enjoy looking at academic studies which have examined this issue in detail (see, for example, reference 3). Some minor modifications can increase the efficiency of the present program by a large factor. One strategy for implementing this idea consists of defining one set of crossing options for left-to-right movement (say lines 220 and 225) and another set of crossing options for right-to-left movement (say lines 230 and 235) and then selecting between the two depending on the value of BP.

Many problems require more direction to the search process if a solution is to be found in a reasonable amount of time. Next month, in the second part of this three-part article, we will consider a much more challenging endeavor, cryptarithmetic. Allen Newell, one of the pioneers in analyzing human thinking in terms of information-processing models, made extensive use of cryptarithmetic as a valuable research paradigm. We will develop a search program in TRS-80 Level II BASIC that is capable of solving all cryptarithmetic problems. ■

#### References

- Campbell D T, "Blind Variation and Selective Survival as a General Strategy in Knowledge-processes," Self-Organizing Systems, edited by Yovits and Cameron, Pergamon Press, New York, 1960, pages 205 thru 231.
- 2. Minsky, M (editor), Semantic Information Processing, MIT Press, Cambridge MA, 1968, page 12.
- Jeffries R, P G Polson, L Razran, and M E Atwood, "A Process Model for Missionaries-Cannibals and Other Rivercrossing Problems," Cognitive Psychology, 1977, volume 9, pages 412 thru 440.



 $oldsymbol{A}$ s your computer skills grow, so does your Heath H8System. New accessories and software are coming along all the time to make your system do more.

Special bus design gives you seven plug-in board positions so you can configure any combination of memory, I/O's and accessories. You can interchange boards. Add accessories. Build exactly the system you want.

A wide selection of software makes your life more fun and more efficient. Hundreds of programs for business, home and family are available from Heath User's Group. Also two BASIC languages, Microsoft™ and Fortran.™ And more programs are being developed all the time.

If you haven't seen the latest Heathkit catalog, you haven't seen the latest in computer fun. There's a new Music Synthesizer Board, new Speech Lab, new Color Graphics Board and new Color Monitor. And coming soon, a new three-drive disk system. For an exciting computer hobby, there's no more exciting computer than the Heath H8-available fully assembled or in money-saving kit.

For complete details and prices on the H8 and the complete line of Heath printers, terminals and accessories, write today for the new, free Heathkit Catalog, or pick one up at your nearby Heathkit Electronics Center.

**Heath** 

#### Send for Write to Heath Com-Visit your Heathkit Store pany, Dept. 334-694, In the U.S. and Canada visit your Benton Harbor, MI nearby Heathkit Electronic Cen-49022 ter\*where Heathkit products are displayed, sold and serviced. See the white pages of your phone book Complete support, for the location nearest you. \*Units of Veritechnology Electronics so vou're never Corporation in the U.S. **CP-188** left out in the cold.

## BYTE's Bits

A Better Way to Indirectly Address the 6502

In the article "Indirect Addressing for the 6502," by Ken Skier in the January 1980 BYTE (page 118), there was an error in listings 2 and 3. Because absolute addresses occupy 2 bytes, the address of the Xth subroutine will be in position 2X in the address table, not the Xth. This problem can be corrected by storing the high address bytes in one table and the low-order bytes in another. With this structure the Xth entry will correspond to the Xth

#### Listing 1

CALL.X

LDA TBL.HI,X PHA LDA TBL.LO,X PHA RTS subroutine.

I would like to suggest two other methods of implementing indexed indirect jumps which are more efficient in terms of code length and execution time. The first method is that of vectoring: 3 bytes are reserved as the "vector." The first byte always contains a hexadecimal 4C (JMP). The target address is placed in the next 2 bytes and a JMP or JSR is then done to the vector, so that control passes to the selected module.

The second method, however, is the more effective and concinnate. Sup-

GET ADDRESS X, HIGH BYTE AND PUSH IT TO THE STACK GET ADDRESS X, LOW BYTE AND PUSH IT TO THE STACK GO TO ROUTINE X

pose that we wish to call routine *X*, and that the address table is structured as 2 rows: TBL.LO and TBL.HI. Consider the routine CALL.X, shown here as listing 1.

By doing a JMP or JSR to CALL.X an indexed indirect JMP or JSR will be effected to the Xth routine. One point to be observed here is that the execution of a RTS instruction pops the stack into the program counter, and then increments it. Thus the addresses in the table must be one less than their actual value.


Thomas Gettys, Co-editor SYM-Physis SYM-1 Users' Group POB 315 Chico CA 95927

Notes on Attending a USUS Meeting

The first meeting of the USUS (UCSD System Users Society) was held in San Diego, California, on June 20 and 21, 1980. The meeting was called by SofTech Microsystems, then

turned over to the approximately one hundred participants at the meeting. Speakers at the meeting included Carl Helmers and Ken Bowles. Organization, choosing a name, and the election of officers were the main formal goals. Jim Bandy was elected president, A Winsor Brown was elected vice-president, Chip Chapin was elected secretary, and Jon Bondy was elected treasurer. Informal accomplishments included the usual exchange of information which occurs between users of similar software. The next meeting of the USUS group will coincide with the Minicomputer and Microcomputer Conference and Exposition to be held on October 14, 15, and 16, 1980, in San Francisco, California. For further information, contact the secretary, Chip Chapin, at the following temporary address: UCSD System Users Society, attn: Chip Chapin, Secretary, 9494 Black Mountain Rd, San Diego CA 92126....CH■

## New-POWER MODEM



- RS 232 Communications over existing AC power lines.
- Easy installation plug into AC receptacle.
- 110 or 300 BAUD rate switch selectable.
- Full duplex operation.
- Multipoint network capability.
- Standard DB 25 1/0 connector.

Order one per each communication point • \$139.00 each including shipping • C.O.D., check or money order.



BAY TECHNICAL ASSOCIATES, inc.

Highway 603 • Bay St. Louis, MS. 39520 P.O. Box 387 (601) 467-8231

# Ten reasons why your floppy disk a BASF FlexyDisk.



More than four decades of experience in magnetic media - BASF invented magnetic recording tape, the forerunner of today's wide range of magnetic media, back in 1934, and was the first independent manufacturer of IBM-compatible floppy disks.

Tough Tyvek sleeve-no paper dust, no static electricity.

Special self-cleaning jacket and liner help eliminate data errors

Center hole diameter punched to more accurate standards than and media wear and tear. industry specifications, for top performance.

> Packaging to suit your requirements – standard flip-top box, Kassette 10<sup>®</sup> storage case, or bulk pack.

**BASF FlexyDisk** 

able performance year after year.

Bi-axially oriented polyester substrate-for uniform and reliDouble lubrication - lubricants both in the formula and on the disk surface, to minimize media wear due to head friction.

Cross-linked oxide coating-for

low head wear and long trouble-

Total capability - one of two manufacturers in the world that makes both 8" and 5.25" models,

has tape and disk experience, and

manufactures floppy disk drives.

free media life.

For the name of your nearest supplier, write BASF Systems, Crosby Drive, Bedford, MA 01730, or call 617-271-4030. See us at the NCC, Booth 1121



100% certification – every single

times higher than system require-


disk is tested at thresholds 2-3

ments, to be 100% error-free.


Floppy Disks Mag Cards Cassettes Computer Tapes Disk Packs Computer Peripherals

## **APL Character Generator**

John W Langner 411 Monterey Blvd Apt B Hermosa Beach CA 90254



**Photo 1:** Video screen display of the character set produced by the APL character-generator circuit described in this article.



**Photo 2:** The circuit of figure 1 as constructed on a small perforated circuit board.

Many computer enthusiasts are beginning to use APL and are discovering the benefits of this powerful high-level language. Unfortunately, most personal computers are not equipped to generate the special APL characters.

Various solutions to this problem have been proposed, ranging from using inverse-video characters to using a

#### Author's Note:

Readers who wish to build this circuit but do not have access to an erasable programmable read-only memory (EPROM) programmer can obtain preprogrammed 2708s from the author for \$20.

programmable display that allows you to define any characters you want under program control.

Here is another solution. With the addition of only a few integrated circuits, and with only a single change in your present video interface, you can have the essential APL characters, including overstrikes. The circuit presented here should work with any video display using the popular MCM6571 character generator and can easily be adapted for others.

The first thirty-two positions in the MCM6571 are occupied by Greek letters and other seldom-used characters. The idea is to replace these with APL characters. After I listed the useful APL characters and





## Maxell offers a way to stay ahead.

A Maxell 51/4" Mini-Disk will consistently let you maximize the capability of your system today. And as your involvement with it grows, tomorrow as well. Maxell Mini-Disks are all made with the same exacting 100% certification and critical dependability of the Maxell 8" Floppy Disk. So you know your 51/4" Maxell Mini-Disks meet or exceed the same ISO and Shugart specifications industry requires.

There are double density Maxell single and double-sided 5½" Mini-Disks for soft and hard sector systems. And 8" Maxell Floppy Disks for every disk drive configuration. See your computer supply dealer or write to us for more information. If you are a computer products dealer, write for the growing opportunities Maxell Business Products Division offers you with our 8" Floppy and 5½" Mini-Disks.



Maxell Corporation of America, Business Products Division, 60 Oxford Drive, Moonachie, N.J. 07074 Tel: 201-440-8020 Circle 78 on inquiry card.




Figure 1: Schematic diagram of the character-generator circuit which is to be constructed on a small circuit board for connection to the main video display board by a multiconductor cable. All connections are made through a 24-pin dual-in-line plug that plugs into the socket vacated by the removal of the MCM6571 from the video display board. The MCM6571 socket must have −5 V potential applied to its pin 14; this is the only modification needed on the video display board itself. Adding this −5 V connection does not affect normal operation since pin 14 on the MCM6571 package is not connected inside. To get the { and } characters instead of the ↑ and ├ characters, disconnect pin 16 of the 74150 device.

eliminated those already found in the ASCII (American Standard Code for Information Interchange) character set, thirty-five remained to be implemented.

Most people can probably do without the braces and accent grave ( $\{\ \}$ ') from the ASCII character set, so I replaced them. If you need to have the braces, you can substitute them for the (NAND) and (NOR) symbols.

The circuit to produce the APL characters is presented in figure 1. It contains the original MCM6571 character generator from the video interface and a 2708 erasable programmable read-only memory (EPROM) programmed as an APL character generator. The 74145

BCD-to-decimal decoder and 74150 1-of-16 data selector decide which character generator to select, and the 74157 noninverting 2-to-1-line data selectors act accordingly.

The circuit can be built on a small board and plugged into your video display with a short ribbon cable and a 24-pin dual-in-line plug. The only modification to your video interface is to connect -5 V to pin 14 of the character-generator socket. This will *not* affect normal operation because pin 14 is not connected inside the MCM6571.

The data that must be programmed into the 2708 is listed in table 1. The character codes that invoke the APL characters are shown in table 2. ■

Most small system users think all microcomputers are created equal. And they're right. If you want performance, convenience, styling, high technology and reliability (and who doesn't?) your micro usually has a price tag that looks more like a mini. It seems big performance always means big bucks. But not so with the SuperBrain.

Standard SuperBrain features include: twin double-density 51/4" drives which boast over 300,000 bytes of disk storage. A full 32K of dynamic RAM - easily expandable to 64K. A CP/M\* Disk Operating System which insures compatibility to literally hundreds of application packages presently available. And, a 12" non-glare, 24 line by 80 column screen.

You'll also get a full ASCII keyboard with an 18 key numeric pad and individual cursor control keys. Twin RS232C serial ports for fast and easy connection to a modem or printer. Dual Z80 processors which operate at 4 MHZ to insure lightning-fast program execution. And the list goes on. Feature after feature.

Better yet, the SuperBrain boasts modular design to make servicing a snap. A common screwdriver is about the only service tool you'll ever need. And with the money you'll save on purchasing and maintaining the SuperBrain, you could almost buy another one. For under \$3,000, it is truly one of the most remarkable microcomputers available anywhere.

Whether your application is small business, scientific or educational, the SuperBrain is certainly one of today's most exciting solutions to your microcomputer problems. Call or write us now for full details on how you can get big system performance without having to spend big bucks. So, why not see your local dealer and try one out today. Intertec systems are distributed worldwide and may be available in your area now.



\*Registered trademark of Digital Research. Inc.

# SUPERBRAIN



## No.16: Take a byte.

Genuine CP/M for Apple II Available naw!

All Lifeboat programs require CP/M, unless otherwise stated. Software for most popular 8080/Z80

computer disk systems

with / Manual Manual Alone

. 250/25

Version Price

☐ CP/M\* FLOPPY DISK OPERATING SYS TEM—Digital Research's operating system configured for many popular micro-computers and disk systems:

System	ver5:011	FIICE	١
Apple II*	2.x	.350/25 <	>
M SUILCARD WILLI ZOU			į,
Microsoft BASIC version	5		
with high resolution			
graphics			
North Star Single Density	1.4	.145/25	(V
North Star Double Density .	1.4	.145/25	1
North Star Single Density	. 2.x	.170/25	Λ
North Star Double/Quad	2.x	.170/25	10
Durango F-85	. 2.x	.170/25	
iCOM Micro-Disk 2411	. 1.4	.145/25	
iCOM 3712	. 1.4	.170/250	Е
iC OM 3812	. 1.4	.170/25	٠ ١
Mils 3202/Altair 8800	1.4	.145/25	- 1
Heath H8 + H17	. 1.4	.145/25 (	₽)
Heath H89	. 1.4	.145/25 @	W)
Heath H89 by Magnolia	. 1.4	.250/25	0
Heath H89 by Magnolia			
Onyx C8001	. 2.x	.300/25 <	>
Ohio Scientific C3	. 2.x	200/25	
TRS-80 Model I	. 1 4	145/25	₩)
TRS-80 Model II	. 2 x	170/25	
TRS-80 Model II + Corvus			L
Processor Technology			N
Helios II	. 1.4	.145/25	1
Cromemco System 3	. 1.4	145/25	
Intel MDS Single Density	1.4	.145/25	
Intel MDS Single Density			
Micropolis Mod I	14	145/25	(V
Micropolis Mod II	1.4	145/25	ที่
The following configurations			
release soon:	are scn	eaniea to	1
North Star Double/Quad			
North Star Double/Quad	0	050/05	

+ Corvus .... 2.x...
North Star Horizon HD-1 2.x...
Ohio Scientific C3-C 2.x... Onio Scientific C3-C ... 2x ... 250/25 Micropolis Mod II ... 2.x ... 200/25 Mostek MDX STD ... 350/25 \*\* ICOM 3812 ... 2x ... 350/25 \*\* ICOM 4511/Pertec D3000 .2x ... 375/25 \*+ ICOM 4511/Petrec D3000 ... 2x .... 372/25 1
Software consists of the operating system, text editor, assembler, debugger and other utilities for file management and system maintenance. Complete set of Digital Research's documentation and additional implementation notes included. Systems marked \*and \*\*include firmware on 2708 and 2716. Systems marked + include firm state of the sta ware on 270 and 2716. Systems marked + in-clude 5440 media charge. Systems marked ® require the special ® versions of soft-ware in this catalog. Systems marked @ have minor variants available to suit console inter-face of system. Call or write for full list of op-tions. Includes hardware addition to allow out

☐ Z80 DEVELOPMENT PACKAGE—Consists ⑨ of: (1) disk file line editor, with all-1. of: (1) disk file line editor, with global inter and intra-line facilities; (2) Z80 relocating assembler, Zilog/Mostek mnemonics, conditional assembly and cross reference table capabilities; 

standard versions of software to run under it

2DT—Z80 Monitor Debugger to break and examine registers with standard Zilog/ Mostek mnemonic disassembly displays. \$35 when ordered with Z80 Development Package ...\$50/\$10

#### AVOCET SYSTEMS

- ☐ XASM-68—Non-macro cross-assembler with nested conditionals and full range of pseudo operations. Assembles from standard Motorola MC6800 mnemonics to Intel hex ...\$200/\$25
- ☐ XASM-65—As XASM-68 for MOS Technology MCS-6500 series mnemonics . . . . \$200/\$25
- XASM-48— As XASM-68 for Intel MCS-48 and UPI-41 families ....\$200/\$25
- ☐ XASM-18—As XASM-68 for RCA 1802
- □ DISTEL Disk based disassembler to Intel 8080 or TDL/Xitan 280 source code, listing and cross reference files. Intel or TDL/Xitanpseudo ops optional. Runs on 8080 . . . . . . . \$65/\$10

Software | Manua | Manua | Alone

#### PHOENIX SOFTWARE ASSOCIATES

PASM\*—Z80 macro assembler, Intel/TDL mnemonics. Generates Intel hex format or remnemonics. Generates Intel hex format or relocatable code in either TDL. Object Module format. Supports text insertion, conditional 
branching within macros, recursive macro calls 
and parameter passing. ........\$129/\$25

EDIT—Character oriented text file editor. In-cludes macro definition capabilities. Handles insertion, deletion, searching, block move, etc. of or files of any length. Does not require a CRT. \$129/\$25

CRT. \$129/\$25

PLINK\*—Two pass disk-to-dlsk linkage editor/loader which can produce re-entrant,
ROMable code. Can link programs that are 
larger than available memory for execution 
targeted on another machine. Full library 
capabilities Input can be PSA Relocatable Binary Module, TDL Object Module or Microsoft 
REL files. Output can be a COM file, Intel hex 
file, TDL Object Module or PSA Relocatable 
file. \$129/\$25

BUG\* and  $\mu$  BUG\*—Z80 interactive machine level debugging tools for program development. BUG has full symbolic trace and interactive tive assembly (mnemonics compatible with PASM). Dynamic breakpoints and conditional traps while tracing (even through ROM!), µBUG is a subset of BUG and is used in memory limited situations. \$129/\$25

#### DIGITAL RESEARCH

J MAC-8080 — Macro assembler. Full Intel
macro definitions. Pseudo Ops include RPC,
IRP, REPT, TITLE, PAGE, and MACLIB. Produces absolute hex output plus symbol table file
for use by SID and ZSID (see below) \$120/\$15

SID-8080— Symbolic debugger. Full trace, pass count and breakpoint program testing. Has backtrace and histogram utilities. When used with MAC, provides full symbolic displayof memory labels and equated values .\$105/\$15

TEX—Text output formatter to create paginated, page-numbered and justified copy. Output can be directed to printer or disk ...\$105/\$15

DESPOOL— Utility program to permit simultaneous printing from text files while executing other programs \$80/\$10 tiny C— Interactive interpretive system for teaching structured programming techniques. Manual includes full source listings \$105/\$50

Manual includes full source listings. \$105/\$50
BDS C COMPILER – Supports most features
of language. including Structures, Arrays,
Pointers, recursive function evaluation, overlays. Includes linking loader, library manager,
and library containing general purpose, file I/O,
and floating point functions. Lacks initializers,
statics, floats and longs. Documentation includes "The C PROGRAMMING LANGUAGE"
by Kernighan and Ritchie......\$145/\$25

BASIC COMPILER—Language compatible with BASIC-80 and 3-10 times faster execution. Produces standard Microsoft relocatable bi-nary output. Includes MACRO-80. Also linkable to FORTRAN-80 or COBOL-80 code modules ....\$350/\$25 FORTRAN-80-ANSI 66 (except for COM-

MACRO-80—8080/Z80 Macro Assembler. Intel and Zilog mnemonics supported. Relocat-

muSIMP/muMATH—muSIMP is a high level
oprogramming language suitable for symbolic
and semi-numerical processing. Implemented
using a fast and efficient interpreter requiring
only 7K bytes of machine code. muMATH is a package of programs written in muSIMP. The package performs sophisticated mathematical functions. Keeps track of up to 611 digits. Performs matrix operations on arrays; transpose torms matrix operations on arrays: transpose, multiply, divide, inverse and other integer powers. Logarithmic, exponential, trigonometric simplification and transformation, symbolic diferentiation with partial derivatives, symbolic integration of definite and indefinite integrals. Requires 40K CP/M. ....\$250/\$20

muLISP-79— Microcomputer implementation
of LISP. The interpreter resides in only 7K bytes
of memory yet includes 38 LISP functions. Has
infinite precision integer arithmetic expressed
in any radix from 2 to 36. muLISP-79 includes
complete trace facility and a library of useful
functions and entertaining sample
programs.

2000/\$15

XMACRO-86—8086 cross assembler. All Macro and utility features of MACRO-80 pack-age. Mnemonics slightly modified from Intel ASM86. Compatibility data sheet available ...\$275/\$25

PASCAL/M\*— Compiles enhanced Standard
Pascal to compressed efficient Pcode. Totally
CP/M compatible. Random access files. Both
16 and 32-bit Integers. Runtime error recovery.
Convenient STRINGs. OTHERWISE clause on
CASE. Comprehensive manual (90 pp. indexed). SEGMENT provides overlay structure.
INPORT. OUTPORT and untyped files for arbitrary I/O. Requires 56K CP/M. Specify 1) 8080
CP/M. 2) Z80 CP/M. or 3) Cromemco
CDOS. \$175/\$20

PASCAL/MT—Subset of standard PASCAL.

Generates ROMable 8080 machine code.
Symbolic debugger included. Supports interrupt procedures, CP/M file I/O and assembly language interface. Real variables can be BCD, software floating point, or AMD 9511 hardware floating point. Includes strings enumerations and record data types. Manual explains BASIC to PASCAL conversion. Requires 32K..\$250/\$30

APL/V80— Concise and powerful language for application software development. Complex programming problems are reduced to simple expressions in APL. Features include up to 27K up to 8 dimensions, disk workspace, arrays of up to 8 dimensions, disk workspace and demanders. 

ALGOL-60—Powerful block-structured language compiler featuring economical run-time dynamic allocation of memory. Very compact (24K total FAM) system implementing almost all Algol 60 report features plus many powerful extensions including string handling direct disk address I/O etc. \$199/\$20 address I/O etc.

□ CBASIC-2 Disk Extended BASIC-Non-⊕ interactive BASIC with pseudo-code compiler and run-time interpreter. Supports full file con-trol, chairing, integer and extended precision variables, etc. \$120/\$15

#### MICRO FOCUS

FORMS 2—CRT screen editor. Output is COBOL data descriptions for copying into CIS COBOL programs. Automatically creates a query and update program of indexed files using CRT protected and unprotected screen formats. No programming experience needed. Output program directly compiled by STAN-DARD CIS COBOL ....\$200/\$20

KISS—Keyed Index Sequential Search. Offers complete Multi-Keyed Index Sequential and Direct Access file management. Includes built-in utility functions for 16 or 32 bit arithmetic, string/integer conversion and string compare. Delivered as a relocatable linkable module in Microsoft format for use with FORTRAN-80 or CORDO 10 bits. 

KBASIC—Microsoft Disk Extended BASIC version 4.51 integrated by implementation of nine additional commands in language. Package includes KISS. REL as described above, and a sample mail list program. ... \$585/\$45 To licensed users of Microsoft BASIC-80 (MBASIC) ... \$435/\$45

☐ XYBASIC Interactive Process Control BASIC—Full disk BASIC features plus unique commands to handle byte rotate and shift and to test and set bits. Available in several ver-

Integer ROM squared . . . . . . . . . . . . \$350/\$25 

☐ RECLAIM—A utility to validate media under RECLAIM—A utility to validate media under CP/M. Program tests a diskette or hard disk surface for errors, reserving the imperfections in invisible files, and permitting continued usage of the remainder. Essential for any hard disk. Requires CP/M version 2. . . . . . \$80/\$5

□ BASIC UTILITY DISK—Consists of: (1)

© CRUNCH-14—Compacting with BASIC UTILITY DISK—Consists of: (1) CRUNCH-14— Compacting utility to reduce the size and increase the speed of programs in Microsoft BASIC 4.51, BASIC-80 and TRS-80 BASIC. (2) DPFUN—Double precision subroutines for computing nineteen transcendental functions including square root, natural log, log base 10, sine, arc sine, hyperbolic arc sine, etc. Furnished in source on distette and documentation. kette and documentation . . . . . . . . . . \$50/\$35

STRING/80— Character string handling plus routines for direct CP/M BDOS calls from FORTRAN and other compatible Microsoft languages. The utility library contains routines that enable programs to chain to a COM file, retrieve command line parameters and search file directories with full wild card facilities. Supplied as linkable modules in Microsoft format. \$95/\$20

STRING/80 source code available

THE STRING BIT—FORTRAN character string handling. Routines to find, fill, pack, move, separate, concatenate and compare character strings. This package completely eliminates the problems associated with character string handling in FORTRAN. Supplied with source ...\$65/\$15

□ CPM/374X — Has full range of functions to create or re-name an IBM 3741 volume, display directory information and edit the data set contents. Provides full file transfer facilities between 3741 volume data sets and CP/M

Coming Soon

CPAIds\*

MASTER TAX—Professional tax preparation

program. Prepares schedules A, B, C, D, E, F,
† G, R/RP, SE, TC, ES and forms 2106, 2119,
2210, 3468, 3903, 2441, 4625, 4726, 4797,
4972, 5695 and 6521. Printing can be on readily
available, pre-printed continuous forms, on
overlays, or on computer generated, IRS approved forms. Maintains client history files and
is interactive with CPAids GENERAL LEDGER
II (see helps). 3995/530. ....\$995/\$30

STANDARD TAX—As above for schedules A, B, C, D, E, G, R/RP, SE, TC and forms 2106 and 2441. Also, does not maintain client history files \$495/\$30

GENERAL LEDGER II— Designed for CPAs.

Stores complete 12 month detailed history of transactions. Generates financial statements, depreciation, loan amortizations, journals, trial balances, statements of changes in financial position, and compilation letters. Includes payroll system with automatic posting to general ledger. Prints payroll register. W2's and payroll checks. \$450/\$30

- T/MAKER—Powerful new tool for preparing management reports with tabular data. Makes financial modeling projects easy. Do you want a weekly profitability report? Set up the table and compute. Just change the sales figures for next week and compute. You have a new report! T/MAKER includes a full screen editor for setting up tables which pages left, right, up and down. Compute includes standard arithmetic, percents, exponents, common transcendental functions, averages, maxima, minima, projections, etc. Requires 48K CP/M and CBASIC-2...\$275/\$25 T/MAKER-Powerful new tool for preparing
- □ BSTAM Utility to link one computer to another slso equipped with BSTAM. Allows file transfers at full data speed (no conversion to hex), with CRC block control check for very reliable error detection and automatic retry. We use it! It's great! Full wildcard expansion to send \* COM, etc. 9600 baud with wire. 300 baud with phone connection. Both ends need one. Standard and ® versions can talk to one another. .\$150/\$10
- WHATSIT?\* Interactive data-base system using associative tags to retrieve information by subject. Hashing and random access used for fast response. Requires CBASIC-2 .\$175/\$25
- SELECTOR III-C2 Data Base Processor to create and maintain multi-key data bases. Prints formatted sorted reports with numerical summaries or mailing labels. Comes with sample applications, including Sales Activity, Inventory, Payables, Receivables, Check Register. and Client/Patient Appointments, etc. Requires CBASIC-2. Supplied in source .....\$295/\$20
- GLECTOR—General Ledger option to SELECTOR III-C2. Interactive system provides for customized COA. Unique chart of transac-tion types insure proper double entry book-

#### MICRO DATA BASE SYSTEMS

- MICRO DATA BASE SYSTEMS

  HDBS—Hierarchical Data Base System.
  CODASYL oriented with FILEs, SETs, RECORDs and ITEMs which are all user defined.
  ADD, DELETE, UPDATE, SEARCH, and
  TRAVERSE commands supported. SET ordering is sorted, FIFO, LIFO, next or prior. One to many set relationship supported. Read/write protection at the FILE level. Supports FILEs which extend over multiple flopps, or hard disk. which extend over multiple floppy or hard disk
- MDBS Micro Data Base System. Full network data base with all features of HDBs plus multi-level read/write protection for FILE. SET. RECORD and ITEM. Explicit representation of one to none to many, many to many, and many to one SET relationships. Supports multiple owner and multiple record types within SETs. HDBS files are fully compatible.
- ☐ HDBS-z80 version ↓......\$250/\$40\*\* MDBS-Z80 version .....\$750/\$40\*\*
  8080 version available at \$75 extra.
  - When ordering, specify one of the language interfaces listed below. Additional language interfaces available at time of purchase for \$100 or \$125 if purchased later.

\*\*The single manual covering HDBS and MDBS when purchased alone comes without specific language interface manual. Manuals are available for the following Microsoft lan-

1) MBASIC 4.51, 2) BASIC-80 5.0, 3) Compiled BASIC or FORTRAN-80, 4) COBOL-80, 5) 

- SUPER-SORT I— Sort, merge, extract utility as absolute executable program or linkable module in Microsoft format. Sorts fixed or variable records with data in binary, BCD. Packed Decimal, EBCDIC, ASCII, floating & fixed point, exponential, field justified, etc. Even variable number of fields per record! . . . . \$225/\$25
- □ SUPER-SORT II— Above available as absolute program only ......\$175/\$25
- DATASTAR—Professional forms control entry and display system for key-to-disk data capture. Menu driven with built-in learning aids. Input field verification by length, mask, attribute (i.e. upper case, lower case, numeric, auto-dup, etc.). Built-in arrithmetic capabilities using keyed data, constant and derived values. Visual feedback for ease of forms design. Files compatible with CP/M-MP/M supported languages. Requires 32K CP/M \$350/\$35

- □ WORD-STAR Menu driven visual word processing system for use with standard terminals.

  Text formatting performed on screen. Facilities for text paginate, page number, justify, center and underscore. User can print one document
- WORD-STAR Customization Notes-For
- WORD-MASTER Text Editor—In one mode has superset of CP/M's ED commands including global searching and replacing, forwards and backwards in file in video mode, provides full screen editor for users with serial address-able-cursor terminal \$145/\$25
- TEXTWRITER III Text formatter to justify and paginate letters and other documents. Special features include insertion of text during execution from other disk files or console, permitting recipe documents to be created from linked tragments on other files. Has facilities for sorted index, table of contents and footnote insertions. Ideal for contracts, manuals, etc. Now compatible with Electric Pencil\* and Word-Star pre-

## New lawer prices for application Software

#### PEACHTREE SOFTWARE

General accounting software for small busi-nesses. Each product can be used alone or with automatic posting to the general ledger. Supplied in source for Microsoft BASIC 4.51.

GENERAL LEDGER	\$530/\$40
ACCOUNTS PAYABLE	
ACCOUNTS RECEIVABLE	\$530/\$40
PAYROLL	\$530/\$40
INVENTORY	\$660/\$40
ALSO:	
	6500/640
MAILING ADDRESS	
PROPERTY MANAGEMENT	\$925/\$40
THO EITH WATER COLUMN	4525, 440

#### GRAHAM-DORIAN SOFTWARE SYSTEMS

Comprehensive accounting software written in
 CBASIC-2 and supplied in source code. Each
 software package can be used as a stand-alone
 system or integrated with the General Ledger
 for automatic posting to ledger accounts. Requires CBASIC-2.

quires Obnoio-2.	
GENERAL LEDGER	.\$805/\$40
ACCOUNTS PAYABLE	.\$805/\$40
ACCOUNTS RECEIVABLE	.\$805/\$40
INVENTORY SYSTEM	.\$555/\$40
JOB COSTING	
APARTMENT MANAGEMENT	.\$805/\$40
CASH REGISTER	.\$805/\$40

□ POSTMASTER—A comprehensive package ® for mail list maintenance that is completely for mail list maintenance that is completely menu driven. Features include keyed record extraction and label production. A form letter program is included which provides neat letters on single sheet or continuous forms. Includes NAD file translator. Requires CBASIC-2 \$150/\$20

#### STRUCTURED SYSTEMS GROUP

Complete interactive accounting software for business. Each product can be used standalone or with automatic posting to the general ledger. Each product is thoroughly tested and very well documented. Each product requires CBASIC-2.

GENERAL LEDGER	.\$820/\$40
ACCOUNTS RECEIVABLE	\$820/\$40
ACCOUNTS PAYABLE	.\$820/\$40
PAYROLL	
INVENTORY CONTROL	.\$820/\$40

#### **NEW! NEWSLETTER** FROM LIFEBOAT

- Latest Version Numbers List of Software
- Update on CP/M Users Group

The Great ZOSO Speaks
Out from Behind the Scenes \$18 ppd. for 12 issues (U.S., Canada,

Mexico). Elsewhere \$40. Send Check to "Lifelines," 1651 Third Avenue, New York. N.Y. 10028 or use your VISA or Mastercharge—call (212) 722-1700

Copyright © 1980 Lifeboat Associates. No portion of this advertisement may be reproduced without prior permission.

- ☐ LETTERIGHT—Program to create, edit and type letters or other documents. Has facilities to enter. display, delete and move text, with good video screen presentation. Designed to integrate with NAD for form letter mailings. Requires CBASIC-2 \$200/\$25
- NAD Name and Address selection system— Interactive mail list creation and maintenance program with output as full reports with refer-ence data or restricted information for mail labels. Transfer system for extraction and transfer of selected records to create new files. Requires CBASIC-2 ................................\$100/\$20
- QSORT—Fast sort/merge program for files with fixed record length, variable field length information. Up to five ascending or descending keys. Full back-up of input files created several control of the control of the

## \* \* \* \* \* \* \* \* \* \* CONDIMENTS

- ☐ HEAD CLEANING DISKETTE—Cleans the drive Read/Write head in 30 seconds. Diskette absorbs loose oxide particles, fingerprints, and other foreign particles that might hinder the per-
- FLIPPY DISK KIT—Template and instructions to modify single sided 5%" diskettes for use of second side in single sided drives . . . . \$12.50
- FLOPPY SAVER—Protection for center holes for 5" and 8" floppy disks. Only 1 needed per diskette. Kit contains centering post, pressure tool and tough 7 mil mylar reinforcing rings for 25 diskettes.
  - 5", Kit
     \$14.95

     5", Rings only
     \$7.95

     8", Kit
     \$16.95

     8", Rings only
     \$8.95
     PASCAL USER MANUAL AND REPORT-
- By Jensen and Wirth. The standardtextbookon the language. Recommended for use by Pascat/Z, Pascal/M and Pascal/MT users \$12

- ☐ THE C PROGRAMMING LANGUAGE—By Kernighan and Riltchie. The standard textbook on the language. Recommended for use by BDS C, tiny C, and Whitesmiths C users . \$12
- ☐ STRUCTURED MICROPROCESSOR PRO-GRAMMING—By the authors of SMAL/80. Covers structured programming, the 8080/ 8085 instruction set and the SMAL/80 lan-
- □ ACCOUNTS PAYABLE & ACCOUNTS
  RECEIVABLE CBASIC By Osborne/
  McGraw-Hill ....\$20
- GENERAL LEDGER CBASIC By Osborne/McGraw-Hill .....\$20
- PAYROLL WITH COST ACCOUNTING—CBASIC—by Osborne/McGraw-Hill .....\$20
- LIFEBOAT DISK COPYING SERVICE-Transfer data or programs from one media format to another at a moderate cost ...from \$25

#### $\star$ $\star$ $\star$ $\star$ $\star$ **Hearty Appetite.** $\star$ $\star$ $\star$ $\star$ $\star$

\*CP/M and MP/M are trademarks of Digital Re-

search. 280 is a trademark of Zilog, Inc. UNIX is a trademark of Bell Laboratories. WHATSIT? is a trademark of Computer Head-Electric Pencil is a trademark of Michael

Electric Pencil is a trademark of Michael Shrayer Software. TRS-80 is a trademark of Tandy Corp. Pascal/M is a trademark of Sorcim. SoftCard is a trademark of Microsoft. Apple is a trademark of Apple Computer. PASM, PLINK, BUG and #BUG are trademarks of Phoenix Software Associates Ltd. CPAids is a trademark of Computer Tax Service Inc.

- † Recommended system configuration consists of 48K CP/M, 2 full size disk drives, 24 x 80 CRT and 132 column printer.
- Modified version available for use with CP/M as implemented on Heath and TRS-80 Model I computers.
- User license agreement for this product must be signed and returned to Lifeboat Associates before shipment may be made.
- This product Includes/eXcludes the language
   manual recommended in Condiments.
- Serial number of CP/M system must be supplied with orders.
- @ Requires Z80 CPU.

#### Ordering Information

MEDIA FORMAT ORDERING CODES When ordering, please specify format code.

LIFEBOAT ASSOCIATES MEDIA FORMATS LIST Diskette, carridge disk and cartridge tape format codes to be specified when ordering software for listed computer or disk systems. All software products have specific requirements in terms of hardware or software support, such as MPU type, memory size, support operating system or language.

Computer system	Format Code	Computer system	Format Code
Computer system Altair 8800 Disk Altos Altos Apple+ SoftCard 13: Apple+ SoftCard 13: Apple+ SoftCard 16: BASF System 7100 Blackhawk Single Der Blackhawk Micropolis CDS Versatile 3B COSWERSATIE COMPAL-80 Cromemco Zystem 3 Cromemco Zystem 3 Cromemco System 3 Cromemco System 3 Cromemco System 3 Digital Microsystem 5 Digital Microsystem 6 Digital Microsystem 7 Digital Microsystem 6 Digital Microsystem 7 Digital Microsy	See MITS 3200 A1* Sector RG A1* RG A1* RG A1* Morrow Discus RI RI R1 A1* Doal CP/M P4 A2 CP/M P4 A CP/	IMS 5000 IMS 8000 IMS	RA A1* RA** RA** RA** RA** RA** RA** RA** R
CP/M 1.4 iCOM 4511 5440 Cart CP/M 2.2	ridge	Quay 520 RAIR Single Density RAIR Double Density	

Prices F.O.B. New York. Shipping, handling and C.O.D. charges extra.

Manual cost applicable against price of subsequent software purchase.

The sale of each proprietary software package conveys a software package con-license for use on one system only.



- - Single-Side Single-Density disks are supplied for use with Double-Density and Double-Side 8 soft sector format systems
- IMSAI formats are single density with directory offset of zero.
- A media surcharge of \$25 for or-ders on tape formats T1 and T2 and of \$100 for orders on disk formats D1 and D2 will be added.

The list of available formats is sub ject to change without notice. In case of uncertainty, call to confirm the format code for any particular equipment

Computer system	Format Code
Research Machines 8"	A1
Research Machines 51/4	RH
REX Sanco 7000 51/4"	
SD Systems 8" SD Systems 51/4"	A1
Sorcerer See E	xidy Sorcerer
Spacebyte	A1
Spacebyte SuperBrain	.See Intertec
Tarbell	
TEI 5¼"	
TEI 8" Thinkertoys See M	orrow Discus
TRS-80 Model I 514"	R2
TRS-80 Model I + FEC	Freedom RN
TRS-80 Model I - Micro	
TRS-80 Model I + Omik	
TRS-80 Model I + Omik TRS-80 Model I + Shuffl	
TRS-80 Model II	
VDP-40/42/44/80	. See IMSAI
Vector MZ	Q2
Versatile See C	CDS Versatile
Vista V80 5¼ Single De	
Vista V200 5¼ Double Zenith Z89 + Lifeboat C	
Zenith Z89 + Magnolia (	




#### HÄNDLER CONCESSIONAIRES DISTRIBUIDORES O.E.M.

AUSGEZEICHNETE GROSS = HANDELSPREISE stellen nur einen Aspekt unseres Händlerprogrammes dar. Treten Sie noch heute mit uns in Verbindung. (Wir sprechen Deutsch)



UN EXCELLENT PRIX DE GROS ne représente qu'un seul aspect de notre programme de distribution internationale. Mettez-vous en contact avec nous aujourd'hui pour recevoir plus de renseignements. (On parle français!)



EL EXCELENTE PRECIO AL MAYOREO que ofrecemos representa sólo un aspecto de nuestro programa de distribución internacional. Póngase en contacto con nosotros para información más detallada. (Se habla español!)

A.D.D.S. IND. MICRO
ANADEX OKIDATA
APPLE SOROC
CENTRONICS SUPERBRAIN
CROMEMCO TELEVIDEO
HAZELTINE TEXAS INSTR.



MICRO-COMPUTER BROKERS

INTERNATIONAL

6819-P, North 21st Avenue Phoenix, Arizona 85015 U.S.A.

Telephone: (602) 242-9961 Telex: (0) 668382

Address	0	1	2	3	4	5	6	7	8	9	Α	В	С	D	E	F	
000	00	00	00	00	00	00	00	00	04	02	7F	02	04	00	00	00	•
010	00	00	00	00	00	00	80	80	1C	2A	2A	2A	1C	80	80	00	ф
020	00	00	00	00	00	00	00	3E	80	80	80	80	00	00	00	00	•
030	00	00	00	00	00	00	22	22	22	3E	22	22	1C	00	00	00	A
040	00	00	00	00	00	00	1C	10	10	10	10	10	10	10	10	00	L
050	00	00	00	00	00	00	0C	10	20	3С	20	10	0C	00	00	00	€
060	00	00	00	00	00	00	80	80	80	1C	2A	49	7F	08	08	00	4
070	00	00	00	00	00	00	00	00	80	14	22	41	7F	00	00	00	۵
080	00	00	00	00	00	00	80	80	7F	49	2A	1C	80	80	80	00	4
090	00	00	00	00	00	00	04	80	80	80	80	10	00	00	00	00	l
0 <b>A</b> 0	00	00	00	00	00	00	00	00	18	24	24	18	00	00	00	00	0
0B0	00	00	00	00	00	00	7F	41	41	41	41	49	49	49	7F	00	
0C0	00	00	00	00	00	00	7F	41	41	41	41	41	41	41	7F	00	
0D0	00	00	00	00	00	00	00	3E	08	08	08	3E	00	00	00	00	I
0E0	00	00	00	00	00	00 -	00	80	80	80	80	3E	00	00	00	00	Т
0F0	00	00	00	00	00	00	00	1C	22	41	49	41	22	1C	00	00	0
100	00	00	00	00	00	00	00	00	10	20	7F	20	10	00	00	00	•-
110	00	00	00	00	00	00	00	00	22	14	80	14	22	00	00	00	×
120	00	00	00	40	20	10	1E	11	-11	0E	00	00	00	00	00	00	ρ
130	00	00	00	00	00	00	10	10	10	10	10	10	10	10	1C	00	٢
140	00	00	00	00	00	00	00	01	1E	26	2A	32	3С	40	00	00	ø
150	00	00	00	00	00	00	80	1C	2A	80	80	80	80	80	80	00	Į
160	00	00	00	00	00	00	00	1C	22	35	49	6B	2A	1C	00	00	⊗
170	00	00	00	00	00	00	00	80	00	00	7F	00	00	80	00	00	÷
180	00	00	00	00	00	00	00	00	80	14	22	41	00	00	00	00	٧
190	00	00	00	00	00	00	80	80	80	80	80	80	2A	1C	80	00	t
1A0	00	00	00	00	00	00	00	00	00	41	22	14	80	00	00	00	^
1B0	00	00	00	00	00	00	7F	41	49	41	7F	41	49	41	7F	00	8
1C0	00	00	00	00	00	00	3E	00	04	80	10	20	10	80	04	00	≤
1D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	7F	00	-
1E0	00	00	00	00	00	00	3E	00	10	80	04	02	04	80	10	00	≥
1F0	00	00	00	00	00	00	00	40	20	7F	80	7F	02	01	00	00	<b>≠</b>

**Table 1:** Data that must be programmed into the 2708 erasable programmable readonly memory (EPROM) device. This data tells the video display how to form the APL characters from a dot matrix. To the left is the address of the data, in the center

200	00	00	00	00	00	00	80	1C	2A	2A	1C	80	7F	00	00	00	Φ
210	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
220	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
230	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
240	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
250	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
260	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
270	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
280	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
290	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
2F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
300	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
310	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
320	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
330	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
340	00	00	00	00	00	00	4A	2E	20	57	2E	20	00	00	00	00	
350	00	00	00	00	00	00	4C	61	6E	67	6E	65	72	20	00	00	
360	00	00	00	00	00	00	57	42	32	4F	53	5A	2F	36	20	00	
370	00	00	00	00	00	00	33	2F	34	2F	37	38	00	00	00	00	
380	00	00	00	00	00	00	42	24	18	18	24	42	00	00	00	00	X
390	00	00	00	3C	02	02	3E	42	42	42	42	42	00	00	00	00	у
3A0	00	00	00	00	00	00	7E	20	10	80	04	7E	00	00	00	00	Z
3B0	00	00	00	00	00	00	00	00	00	41	6A	15	80	00	00	00	A
3C0	00	00	00	00	00	00	80	80	80	80	00	80	80	80	80	00	1
3D0	00	00	00	00	00	00	00	00	80	54	2B	41	00	00	00	00	₩
3E0	00	00	00	00	00	00	00	00	44	2A	11	00	00	00	00	00	~
3F0	00	00	00	00	00	00	7F	00									

is the data in hexadecimal form, and to the right is the character formed by the data in that row.

#### New Pascal 1 M PER-MICRO™

#### Executes Pascal 13x faster than an LSI-11!

The SUPER-MICRO' series of X-pert Systems," designed by Computex, combine high performance with low cost. The X9000 system line features the Pascal MICROENGINE\*\* 16-bit CPU and is now available for delivery.

#### SYSTEM X9020 (CPU Manual \$19.95)

'Trademark Western Digital Corp



**READY TO RUN** 

## SYSTEM FEATURES (partial list) Pascal MICROENGINE" X9000 16 bit P-code CPU 64K bytes RAM/Full DMA

- Floppy disk controller (SS or DS)
   Floating point hardware (IEEE standard)
   Systemsoftware with enhancements
- 2 serial, 2 parallel ports
- Pascal compiler text editors, file manager
- CPU & memory diagnostics, symbolic Pascal debugger, linker, utilities and more.

#### Floppy Disk Drives (2)

- 1M combined memory
- Double density, single sided
- Standard 8" diskettes
- 6 ms track to track

#### SYSTEM X9023

PLUS...



#### MODEL X-920 **DISPLAY/EDIT TERMINAL** (Manual \$10)

- X-920 FEATURES (partial list)

  Microprocessor controlled

  Serial RS232C and 20 ma current loop
  10 baud rates—75 to 19,200

  24 lines x 80 characters

- 12 x 10 character resolution
  Dual intensity display
  Programmable reverse video & underline
  14 key numeric pad with decimal
- . 16 special function keys
- . 8 edit function keys
- 2 block transmission keys
- Block, protect & self-test modes 80 storable tabbing Insert/delete character and line Addressable cursor

- A host of other features, including cursor controls and remote commands such as: clear to nulls, spaces, end of line, end of screen; set hi, low, zero intensity; set blink, etc

\*LIMITED TIME cash price. 10% DOWN guarantees priority. Master Charge & VISA cards accepted.

Prices: X9000 CPU \$2995. Manual \$19.95. X-920 CRT \$995. Manual \$10. Perkin-Elmer "Bantam" CRT \$799. X-800 disk drive \$495. Hardware F.O.B. Chicago. Manuals postpaid. Custom systems are also available. We service what we sell. Written hardware warranty. Nationwide service contracts. Custom software. We provide expert technical

(312) 684-3183

#### COMPUTEX Microcomputer Systems

"The Computer Experts" 5710 Drexel, Chicago, IL 60637




Photo 3: The APL character-generator circuit is connected by a ribbon cable to the socket formerly occupied by the MCM6571 part on the video display board. Use of sockets enables you to unplug the APL character-generator circuit and plug the MCM6571 back into the video display board if you need to reactivate the Greek characters.

Hexadecimal Code	Old Character	New Character	Hexadecimal Code	Old Character	New Character
00	α	-	10	ρ	•
01	В	ф	11	σ	×
02	γ	<b>T</b>	12	τ	ρ
03	8	A	13	υ	٢
04	€	L	14	φ	Ø
05	ζ	€	15	x	<b>↓</b>
06	η	<b>\$</b>	16	Ψ	•
07	θ	▽	17	ω	÷
08	ι	<b>4</b>	18	Ω	V
09	K	ι	19	$\Gamma$	<b>†</b>
0A	λ	0	1A	-	$\wedge$
0B	μ	e	1B	•	9
0C	ν		1C	<b>†</b>	≤
0D	ξ	I	1D	÷	-
0E	0	Т	1E	Σ	≥
0F	π	O	1F	≈	<b>≠</b>
			20	,	Φ
			60		φ
			7B	(	
			7D	)	*

**Table 2:** Table of character substitution to swap the APL characters for the Greek alphabet and other seldom-used characters in the MCM6571 character-generator chip.



## **EVERYTHING**

#### 50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

#### FROM COMPUMAX BUSINESS SYSTEMS

The COMPUMAX business applications programs are written with the novice computer user in mind. They are easy to use, yet powerful in their capabilities. Further, COMPUMAX supplies the BASIC source code. Thus the programs are easy to modify.

#### MICROLEDGER

This General Ledger system performs the essential functions of dual entry bookkeeping This General Ledger system performs the essential functions of dual entry bookkeeping and matches revenues and expenses:

MICROLEDGER includes the following programs.:

LEDGER 1 - builds and maintains the CHART OF ACCOUNTS file. This file contains both current and accumulated totals for each account.

LEDGER 2 - builds and updates the JOURNAL TRANSACTION file.

LEDGER 3 - lists both the the JOURNAL file and the CHART OF ACCOUNTS.

LEDGER 4 - computes the TRIAL BALANCE and executes POSTING of journal trans-

actions into the CHART OF ACCOUNTS. An AUDIT TRIAL of all transaction is output.

LEDGER 5 - produces the PROFIT AND LOSS STATEMENT.

LEDGER 6- produces the BALANCE SHEET. Assets, liabilities and owners' equities are

shown by account and by totals.

#### MICROPAY

An Accounts Payable system, MICROPAY includes the following program & functions: PAY 1 - initializes both Transaction and Master files, then begins the Accounts Payable process by inputting and adding records in the Transaction file. PAY 2 - allows for changes and deletions of Transaction and Master records. PAY 3 - reports outstanding Accounts Payables in four categories; under 30 days, 31-60 days, 61-90 days, and over 90 days.

PAY 4 - reports all outstanding Accounts Payables for a single customer or for all customers, and computes Cash Requirements.

PAY 5 - reports all outstanding Accounts Payables for a single date or for a range of dates and computes the Cash Requirements.

PAY 6 - lists both the Transactions and Master files.

PAY 7 - prints checks and accumulates and journalizes Accounts Payables. This program simultaneously creates entries for the MICROLEDGER file. .........\$140.00

#### MICROREC

An Accounts Receivable system, MICROREC includes the following programs and functions:

REC 1 - initializes Accounts Receivable files, adds A/R record and prints invoices. REC 2 - accepts receipt of customer payments and changes or deletions of A/R Trans-

action or Master file records.

REC 3 - reports outstanding Accounts Receivables in four categories; under 30 days, 31-60 days, 61-90days, and over 90 days.

REC 4 - reports all outstanding Accounts Receivables for a single customer, or for all customers and computes Cash Projections.

REC 5 - produces reports for all outstanding Accounts Receivables for a single date or for a range of dates and computes Cash projections.

REC 6 - lists Transaction and Master files and accumulates and journalizes Accounts Receivables, creating JOURNAL entries which communicate with the MICROLEDGER

JOURNAL file. . . . . MICROINV

This Inventory Control system presents a general method of Inventory Control and produces several important reports. Its program includes:

INV 1 - initializes Transaction and Master files and adds and updates Transaction and

INV 2 - handles inventory issued or received, creating inventory records. This program also accumulates and journalizes transactions, producing JOURNAL entries which communicate with the MICROLEDGER file.

communicate with the MICHOLEDIGHT file.

INV 3 - lists both Transaction and Master files.

INV 4 - produces the STOCK STATUS REPORT, showing the standard inventory stock data and stock valuation, and the ABC ANALYSIS breaking down the inventory into groups by frequency of usage.

INV 5 - gives a JOB COST REPORT/MATERIALS, showing allocation of materials used

year-to-date by each job or work code. (This is complemented by the Job Cost Report/ Personnel in the MICROPERS program.)
INV 6 - computes and provides the E.O.Q. (Economic Order Quantities)....\$140.00

#### **MICROPERS**

This is a Payroll/Personnel program whose functions include:

PERS 1 - initializes the Master file and allows for entry and updates of Master records.
PERS 2 - initializes the Payroll file and allows for entry and updates of payroll records.
PERS 3 - lists an Employee Master Record or the entire Employee Master file; lists a

single Payroll Record or the entire Payroll file.

PERS 4 - computes Payroll and prints the PAYROLL REGISTER. Prints PAYCHECKS and creates JOURNAL entries to be fed into the MICROLEDGER JOURNAL file.

PERS 5 - produces the JOB COST REPORT/PERSONNEL, computes the quarterly 941 bank deposit, and the Annual W-2 run.

\$140.00

All COMPUMAX programs available in machine readable format (diskette form) for the following machines:

TRS-80\*\* Model |

APPLE II

Micropolis 1053/11 Microsoft under CP/M CBASIC under CP/M Cromemco

#### FROM ADVENTURE INTERNATIONAL (By Scott Adams)

- † 1. ADVENTURELAND You wander through an enchanted world trying to recover the 13 lost treasures. You'll encounter wild animals, magical beings, and many other perils and puzzles. Can you rescue the Blue Ox from the quicksand? Or find your way out of the maze of pits? Happy Adventuring . . . . .
- † 2. PIRATE'S ADVENTURE "Yo ho ho and a bottle of rum" You'll meet up with the pirate and his daffy bird along with many strange sights as you attempt to go from your London flat to Treasure Island. Can you recover Long John Silver's lost treasures? Happy Sailing, matey .
- 3. MISSION IMPOSSIBLE ADVENTURE Good morning, your mission is to ... and so
- enemies. There he lies, with you his only hope. Will you beable to rescue him or is he forever doomed? Beware the Voodoo Man . . . . .

★ All orders processed within 24-Hours

★ 30-Dav monev back guarantee on all Software (less a \$3 penalty for handling)



- THE COUNT You wake up in a large brass bed in a castle somewhere in Tran-sylvani. Who are you, what are you doing here, and WHY did the postman deliver a bottle of blood? You'll love this Adventure, in fact, you might say it's Love at First
- STRANGE ODYSSEY Marooned at the edge of the galaxy, you've stumbled on the ruins of an ancient alien civilization complete with fabulous treasures and unearthly technologies. Can you collect the treasures and return or will you end up marooned forever? .

- Note: Apple requires 24K and has no lower case.
- † Recommended for the novice adventurer, with many built-in HELPS!

#### FROM PERSONAL SOFTWARE INC. VISICALC

Take virtually any problem you would explore using calculator, pen, and paper, working in rows and columns. Apply VisiCalc and you'll see why every reviewer of this product has said the same thing. VisiCalc is the most useful, most important program yet developed for personal computing.

With VisiCalc, you work with an electronic worksheet of up to 63 columns and 254 rows. At the juncture of any column and row you can type in words and numbers. VisiCalc automatically performs all arithmetic functions, net present value, and transcendental functions - instantly!

#### CCA DATA MANAGEMENT SYSTEM ......\$74.95

DMS Features:

- File Creaton and Maintenance:

   Fields may be alphanumeric, numeric, integer, floating point, or fixed decimal with commas.
  • Fields may be COMPUTED FIELDS. DMS will compute any field within a record,
  - using constants or other fields in the same record. Functions include add, subtract, multiply, divide, and raise exponential powers.

- multiply, divide, and raise exponential powers.

  Records are easily located, using the SCAN feature. SCAN for records with a field over, below, or between a range of values.

  Records are easily added and updated. DMS "prompts" you with questions.

  Multi-diskette capabilities for larger files up to 85,000 characters per file!

  Sort the records into almost any order, using up to 10 fields as "keys". So you can sort for customer numbers; within zip code, for instance.

  Delete records, "compact" files, and backup files on data diskettes easily.
- Report Features:
- Print reports with records in any order.
- Select fields to be printed.
- Select fields to be printed.
   Print mailing labels.
   Numeric totals and subtotals can be specified when a value in an unrelated field in the same record changes. For example, sort, subtotal, and print according to department, or month, or customer number, or model number.

#### GUARANTEED PROFIT

91% WINS PLACES SHOWS 32% AVERAGE PROFIT AT ALL TRACKS-1978

#### 

New simplified version of the original Horse Selector. The first Horse Selection System to actually calculate the estimated odds of each horse.

HIGHER PROFITS (OVER 100%) POSSIBLE THROUGH SELECTIVE BETTING ON:

Rates each horse in 10 seconds.

Easy to follow rules.

Can be used with any Apple II Computer.

100% money back guarantee (returned for any reason).

Uses 4 factors (speed rating, track variant, distance of the present race, distance of the last race)

 Using the above factors, the Horse Selector calculates the estimated odds. BET on horses whose actual payoff (from the Tote Board or Morning Lines) is higher than payoff based on estimated odds.

payoff based on estimated odds.

Using the above factors, the Horse Selector calculates the estimated odds. BET on any selected horse with an estimated payoff (based on Tote Board or Morning Lines) higher than calculated payoff (based on Horse Selector II).

Source listing for the TRS-80<sup>14</sup>, TI-59, HP-67, HP-41, Appleand BASIC Computers.

No computer or calculator necessary (although a calculator would be helpful for the simple division used to calculate estimated odds)

FREE Dutching Tables allows betting on 2 or more horses with a guaranteed profit.



HOUR **ORDER** LINE (914) 425-1535

VISA

ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

**NEW TOLL-FREE** 

ADD \$2.00 FOR SHIPPING UPS AREAS ADD \$3.00 FOR C.O.D. OR NON-UPS AREAS ADD \$4.00 OUTSIDE U.S.A. CANADA & MEXICO

## Construction of a Fourth-Generation Video Terminal:

#### Part 2

Theron Wierenga POB 2007 Holland MI 49423

Last month in Part 1, I presented the first part of a complete plan for building a versatile, microprocessorcontrolled video terminal. Now we'll look at the rest of the construction details.

We stopped at the point of troubleshooting the 8085 microprocessor and related circuitry. If your tests with oscilloscope and frequency counter show that everything built so far checks out properly, you can proceed with the remainder of the construction.

#### Getting the Debug Monitor Operating

The next step is to install the four 2114 memory circuits, IC19 (the 74LS138 that decodes the 2114s), IC13 (the 7401 that is used with the 74LS138 decoder), and IC4 and IC5 (the two 8212s that are connected back-to-back to buffer the 2114s). The 2716 must be programmed again, this time with the entire software

The numbering sequence of figures, listings, and photos is continued from Part 1 of this article.

package that is given in listing 2.

Before continuing, let me define some terms that are frequently used in the next section. Figure 4 on page 128 is a block diagram relating a number of these terms.

- Host computer: the computer to which your completed video terminal will be connected. It will operate completely independently of the terminal circuitry. Communications between the host computer and the video terminal will be via a serial interface driven by UARTs.
- 8085 microprocessor: the computer that will control the internal operation of the video terminal.
- Checkout terminal: any standard computer terminal with a currentloop interface that will be used to debug your video terminal's hardware and software.
- Temporary interface: a simple circuit that must be built to temporarily connect your video terminal to the checkout terminal.
- Terminal control software: the software that directs the 8085 in the procedure of controlling the terminal. It operates the display

- and takes care of incoming characters and scrolling. This software resides in the 2716 programmable read-only memory.
- System monitor: a separate operating system that resides within the terminal control software. When this monitor is used, the 8085 microprocessor "abandons" the video terminal circuitry, and then behaves as a separate computer for the checkout terminal. The monitor allows the user to load and display memory locations, run simple programs, and fill and move blocks of data in the memory. The data transfer lines to the host computer are not connected when using the monitor.

#### Activating the Monitor

In normal operation the 8085 operates as a dedicated microprocessor. This means that the microprocessor's total job is to operate the display and process incoming characters. The 2716 programmable read-only memory can hold 2048 bytes of program code. Only about 1500 bytes are needed for the terminal control software, so a portion of the

## What's the difference between BASIC and Pascal?

#### COMPARE THESE APPROACHES TO DRAWING A CIRCLE

## in Basic

"This is easy ..."

100 MOVE R,O

110 FOR T=0 TO 360 STEP 25

120 DRAW R\*COS(T), R\*SIN(T)

130 NEXT T

"Oops, didn't quite meet ...

... but that's easy to fix."


100 MOVE RIO

110 FOR T=0 TO 360 STEP 25

120 DRAW R\*COSCO, R\*SINCTO


130 NEXT T

"Oh, now it closes ... in fact, it overlaps."



#### in Pascal

"The simplest circle drawn with line segments is a regular polygon..."



Programming by design

#### Programming by trial and error

#### **GET IT RIGHT THE FIRST TIME**

Name

City \_

#### INTERNATIONAL DISTRIBUTORS

Australia: Sydney Network Computer Services 290-3677

Canada: Vancouver Valley Software (604) 291-0651

England: London Real Time Products 01-588-0667

Japan: Tokyo Rikei Corporation 03-345-1411 **Oregon Software** 

2340 SW Canyon Road • Portland, Oregon 97201 (503) 226-7760 • TWX 910-464-4779

If you like the feel of precision tools, give us a call or return this coupon.

Firm \_\_\_\_\_

Address \_\_\_\_\_

201 State \_\_\_\_\_\_Zip \_\_\_\_\_

## **CHOOSE...**

#### Choose an Apple Desk



A compact bi-level desk ideal for an Apple computer system. This 42"x 31½" desk comes with a shelf to hold two Apple disk drives. The top shelf for your TV or monitor and manuals can also have an optional paper slot to accomodate a printer.

#### Choose a Micro Desk



Getyour micro computer off the desk top and into the micro shelf under our Designer Series desks. Suitable for the North Star, Dynabyte, Vector Graphics, and Altos computers. The desks come in a variety of sizes and colors.

#### Choose a Mini Rack



Mini racks and mini micro racks have standard venting, cable cut outs and adjustable RETMA rails. Choose a stand alone bay or a 48", 60", or 72" desk model in a variety of colors and wood tones. A custom rack is available for the Cromemoo

#### Choose a Printer Stand



The Universal printer stand fits the:

Centronics 700's Dec LA 34 NEC Spinwriter Lear Siegler 300's Diablo 1600's & 2300's T.I. 810 & 820 Okidata Slim line Anadex 9500's

Delivery in days on over 200 styles and colors in stock. Dealer inquiries invited.

#### ELECTRONIC SYSTEMS FURNITURE COMPANY

17129 S. Kingsview Avenue Carson, California 90746 Telephone: (213)538-9601




Figure 4: Block diagram of the connection of the video terminal to the host computer. Also shown are the temporary connections to the checkout terminal, used for debugging the project.

additional memory has been filled with a completely separate operating system which is termed the system monitor. By causing the 8085 microprocessor to execute a TRAP interrupt, a jump is made to the section memory wherein the system monitor resides. In this mode the 8085 microprocessor and its associated circuitry cease to control the video terminal circuitry. The 8085 now behaves as a simple computer with a system monitor. Another terminal, the checkout terminal, is necessary to communicate with the system monitor; the temporary interface is also necessary to connect to the checkout terminal.

Construct this interface for temporary use by breadboarding. A schematic diagram was shown in figure 3, part 1. Any general-purpose computer terminal with a 20 mA current-loop interface can now be connected to your video-terminal board. The 8085 microprocessor will be acting as a computer for the checkout terminal. Be sure that the

data rate is the same for both devices. If your checkout terminal runs at 110 bps, you will have to temporarily connect a 7040 Hz square wave into pins 9 and 25 of the 8251 (IC7), since this frequency is not available on the video-terminal board.

When all connections to the temporary interface are made, open the TRAP switch for a moment. The 8085 microprocessor should send a carriage return, line feed, and question mark to your checkout terminal. Next, type a letter D, and the terminal should perform a carriage return and line feed. Now type in four Os, and it should again perform the carriage return and line feed. Lastly, type in "003F" and the checkout terminal should print out four lines of memory contents. If you get to this point, congratulate yourself, take a break, have a glass of wine, and show the family you're not as crazy as they thought you were to start this project.

If you were able to get the first test program to send out "U" characters,

Text continued on page 152:



## A Small-Systems Breakthrough!

## UDS Line-Powered Data Modems

- 0-300 bps full-duplex (Model 103 LP) or 0-1200 bps half-duplex (Model 202 LP) over ordinary two-wire telephone circuits
- No AC power required
- Fits under your telephone handset
- Easy hook-up
- Simplified controls talk/data only
- Direct connect to dial-up network
- Better data integrity than acoustic couplers at the same (or lower) price

Patent Applied For

Your telephone, combined with a UDS 103 LP or 202 LP modem, can put your computer system in contact with the rest of the DP world.

Make three easy snap-in cable connections and either of these FCC-approved devices is ready to go on-line. A front-panel rocker switch lets you go from voice to data and back again whenever you wish. Either the 103 or the 202 fits comfortably under your telephone — you'll hardly know the modem is there.

The UDS units are compatible with Bell 103- and 202-series modems.

#### **SPECIFICATIONS**

OPERATION — full-duplex (Model 103 LP) or half-duplex (Model 202 LP) on two-wire dial-

up telephone circuits.

DATA RATE — 0-300 bps (Model 103 LP) or 0 to 1200 bps (Model 202 LP).

DIGITAL INTERFACE — RS-232C on both models; TTY current loop on Model 103 LP. CONTROLS AND INDICATORS — Data/Talk switch; data ON light emitting diode. DISTRICT OFFICES: Summit, N J, 201/522-0025 • Blue Bell, PA, 215/643-2336 • Atlanta, 404/952-3463 • Chicago, 312/441-7450 • Dallas, 214/385-0426 • Santa Ana, 714/972-4619 • Sunnyvale, 408/738-0433 • Boston, 617/875-8868

"Confidence in Communications"

## Universal Data Systems

5000 Bradford Drive • Huntsville, AL 35805 • Phone 205/837-8100



Lis 2 2 2 2 5 2 2 2

Listing 2: T	he main vide	eo-termin	al-cont	rol routine. A	Listing 2. The main video-terminal-control routine. Appended at the end is the system	005E	220887
monitor use	ed in the chair	eckout pr	ocedu.	re. This code	monitor used in the checkout procedure. This code is stored in the 2716 read-only manner. The woodness modified by the author from the original resisting arounded		8080 MACKO ASSEMBLEF
by Intel Corporation.	rporation.	ons mon	en og	of louinn and	on the onginal routine provided	0061	22DA87 22DC87
Ú						0067	22DE87 22E087
1						000	210080
8080 MAC	8080 MACRO ASSEMBLER, VER	ER, VER	2.0	ERRORS = 0	PAGE 1	0070	22D687
						0076	22E687
		·****	·****	********	*******	6200	3E00
		****		CRT DRIVER	CEIC	007B	320287
		^*****	****	*****	*****	007E	320587
			AS FER	A LINTEL PERTFHERAL		0081	32E487
		_ ***	DESIG	DESIGN HANDROOK'	DESIGN HANDROOK', FAGE 2-164, **** Coeyrtant tatel core.	0084	32E587
		****	****	**********	* *		
		****	MODIF	**** MODIFIED BY THERON WIERENGA			
		× × × × · ·	JANUA	JANUARY 10, 1979	****	0087	3E7B
		**************************************		**************************************	**************************************	0089	0301
1000		- Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z	1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	H0000		3800 1000	5E2/ nz01
0000		CNOUT	FOU	H0000	\$8251 OUPUT DATA ADD	7000	*
0061		KCOM	EQU	061H			
0900		KDAT	EQU	H090	-		
0051		CRCOM	EQU	051H	COMMA	008F	3E.3F
0020		CRDAT	EQU	050H	DATA	0091	D361
0044		FC2SA	EQ.	044H	CH 5		
0045		FCZIC	E (2.0	045H	*BXD/ CH / LEKM COUNT		
0048		1000H	2 0	0400	ם בם איני	2000	3500
00047		KILS IL	1 L	0.4 T	א ה ה ה	000	55.00
0000		MIS57	П С	084Н	MOTIF	2600	1551 354F
0048		FMD57	EQU	048H	MODE	6600	D350
		****	***	*****	***	0008	XF.58
		100 ¢	START	_		17600	0350
		48.				009F	3E89
0000	C34000		JMF	CRTGO	JUMP TO START OF PROGRAM	00A1	0350
0024			080	0024H		000	3E59
0024	C3E905		i i	5552	FTRAF TO MONITOR	00A5	0350
0040			070 17	00400		0000	55.80
0040	21110	• 00 L N 1	I. A I.	0110110	TOHE SINCE FORMER	00AR	3E00
		; CLEA	CLEAR MEMORY	ORY		00AD	11350
		416				00AF	3E00
0043	21FF7F		LXI	H,7FFFH	♦LOAD SCREEN START~1	00B1	0350
0046	23	AL FHA:	XZI	I	#INCREMENT ADDRESS	00B3	3EEO
0047	3620		IOE:	M,020H	S	0000	1551
0049	117		AUM FILE	D, L.	FUMEUN IF LMCF	7400	0 1 1 0 1
004A	FELF F24400		L F I	OLFH	TH NOT LOOP	0088	C116704
004E	7C		NO W	A,H	CHECK IF H=87	OOBE	DB01
00500	FE87		CFT	087H		0.000	F602
0052	C24600		JNZ	AL FHA	*IF NOT LOOP'ELSE DONE	1	
		<b>4</b> k				8080 MAI	8080 MACRO ASSEMBLE
		POIN.	TER/BI	POINTER/BUFFER CLEAR			
0055	210000	NXT2:	LX.I	Н,0		0002	C4D200
0058	220387		SHLD			0005	DB51
005B	22E287		SHI. II	LOCEUF	)ZERO BUFFER	<u>~</u>	

;ZERO CHAR. LOCATION	FAGE 2 \$ZERO 1ST CHAR IN ROW \$ZERO BOTH CHAR IN ROW \$ZERO LOC OF 1ST CHAR \$ZERO LOC OF 1ST CHAR \$EDINT TO TOP OF SCREEN \$SET TOP=8000H \$FOINT TO BOT OF SCREEN \$SET BOT=8780H \$ZERO COLUMN COUNT \$SET CURSOR Y POINTER \$ZERO ESC SER FLAG \$ZERO 8251 CHAR BUFF	PDIVIDE BY 31	FRESET SCREE FSCREE FSCREE FSCREE FSCREE FCURSC FCURSC FY CUP FRESE FAGE FAGE FRESE FAGE FRESE FAGE FRESE FAGE FRESE FAGE FAGE FAGE FAGE FAGE FAGE FAGE FAG	Listing 2 continued on page 132
SHLD LOCAD	*, VER 2.0 ERRORS = 0 SHLD LOCO1 SHLD LOCOX SHLD LOCRX SHLD LOCFR LXI H.8000H SHLD ROTAD LXI H.8780H SHLD ROTAD MUI A.0 STA CCTAD OUT CNCTL MUI A.027H OUT CNCTL MUI A.027H OUT CNCTL MUI A.027H OUT CNCTL MUI A.027H OUT CNCTL	MUI A.O3FH OUT KCOM INITALIZE 8275	#WUI A,0  OUT CRCOM  MUI A,04FH  OUT CRDAT  MUI A,058H  OUT CRDAT  MUI A,089H  OUT CRDAT  MUI A,089H  OUT CRDAT  MUI A,080H  OUT CRDAT  MUI A,080H  OUT CRDAT  MUI A,060H  OUT CRCOM  MUI A,0  OUT CRCOM  MUI CRCOM  MUI A,0  OUT CRCOM  IN CRCOM  ANI OO2H  IN CRCOM  IN	
005E 22D887	8080 MACKO ASSEMBLER, 0061 22DA87 0064 22DE87 0066 22DE87 0060 22D687 0073 218087 0073 218087 0074 22E687 0075 22E687 0076 32D287 0078 32D287 0078 32D287 0081 32E487 0081 32E487 0081 32E587 0081 32E587 0089 3521 0089 3521	008F 3E3F 0091 D361	\$\$\text{0.0093}\$\$ 3E00\$\$ 0095	
		<b>4</b> 2	* * * *	<u></u>

The VP-111 hobby computer: Start programming for only \$99.



## New! VP-111 \$99. Assembled\* and tested.

Features:

- RCA 1802 Microprocessor.
- 1K Bytes static RAM.
   Expandable on-board to 4K.
   Expandable to 32K Bytes total.
- 512 Byte ROM operating system.
- CHIP-8 interpretive language or machine language programmable.
- Hexidecimal keypad.
- Audio tone generator.
- Single 5-volt operation.
- Video output to monitor or modulator.
- Cassette interface—100 Bytes/sec.
- Instruction Manual with 5 video game listings, schematics, CHIP-8, much more!
   Ideal for low-cost control applications.
   Expandable to full VP-711 capability with VP-114 Kit.

\*User need only connect cables (included), a 5-volt power supply and speaker.




#### 

All the features of the VP-111 plus:

- A total of 2K Bytes static RAM.
- Power supply.
- 8 Bit input port.
- 8 Bit output port.
- I/O port connector.
- System expansion connector.
- Built-in speaker.
- Plastic cover.

Three comprehensive manuals:

- Instruction Manual—20 video game listings, schematics, much more.
- User's Guide—operating instructions and CHIP-8 for the beginner.
- RCA 1802 User's Manual (MPM-201B)—complete 1802 reference guide.



## Add computer power a board at a time.

With easy-to-buy options, the versatile RCA hobby computer means even more excitement. More challenges in graphics, games and control functions. For everyone, from youngster to serious hobbyist.

Built around an RCA COSMAC microprocessor, our hobby computer is easy to program and operate. Powerful CHIP-8 interpretive language gets you into programming the first evening. Complete documentation provided.

#### Send the coupon now...

Complete the coupon below and mail to: RCA MicroComputer Customer Service, New Holland Ave., Lancaster, PA 17604.

Or call toll free (800) 233-0094 to place your Master Charge or VISA credit card order. In Pennsylvania, call (717) 397-7661, extension 3179.

## RСЛ

Planca con	d me the items indicated.	
		VP-565 EPROM Programmer Board—  ASCII keyboards.
	New low cost Microcomputer (See description above) \$ 99  Expansion Kit for VP-111—Includes	Programs 2716 EPROMs. With software
7 VD 744	3K RAM, I/O Port and connectors \$ 76	buffered and one unbuffered output output spansion sockets <b>\$59 VP-606</b> Keyboard—Same as VP-601.
□ VP-/11	The original VIP Microcomputer (See description above) \$199	□ VP-576 Two-Board Expander—Allows Asynchronous serial output \$ 99
□ VP-44	RAM On-Board Expansion Kit—Four 2114 RAM ICs. Expands VP-711	use of 2 Accessory Boards in either I/O or Expansion Socket \$ 20
	memory to 4K Bytes \$ 36	□ VP-700 Tiny BASIC ROM Board—BASIC □ VP-616 Keyboard—Same as VP-606 plus
□ VP-590	Color Board—Adds color. Four background and eight	code stored in 4K of ROM \$ 39 16-key numeric keypad \$119 □ VP-701 Floating point BASIC for □ VP-620 Cable—Connects VP-601/611 to
	foreground colors	VP-711 on cassette. Requires 16K
	Simple Sound Board—Provides 256 programmable frequencies. For simple music or sound effects.	Bytes RAM (avail. 7 /80) \$ 49
- VD	Includes speaker \$ 30	□ <b>VP-720</b> Game Manual-II—More games <b>\$ 15</b> VP-606/616 <b>\$</b>
	Super Sound Board—Turns VP-111/711 into a music synthesizer! Two independent sound channels. Outputs to audio	Enclosed is \$ for items checked plus shipping & handling charge of \$3.00. Add your state and local taxes \$ Total enclosed \$ I enclose \( \text{c} \) check or \( \text{c} \) money order. Or charge my \( \text{C} \) VISA \( \text{C} \) Master Charge.
- VD 570	VP-550 and 4K RAM \$ 74	Credit card account No.
⊔ VP-5/U	Memory Expansion Board— Plug-in 4K RAM memory \$ 95	Master Charge Interbank No Expiration date
□ VP-580	Auxillary Keypad—Adds two-player interactive capability. Connects	Signature (required for credit orders):
	to VP-590 or VP-585 \$ 20	Name (please type or print):
□ VP-585	Keypad Interface Board—Interfaces two VP-580 Auxiliary Keypads	Street address: City:
□ VD E60	to VP-111/711 \$ 15 EPROM Board—Interfaces two	State & Zip:Telephone:( )
⊔ 46-200	2716 EPROMS to VP-111/711 \$ 34	Make checks payable to RCA Corp. Prices and specifications are subject to change without notice.

Ш	\$LDAD UART CHAR \$SAVE BITS 2+3 \$BASE ADD TABLE 2	#MOVE OFFSET TO BE #ADD OFFSET TO BASE	FLUHD VECTOR IN DE FUECTOR TO HL	SI DAN ROUGOINT IN HI	\$LOW BYTE TO A \$IS IT ZERO?  \$IF ZERO CONTINUE		ריז	;IF O'ROW=1ST ROW	*ROWCOUNT=LAST ROW *(1920 DECTMAL)	#STORE IN ROWCNT BUFF #18H TO CURS Y BUFF	ĴCUKSOK Y-FOS≡LAST KOW ĴLOAD CUKSOR FOS SUB		FROWCOUNT TO HE			HIGH BYTE TO A	O PAGE 5	F Z TI SIŧ	<pre>#IF=7.ROWCNT.=LAST ROW #ROWDOWN SUB.</pre>	CURSOR PGS ROUTINE SCROLL SUBROUTINE		\$COL.CNT. TO A \$IS IT 4FH ? \$IF=4FH COL. CNT = Listing 2 continued on page 134
) CONTROL CODE ROUTINE		MOV DAD DEST	נים	CURSOR UP ROUTINE	MOV CPI	CALL ROWUP RET		JZ BETA CALL ROWUP PET	BETA: LXI H,0780H	6	STA CURSY CALL WP75 RET	CURSOR DOWN ROUTINE	-	CPI 080H		GAMMA: MOV A,H	BLER, VER 2.0 ERRORS =	CF.I 00.7H	JZ DELTA CALL ROWDN EET	DELTA: CALL WP75 CALL SCROL	FCURSOR RIGHT ROUTINE	ESCC: LDA CCTAD CPI 04FH JZ ZETA
	3AE587 E606 21E104 110000	10 ti 10 ti	16 6 8 8 9 16 16 16 16 16 16 16 16 16 16 16 16 16	2011387	70 70 FE00 CA4201	CDFE02 C9	7C FE00	CA4C01 CDFE02	218007	220387 3E18	320587 C03203 C9		2AD387	/II FE80	CE1003	7.C	8080 MACKO ASSEMBLER, VER	FE07	CA7201 CD1003	CD FF03	<b>.</b>	34D287 FE4F CA8501
	0123 0126 0128 0128	012F 012F	0133 0133 0133 0133	0135	0138 0139 0139	013E 0141	0142	0145	0140	014F 0152	0154 0157 015A		0158	015E	0164	0168	_8080 MA	0169	016B 016E	0172	01.0	0179 017C 017E
	#MASK INTERUPT BIT #SERVICE 8257 IF INT #CHECK FOR KEYPRESS	ENTER CHAR INTO DISPLAY	FREAD 8251 FCHAR HANDLING ROUTINE	ROUTINE. FIN CHAR FROM 8251 FMASK OFF BIT 8	\$STORE THE CHA	ROLLTINE	#LOAD ESC FLAG #SET/RESET ZERO FLAG	∮I≡ZNI CHAK ESU SER ∳ESC SEQ ROUTINE	\$LOAD UART CHAR \$MASK ALL BUT BIT 6%7	;0=CTRL,1=DISPLAY CHAR ;DISPLAY CHAR ROUTINE	FLOAD UART CHAR FMASK ALL BUT BIT 5	CTRL CODE ROUTINE	FPOINT TO ESC FLAG		ROUTINE	\$ZERO A \$RESET ESC FLAG		\$SHIFT L FOR OFFSET \$BASE ADD TAFLE 1	*MOVE OFFSET TO DE	O FAGE 4	ADD OFFSET TO BASE . ALOAD VECTOR IN DE	; VECTOR TO HL
30:	ANI 020H CNZ KT75 CALL KFOLL JMF LOOF	8251 AND		KEAU CHAK SUBKUUINE IN CNIN #IN ANI OZFH #MAS			OFFH OFFH	Ⅎ⊢		JZ NXTY CALL DISFL		CALL CNTRL	KI H, XFL.G		ESCAPE SEQUENCE RO	JI A, O		.C (I H,BSET1	CI D, O	.O ERRORS =		<b>©</b> :
2 continued from page 130:	ANI CNZ CALI	SERVICE	661E:	# 8251 KEA # RDF51: IN ANI		<□	CHREC: LDA ANI	JZ CAL RET	NXTX: LIDA		NXTY: LEA	CALI	NXTZ: LXI	RET.		ESREC: MUI	LIDA	RLC	LXI	ER, VER 2.0	☐ Ø Ø P	M X X X X X X X X X X X X X X X X X X X
2 continued	E620 C46704 CDA004 C3BE00		CDD900 CDE100 C9	DB00 E67F	32E587 C9		3AE487 E6FF	CAE 1100 CEOBO1 C9	3AE587 E660	CAF900 CD4103	3AE587 E610	CE0301 CD2301 C9	21E487	2001		32E487	3AE587 E60F	07 21C104	110000 5F	8080 MACRO ASSEMBLER,	19 5E	1010 100 100 100 100 100 100 100 100 10
Listing	00C7 00C9 00CC 00CF		0002 0005 0008	000.9 9000	00E0		00E1 00E4	00E6 00E9 00EC	00ED 00F0	00F2	00F9 00FC	0101	0105	0100		010B 010D	0110	0115 0116	0119 011C	BOBO MAC	011D 011E	0120 0121 0122

PERSONAL ELECTRONICS AT PROFESSIONAL DISCOUNTS YOUR COMPUTER PROFESSIONALS

SIX STORES IN SOUTHERN **CALIFORNIA** 

HEWLETT PACKARD'S PERSONAL COMPUTER

FOR PROFESSIONALS!

CALIFORNIA ORDER AND INFORMATION LINE

549-7373

INTRODUCING

lapple computer

#### apple //

Apple III is a highly integrated computer system, evolved from the Apple II design and optimized to best serve the professional user. The new computer will be offered in packaged configurations for personal use in professional applications.

Look at these special Apple III features: • an 80-character upper/ lower case display disc drive and integrated peripheral interfaces

enanced graphics capibility

an emulsion mode allowing Apple II software to be run **16K MEMORY** 

COMPLETE BUSINESS, EDUCATIONAL AND GAME SOFT-WARE

The HP-85 is a powerful BASIC language computer complete with keyboard, CRT display, printer, and tape drive-all in one compact unit.

We will meet or beat any competitor's price if he has the merchandise on hand.

**HEWLETT** PACKARD

#### **MORE HP VALUES**

HP	41 C	Basic	Calculator	and	Complete Syst	em .	CALL
НР	67		\$299.95		HP-31E		41.95
ΗР	92		399.95		HP 32E		54.95
HP	97		584.95		HP 33E		73.95
ΗР	33C	NEW	99.95		HP 37E		59.95
ΗP	34C	NEW	124.95		HP 38E		104.95
ΗP	38C	NEW	124.95				

#### Now-the Texas Instruments TI-99/4 Home Computer

MONITOR NOT INCLUDED

You can begin using the TI Home Computer in minutes. Without any previous computer experience. You simply snap in one of TI's Solid State Software ™ Command Modules. Step-by-step instructions are displayed right on the screen.



AVAILABLE

TI-35SP NEW S		INCORPORA		S
	33.50	PC 100C	169.95	invest. Anal. NEW 49.95
T1 55	34.95	TI 5015	64.95	Business Card NEW 39.95
TI-57	54.95	TI 5040	89.95	Language Translator NEW . 249.95
TI-58C NEW 1	09 95	TI 5100	\$39.95	Language Modules ea. 54.95
TI 59 2	09.95	Programmer	54.95	Speak & Spell
TI 58/59 Libraries	35.00	MBA	59.95	Modules ea. 14.95
TI 30SP	17.95	Business Analyst I	21.95	Chrono Alarm 806-31 39.95
6200 NI	EW EXECUTIVE	99	95	- 4 - 11 - 11 - 11 - 11 - 11 - 11 - 11

11 0001		Dosniess i mary	J
6200	<b>NEW EXECUT</b>	IVE	99.95
	NEW PROGRA		. 34.95
SHARP 5100	NEW LCD Aipi	hanumeric	.B9.95
5102	NEW		79.95
7000	NEW Memo W	riter	. 99.95
BSR SYSTEM	W.Inw	COMMAND	,39.95
	W.	Each Module	16.95

MATTEL ELECTRONICS' Intellivision . . . . 299.95

BA II Exec. NEW invest. Anal. NEW .	44.95 49.95
Business Card NEW	39.95
Language Translator NEW	249.95
Language Modules e	a. <b>54.95</b>
Speak & Spell .	. 54,95
Modules e	a. 14.95
Chrono Alarm 806-31	39.95

			E	N	U	1	n	J-I	-/-	E	שנ	C
224.95	 										50	14
279.95	 										00	150
					5	9	5	•	E	П	Н	C

CHALLENGER ALSO: Canon Seiko Craig Sanyo Mattel Pearlcorder, Record-a-Call, Casio, And Many Others, ALL AT GREAT PRICES!

PERSONAL COMPUTER SYSTEM



Plot your investment strategy with confidence. Take the \$899 95 guesswork out of business decisions. Organize your household finances. Control your tax options. Come in and find out why some very shrewd people now own the versatile Atari Personal Computer System.

**NOW! 16K** 



MORE ATARI

ATARI 810 Disc Drive
ATARI 820 40-Column Printer 559 95 479.95

PLUS Complete Entertainment & Educational Software

TARZANA

18665 Ventura Blvd. Tarzana 2 Biks. West of Reseda Bivd. (213) 705-7507

**PASADENA** 260 So. Lake Ave. Pasadena Lake Avenue District (213) 795-3007

Send Orders to Dept BY-Sept

NEWPORT BEACH/COSTA MESA 3211 So. Harbor Blvd. Santa Ana, CA 92704 1 Mi. North of San Diego Fwy. (405) (714) 549-7373

**FULLERTON** 2514 E. Chapman Ave. Fullerton Corner of State College & Chapman (714) 738-7775 TORRANCE/LAWNDALE

16611 Hawthorne Blvd. Lawndale 4 Blks. South of San Diego Fwy. (213) 370-5795

LOS ANGELES

11986 Wilshire Blvd. Los Angeles 8 Blks. West of San Diego Fwy.

WE WILL BEAT OR MEET ANY COMPETITOR'S PRICE ON MOST ITEMS IF HE HAS THE MERCHANDISE ON HAND.

All units shipped in original factory cartons with accessories according to manufacturer's specification. CALL TOLL FREE (800) 854-0523 (outisde CA) or (714) 549-7373 (within CA). VISA and Master Charge, money order, Pers. Ck. (14 working days to clear), COD accepted. Min. \$4.95 for shipping in USA. We ship AIR on request. CA residents add 6% sales tax. All merchandise subject to availability. Prices good only with this ad for limited time only. WRITE OR CALL FOR FREE CATALOG

			FEORETT TREE	* TOROCCOLL TORON *	STORE RESULT	\$87H TO A	*COMPARE TO BYH	*COMPENSATION ROUT.		FIF NO O END COMPARE	COMPARE TO CFH	FIF NC+LOCXX<=87CFH	FIF C+COMPENSATE	STORE IN BUFFER	FILL ROW WITH SPACES		LL!	The state of the s	FLUCXA TU HL	\$SUM THE TWO	#STORE SUM		Li	000000000000000000000000000000000000000		#EOR CHAR, TO A	NOW LINES TO BE	*SO CHAR LINE IDE *STARTING ADDRESS	FOR CHAR. TO MEM.	FADD 80 TO H. FDEC LINE COUNT	€L.00P	FZERO HL	*BEGIN ADDRESS		FRE ALEREDS	\$ZERO A	COLUMN			*LOAD CURSOR FOS		SCRFEN ROUTINE	FTOF TO HL	PROCE TO BE	Listing 2 continued on page 136
* FRASE LINE ROLLTINE	The state of the s	ESCK: LHLD TOPAD	XCHG H H D BCTAR		SHLD LOCXX			CALL	JMF	FRODO: JNZ BILBO MUI A-OFFH	J AE			SILEO. LALD LOCAL SHLD LOCEUF	CALL FILL	A THE	* COMPENSATION ROUTINE		COMRX: LHLD LOCXX	DAD		44 1117.	# CLEAR SCREEN ROUTINE		ENUNCY :	ESCE: MUI A,OFOH	IOM	LXI II,050H		0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ZNF	LXI H,O		SHLD	LXI H•8780H SHIP BOIOD		STA	STA	STA	CALL WP75 RFT		# ERASE TO END OF SCR	ESCJ: LHLD TOPAD	XCHG	
		2AD687	EB 2007	10011	22DE87	3E87	EC 200	DZ002	C31602	C21602	E DE	D21602	CD2002	22E287	CD2604	63		1	2ADE87	19	22DE87	63		יייטטע טפר		3EF0	0619	115000	77	1.9	C23502	210000	210080	22Ti687	218087	AF00	3211287	320587	32E487	CD3203			2AD687	EB 2007	
		01F3	01F6	0110	OIFE	OIFE	0200	0201	0207	020A	020F	0210	0213	0219	0210	021F			0220	0226	0227	OZZA		1 8080 MA	2000	022B	0220	022F	0235	0236	0238	023E	0241	0244	0247	0.24H	024F	0252	0255	0258			0250	025F	
LIOS NT SOL				FILUW BYIE IU A	FIF=80H CONTINUE		FIS IT 7 P		; ZERO COL. CNT. BUF	FOWDOWN SUBROUTINE		FZERO COL. CNT. BUF	#CURSOR FOS. ROUTINE	FECKULL KUULINE		ш <u>.</u>	\$COL. CNT. TO A	#IS IT ZERO ?	L   C   C   C   C   C   C   C   C   C	*IST CHAR IN YOUR ** COLUMN LEFT SUB.		FROWCOUNT TO HE	FLUM BITE 10 H FIS IT ZERO ?	THE BYTE OCCUPANT OF A CONTROL OF THE PROPERTY	FIRSTI ZERO ?	FIF O'HOME FOS EXISTS		* CALL ROWUF ROUTINE		- O PAGE 6		HACHOO S	(300	SET COLUMN COUNT	#TO 4FH	#18H=24D+LAST LINE	*LOAD CURSOR ROUTINE				; ZERO HL	\$SET ROWCOUNT=0 *ZEBO A	\$COLUMN CNT.=0	ACURSOR Y PNTR=0	
Listing 2 continued from page 132:	CALL COLRT	RET	0	BOO APL			⊢	JZ CCIUB	STA	CALL ROWDN	CCTOR: MUT A.O	STA		CALL SCRUL RET	46	♦ CURSOR LEFT ROUTINE	ESCD: LDA CCTAD	CPIO	JZ NXIA	CALL COLLT		NXTA: LHLD RCTAD			1 C L4C			SIA CCIAD CALL ROWUE		8080 MACRO ASSEMBLER, VER 2.0 ERRORS =		RET CATOLOGIC			STA CCTAD					# HOME ROUTINE	ESCH: LXI H,0	SHLD RCTAD MUT ALO			RET
2 continue	CD2403	63	2AD387	710	C29401	20	FE07	CA9001	320287	CD1 003	C9 3E00	320287	CD3203	CUFF 03			3AD287	FEOO	CABSOI	CD2203	63	2AD387	/U FE00	C2C401	FEOO	CACDO1	3E4F	320287 CDFF02		RO ASSEM		C9	221387	3E.4F	321,287	320587	CD3203	63			210000	220387	3211287	320587	C9 C9
Listing	0181	0184	0185	0188	0187	018E	018F	0191	0196	0199	0190	019F	0142	0105			0149	OIAC	OIAE	0181	0164	0185	01E8 01E9	01 BB	0185	0101	0104	0108	(310)	8080 MAC		0100	0100	01103	01105	0110	0100	01E0			01E1	01E4	01E9	OTEC	0152



## NEED QUALITY RESEARCH FOR THOSE INDUSTRIAL MARKETING PROBLEMS?

## CALL ARNOLD DEUTSCH 212-997-6401

#### **OR WRITE HIM:**

MARKETING RESEARCH GROUP McGRAW-HILL RESEARCH 1221 AVENUE OF THE AMERICAS NEW YORK, NY 10020

# Where can a company send any employee to upgrade almost any skill... without travel expense?



The Control Data Learning Center, a dynamic resource where you can assist in raising the productivity of a single employee or an entire department. Without costly and disruptive travel. And under a program that *quarantees satisfaction* or it costs you nothing.

The key is Control Data's exclusive PLATO® system, one of the fastest, most individualized and most effective systems of computer-based training.

The Control Data Learning Center offers hundreds of courses to help develop the potential of everyone on your staff—from salespeople to managers. Through the PLATO® system of self-paced, individualized instruction, each course is tailored to the ability and needs of each participant. So more people can be trained better, faster at less cost. Also, because there are 84 Control Data Learning Centers across the country, you save travel time and cost.

If you're losing good people due to a lack of training, don't wait. Act now. Call toll free, 800-241-8444 (in Georgia, call 800-282-1333) ask for operator 20, or mail coupon today.

#### CONTROL DATA LEARNING CENTER

an education service of CONTROL DATA CORPORATION

## Ron Williams Control Data Corporation, P.O. Box 0 HQA02J, Minneapolis, MN 55440 Send information on the following courses: Accounts Receivable Collection Techniques Selling: The Psychological Approach Managerial Success General Information

	Selling:	Time.
Accordings Recentable Collection Techniques	Selling:	Managerial Success
		Automotion of the second of th
		BS

#LOAD BOD IN HL #ADD BOD TO LOCPR #STORE SUM IN MEM	*L'OUT	\$LOCPR TO HL				CURSOR DOWN 1 LINE	ENE	PAGE 9	#ZERO A #COLUMN CNT. = 0			##OVE CURSOR LEFT 1		FROWCOUNT TO HL	STORE IN MEM	#CURSOR 7 TO HE #DECREMENT CORS 7	#LOAD CURSOR FUS		*ROWCOUNT TO HL	#ADD +80D TO ROWCOUNT	\$SIUKE IN MEM \$CURSOR Y TO HE	#INCREMENT CURS Y #LOAD CURSOR POS		\$COL CNT TO HL \$DCR COL COUNT \$LOAD CURSOR POS	Listing 2 continued on page 1
-	JMP GNOME • COMPENSATION ROUTINE	0	EXI LIVERSON DAD D CHITA LOCKE		* LINE FEED ROUTINE	CTRLJ: JMP ESCB	∳ ; CARRIAGE RETURN ROUTINE	LER, UER 2.0 ERRORS = 0	CTRLM: MUI A,0 STA CCTAD	RET I	* BACK SPACE ROUTINE	€ CTRLH: JMP ESCD	F ROWUF ROUTINE	ROWUP: LHLD RCTAD LXI D.OFFBOH	$\overline{}$		CALL WP75 RET	* * ROWDOWN ROUTINE *	ROWEN: LHLD RCTAD		SHLD RCTAD LXI H,CURSY	INR M CALL WP75 RFT	COLUMN LEFT ROUTINE	COLLT: LXI H,CCTAD DCR M CALL WP75 RFT	1
215000 19 22E087	C3A102	2AE087	11,30FB 19	ZZE08/ C9		C35B01		8080 MACRO ASSEMBLER, VER	3200 320287	C9		C3A901		2AD387 11BOFF	17 220387	21D587 35	CD3203 C9		2AD387	19	22D387 21D587	34 CD3203		21D287 35 CD3203	ò
02DA 02DD 02DE	02E1	02E4	02E7 02EA	OZEE OZEE		OZEF		вово мас	02F2 02F4	02FA		OZFB		02FE 0301	0305	030B 030B	030C 030F		0310	0316	0317 031A	031D 031E		0322	0.0
#SUM=POS OF 1ST CHAR #IN PRESENT ROW	#STORE IN MEM #87H TO A #COMPARE TO 87H	#NC=CONT COMPARE #COMPENSATE ROUTINE	TIF NE END COMPARE	FCFH TO A FCOMPARE TO LOW BYTE FAC MEANS /- OZCEU	COMPENSATION ROUT.	FLOW BYTE TO A	#IS IT ZERO? #IF NOT TO TROLL #HIGH BYTE TO A		JUME TO GNOME F-80D TO DE	) FAGE 8		#STORE IN MEM #ADD -80D TO TOP	∮SIUKE IN MEM ∮EOR CHAR TO A ∮LOCPR TO HL	FEOR CHAR TO MEM FLOW BYTE TO A	\$1S IT BOH T \$1F NOT TO WIZAR	3H BYTE IT 87H	FRESENT LOC TO DE	#BOTTOM TO HL #LOW BYTE TO A #TOES F=A	FIF NOT TO FUN		OT TO FUN	\$8000H TO HL \$SET POCPR TO 8000H	*LOCPR TO DE \$BOTTOM TO HL	\$LOW BYTE TO A \$DOES E=A \$IF NOT TO NUF \$HEN BYTE TO A	JE NOT TO NUE
			Z Z Z	A,00FH L FTN			O TROLL		GNOME D.OFFBOH	ERRORS = (			A,OFOH		080H WIZAR	A,H 087H		BOTAD A,L. E	Z Z Z	ı ı	N N	H,8000H		A P. C.	TIN L
2 continued from page 134. 19	SHLD MVI CMP	JNC	UAR: JNZ	108 108 108 108 108 108 108 108 108 108	CALL		CPI	C C C C C C C C C C C C C C C C C C C	SHLL JMF TROLL: LXI	_ER, VER 2.0		LHLD DAD	GNOME: MVI LHLD	00x	CFI	MOM CFI	SZONK: XCHG	THE TO CO	ZNC	CAR	LNZ RET	FUN: LXI SHLD	UIZAR: XCHG	0 X 0 0 X 0 X 0 X 0 X 0 X 0 X 0 X 0 X 0	JNZ
2 continued 19	22E087 3E87 BC	D27302 CDE402	C37F02 C27F02	SECF BD	CDE402	ZHIJOB/ ZD	FE00 C29702	/C FE80 C29702 218087	22E68/ C3A102 11BOFF	8080 MACRO ASSEMBLER,		2AD687 19	22E68/ 3EF0 2AF087	77 7.00 7.00	FE80 C2CB02	7C FE87	C2CB02 EB	2AE687 7D	C2C202	RA BA	C2C202 C9	210080 22E087	C3A102 EB 2AE687	7ti BB C2tiAO2 7C	вн С20402 С9
Listing 0263	0264 0267 0269	026A 026D	0270	0276	027C 027C	0282	0283	0289 0289 028B 028E	0291 0294 0297	вово мас		029A 029D	029E 02A1 02A3	02A6 02A7	02AB 02AA	02AD 02AE	02B0 02B3	02B4 02B7	02B9	02BC 02BD	02BE 02C1	0202	02CB 02CC	020F 0200 0201 02E4	0206 0206 0209

## The easy way to learn about computers: **BUILD ONE**



Yes, you can do it. Heath makes it simple with easy-to-build kits and step-by-step assembly manuals that lead you from unpacking to final plug-in.

And once you build your own computer, you'll know it inside-out. You'll know how to make it work for you.

Software, designed especially for Heathkit Computers, includes innovative programs

for running your home or business, and exciting games your kids will enjoy.

The Heathkit User's Group (HUG), made up of owners of Heathkit Computers, will share with you a library of over 400 programs that they've written to make your computer serve you in ways you never imagined.

Heathkit Computers may be low-cost kits.

But they're not playthings. They're powerful, high-capacity computers designed for complex programming. You'll find complete systems — hardware, software, accessories — within the pages of the colorful, 104-page, Free Heathkit Catalog. And you'll find service any time you need it at 55 locations throughout the U.S. or at the Heathkit factory.

### For complete descriptions of Heathkit Computers, send for the latest, free Heathkit Catalog.

If Coupon is missing write: Heath Co. Dept. 334-692, Benton Harbor, MI 49022

In Canada, write Heath Company, 1480 Dundas Hwy. East, Mississauga, Ontario L4X 2R7

Heathkit Products are also sold and serviced at Heathkit Electronic Centers (units of Veritechnology Electronics Corp. in the U.S.) throughout the U.S. and Canada. See your white pages. DEC is a registered trademark of Digital Equipment Corporation.

4-1-2	Heath Company,
leathkit	Dept. 334-692
	Benton Harbor, MI 49022

☐ YES Please send me my FREE Heathkit Catalog.

I am not currently receiving your catalogs.

Address \_ City\_ State

\$87H TO A \$IS H 87H ? \$NC=CONTINUE COMPARE \$COMPENSATE ROUTINE \$JUMP OVER \$NE,END COMPARE	;CFH TO A ;IS L=CFH ;NC=LOC<=87CFH ;IF CARRY COMPENSATE ;END OF ROW CHAR TEST ;UART CHAR ADD TO HL ;UART CHAR TO A ;MASK UPPER 2 BITS ;LOCATION TO HL ;MOV TO LOC IN DISP	\$COL CNT ADD TO HL \$INC COL COUNT \$LOAD CURSOR POS	;ZERO A ;ZERO COLUÑN ENT ;ROWCOUNT TO HL ;BOD TO DE ;STORE IN HEN ;CURSOR Y ADD TO HL ;TNC CURSOR Y ;LOAŬ CÜRSOR POS	FZERO A FZERO COLUMN CNT FLOAD CURSOR POS COMP VALUE TO DE FADO TO LOCATION FLOC OF 1ST CHAR FLOC OF 1ST CHAR FCOMP VALUE TO DE FADO TO LOCATION FLOR VALUE TO DE FADO TO LOCATION FSTORE IN MEM
MUI A.087H CMF H JNC CALL COMRT JMF XSTAD JNZ XSTAD Z.0 ERRORS =	MUI A,OCFH CMF L JNC XSTAD CALL COMRT XSTAD: CALL EORT LXI H,USCHR MOU A,M ANI O3FH LHLD LOCAD MOU M,A	\$ SUBROUTINE DISA  DISA: LXI H,CCTAD INR M CALL WP75 RET  \$ SUBROUTINE DISB	DISB: MVI A,0 STA CCTAD LHLD RCTAD LXI D,050H DAD D SHLD RCTAD LXI H,CURSY INR M CALL WP75 RET \$	DISC: MVI A+0
038B 3E87 038B BC 038E D29703 0391 CDDC03 0397 C2A303 NXTCM: 8080 MACKO ASSEMBLER, VER	3ECF BD D2A303 CDDC03 CDF103 21E587 7E EA3F 2AD887 77	21D287 34 CD3203 C9	3500 320287 240387 115000 19 220387 210587 34 C03203	3500 320287 505203 50567 507 113068 19 220887 220887 113068 19 220487
038B 038D 038E 0391 0394 0397 1	039A 039A 039A 03A 03A 03A 03A 03A 03A 03A 03A	0381 0384 0385 0388	0388 0388 0361 0361 0363 0368 0368 0368	0300 0302 0302 0305 0306 0306 0306 0306 0306 0306 0306
PE FCOL CNT TO HL FINR COL COUNT FLOAD CURSOR FOS		ING ROUTINE FOOLUMN CNT TO A FDOES IT = 79D FIF 79D, LAST CHAR FIN THE ROW	FOWCOUNT TO HL FLOW BYTE TO A FIS IT 80H CONT COMPARE FIEBOH CONT COMPARE HIGH BYTE TO A FIS IT 7 ? FIE=7,END OF DISPLAY	FORE TO HE FOUNCE IT TO DE FOWCOUNT TO HE FOWCOUNT TO HE FORE LOC OF LST CHAR IN ROW HOVE TO DE FOOLUMN CNT TO A HOVE TO L COLUMN CNT TO A HOVE TO L STORE IN MEM
Listing 2 continued from page 136:	75: MVI A. CUT CR LDA CC LDA CC LDA CC LDA CUT CR CUT CR	p DISPLAY CHAR HANDLIN p DISPL: LDA CCTAD CFI 04FH JZ CTA CALL DIS1 CALL DISA	CTA: LHLD RCTAD  MOV A1.  CPI 080H  JZ CTB  CALL DISB  RET  CTB: MOV A1H  CTB: MOV A1H  CTC CALL DISB  RET  CALL DISB  RET  CALL DISB  RET  CALL DISB  RET  CALL DISB	CTC: GALL DISI CALL DISC RET FET SUBROUTINE DISI DISI: LHLD TOFAD XCHG LHLD RCTAD DAD DAD DAD DAD CLL XCHG LXI H,0 LXI
ing 2 continued ing 2 continued in 21D287 in 34 in C9	0332 3E80 WF 0334 D351 0336 3AD287 8080 MACRO ASSEMBLER, 0339 D350 0338 3AD587 033E D350		F C9 3 2AD387 3 7D 4 FE80 6 CA6003 9 CD7403 C CLB903 C CLB903 C CD8903 F F C7 1 FE07 3 CA6D03 6 CD7403 6 CD7403	
Listin 032A 032E 032E 0331	0332 0334 0336 8080 MF 0339 0338 0338	0341 0344 0346 0346	034F 0350 0353 0354 0356 0350 0351 0351 0353 0353 0353	0374 0377 0377 0377 0377 0377 0376 0376 0383 0388 0388

		\$F TO HL \$RESTORF STACK 1CE ON	#MODE CLEAR COMMAND # OUT TO 8257 # TOP TO H # LOW RYTE TO A # IGHAN 2 START ADDRESS # HIGH BYTE TO A # COMPLEMENT A # COMPLEMENT A # MOVE TO L # HIGH BYTE TO A	+ COMPLEMENT A + COMPLEMENT A + 2.5 COMP IN HL OF TOP + 87CFH TO DE + AND BYCFH-TOP + 8000H TO DE + AND BYOCHH-TOP + AND BYOCH-TOP + LOW BYTE TO A + OUT CHAN 2 TC TO 8257 + HIGH BYTE TO A + OUT CHAN 2 TC TO 8257 + HIGH BYTE TO A + OUT CHAN 2 TC TO 8257 + HIGH BYTE TO A + OUT CHAN 2 TC TO 8257 + HIGH BYTE TO A + Listing 2 continued on page 142
PUSH B PUSH B PUSH B PUSH B	PUSH B B B B CUSH B B B B B B B B B B B B B B B B B B B	PUSH PUSH PUSH PUSH PUSH PUSH PUSH PUSH	MUI A, HDC57 OUT PMD57 LHLD TOPAD MOU A,L OUT PC2SA MOU A,H OUT PC2SA MOU A,L CMA MOU L,A	2.0 ERRORS = CMA MOU H.44 LXI D.87CFH DAD D LXI D.80C0H DAD D LXI DAD D CATC MOU A.H OUT PC2TC MOU A.H OUT PC2TC LXI H.80COH MOU A.L
- 	50 50 50 50 50 50 50 50 50 50 50 50 50 5	CS C	3E00 RT75: D348 2AB687 7D D344 7C D344 7D 2F 6F 6F	0478 2F 0479 67 0479 67 0478 11 0478 11 0478 11 0478 11 0482 19 0483 71 0483 71 0484 1345 0487 70 0487 70 0487 70 0487 70 0487 70 0487 70 0487 70 0487 70
04449 04446 0446 0446	045 B B B B B B B B B B B B B B B B B B B	004539 004539 004539 004539 00453 00453 00454 00454 00454 00454 00454 00454	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 8080 MA 0478 0478 0478 0478 0482 0482 0483 0484 0487 0487
S = 0 PAGE 12 ROUTINE	FLOC OF 1ST CHAR FIST CHAR TO A FEND OF ROW CHAR ? FIF NOT EXIT FSTORE 1ST CHAR ADD FILL ROW WITH SPACES	\$TOF TO HL  \$STORE 1ST CHAR ADD  \$FILL ROW WITH SPACES  \$TOF TO HL  \$LOW BYTE TO A  \$1S IT 80H ?  \$HIGH BYTE TO A  \$1S IT 87H ?  \$IF NOT CONTINUE  \$HE NOT CONTINUE  \$1S IT 87H ?  \$1F NOT CONTINUE  \$1S IT 87H ?  \$1F NOT CONTINUE  \$1S IT 87H ?  \$1S IT 80B TO TOP  \$STORE IN MEH  \$STORE IN MEH	IST CHAR IN ROW FLOAD BOD IN DE FADD BOD TO LST CHAR STORE IN MEM SPACES IN BC ZERO HL SP TO HL SP TO DE FLOC OF LAST CHAR IN FROW TO HL	FILL LINE WITH SPACES O PAGE 13
2.0 ERRORE OF ROW TEST	EORT: LHLD LOCOL MOV A.M CPI OFOH RNZ SHLD LOCBUF CALL FILL RET FET SCROLL SUBROUTINE	SCROL: LHLD TOPAD SCROL: LHLD TOPAD SHLD LOCBUF CALL FILL LHLD TOFAD MOU A,L CPI 080H JNZ DUCK MOU A,H CPI 087H JNZ DUCK LXI H,8000H SHLD TOFAD SHLD TOFAD RET SHLD TOPAD RET SHLD TOPAD RET	FILL SUBROUTINE FILL: LHLD LOCBUF LXI D,050H DAB D SHLD LOCBO LXI B,2020H LXI H,0 DAB SF XCHG LHLD LOCBO	SPHL PUSH B
8080 MACRO ASSEMBLER, VER	2ADAB7 7E FEF0 CO CD2604 C9	240687 22E287 CD2604 240687 70 FE80 C21E04 7C FE87 C21E04 7C FE87 C210080 210080 210080 210080 220687 C9	2AE287 115000 12000 220000 210000 37 240000	F9 C5 C5 C5 C5 C5 C5 C5 C5 C5 C5 C5 C5 C5
080 MA	03F1 03F4 03F5 03F7 03F8 03FB	03FF 0402 0400 0400 0400 0411 0411 0411 0411	0426 0427 0420 0420 0430 0433 0433 0434	0444 CC 0444 CC 04444



## All that computer for \$599.

## The Imagination Machine, the personal computer from APF Electronics.

he Imagination Machine is more personal computer than you'd expect at \$599.

The Imagination Machine is a superbly designed, expandable, user-programmable computer system...at \$599.

No other personal computer on the market can touch it, at that price.

#### Read what it brings you:

First of all, The Imagination Machine has 9K RAM and 14K BASIC-IN-ROM. A full 53-key professional, typewriter keyboard. A high-resolution picture on your TV set, in eight colors. Fast loading (1500+ baud rate), built-in dual-track cassette deck, for APF's digitally recorded tape programs. Built-in sound synthesizer. And, even a built-in RF modulator, which is a \$40 option on other computer systems.

#### All that, plus user-programmability.

We know sophisticated users aren't going to be satisfied forever using preprogrammed software. (Even though we offer a large library of educational, entertainment, home and business management programs.) So, we made The Imagination Machine user programmable, in both BASIC and MC6800 machine language. To simplify matters, we've just developed the first and only BASIC TUTOR course on cassette. With it, you can learn to program The Imagination Machine in BASIC, with hands-on training, right at the computer.

#### Some exceptional features.

The Imagination Machine has several unique features that can help you use your time at the computer more effectively.

For example, it stores programs and data on the same cassette tape. (With other computers, you have to read programs from one tape into the computer, remove the tape, put in another tape and store your data on the new tape.)

Another special feature is The Imagination Machine's unique keyword system, which simplifies BASIC programming. The machine has 24 different programs statements and commands printed at the top of the keyboard. You can enter these 24 into your program without retyping them every time you use them. Instead of typing out "PRINT," for example, you just press two keys and the word appears on the screen. The system helps prevent typing errors and can speed up entering programs.

A third feature is Timed Response Monitoring, which automatically adjusts the computer's pace and level to your own. It makes "tutoring programs," for instance, easier and more interesting to follow.

And then there are The Imagination Machine's three graphic display modes: 1. Alpha numerics, mixed with low-resolution graphics in as many as eight colors. 2. High resolution — up to eight colors — 128 x 192 display. 3. High resolution graphics — up to four colors — with 256 x 192 display.

#### And expandability.

A personal computer that can't grow along with your growing requirements soon becomes obsolete. So, we designed The Imagination Machine to be expandable. By adding APF's optional "Expansion Box" and interface cartridges, you can hook up any compatible floppy disk or printer, or an additional 8KRAM memory cartridge.

Full mini-floppy system \$995.



For small business and professional use, you may require a full mini-floppy

system. In that case, order APF's System II. It includes The Imagination Machine, the "Expansion Box," floppy disk interface and 72K-byte, minifloppy disk drive. All for just \$995! No one can come close to that price.

#### You can't beat our prices or our guarantee.

If you can find a better personal computer system for the money, let us know. In the meantime, we stand by our statement: There is no other personal computer on the market that offers so much for so little. And if you order now, we'll even include our \$19.95 APF Technical Reference Manual, with complete schematics, absolutely free.

Order The Imagination Machine directly from APF Electronics, with the assurance that if you are not completely satisfied, you can return it within 30 days of purchase for a complete refund. To order, or to learn the name of the dealer nearest you, call TOLL FREE 1-800-223-1264. New York residents call 212-869-1960. Master-Card and VISA accepted.

#### Price list:

riice iisi.		
System I, The Imagination Machine.	\$599.	
System II, Mini-floppy System (Includes The Imagination Machine, BB-2, and Mini-		
floppy Disk Drive).	\$995.	
BB-1. Expansion Box with RS232 cartridge.	\$199.95	
BB-2. Expansion Box with floppy disk interface cartridge.	\$199.95	
8K RAM memory cartridge.	\$ 99.95	
, ,	•	
RS232 cartridge.	\$ 99.95	
Floppy-disk interface		
cartridge.	\$149.95	
Mini-floppy Disk Drive.	\$399.95	

\$599. Manufacturer's suggested retail price.



DW CTRL.J DW CTRL.J DW CTRL.M DW DUNY \$************************************	H PBB PBB PBB PBB PBB PBB PBB PBB PBB PB	F. UER 2.0 ERRORS = 0 PAGE 16  DB 043H	h h h h h h h h h h h h h h h h h h h
CTRLJ CTRLM CTRLM CURN ******* 01BH 031H 032H 033H 033H 035H 035H 035H 035H 035H 035	009H 055H 055H 055H 055H 055H 059H 0059H 0059H 0059H 0041H 0041H 0047H 0	043H 055H 045H 045H 04EH 020H *********************************	
DW D		4BLER, VER 2.0 DB DB DB DB DB DB PR PR PR PR PB DB DB DB DB DB DB DB	
FE F F F F F F F F F F F F F F F F F F	000 000 000 000 000 000 000 000 000 00	8080 MACRO ASSEMBLER, 0504 43 0505 56 0507 4E 0508 20 0509 00 0509 00 0508 00	000 000 000 000 000 000 000 000 000 00
04E3 04E5 04E7 04E9 04EB 04EC 04EC 04EC		1 8080 MAC 0504 0505 0505 0508 0508 0508	050E 050F 050F 0510 0513 0514 0514 0515 0516 0518 0518 0518
CHAN 3 START ADD TO 8257 HIGH BYTE TO A CHAN 3 START ADD TO 8257 87CFH TO HL LOW BYTE TO A CHAN 3 START ADDRESS HIGH BYTE TO A CHAN 3 START ADDRESS HODE SET TO A COUT MODE SET TO A	TEO STATUS TS 0-2 TF EMPTY T CHARACTER R 8251 TFO CHAR SE ADD TABLE 3 AR TO DE ART STATUS EADY RIT	B1F	
m page 139: 0UT FC3SA MOU A+H 0UT FC3SA LXI H+87CFH MOU A+L MOU A+L MOU FC3TC MOU PC3TC MOU A+MDS57 0UT FG3TC OUT FG3TC	8279 KEYBO FOLL: IN RZ CALL CACTER MIT: IN KRI LXI LXI LXI LXI LXI LXI LXI LXI LXI CXI SZ: IN	JA USZ MOU A,M MOU A,M RET FRET Z.O EKKOKS	#SET1: DW DLJMY DW ESCA DW ESCB DW ESCC DW ESCC DW ESCC DW DUMY DW ESCC DW DUMY DW ESCH DW ESCH DW ESCH DW DUMY
Listing 2 continued from page 139 048F 7C MOU 049F 7C MOU 0495 71 MOU 0495 71 MOU 0495 72 C MOU 0495 74 MOU 0496 7C MOU 0498 7C MOU 0499 13447 0001		0489 CARSO4 048C 7E 048F C9 048F C9 \$ DUMM) \$ DUMM; \$ SOBO MACKO ASSEMBLER, VER	C004 C004 C004 C004 C004 C004 C004 C004
Listing 048E 048E 0490 0495 0495 0496 0498 0498	0440 0442 0444 0445 0446 0460 0480 0484 0484	04BY 04BE 04BE 04BE 1 04C0 80B0 MAC	04C3 04C5 04C7 04C7 04C7 04C8 04C8 04C8 04C9 04D1 04D7 04D7 04D7 04D7 04D7

### **COMPUTERS-TERMINALS-MODEMS!**

### NEW!

TI-99/4 Home Computer



Optional color monitor \$449

Main console unit \$889

(Includes RF modulator for use with any TV)

Write for a list of extensive program modules available everything in games, education, and home computer applications.

### NEW! From Perkin-Elmer 1250 Super Owl



Incredibly powerful and flexible

- 24 fully programmable function keys
- Full screen editing capabilities
- RAM memory for down line loading by host computer
- Built-in printer port
- Full polling capabilities
- Detachable keyboard
- Optional light pen Much more!

### Penril 300/1200 Modem

Connect any computer or terminal to the phone lines.

- 1200 Baud-Bell 212A
- \$799
- 300 Baud
- Originate/Auto answer
- Full duplex
- RS232
- 1 year warranty



Direct connection to the phone lines via RJ11C standard extension phone jack

### USR-330 Modem

- 0-300 Baud—Bell 103/113
- Originate/Auto answer
- Half/Full duplex
- RS232
- l year warranty

\$339



Direct connection to the phone lines via RJ11C standard extension phone jack

### **USR-1600P** Computer

NEW!

\$4099



**PASCAL** 

With **power** and **speed** for business, educational, and scientific applications.

W.D. Microengine based single board computer with 64K RAM

- 1 megabyte of floppy disc
- 2 parallel ports
- 2 serial ports
- Floppy disc controller with DMA
- File manager
- Screen oriented editor
- Single cabinet design
- Includes power supply

### Perkin-Elmer **Bantam 550 CRT**

\$749



- Transparent mode
- Addressable cursor
- Editing functions
- Upper/lower case
- Compact

### The Phone-Link Acoustic Modem NEW!



- Sleek, low profile
- 0-300 Baud
- Originate/Answer modes
- Half/Full duplex
- Self-test
- RS232-Will work with any RS232
- computer or terminal LED displays of all functions
- 1 year warranty
- At your computer store now!

### Perkin-Elmer 650/655 **CRT Page Printer**

- 100 CPS
- Quiet
- Compact
- RS232
- Can be added to any CRT with our interface option.



\$999

The printer designed to give you rapid, reliable, hard copy of your CRT screen display.



**DEC LA34** 

- Teletype 43 plug compatible
- Variable character sizes
- Full width paper
- Many more features
- Write for print sample

Teletype Model 43KSR \$1049 **Microterm Mime IIA CRT \$819** Microterm ACT VA.....\$779



We offer full service, on-site maintenance plans on all equipment. Any product may be returned within 10 days for a full refund.

** db.		¥ 7•	Ü.	*LF	*OERT. BROKEN BAR *R BRACKET	4	0.6	<i>;</i>	* O		+ 6	4	~ (b.	•	*	18 18			(+Š	008H *BACKSFACE	***************************************							ÛN.¢	TAR			7 ( K) E		♦CTRL Y	1 NO			CTEL	CTRL			٠ ا	E E	FCTRL Z		LIKE			\$SPACE	**************************************	THE HELDAN		Listing 2 continued on page 146
		04kH 04AH			0.7CH			0 <b>4</b> 9H							02AH	0 = 88088 = 0				H800	**************************************		00				c					HD - 0					HT00								0.1.8H			00FH		*	0 0		
DR	#G		BO	ă i			#G	80		80	80	DB	BO	RO	80 80	C GETT GETTEMEDSO			80	E	***********				IB	80	DB	DB	BU	80				80	DB	80		100	90 08	DR	DB	80	E C	DR	#G :	80		I B	DIR	×*******		<b>3</b> 17	
3	4C	4 4 9 A	00	₩0	7C	1 C	4F	49	D K	. 1	1 15	<b>1</b> 0	50	28	56				56	80		£;	00	8 8	8 6	800	00	00	60	1.1	17	ກ ຕ ວ ຈ	7 T	19	00	00	101	2 0	06	07	80	00	00	14	18	03	90	O O	20		00	00	
0554	0555	0556	0558	0559	0000 0000 0000		0550	0000 E	0000	0561	0562	0563	0564	0565		1 8080 MAFFU			0567	0568	i c	V950	0556A	0000	0560	056E	056F	0570	0571	0572	0573	05/4	0.575	05,77	0578	0579	000 000 000 000 000 000 000 000 000 00		0570	057E	057F	0580	0581	0582	0583	0584	0080	00000	0588		0589	058A	
											***********																																****************************				di I						
	< 9	) H	0.4		II	! !	0 0	8.	2. *	FRACKSPACE	**************************************	OSE • •	TOT CIEN		± <del>-9</del>	77.	() ()	N.C.	GH 0	2 3	ш.		: 0 PAGE 17			Ϋ́ H	- >	- 2	1 N	Ţ.	ιΩ ·•			5 1		#1. BLANK	Z ¢	× (	) =	) II	Z	# SPACE	***********	F BLANK	*NC	*NC	( <u>-</u> .	A :	√ <b>Σ</b>	NC 4	\$ CR	FR BRACE	
	OAFH	049H	055H	05CH	03ДН	02DH	030H	038H	037H	008Н	×	OLEH	021H		024H	025H	OSEH	0000	1 7 100	HZ SO	045H		ERRORS =			052H	0000		. 0	041H	053H	044H	046H	047H	0	0	ОБАН	058H	045H	HC40	04EH	O20H	******	0	0	0	03FH	03EH	03CH 04TH	0	ООБН	07DH	022H
continued from page 142:	au Bu	80			0.8	20		0.00	DR	BO	×	# G G	# # # # # # # # # # # # # # # # # # #	9 0	100	DR	# 10   C   1		9 6		0.08		ASSEMBLER, VER 2.0		i					. DB	DB	EG			30 08 08	DR	E	80	# G		200	EG C	^*********	DR	DB	DB	# G	E G		66	DB	20 I	DB
2	7	r 4	S. F	۲ <u>۱</u>	30	20	30	200	37	80		# ·	-: < • • • • • •	5 t	2.45	25	5 E	00	) i	10.5	. 4 ⊡	!				ا را دا دا	1) N	600	800	41	53	44	46	7 4 7	0 0	00	SA	را ا ش	4 4 5 4	0 0	4 1 1	20		00	00	00	3F	3E	35	00	οĪΟ	710	CI CI
Listing	11.00	051E	051F	0000	0522	0523	0524	00000	0527	0528		0529	052A	10 C	0520	OSSE	052F	0530	0000	0000	0534	-	BOBO MACRO			0535	0556	0357 0578	0550	053A	053B	0530	0530	0536	05.40	0541	0542	0543	0544	0545 0545	0547	0548		0549	054A	054B	054C	054D	05.4E	0550	0551	0552	0553

# COMPUTERS "9" US

MAIL ORDER DISCOUNTS

apple computer Sales and Service

**NEW! CALL FOR** 



32K<sup>\$</sup>999 48K <sup>\$</sup>1069

**APPLE II OR APPLE II PLUS** 

### **APPLE COMPUTER** PERIPHERALS

DISK II DRIVE & CONTROLLER card 485
DISK II DRIVE ONLY425
GRAPHICS TABLET 655
SILENTYPE PRINTER w/Int. card 515
SSM AIO SERIAL/PARALLEL I/O kit125
SSM AIO Assembled & Tested185
SYMTEC LIGHT PEN SYSTEM215
<b>SYMTEC SUPER SOUND GENERATOR 225</b>
<b>SVA 8 INCH DISK CONTROLLER CARD. 335</b>
<b>VERSA WRITER DIGITIZER SYSTEM215</b>
VIDEX VIDEOTERM 80 COLUMNCARD . 315
VIDEX VIDEOTERM w/graphica ROM 335
LOBO DISK DRIVE ONLY385
LOBODRIVE w/controller card465

### **APPLE COMPUTER** INTERFACE CARDS

PARALLEL PRINTER Int. card	14	Į:
COMMUNICATIONCARD w/conn. cable.	16	j:
HI-SPEED SERIAL Int. care	14	Į!
LANGUAGE SYSTEM with PASCAL	42	2
CENTRONICS PRINTER Int. card	18	3
APPLESOFT II FIRMWARE card	14	1 8
INTEGER BASIC FIRMWARE card	14	4

### MOUNTAIN COMPUTER ACCESSORIES formerly Mountain Hardware

<u>-</u>	
APPLE CLOCK/CALENDER card	. 225
SUPERTALKER SD200 SPEECH	
SYNTHISIZER SYSTEM	. 245
ROMPLUS w/keyboard filter	. 165
INTROL/X-10 BSR REMOTE CONTROL	
SYSTEM	. 245
INTROL/X-10 controller card only	. 165
ROMWRITER SYSTEM	. 155
MUSIC SYSTEM (18 voices/stereo)	. 465
A/D-D/A 16 CHANNELS	
EXPANSION CHASSIS (8 slots)	

WIN AN APPLE DISK II DRIVE!!

**GRAND OPENING GIVEAWAY....** 

HERE'S HOW TO ENTER THE DRAWING: Send your Name, Address, Telephone number, and the name of two friends that own Apple II's or are in the market for one. No purchase is necessary. Drawing will be held on December 1st 1980, all entries must be received before November 15th

### ADDLE ADDLONG

CORVUS 10 MEGABYTE HARD DISK
DRIVE SYSTEM w/pwr supply 4395
CORVUS CONSTELLATION 595
18K MEMORY UPGRADE KIT
(TRS-80, APPLE II, SORCERER) 60
ABT NUMERIC INPUT KEYPAD
(specify old or new kybrd)115
ALF MUSIC SYNTHISIZER235
BRIGHTPEN LIGHTPEN32
GPIB IEEE-488(1978) Int 259
ARITHMETIC PROCESSOR card 335
SPEECHLINK 2000 (84 Word Vocab.) 215
M&R SUP-R-MOD TV MODULATOR 25
M&R SUP-R-TERMINAL 60 column card . 335
MICROSOFT Z-80 SOFTCARD SYSTEM
w/CP/M
MICROWORKS DS-85 DIGISECTOR 339

### APPLE II or APPLE II PLUS

301 I WARL
PASCAL with LANGUAGE SYSTEM 425
FORTRAN for use with LANGUAGE
SYSTEM185
CP/M for use with MICROSOFT
Z-80 SOFTCARD (Incl.)319
DOS3.349
THE CONTROLLER General Business
System 519
THE CASHIER Retail Management &
Inventory System199
APPLEWRITER Word Processor65
APPLEPOST MAILING LIST System 45
APPLEPLOT Graph & Plot System 60
DOW JONES PORTFOLIO EVALUATOR 45
CONTRIBUTED VOLUMES 1 THRU 5
w/Manuala30
VISI-CALC by PERSONAL SOFTWARE 120
DESKTOP/PLAN by DESKTOP
COMPUTERS
CCA DATA MANAGEMENT SYSTEM
By PERSONAL SOFTWARE85
APPI FRUG ASSEMBI FRIDISASSEMBI FR75

### SOFTWARE

PASCAL with LANGUAGE SYSTEM 425
FORTRAN for use with LANGUAGE
SYSTEM185
CP/M for use with MICROSOFT
Z-80 SOFTCARD (Incl.)319
DOS3.349
THE CONTROLLER General Business
System 519
THE CASHIER Retail Management &
Inventory System199
APPLEWRITER Word Processor65
APPLEPOST MAILING LIST System 45
APPLEPLOT Graph & Plot System 60
DOW JONES PORTFOLIO EVALUATOR 45
CONTRIBUTED VOLUMES 1 THRU 5
w/Manuala30
VISI-CALC by PERSONAL SOFTWARE 120
DESKTOP/PLAN by DESKTOP
COMPUTERS85
CCA DATA MANAGEMENT SYSTEM
By PERSONAL SOFTWARE85
APPLEBUG ASSEMBLER/DISASSEMBLER75
APPLE DOS TOOLKIT65

FAST DELIVERY **COURTIOUS SERVICE** KNOWLIDGABLE STAFF LARGE VARIETY

### ATARI ACCISSORIES

ATARI 400 COMPUTER 43	39
<b>ATARI 820 PRINTER48</b>	89
ATARI 810 DISK DRIVE 57	75
ATARI 410 Program Recorder. (	69
ATARI 16K RAM MODULE 14	
ASSEMBLER/EDITOR	45
STAR RAIDERS	40



# 16K

S-100 EXPANSION UNIT 3	75
<b>WORD PROCESSING PAC1</b>	79
DEVELOPMENT PAC	89

### PRINTERS

<b>ANADEX DP8000</b>	77
ANADEX DP95001	35
BASE 2	59
<b>CENTRONICS 737</b>	82
MPI 88-T	699
PAPER TIGER IDS-440	
w/graphics	97
NEC SPINWRITER2	
TRENDCOM 200	
SILENTYPE w/int	
OLELWITT E WAIN	J.,

C1P MOD 2	. 429
C4P	. 799
C4PMF (1 disk drive)	1589
AC-16P JOYSTICKS(2)	39
ATV RF TV MODULATOR	35



SK ROM BASIC **8K RAM EXPANDABLE TO 96K** 32x64 UPPER & LOWER CASE 256x512 GRAPHICS POINTS **PROGRAMMABLE TONES ANALOG INPUTS** 

### CIP MOD II

**8K ROM BASIC 8K RAM EXPANDABLE TO 32K COLOR EXPANSION 48 LINE DISPLAY** 

### **LEEDEX MONITOR**



### VIDEO MONITORS

LEEDEX VIDEO 100129
SANYO 9" B&W 155
SANYO 15" B&W 245
PANACOLOR 10" COLOR 329
<b>ZENITH 13" COLOR399</b>






**CALL OR WRITE FOR OUR FREE 1981 CATALOG!** 

ORDERING INFORMATION: Phone Orders Invited using VISA, MASTERCARD, AMERICAN EXPRESS, or bank wire transfers. VISA & MC credit card aervice charge of 2%, AE credit card service charge of 5%. Mail orders may send charge card number (include expiration date), cashiers check, money order or personal check (allow 14 business days to clear). Please include a telephone number with all orders. Foreign orders (excluding Military PO's) add 10% for ahipping and all funda must be in US dollars. Shipping, handling and inaurance in U.S. add 3%. California realdents add 8% sales tax. Our low margins prohibit us to send COD or on account. All equipment subject to price change end availability. Equipment is new and complete with manufacturer warranty. We ship most orders within 2 days. Order desk hours are Monday thru Saturday 9-5 PST.

				**************************************		UER 2.0 ERRORS = 0 PAGE 20	WOLL THE TOTAL PROPERTY OF THE		2; MVI A,040H	MUI A, OFBH		MOL ALOXAH			CALL				TIVO TAU			CZ DUMP			-	CPI 'G' UNZ START	60		CALL INAD	FUND AND DOUBLEST		D: CALL INAD	CALI.			KOLL K.A			$\equiv$	ده. (		XCHG CALL TNAT					CALL OUTAIN	t. SOUT	Listing 2 continu <mark>e</mark> d on page 148
00	00	00	00			ASSEMBLER, VER			40 5552	4 AA	51	×	10	31FF87 START:		3F	CE8906	CD7706	٠, ۲	CA2306	44	503606	90	CCF 306 FE41	CC1007	FE47 C2F605			CEGEOS			CD6B06 LOAD:	CDSF06 T1:	20	CD8906	CIIII306		032606			CD6B06 DUMP:	EB	e o o o o	C A		C24706	CD5F06 3F20 ¤11	90	
				0000		8080 MACRD #				O SEFB			5 11501				_		4 E67F													_												70.					
OSDE	05E1	05E	05E5	05E	1	8080			05E9	05ED	OSEF	0551	0 0	0.5F	05F9	OSFC	OSFE	0601	0604	0608	060B	0000	0610	0615	061	061A 061E			061F	000		0623	0626	0629	062B	062E	0632	0633		-	0636	0639	063H	0636	063F	0641	0644	0649	
																										9	****																						_
									í	-					N K E T	Transfer I		1E)								**********	******																						
	DZI &	/ 4	ė da. «		:	FCR 1 beach	<u>.</u>	POTEL L	FOTRE X		O PAGE 19		ロアル	L id		ŭ		#CTRL I (TAB)				1	0.4	O- 33	0 7	EOVERNOME PARTY OF THE PROPERTY OF THE PROPERT	********																						
				Σ		ő.	\	OCH **	CTRL K		PAGE 1				*CTR1	A LELL	, CTRL	DUTRL I (T	, CTRL					0. 33		H800	**************************************	000	0	0	0 (	<b>D</b> C	» o	0	0	0		0 (	000	0	0	0	0 (	o C	· c	0	0 (	000	0
from page 144:	0	<b>~</b>	0 (	N MILOS HIGO	O	OODH FCR	\	00CH	OOBH PCTRL K		, VER 2.0 ERRORS = 0 PAGE 1			E 000	OICH FURS	O TOH CTRL F	OOFH FCTRL	009H \$CTRL I CT	O15H ;CTRL	H 1.70		0	0		o C	+	*****	0 791								0 Mg						0 10							
continued from page 144:	DB	DB O		DB O DB O BB O BB O BB O BB O BB O BB O		DB OODH ACK		C SE	DB OOBH ACTRUS		VER 2.0 ERRORS = 0 PAGE 1		0 20	HCOO SE	DE OICH FOLKE	THE OTOH STATE D	DB OOFH	DB 009H OTTRL I (T	DE OLSH SCHEL	H4/0 86		0	INR O	0 0		ジャック・ラック・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	******		33.0	30		3 3		Ma	Ma	30 0	300	300		73 []	<b>3</b> 1	30		3 7 6	3 6	33.0	3 1	3 3	

# The Dynamic RAM...



# ...you've been waiting for.

### QUALITY

For years you've looked to Industrial Micro Systems for quality S100 Static RAM boards. Now that same quality is available in the Model 460, our new Dynamic RAM board. The 460 combines the low power consumption and lower cost of dynamic RAM with Industrial Micro Systems high standard of quality and reliability.

### PARITY

To ensure data reliability, the Model 460 is equipped with parity. The parity error line is shunt selectable to a number of interrupt lines for software control, or it can halt the CPU in a wait state. An LED on the board is lit when a parity error occurs.

### MEMORY MANAGEMENT

The Model 460 is organized into 4 blocks of 16K bytes each. Each block is individually selectable under program control for memory management beyond 64K.

### HIGH PERFORMANCE FEATURES

The Model 460 operates at 4MHZ with no wait states. It also utilizes on board "hidden refresh" circuitry for improved throughput.

Parity, memory management, Industrial Micro Systems quality...its all here.

You've waited long enough for a quality \$100 Dynamic RAM board. See your Industrial Micro Systems Dealer today.

### **INDUSTRIAL MICRO SYSTEMS**

Marketing Office 628 N. Eckhoff Orange, CA 92668 (714) 978-6966 CONTACT FOR DEALER LISTING

Manufacturing 2800 Lockheed Way Carson City, NV 89701 (702) 883-7611

CALL SOUT AVI A,00AH CALL SOUT FET  I INPUT CHAR, ADD ASCII BIAS CALL SIN CFI 030H CFI 030H CFI 03AH CFI 07AH CFI 07AH CFI 07AH AC START ADI 07AH ADI 07AH AC START ADI 07AH ADI 07AH AC START ADI 07AH AC START ADI 07AH AC START ADI 07AH ADI 07AH AC START ADI 07AH A	### 00FH ###################################	FETT FOUTHUT FOUTHUT FOUTHUT FRC FRC FRC CALL XOUT CALL XOUT FOR PSW CALL INAD CALL INAD XCHG INX D CALL INAD XCHG INX D CALL INAD	Listing 2 continued on page 130
: X I X	X0UT: Z1: ZF4:	ZOUT: LER, VER	
CD8906 3E0A CD8906 C9 CD7706 FE30 DAF605 FE3A D8 FE41 FE41 FE42 C609	E60F C630 FE3A DAD106 C18906 C9 C0 AE06 OF OF OF CDAE06 E6F0	06E5 C9 06E6 F5 Z0 06E8 OF 06E9 OF 06E9 OF 06EB CDC606 8080 MACRO ASSEMBLER, 06EE F1 06EF CDC606 06F CDC606 06F CDC606 06F CDC606 06F CDC606 06F CDC606	
0645 0648 0649 0640 0681 0684 0688 0688 0688 0688 0688	06C6 06C8 06C7 06C7 06C7 06D1 06D1 06D8 06D8 06D8 06D8 06D8	06E5 06E7 06E7 06E8 06E9 06E9 06E9 06E7 06F7 06F7 06F7	

Listing 2 continued from page 146:	MACRO ASSEMBLER, VER 2.0 ERRORS = 0 PAGE 21	WDV .	CDE606 CALL ZOUT	7C MON	EA	704::904	XXI XB:	C33E06	7DM X7: MOU	E/B CIMP	025506	RET	; OUTPUT HEX ADDRESS	CDA306 OUTAD: CALL CK		i i i	F404 CALI	RET		CIPASOS INALI:		0/ Cnn=04	AF MOUNT MOUNT	C9 KET			F00% HRE	12 INDEAN 12 IND	FEIR	CAF605	CD8906 CALL SOUT	C9 RET CHAR TO TTY	F5 SOUT:	DEO1 IN	E602	CA9806	DROO			11801 1201		POP	300 OUT	8080 MACRI ASSEMBLER. UFR 2.0 FRRIRS = 0 FARE 22	F 14 6		3EOD CR: MUI A,00DH
2 continue	MACRO AS																																											MACEN AS	٠ ر	)	
Listing .	8080	064C	064	0.65	0.65	0.45	065	(290	0659	065	065B	065E		065F	000	200	0666	066A		066B	000	700	067	0676		7/90	000	06.7E	068	0682	890	068	0689	0684	0880	068	069	0690	0695	600	0.694	069E		1 8080	0442		0693

### Exciting, entertaining software for the Apple II and Apple II Plus\*



If you liked "Invaders", you'll love ASTEROIDS IN SPACE by Bruce Wallace. Your space ship is traveling in the middle of a shower of asteroids. Blast the asteroids with lasers, but beware — big asteroids fragment into small asteroids! The Apple game paddles allow you to rotate your space ship, fire its laser gun, and give it thrust to propel it through endless space. From time to time you will encounter an alien space ship whose mission is to destroy you, so you'd better destroy it first! High resolution graphics and sound effects add to the arcade-like excitement that this program generates. Runs on any Apple II with at least 32K and one disk drive.


On diskette — \$19.95



FRACAS™ by Stuart Smith. A fantastic adventure game like no other — up to eight players can participate in FRACAS at the same time. Journey in the land of FAROPH, searching for hidden treasure while warding off all sorts of unfriendly and dangerous creatures like the Ten Foot Spider and the Headless Horseman. You and your friends can compete with each other or you can join forces and gang up on the monsters. Your location is presented graphically and sound effects enliven the battles. Save your adventure on diskette or cassette and continue it at some other time. Requires at least 32K of RAM. Cassette: \$19.95 Diskette: \$24.95

BATTLESHIP COMMANDER™ by Erik Kilk and Matthew Jew. A game of strategy. You and the computer each start out by positioning five ships of different sizes on a ten by ten grid. Then the shooting starts. Place your volleys skillfully — a combination of logic and luck are required to beat the computer. Cartoons show the ships sinking and announce the winner. Sound effects and flashing lights also add to the enjoyment of the game, Requires at least 32K of RAM. Cassette: \$14.95 Diskette: \$19.95





FASTGAMMON<sup>TM</sup> by Bob Christiansen. Sound, hi res color, and cartoons have helped maked this the most popular backgammon-playing game for the Apple II. But don't let these entertaining features fool you — FASTGAMMON plays serious backgammon. Requires at least 24K of RAM.

Cassette: \$19.95 Diskette: \$24.95



\*"Apple II" and "Apple II Plus" are trademarks of Apple Computer. Inc

## QUALITY SOFTWARE

6660 Reseda Blvd., Suite 105, Reseda, CA 91335

WHERE TO GET IT: Call us at (213) 344-6599 for the name of the Quality Software dealer nearest you. If necessary, you may order directly from us. MasterCharge and Visa cardholders may place orders by telephone and we will deduct \$1 from orders over \$19 to compensate for phone charges. Or mail your order to the address above. California residents add 6% sales tax. SHIPPING CHARGES: Within North America orders must include \$1.50 for first class shipping and handling. Outside North America the charge for airmail shipping and handling is \$5.00 — payable in U.S. currency.

Circle 94 on inquiry card.



### OPTIMIZED SYSTEMS SOFTWARE PRESENTS

### CONTROL PROGRAM/APPLE the DOS you have been waiting for

OSS CP/A is an all new, disk-based operating system which provides commands and utilities similar to CP/M®. CP/A has byte and block I/O, a simple assembly language interface, and direct access via Note and Point. And it's easy to add your own commands or device handlers. CP/A is expandable, flexible, consistent, easy-to-use and available now with compatible program products:

BASIC — Some of the features of OSS BASIC are syntax checking on program entry, true decimal arithmetic (great for money applications), 32K byte string sizes, flexible I/O, long variable names (up to 255 significant characters), and the ability to get and put single bytes.

### BUSINESS BASIC WITH PRINT USING— This is virtually the only basic available on

This is virtually the only basic available on the Apple that has PRINT USING. It also has record I/O statements and all the features of our standard BASIC.

EDITOR/ASSEMBLER/DEBUG — OSS EASMD is a total machine language development package. The editor provides functions like FIND, REPLACE, etc. The assembler uses standard 6502 mnemonics, can include multiple files in one assembly, and can place the object code in memory or to a disk file.

### Prices of CP/A with:

BASIC	\$ 69.95
Business BASIC	84.95
EASMD	69.95
BASIC + EASMD	109.95
Business BASIC + EASMD	124.95
Requires 48K RAM and DISK	

Add \$3.50 for shipping and handling in continental USA. California residents add 6%. VISA/Master Charge welcome. Personal checks require two weeks to clear.

### SEE YOUR DEALER or ORDER TODAY

### OPTIMIZED SYSTEMS SOFTWARE is a product of

Shepardson Microsystems, Inc. 20395 Pacifica Dr., Suite 108B Cupertino, CA 95014 (408) 257-9900

Listing	2 continued	from pa	ge 148:				
06FF	CDD506		CALL	ZIN			
0702	47		MOV	BrA			
0703	70	XX:	MOV	M•B			
0704	2:3		XNI	Н			
0705	7C		MOV	A+H			
0706	BA		CME	D			
0707	C20307		JNZ	XX			
070A	7D		MOV	A • L			
070B	BB		CMF	E			
070C	020307		ZŃL.	XX			
070F	C9		RET	man van			
			€ BL.	OCK MOV	I N	inEin	
0710	1603	MOVE:	MVI	0,3			
0712	CD6B06	BKM:	CALL	INAD			
0715	E.5		PUSH				
0716	15		DCR	Ď			
0717	C21207		JNZ	BKM			
071A	E1		F:OF	H			
071B	C1.		POP	Ĥ			
071C	03		INX	B			
0710	I)1		POP	Ð			
071E	1A	BKZ:	LDAX	Ür			
071F	フフ		MOV	M∮A			
0720	1.3		INX	D			
0721	23		INX	Н			
0722	7A		MOV	AyD			
0723	B8		CMP	В			
0724	C21E07		ZML.	BKZ			
0727	7B		MOV	A » E			
0728	B9		CMF	C			
0729 0720	C21E07 C9		JNZ RET	BKZ			
072.0	.,	<del>,</del>	IXIE. I				
		; VAR:	IABLE:	STORAGE			
8702			ORG	87D2H			
0001		CCTAD	DS	1			
0002		RCTAD	: DS	2 -			
0001		CURSY	DS	1			
1 8080 MAC	RO ASSEMBL	ER, VEF	2.0	ERRORS	= 0	PAGE	24
0002		TOPAD		2			
0002		LOCAD		2			
0002		L0C01		2			
0002		L0080		2			
0002		LOCXX		2			
0002 0002		LOCEU		2			
0002		XFLG:	DS	1			
0001		USCHR		1			
0002		BOTAD		2			
0002		END	• 1.50.7	<b>A</b>			
NO PROGR	AM ERRORS	F 14 V.					
8080 MAC	RO ASSEMBL	.ER, VEI	R 2.0	ERRORS	= 0	PAGE	25
		6.	เกสพร	TARLE			

### SYMBOL TABLE

* 01							
Α	0007	AGGIE	001/2	ALFH	0142	ALPHA	0046
B	0000	B1	0647	B2	063E	BETA	014C
BILBO	0216	BKM	0712	BKZ	071E	BOTAD	87E6
BSET1	04C1	BSET2	04E1	BSET3	04E9	C	0001
CCTAD	87I)2	CCTMA	01C4	CCTMB	OTCD	CCTOA	0194
CCTOB	0191)	CHREC	00E.1	CNCTL	0001	CNIN	0000
CNOUT	0000	CNTRL.	0123	COLLT	0322	COL.RT	032A
COMRT	03DC	COMRX	0220	COMRY	02E4	CR	06A3
CRCOM	0051	CRDAT	0050	CRTGO	0040	CTA	0350
CTB	0360	CTC	036D	CTRLH	02FB	CTRLJ	02EF
CTRL.M	02F2	CURSY	87D5	D)	0002	DELTA	0172
DIS1	0374	DISA	03B1	DISB	0389	DISC	0300
DISPL	0341	DUCK	041E	DUMP	0636	DUMY	04C0
E	0003	EORT	03F1	ESCA	0135	ESCB	015B
ESCC	0179	ESCD	01A9	ESCE	022B	ESCH	01E1
ESCJ	0250	ESCK	01F3	ESREC	010B	FIL	06F3
FILL	0426	FIN	027F	FRODO	020A	FUN	0202
GAMMA	0168	GNOME	02A1	GZONK	0283 *	H	0004
INAD	06 <b>6</b> B	KCOM	0061	KDAT	0060	KF'OL.L	04A0
					71.1		

Listing 2 continued on page 152

# Announcing the music card that turns you into a Rock Star.

Girls will climb over each other to kiss your feet.

WES WHE

Some companies will say anything to sell you a music card. One is "designed by leading experts". One's called the "Super Sound Generator". Another is "part of the excitement of owning a personal computer". Then there's the one with "flash & crash sound effects". And how about the one that "generates the sound of any

musical instrument — real or imagined". Sure. Before you listen to their claims, listen to their music. That's where the real differences show up.

You can hear our music card at your local Apple dealer.

Or, just send us \$1 and we'll send you a demo record of our 9 voice card.

When you listen to a music card, ask if the song you're hearing was programmed by a customer, or by experts at the company that made the card. Was it done with the software you'll get, or with special programming? Over half the songs on our demo record were entered by customers using the software supplied with the card – you can do it the same way. Our manual shows you how step by step.

The "Apple Music ||" has 9 voices and is just \$195\*.

The "Apple Music Synthesizer" has 3 top-quality voices for just \$265\*.

See your local Apple dealer, or write for more details.


Quality computer music products since 1975.



ALF PRODUCTS

1448 Estes Denver, CO 80215 (303) 234-0871

\*Suggested U.S. price.



*Listing 2 continued from page 150:* 

L	0005		LOAD	0623	LOADX	0235	L.OC01	87DA	
F0C80	87DC		LOCAD	87D8	LOCBU	87E2	LOCFR	87E0	
LOCXX	87DE		LOOF	OOBE	M	. 0006	MDC57	0000	
MDS57	0084		MOVE	0710	NUF	02DA	NXT2	0055	*
NXTA	0185		NXTCM	0397	XTX	OOED	NXTY	00F9	
NXTZ	0105		OUTAD	065F	PC2SA	0044	PC2TC	0045	
PC3SA	0046		PC3TC	0047	F'MD57	0048	F'SW	0006	
RCTAD	87D3		RDF51	0009	ROWIN	0310	ROWUP	02FE	
RT75	0467	70	SCROL	03FF	SIN	0677	SOUT	0689	
SF'	0006		SSS2	05E9	START	05F6	T1	0626	
TOPAD	87D6		TROLL	0297	USCHR	87E5	USZ	0485	
VAR	0273		WIZAR	02CB	WP75	0332	X7	0659	
X8	0655		XFLG	87E4	XIN	06AE	XMIT	0449	
XOUT	0909		XSTAL	03A3	XX	0703	XY	0698	
Z1	06[1]		ZETA	0185	ZIN	0605	ZOUT	06E6	



Photo 6: The complete terminal system with keyboard, monitor, power supply, and main circuitry.

Text continued from page 128:

but you cannot get the monitor operating with the checkout terminal, then most likely your problem is in the 2114 programmable memories, the decoder circuitry for the 2114s, or the 8212 buffers for the 2114s. Other problems could be caused by the temporary interface or data rates that differ.

### Using the Monitor

After your built-in monitor is working, you can jump to it for use in debugging the remainder of the circuit. Opening the TRAP switch will cause the 8085 microprocessor to transfer control to the monitor. To return to the terminal-control software, the 8085 microprocessor is reset. To facilitate this, I have connected the BREAK switch on my keyboard to the 8085 RESET IN line (pin 36). This connection is also useful for resetting the video terminal just after it is turned on, or for easy

clearing of the screen. One of the most useful functions of the system monitor is its ability to load into memory and run short programs that will read the status registers of the peripheral circuits to determine whether or not they are operating properly. This includes the 8251, 8257, 8275, and the 8279 integrated circuits.

The system monitor commands are as follows:

D (Dump): Type the letter D followed by two 4-digit hexadecimal numbers that represent addresses in the system. Memory contents between the two addresses will be printed on the checkout terminal in hexadecimal with 16 bytes on a line. The line will begin with the address of the first byte in that line. A dump can be aborted by pressing the ESC key.

F (Fill): To fill a block of memory with a specified value, type an F followed by two 4-digit hexadecimal addresses which are the inclusive locations in memory to be filled. Lastly, type the 2-digit hexadecimal number that the block of memory is to be filled with.

G (Go): Typing a G followed by a 4-digit hexadecimal address will transfer that address to the program counter, and program execution will continue from that location. After a short program has been loaded into memory, the Go command can transfer execution to this program.

L (Load): To load sequential memory locations with arbitrary values, type an L, followed by a 4-digit hexadecimal address. The system will prompt the user with sequential addresses, after which the user can type in the desired contents in the form of 2-digit hexadecimal numbers. You can exit from the load routine by typing any nonhexadecimal character.

M (Move): The Move command can write blocks of data from one memory location to another. After the M is typed, three 4-digit hexadecimal addresses must be typed in. The first two addresses enclose the block of data in memory to be moved, and the third address is the beginning location of the area where the block of data is to be written.

Any time a character other than D,F,G,L, or M is typed in response to the "?" prompt, the monitor will simply reissue the prompt character. When the appropriate response should be a hexadecimal character and another character is typed instead, the monitor will cancel the command and reissue the prompt character.

No carriage returns are necessary after typing in data to the system monitor. When the monitor has the correct amount of data it will execute the command.

### Kevboard Assembly

I used the sixty-three-key unencoded keyboard offered by Jameco Electronics, 1021 Howard Ave, San Carlos CA 94070. The cost was \$29.95. This is a good-quality keyboard for the price. Each pair of switch contacts protrudes from the bottom of the keyboard by about an eighth of an inch, making it necessary to mount the unit on a printed-circuit board. Because of the complexity of the switch matrix, a complete printed-circuit layout would have to

Text continued on page 156

# YOU'RE AGENIUS FOR BUYING DATASTAR.

# But you don't have to be one to use it.

Now, from those wonderful folks that brought you WordStar,™ comes DataStar.™ A general purpose key to disc data entry software package you don't have to be a graduate from M.I.T. to operate.

# DataStar makes life a breeze because DataStar makes data entry and verification a breeze.

It has two distinct phases. One allows you to actually design on the CRT the exact form you need. Just name the job. If it can be done on a CP/M\* based microcomputer, then DataStar can do it. From handling inventory and billing to entering names in the office football pool.

How's *that* for flexibility!

The other phase allows you to store and retrieve data. All kinds of data. Quickly and accurately. Which also allows you a chance for that second coffee break, you genius you.

And don't worry, DataStar makes sure that what you put into the system is right; because even a genius like you can sometimes make a mistake.

### So go ahead. Let DataStar bring out the genius in you.

Simply call us at (415) 457-8990. After all, with over 300 dealers around the world, we've made *buying* DataStar as easy as *using* DataStar.



The world leader in microcomputer word processing.

MicroPro International Corporation 1299 4th Street, San Rafael, California 94901 Telex 340388 Dealer/Distributor/O. E. M. inquiries invited.

**Listing 3:** A hexadecimal object dump of the video-terminal-control routine.

C CRTBO :03000000C34000FA :03002400C3E90528 :1000400031FF8721FF7F2336207DFECFC246007C13 :10005000FE87C2460021000022D38722E28722D8F1 \$100060008722DA8722DC8722DE8722E08721008050 :1000700022D68721808722E6873E0032D28732D57A :100080008732E48732E5873E7BD3013E27D3013EAA :100090003FD3613E00D3513E4FD3503E58D3503EE4 :1000A00089D3503E59D3503E80D3513E00D3503E69 :1000B00000D3503EE0D3513E23D351CD6704DB0142 :1000C000E602C4D200DB51E620C46704CDA004C31D :1000D000BE00CDD900CDE100C9DB00E67F32E58767 :1000E000C93AE487E6FFCAED00CD0B01C93AE587BE :1000F000E660CAF900CD4103C93AE587E610C205BA :1001000001CD2301C921E4873601C93E0032E487CD :100110003AE587E60F0721C1041100005F195E234D :1001200056EBE93AE587E60621E1041100005F1984 :100130005E2356EBE92AD3877DFE00CA4201CDFE3D :1001400002C97CFE00CA4C01CDFE02C921800722F3 :10015000D3873E1832D587CD3203C92AD3877DFE97 1001600080CA6801CD1003C97CFF07CA7201CD1098 :1001700003C9CD3203CDFF03C93AD287FE4FCA85EA :1001800001CD2A03C92AD3877DFE80C294017CFE58 :1001900007CA9D013E0032D287CD1003C93E00320E :1001A000D287CD3203CDFF03C93AD287FE00CAB54C :1001B00001CD2203C92AD3877DFE00C2C4017CFE83 :1001C00000CACD013E4F32D287CDFE02C921800741 :1001D00022D3873E4F32D2873E1832D587CD3203A5 :1001E000C921000022D3873E0032D28732D587CD85 :1001F0003203C92AD687EB2AD3871922DE873E87A6 :10020000BCD20A02CD2002C31602C216023ECFBDE6 :10021000D21602CD20022ADE8722E287CD2604C92B :100220002ADE871130F81922DE87C93EF00619113F :100230005000210080771905C2350221000022D329 :100240008721008022D68721808722E6873E0032E0 :10025000D28732D58732E487CD3203C92AD687EBDD :100260002AD3871922E0873E87BCD27302CDE402ED :10027000C37F02C27F023FCFBBD27F02CDF4022AFD :10028000D6877DFE00C297027CFE80C29702218045 :100290008722E687C3A10211B0FF2AD6871922E67A :1002A000873EF02AE087777DFE80C2CB027CFE8706 :1002B000C2CB02EB2AE6877DBBC2C2027CBAC2C2B5 :1002C00002C921008022E087C3A102EB2AE6877DD4 :1002D000BBC2DA027CBAC2DA02C92150001922E09C :1002E00087C3A1022AE0871130F81922E087C9C329 :1002F0005B013E0032D287CD3203C9C3A9012AD3A4 :100300008711B0FF1922D38721D58735CD3203C994 :100310002AD3871150001922D38721D58734CD32B3 :1003200003C921D28735CD3203C921D28734CD32DA **:**1003300003C93EB0D3513AD287D3503AD587D350A0 :10034000C93AD287FE4FCA5003CD7403CDB103C959 :100350002AD3877DFE80CA6003CD7403CDB903C95B :100360007CFE07CA6D03CD7403CDB903C9CD7403F8 :10037000CDD003C92AD687EB2AD3871922DA87EB97 :100380002100003AD2876F1922D8873E87BCD297C6

#1003900003CDDC03C3A303C2A3033ECFBDD2A3039B :1003A000CDDC03CDF10321E5877EE63F2AD88777B0 :1003B000C921D2B734CD3203C93E0032D2B72AD335 :1003C000871150001922D38721D58734CD3203C934 :1003D0003E0032D287CD3203CDFF03C92AD8871120 :1003E00030F81922D8872ADA871130F81922DA87EB :1003F000C92ADA877EFEF0C022E287CD2604C92A08 :10040000D68722E287CD26042AD6877DFE80C21EAB :10041000047CFE87C21E0421008022D687C91150A9 :10042000001922D687C92AE2871150001922DC87D9 :1004300001202021000039EB2ADC87F9C5C5C5C59C :10045000C5C5C5C5C5C5C5C5C5C5C5C5C5C5C5C5 :10046000C5C5C5C5EBF9C93E00D3482AD6877DD39B :10047000447CD3447D2F6F7C2F672311CF871911C4 :100480000080197DD3457CD3452100807DD3467CF7 \$10049000D34621CF877DD3477CD3473E84D348C9F9 :1004A000DB61E607C8CDA904C9DB60EEC021E9042L :1004B0001100005F19DB01E601CAB5047ED300C953 \$1004C000C9C00435015B017901A9012B02C004C038 :1004D00004E101C0045C02F301C004C004C004C014 :1004E00004FB02EF02F202C0041B313233343536i2 :1004F000000951574552545900004153444647485A :100500000005A584356424E200000002F2E2C4D1A :10051000000D7B273B4C4B4A000A5C5B504F495512 :100520007F5C3D2D30393837081B21402324255E60 :100530000009515745525459000041534446474819 :1005400000005A584356424E20000003F3E3C4DAA \$10055000000D7D223A4C4B4A000A7C5D504F4955B4 :100560007F7E2B5C29282A26081B000000000000043 :1005700000091117051214190000011304060708DP :1005800000001A180306020E200000000000000DF3 :10059000000D0000000C0B0A000A1C1B100F0915AF :1005A0007F1C0000000000000800000000000000000 :1005E00000000000000000003E40D3013EFBD3AD :1005F000013E27D301F331FF87CDA3063E3FCD89CE :1006000006CD7706E67FFE4CCA2306FE44CC3606AE :10061000FE46CCF306FE4DCC1007FE47C2F605CDD4 :100620006B06E9CD6B06CD5F063E2DCD8906CDD597 :10063000067723C32606CD6B06EBCD6B06EB7DE676 :100640000FC24706CD5F063E20CD89067ECDE60669 :100650007CBACA590623C33E067DBBC25506C9CD26 :10066000A3067CCDE6067DCDE606C9CDA306CDD595 :100670000667CDD5066FC9DB01E602CA7706DB0047 :10068000FE1BCAF605CD8906C9F5DB01E602CA984C :1006900006DB00FE1BCAF605DB01E601CA9806F17F :1006A000D300C93E0DCD89063E0ACD8906C9CD7756 :1006B00006FE30DAF605FE3AD8FE41DAF605FE47C8 :1006C000D2F605C609C9E60FC630FE3ADAD106C62B :1006D00007CD8906C9CDAE060F0F0F0FE6F047CD47 :1006E000AE06E60F80C9F50F0F0F0FCDC606F1CD90 :1006F000C606C9CD6B06EBCD6B06EB13CDA306CDBD :10070000D5064770237CBAC203077DBBC20307C965 :100710001603CD6B06E515C21207E1C103D11A77A6 :OD07200013237AB8C21E077BB9C21E07C999 :0000000000

# **OHIO SCIENTIFIC USERS**

SOFTWARE - GAME AND UTILITY PROGRAMS FOR AS LOW AS \$1.00. ALL WITH LISTINGS AND COMPLETE DOCUMENTATION.

KITS - UPDATE YOUR COMPUTER TO PLAY MUSIC, INCREASE OPERATING SPEED, HIGH RESOLUTION GRAPHICS AND MUCH MORE. KITS INCLUDE PARTS AND COMPLETE ASSEMBLY INSTRUCTIONS. LOW AS \$3.00.

OUR \$1.00 CATALOG INCLUDES OS PROGRAMMING TIPS PLUS DESCRIPTIONS OF AVAILABLE PROGRAMS AND KITS.



MITTENDORF ENGINEERING 905 VILLA NUEVA DR. LITCHFIELD PARK, AZ 85340



Centronics' new Model 737 means you get more than ever from a printer. Outstanding print quality. Fast, quiet operation. Ready to handle text processing, word processing, or electronic mail in addition to regular small business requirements. And it meets every business' prime requirement: low cost.

**Outstanding Print Quality** 

Model 737 is the first small business printer to offer correspondence quality printing. Characters with true descenders as well as underlining. Proportional spacing, the ability to justify right margins and serif typeface makes the 737 ideal for text processing applications. Standard business data processing spacing makes it available for applications ranging from letters to aged accounts receivable reports. The steel platen assures crisp, clean print impression.

**Unexpected Features** 

Leave it to Centronics to have some surprises in the new Model 737. You get the ability to print subscripts and superscripts (particularly important for chemical or mathematical applications). The field proven 700 Series printhead technology and fewer moving parts mean reliability that you wouldn't expect in a compact, low-cost printer.

And the 737 is quiet. An optional acoustic cover makes it ideal for office environments.

Pick Your Paper

Run letterhead paper for correspondence, roll paper for general information, or fan-fold paper for standard data processing (payroll, billing, inventory, etc.). You can, with the 3-way paper handling ability of the Model 737.

The Printer of the Future...Today

Never before has one printer offered such high quality, reliability, and applications flexibility at such low cost. (If you don't need the correspondence quality of the 737, our Model 730 delivers 100 c.p.s. at even greater savings.)

Why Wait?

The new Model 737 is now available for delivery. For more information: call (603) 883-0111, Centronics Data Computer Corporation, Hudson, New Hampshire 03051, or any of our 15 U.S.A. or 9 international sales offices.

All Centronics products are supported by the largest worldwide service network of any independent printer company. Always use genuine Centronics ribbons and accessories.

# **CENTRONICS® PRINTERS** ... the advantage

Text continued from page 152:

be double sided and include plated-through holes. Since producing this type of printed-circuit board is beyond the capabilities of most amateur builders (including myself), I opted for a single-sided board with additional wire-wrap pins and connections to complete the wiring. The wiring diagram of the switch matrix is shown in figure 5, and an illustration of the printed-circuit layout is given in figure 6. A 24-pin wire-wrap socket

was mounted at the top of the printed-circuit board and serves as a plug for the interconnecting cable. The cable is a 36-inch long DIP jumper with a 24-pin plug on each end. The Vector board also has a 24-pin wire-wrap socket to mate with the cable.

### Install and Check Out the Video Circuitry

The remaining half of the components can be installed at this point.

Check the video-dot-timing circuitry thoroughly to be sure that the correct frequencies are being generated at particular points in the circuit. After resetting the 8085 microprocessor, make sure that the 8224 is oscillating at 22.68 MHz. Pin 5 of IC15 (the 7474) should show the dot rate of 11.34 MHz as well as pin 2 of IC21 (the 74163) and pin 7 of IC22 (the 74166). You should measure a frequency of 1.620 MHz, which is the

Text continued on page 160





Figure 5: Schematic diagram showing detail of the keyboard matrix. A sixty-three-key unencoded keyboard from Jameco Electronics was used. The BREAK key is connected to the RESET IN line of the 8085 processor.



Apparat, Inc., announces the most powerful Disk Operating System for the TRS-80®. It has been designed for the sophisticated user and professional programmer who demands the ultimate

in disk operating systems.

NEWDOS/80 is not meant to replace the present version of NEWDOS 2.1 which satisfies most users, but is a carefully planned upward enhancement, which significantly extends NEWDOS 2.1's capabilities. This new member to the Apparat NEWDOS' family is upward compatible with present NEWDOS 2.1 and is supplied on Diskette, complete with enhanced NEWDOS + utility programs and documentation. Some of the NEWDOS/80 features are:

- New BASIC commands that supports files with variable record lengths up to 4095 Bytes long
- Mix or match disk drives. Supports any track count from 18 to 80. Use

35, 40 or 77 track 5" mini disks drives or 8" disk drives, orany combination.

- A security boot-up for BASIC or A security boot-up for BASIC or machine code application programs. User never sees "DOS READY" or ">READY" and is unable to "BREAK", clear screen, or issue any direct BASIC statement including "LIST".
- New editing commands that allow program lines to be deleted from one location and moved to another or to allow the duplication of a program line with the deletion of the original.
- Enhanced and improved RENUMBER that allows relocation of subroutines.
- Powerful chaining commands.
- Print Spooler.
- DFG function; simultaneous striking of the D, F and G keys will allow the user to enter a mini-DOS to perform some DOS commands without disturbing the resident program. (e.g. dir while in scripsit.)

- Upward compatible with NEWDOS 2.1 and TRSDOS 2.3.
- Includes machine language Superzap/80 and all Apparat 2.1 utilities.
- Enter debug any time by pressing 123 keys. Also allows disk I/O.
- Diskette "Purge" command.
- Specifiable system options (limited sysgen type commands).
- Increased directory capacity.
- Copy by file commands.

NEWDOS/80 with all of the NEWDOS + utility programs, many of which have been enhanced, is priced at just \$149.00 and is available at most

TRS-80 dealers.
As with 2.1, NEWDOS/80 relies on the TRSDOS and Disk Basic Reference Manual published by Radio Shack. NEWDOS/80 documentation supports its enhancements and upgrades only.



	TO PURCHASE NEWDOS/80, COMPLETE AND MAIL TO:  Apparat, Inc. 4401 S. Tamarac Parkway Denver, CO 80237 303/758-7275 303/741-1778  Microcomputer Technology, Inc. 3304 W. MacArthur Blvd. Santa Ana, CA 92704 714/979-9923
į	☐ Check ☐ Money Order ☐ Master Charge ☐ Visa
	Card No. Expiration Date Colo. residents add 6.5% sales tax. Cal. residents add 6.6% sales tax. Add \$10.00 postage and handling.
-	Please rush NEWDOS/80 @ \$149 EACH TO:
1	Name
i	Address
1	City State Zip
	Phone



**PERSONAL COMPUTER SYSTEMS** 

Company

ATARI® 800TM



### **ATARI**® **400**TM, List \$630 **OUR PRICE ONLY \$499**

820 PRINTER, List \$599.95 . . . . . . . . . \$499 810 DISK DRIVE. List \$699.95 . . . . . . \$589



**Call for Price** 

Extended BASIC Language

 Advance Graphics CRT Built-In Display

Magnetic Tape Cartridge for Storage

**CALCULATORS BY** 

HEWLETT PACKARD

HP-41C Calculator, "A System" . . . \$289.95 HP-32E Scientific w/Statistics ... \$ 53.95 HP-33C Scientific Programmable ... 99.95 HP-34C Advanced Scientific Programmable . . . . . . . . . . . . . . . . . 123.95 HP-37E Business Calculator . . . . . 58.95 HP-67 Handheld Fully Advanced Programmable Scientific for 

APPLE II, 16K, List \$1195 . . . . . . . . \$ 989 32K, List \$1395 . . . . . . . . . . . . . \$1169

COMMODORE PET ..... Call for Prices


Prices do not include shipping by UPS. All prices and offers are subject to change without






**609** Butternut Street Syracuse, N.Y. 13208 (315) 478-6800

Figure 6: The printed-circuit board layout for the keyboard matrix, shown here reduced to 82% of actual size. Use of a makes some additional wire-wrap connecsingle-sided board



# CHRISLIN YEARS AHEAD IN MEMORY DESIGN



WE'VE DONE IT AGAIN — State of the Art Multibus® Memory Design. First to offer up to 512K on one board, and CHRISLIN again brings pricing sanity to the memory market. Why pay over \$2000 for our competitor's 64K x 8 memory board when we will give you the CI-8086 128K x 9 memory for just \$1500 or better yet, the CI-8086 512K x 9 memory module for \$4700.

Up to 512K bytes in a single option slot. Available in 64K, 96K, 128K, 256K, or 512K configurations. On board parity generator checker, for both 8 bit or 16 bit systems. Off shelf deliveries.




CI-6800-2 — 16KB to 64KB. Plugs directly into Motorola's EXORciser I or II. Hidden refresh up to 1.5 Mhz. Cycle stealing at 2 Mhz. Addressable in 4K increments with respect to VXA or VUA. On board parity. 64K x 9 \$995.00.



CI-8080 — 16KB to 64KB on a single board. Plugs directly into MDS 800 and SBC 80/10. Addressable in 4K increments up to 64K. 16KB \$390.00. 64KB \$750.00.



CI-S100 — 16KB to 64KB. Transparent hidden refresh. No wait states at 4 Mhz. Compatible with Alpha Micro and all Major 8080, 8085 and Z80 Based S100 Systems. Expandable to 512K bytes thru Bank Selections. 64K x 8 \$750.00.



CI-1103 — 16KB to 256KB on a single dual height board. Plugs directly into LSI 11/2, H11 or LSI 11/23. Addressable in 2K word increments up to 256KB. 8K x 16 \$390.00. 32Kx 16 \$750.00. 128K x 18 \$2880.00.



CI-6800 — 16KB to 64KB on a single board. On board hidden refresh. Plugs directly into EXORciser I and compatible with Rockwell's System 65. Addressible in 4K increments up to 64K. 16K x 8 \$390.00. 64K x 8 \$750.00.

Tested and burned in. Full year warranty.

DON'T ASK WHY WE CHARGE SO LITTLE, ASK WHY THEY CHARGE SO MUCH.



# Chrislin Industries, Inc.

**Computer Products Division** 

31352 Via Colinas • Westlake Village, CA 91362 • 213-991-2254

Multibus is a trademark of the Intel Corp.

LSI II is a trademark of Digital Equipment Corp.

EXORciser is a trademark of Motorola

Text continued from page 156:

character clock rate, on pins 6 and 8 of IC14 (the 7410), pin 12 of IC21 (the 74163), on pin 9 of IC23 thru IC27 (all five 74175s), pin 1 of IC21 (the 74163), pin 15 of IC22 (the 74166), and pin 30 of IC9 (the 8275). Pin 7 of the 8275 should measure 16,200 Hz, the horizontal line frequency, and pin 8 should be at 60 Hz, the frame frequency. Do not proceed until you can measure all of these frequencies correctly. If your display shows something quite distorted, torn, or scrambled, it is probably a problem in the video timing. An incorrect horizontal or vertical sync frequency can greatly disrupt a display.

### Final Checkout

At this point, your terminal should be working. If it is not, double-check the following:

- On opening the TRAP switch, does the 8085 microprocessor branch to the monitor program and issue a carriage return, line feed, and question mark from the 8251?
- Are all of the frequencies listed above for the video timing correct in your circuit?
- Check the output of pin 35 of the 8275. This is the video-suppression (VSP) output which is active high during horizontal and vertical retrace at the top and bottom rows of every character, and in certain other cases involving end-of-row or end-of-series codes. Video suppression is also turned on if a direct-memory-access underrun occurs. If video-suppression is producing a logical 1 and has no activity on it, a direct-memoryaccess underrun is most likely your problem. This means that the software is not reinitializing the 8257 at the end of each video frame. The video-suppression line should show a frequency of 12 kHz on it. Pin 37 of the 8275 (the light-enable output) will have a frequency varying from 28 to 32 Hz.
- After the 8085 microprocessor has been reset and before data is sent to the video terminal, IC18 (the 74LS138 peripheral decoder) should be putting out pulses at constant rates. Pins 9, 10, and 15 should show a frequency of about 23 kHz, and pin 11 should show

600 Hz.

The address-enable line on the 8257 (pin 9) should show a frequency of 1.5 kHz, and the address strobe (pin 8) should be 135 kHz. Again, these frequencies should be measured by a counter using a full 1-second gate time, since the duty cycles of pulses of these lines are not constant. This is especially true of the addressstrobe output of the 8257.

Using a frequency counter and an oscilloscope to check for the correct activity on the various pins of integrated circuits is an effective method of troubleshooting your circuit. It is possible that a single wiring mistake is your only problem. Using an ohmmeter as a continuity tester and checking every connection is often worth the effort. I turn the circuit board over and put the ohmmeter probes on the pins of the integrated circuits themselves. This also serves to check for a bad socket connection. Draw over the connecting lines on your progress-checking schematic with a different colored pen as you make each check.

### Possible Additions

Some readers may wish to make further modifications to my design. Here are some possibilities:

- Lowercase letters could be added fairly easily if the 7 by 10 format for each character is retained. The +5 V 2513 character generator is also available with a lowercase set of letters. The second character generator could be added by using the full 7-bit ASCII code in memory. Only six bits are stored in memory in this design. The most significant bit could be used to select which character generator would be enabled. The characterhandling routine in the terminal control software would also have to be modified. If a larger format for characters was desired (eg: that used by the Motorola 6571 character generator), the entire dot timing would have to be changed, as well as the initialization of the 8275 in the software.
- The 8275 Video Display Controller has provisions for light-pen detection. Very little hardware would be needed to add this feature; only a small switch and a small light-

- sensor circuit using a phototransistor. When the raster sweep reaches the light sensor, it presents a signal to the light pen (LPEN) input, and the row and character positions are stored in a pair of registers in the 8275. These registers can be read on command. Modification of the control software would be necessary to read the registers and act upon their contents.
- Character- and field-attribute codes can also be handled by the 8275. Character-attribute codes are used to generate graphics symbols without the use of the character generator. These symbols can also be programmed to blink or be individually highlighted. Field attributes are codes that affect the characteristics of a field of characters. These characteristics are blink, highlight, reverse video, underline, and two general-purpose outputs that can be user defined. The Intel Peripheral Design Handbook gives details on implementing these features in both hardware and software.

### Conclusion

This terminal is not a suitable project for a beginner or for those who are inexperienced in microprocessor hardware. Time and patience will be indispensable in completing this project. I spent about three months assembling the parts and building the circuit. A month of this time involved debugging both hardware and software, due to the many changes I made in the original Intel design.

I would appreciate hearing from those readers who complete this project. Descriptions of any modifications made would also be welcome.

Portions of this article are copyright by Intel Corporation and are used by permission.


A Public Service of This Magazine & The Advertising Council



Need help? Call us. **Red Cross** is counting

# Discover

the most organized (and inexpensive) way to keep up with what's new in computer techniques and management—



### The Library of **Computer and Information Sciences**

41625. DATABASE: A PROFESSIONAL'S PRIMER. David Kroenke. Covers every aspect of data base concepts, systems and applications.

41785. DEBUGGING SYSTEM 360/370 PROGRAMS USING OS AND VS STORAGE DUMPS. D. H. Rindfleisch. Guide to storage dump debugging. Illustrations, examples, sample dumps. \$19.95 42303. A DISCIPLINE OF PROGRAMMING.

Edsger W. Dijkstra. New programming tools to solve problems that range from the everyday to the complex.

\$21.95

80837. STRUCTURED SYSTEMS ANALYSIS: Tools and Techniques. Gane and Sarson. \$19.50

51955. A GUIDE TO THE SUCCESSFUL MANAGEMENT OF COMPUTER PROJECTS. Hamish Donaldson. \$24.95

81845. SYSTEM/370 JOB CONTROL LAN-GUAGE. Gary De Ward Brown. Includes descriptions of hardware devices and access methods and refer-ence to many useful JCL features. Softcover. \$13.50

39995-2. COMPUTER NETWORKS AND THEIR PROTOCOLS. D. W. Davies et al. Latest technology in routing, pocket switching and flow control. Counts as 2 of your 3 books. \$43.95

54455. IMS PROGRAMMING TECHNIQUES: A Guide to Using DL/1. Kapp and Leben. Specific techniques to write application programs in ANS COBOL, PL/1, or Assembler Language in an IMS DL/1 data base environment. \$17.95

60385. MANAGING THE SYSTEMS DEVELOP-MENT PROCESS. Charles L. Biggs, et al. \$24.95 62620. MICROCOMPUTER HANDBOOK. Charles J. Sippl. Detailed reference to the technology and applications of microprocessors. \$19.95

70110. PRINCIPLES OF DATA-BASE MANAGE-MENT. James Martin. Covers data structures, secu-rity, file storage, real-time vs. non-real time, more. \$19.95

70725. THE PROGRAMMER'S ANSI COBOL REFERENCE MANUAL. Donald A. Sordillo. \$22.50

79150-2. SOFTWARE ENGINEERING. Jenses. Counts as 2 of your 3 books. \$27.50
79167. SOFTWARE RELIABILITY GUIDEBOOK. Robert L. Glass. Spells out all the technological and management techniques. \$18.95

42053-2. DESIGNING A DISTRIBUTED PROCESSING SYSTEM. Hamish Donaldson. Casebook on how to manage projects successfully and a technical reference for the design problems that are peculiar to distributed processing. Counts as 2 of your 3 books. \$34.95

### Take any 3 books for only \$1.00 each (values to \$74.95)

If you will join now for a trial period and agree to take 3 more books—at handsome discounts—over the next 12 months

40135-2. A CONCISE DICTIONARY OF PHYSICS. J. Thewlis. More than 7,000 definitions. Counts as 2 of your 3 books. \$50.00 as 2 of your 3 books.

42498. DOCUMENTATION STANDARDS AND PROCEDURES FOR ON-LINE SYSTEMS. Edited by Martin L. Rubin. A valuable guide to everything from user request documents to man/machine dialogue module for easier integration into existing company standards.

35450-2. AUTOMATIC DATA PROCESSING HANDBOOK. The Diebold Group. Auxiliary memory, peripherals, systems design, consultant services, software packages. Counts as 2 of your 3 books.

70230. PRINCIPLES OF SOFTWARE ENGINEERING AND DESIGN. Marvin V. Zelkowitz,

40065-2. COMPUTER STORAGE SYSTEMS AND TECHNOLOGY. Richard Matick. Counts as 2

80150. STANDARDIZED DEVELOPMENT OF COMPUTER SOFTWARE. Robert C. Tausworthe. How to incorporate principles and techniques of structured programming in the development of large-scale systems. \$19.95

80155. STANDARDIZED DEVELOPMENT OF COMPUTER SOFTWARE, PART II. Robert C. Tausworthe. A detailed set of rules for software implementation. Contains extensive appendices.

32485. ALGORITHMS + DATA STRUCTURES = PROGRAMS. Niklaus Wirth. A classic work on structured programming. \$20.95

39890-2. COMPUTER DATA-BASE ORGANIZA-TION. James Martin. An invaluable planning tool having over 200 diagrams. Counts as 2 of your 3 books. \$205.00

85725. UTILIZING SYSTEM 360/370 OS AND VS JOB CONTROL LANGUAGE AND UTILITY PROGRAMS. Daniel H. Rindfleisch. Practical guide to every feature of JCL and system utilities. \$21.95

(Publishers' Prices shown)

49600. THE FUTURE WITH MICROELECTRONICS. Barron and Curnow. Shows how future developments will transform every area of society from the factory to the home. \$17.50

79155. SOFTWARE INTERPRETERS FOR MI-CROCOMPUTERS. Thomas C. McIntire. \$18.95

50045-2. GAME THEORY: Mathematical Models of Conflict. A. J. Jones. Numerous diagrams, examples. Counts as 2 of your 3 books.

50551. GRANTS: How to Find Out About Them and What to Do Next. Virginia P. White. \$19.50

39746-2. COMPANION TO CONCRETE MATH-EMATICS. VOLUMES I AND II. Z. A. Melzak. Mathematical techniques and various applications. The set counts as 2 of your 3 books. \$46.45

### EXTRAORDINARY— VALUE!



44900-3. THE ENCYCLOPEDIA OF COMPUTER SCIENCE. Monumental 1550-page volume offers accurate information on essential topics ranging from theory and applications to programming and Boolean algebra. Counts as 3 of your 3 books.

If the reply card has been removed, please write to The Library of Computer and Information Sciences Dept 7-AD5, Riverside, N.J. 08075

to obtain membership information and application

# The Age of Affordable Pers



personal computer features on a

single board at a cost of under \$300. The Superboard II received rave reviews by microcomputer experts such as:

"We can heartily recommend the Superboard II computer system for the beginner who wants to get into microcomputers with a minimum of cost. Moreover, this is a 'real' computer with full expandability."

POPULAR ELECTRONICS MARCH, 1979

"The Superboard II weighs in at \$279 and provides a remarkable amount of computing for this incredible price."

KILOBAUD MICROCOMPUTING FEBRUARY, 1979

"The Superboard II and its fully dressed companion the Challenger 1P series incorporate all the fundamental necessities of a personal computer at a very attractive price. With the expansion capabilities provided, this series becomes a very formidable competitor in the home computer area." INTERFACE AGE APRIL, 1979

"The graphics available permit some really dramatic effects and are relatively simple to program . . . The fact that the system can be easily expanded to include a floppy means that while you are starting out with a low-cost minimal system, you don't have to throw it away when you are ready to go on to more complex computer functions. At \$279, Superboard II is a tough act to follow." RADIO ELECTRONICS JUNE, 1979

"The Superboard is an excellent choice for the personal computer enthusiast on a budget." **BYTE MAY, 1979** 

Since the introduction of Superboard II, the cost of personal computers has actually gone up with new models by major manufacturers ranging from \$1000 to well over \$4000 due to the general cost of inflation and the increasing functionality included in these computers. Today Cleveland Consumer Computers is offering you the original Superboard II at its original price of just \$279. In today's economy this is by far the best buy

in personal computing ever!

The Superboard II can entertain your whole family with spectacular video games and cartoons, made possible by its ultra high resolution graphics and super fast BASIC. It can help you with your personal finances and budget planning, made possible by its decimal arithmetic ability and cassette data storage capabilities. It can assist you in school or industry as an ultra

powerful scientific calculator, made possible by its advanced scientific math functions and built-in "immediate" mode which allows complex problem solving without programming! This computer can actually entertain your children while it educates them in topics ranging from naming the Presidents of the United States to tutoring trigonometry — all possible by its fast extended BASIC, graphics and data storage ability.

The machine can be economically expanded to assist in your business, remotely control your home, communicate with other computers and perform many other tasks via the broadest line of expansion accessories in the microcomputer industry.

This machine is super easy to use because it communicates naturally in BASIC, an English-like programming language. So you can easily instruct it or program it to do whatever you want, but you don't have to. You don't because it comes with a complete software library on cassette including programs for each application stated above. Ohio Scientific also offers you hundreds of inexpensive programs on readyto-run cassettes. Program it yourself or just enjoy it; the choice is yours.

The Superboard II comes fully assembled and tested. It requires +5V at 3 Amps and a video monitor or TV with RF converter to be up and running. \$279.00

### Standard Features:

- Uses the ultra powerful 6502 Microprocessor.
- 8K Microsoft BASIC-in-ROM. Full feature BASIC runs faster than currently available personal computers and all 8080 based business computers.
- 4K static RAM on board expandable to 8K.
- Full 53-key keyboard with upper/lower case and user programmability.
- Kansas City standard audio cassette interface for high reliability.
- Full machine code monitor and I/O utilities in ROM.

# onal Computing is Still Here.



Direct access video display has 1K of dedicated memory (besides 4K user memory), features upper case, lower case, graphics and gaming characters for an effective screen resolution of up to 256 x 256 points. Normal TV's with overscan display about 24 rows of 24 characters without overscan up to 30 x 30 characters.

### **Optional Extras:**

- Available 610 expander board features up to 24K static RAM (additional), dual mini-floppy interface, and an OSI 48 line expansion interface.
- Assembler/Editor and Extended Machine Code monitor available.
- 630 I/O Expander. RGB color and NTSC composite color outputs with up to 16 colors, Dual 8-axis joystick interface, AC remote control interface which mates with AC-12P, home security interface which mates with the AC-17P, 16-line parallel I/O interface, 16-pin I/O bus interface which allows the connection of parallel I/O lines or high speed analog I/O module, or a PROM blaster or solderless interface prototyping board, programmable sound generator and program selectable modem and high speed printer ports, and more.

**Freight Policies** All orders of \$100 or more are shipped freight prepaid. Orders of less than \$100 please add \$4.00 to cover shipping costs. Ohio Residents add 5.5% Sales Tax.

Guaranteed Shipment Cleveland Consumer Computers & Components guarantees shipment of computer systems within 48 hours upon receipt of your order. Our failure to ship within 48 hours entitles you to \$35 of software, FREE.






**Hours:**Call Monday thru Friday
8:00 AM to 5:00 PM E.D.T.

### Software:


Ohio Scientific and independent suppliers offer hundreds of programs for the Superboard II, in cassette and mini-floppy form. Here is a sampling of popular Ohio Scientific programs for the Superboard II.

EDUCATIONAL PROGRAMS	SBII&C1P	Price
BASIC Tutor Series	SCE-336	\$35.00
Clock Tutor	SCE-353	6.50
Continents Quiz	SCE-332	6.50
Definite Integral	SCE-326	6.50
French Drill & Tutor	SCE-339	6.50
German Tutor & Drill	SCE-342	6.50
Hangman (8K)	SCE-324	9.00
Log Tutors 1-3	SCE-344	6.50
Math Blitz	SCE-329	6.50
Math Intro	SCE-319	6.50
Mathink	SCE-337	9.00
Matrix Tutors 1-3	SCE-345	6.50
Metric Tutor & Ouiz	SCE-335	6.50
Spanish Drill & Tutor	SCE-352	6.50
Spelling Quiz	SCE-333	6.50
Trig Tutor (8K) I & II	SCE-318	6.50
BUSINESS PROGRAMS		
Address Book	SCB-523	9.00
Advertisement Demo	SCB-520	6.50
Inventory Demo	SCB-518	6.50
Mailing List (8K)	SCB-524	6.50
Straight & Constant Depreciation	SCB-500	9.00
Time Calculator	SCB-525	9.00
PERSONAL PROGRAMS		
Biorhythm	SCP-716	9.00
Calorie Counter	SCP-708	6.50
Checking Account	SCP-719	9.00
Loan Finance	SCP-717	6.50
Personal Calendar	SCP-718	6.50
Savings Account	SCP-720	9.00
GAMÉ PROGRAMS		
Baseball I	SCG-975	6.50
Black Jack	SCG-955	6.50
Civil War	SCG-977	6.50
Destroyer	SCG-951	6.50
High Noon	SCG-960	6.50
Hockey	SCG-979	6.50
Lander	SCG-925	6.50
New York Taxi	SCG-956	6.50
Poker	SCG-962	6.50
Racer	SCG-949	6.50
Space War	SCG-942	6.50
Star Trek	SCG-946	6.50
Star Wars	SCG-926	6.50
Tic-Tac-Toe	SCG-945	6.50
Tiger Tank	SCG-950	14.00
~1		



### Hardware:

Superboard	d II	
•	as specified in the advertisement.	\$279
610 Board	For use with Superboard II and	
	Challenger 1P, 8K static RAM ex-	
	pandable to 24K or 32K system total.	
	Accepts up to two mini-floppy disk	
	drives. Requires +5V@ 4.5 amps.	298
Mini-Flopp	y Disk Drive	
	Includes Ohio Scientific's PICO	
	DOS software and connector cable.	
	Compatible with 610 expander	
	board. Requires + 12V@ 1.5 amps	
	and +5V@0.7 amps.	299
630 Board	As specified in the advertisement.	229
AC-3P	12" combination black and white	
	TV/video monitor.	159
4KP	4K RAM chip set.	79
PS-005	5V 4.5 amp power supply for	
	Superboard II.	3
PS-003	Mini-floppy power supply.	29
C1P Sams	C1P/Superboard II Manual.	- 1
OS-65D	V3.2 Disk Operating System with	
	9-digit extended BASIC, random	
	access and sequential files.	4
CS-600	Metal case for Superboard II, 610	
	and 630 board and two power	
	supplies.	49
CS-610	Metal case for single floppy disk	
	drive and power supply.	4
AC-12P	Wireless AC remote control system.	
	Includes control console, two lamp	
	modules and two appliance	
	modules for use with 630 board.	17
AC-17P	Home security system. Includes	
	console, fire detector, window	
	protection devices and door unit for	
	use with 630 board.	24
C4P Sams	C4P Manual.	10
C3 Sams	Challenger III Manual.	4



### To Order:

Or to get our free catalog **CALL 1-800-321-5805 TOLL FREE.**Charge your order to your **VISA** or **MASTER CHARGE** ACCOUNT
Ohio Residents Call: (216) 464-8047. Or write, including your check or money order, to the address listed below.

CLEVELAND CONSUMER COMPUTERS & COMPONENTS
P.O. Box 46627

Clev	eland, Ohio 44146
Order Form: CLEVELAND COMPUTERS	CONSUMER P.O. Box 46627 S & COMPONENTS Cleveland, Ohio 44148
□ Superboard II \$279.	□ 630 Board \$229.
☐ 610 Board \$298.	☐ AC-3P 12" B-W Monitor \$159.

□ Superboard II \$2/9.	□ 630 Board \$229.
□ 610 Board \$298.	□ AC-3P 12″ B-W Monitor \$159. □C1P Sams Manual \$8.
☐ Mini-Floppy Disk Drive \$299.	□ClP Sams Manual \$8.
(Attach separate sheet for other it	ems.)
NAME:	
ADDRESS:	
CITY:STA	ATE:ZIP:
	TTE: ZIP: ZIP: CHARGE: MONEY ORDER: _
	CHARGE:MONEY ORDER:
Payment by: VISA:MASTER Credit Card Account#	CHARGE:MONEY ORDER:

All orders shipped insured UPS unless otherwise requested. FOB Cleveland, Ohio.

# BYTELINES

### NEWS AND SPECULATION ABOUT PERSONAL COMPUTING

Conducted by Sol Libes

Radio Shack's New
Products: This fall, Radio
Shack will offer a \$399 terminal/modem combination
called the Videotex. This
product will be billed as
"the world's first low-cost
home/office two-way information-retrieval system,"
and will allow a user to access CompuServe's
MicroNet information utility
and similar services.

The Videotex will connect directly to a telephone line and to the antenna terminals of a standard television set (not supplied).

A \$30 software package will be required for a TRS-80 Model I to use the MicroNet system. In a radical departure from its past marketing policy, Radio Shack will also sell versions of the access software for non-TRS-80 computer systems such as the Apple II computer.

The MicroNet service will be accessible from 235 sites in the United States, providing news, syndicated columns, and sports, as well as access to creditcard verification and limited banking services.

Observers of the microcomputer industry have been expecting an announcement of three new Radio Shack computer products at any time now. A replacement for the TRS-80 Model I is due, and anticipation of more advanced systems is mounting.

### Sharp To Introduce Under-\$125 Computer:

Sharp Corporation, of Japan, plans to introduce in 1981 an under-\$125 handheld computer, which is programmable in BASIC. It will store up to 400 program steps and have twenty-six memory locations for data storage. It will have an alphanumeric keyboard and a one-line LCD (liquid-crystal display). Optional printer and cassette interfaces will also be offered. Sharp is presently marketing a similar, but more powerful, machine in Japan, for \$175.

apanese Show Personal Computers in US: Several

Gomputers in US: Several Japanese companies showed personal-computer systems at the recent National Computer Conference (NCC) in Anaheim, California. Nippon Electric Company (NEC) displayed a Z80-based system that currently sells for \$730 in Japan. It includes a 12-inch color monitor, up to 64 K bytes of programmable and read-only memory and uses Microsoft BASIC.

Casio presented a system with 4½-inch video display and 4 K bytes of main memory, expandable to 32 K. SDC International Corporation said it is preparing to market an S-100-based system.

### 68000, Where Art Thou?

Two computer-system manufacturers have reported to me that they are in a "holding" position on 68000-based 16-bit microcomputer-system development. They claim that Motorola has still not clearly defined some of the operation codes and will not commit to delivery on anything other than sample

quantities. These manufacturers contend that similar problems occurred with the 6809 microprocessor. At this point, it does not appear likely that any 68000 products will become available this year.

Wanted: One And A Half Million Program-

mers: "There could be a demand for over one million computer programmers by 1990," said Andrew S Grove, Intel's president, in a recent interview. Datamation magazine has gone even further. In a recent article it reported that new software breakthroughs will cause the number of software programmers to increase 10% per year from 563,000 in 1980 to 1.5 million in 1990.

apanese Memories Superior? According to a report made by Richard W Anderson, manager of Hewlett-Packard's Data Systems Division, Japanese 16 K memory devices are superior to US-made devices. According to Anderson, Japanese 16 K components showed a zero failure rate on incoming inspection compared to a 0.11 to 0.19% rate on USmade devices (ie: 100 failures out of 50.000). Further, field failures for 1000 hours of operation were 0.010 to 0.019% for Japanese parts versus 0.059 to 0.267% for US-made parts.

World Computer Chess Championship:The third world computer chess championship is scheduled to take place this month in Linz, Austria, from September 25 thru 29.

The former world champion program, Kaissa (from the Moscow Institute of System Studies), will provide strong competition for the best programs from the West. The current World and North American champion, Chess 4.9 (written by David Slate and Larry Atkin) will defend its title alongside other entries from the United States such as Belle, Chaos, and Duchess. The current European champion, the program Master, is also expected to compete.

As in previous tournaments, David Levy will be the Tournament Director. Mr Levy is an International Master of chess and has been noted for his own play versus computer programs.

Where Can I Store Ten Gigabits? Optical disks are expected to be the next major advance in highdensity mass storage. Capacities of 10,000,000,000 bits (10 gigabits) are expected by 1982, 10<sup>12</sup> bits (1 terabit) by 1985, and 10<sup>14</sup> (100 terabits) by 1989. Videodisk technology is also advancing rapidly, but one shortcoming is that video disks are not erasable, limiting them to archival storage. Some systems now being designed are said to offer 10 billion bytes of storage on a 12-inch disk with 250 ms access time.

# AUTOMATED EQUIPMENT

**Toll-Free Ordering** 1-800-854-6003 714-739-4701

Outside Calif.

Inside Calif. Outside Cont. USA

### NCORPORATED




### **TERMINALS** Televideo 912 . . . . . . . . . . . Televideo 920 . . . . Soroc IQ-120..... Zenith A-19 . . . . . . Hazeltine 1410 . . . . . . . . . Hazeltine 1420 . . . . . .



NORTHSTAR
HRZ-1-32K-D
HRZ-2-32K-D
HRZ-1-32K-Q
HRZ-2-32K-Q
Additional 16K RAM 365
Additional 32K RAM 565
HARD DISC SYSTEM 3950
DM6400 64K RAM MAY BE SUBSTITUTED
FOR ASM 32K NORTHSTAR FOR \$150
NORTHSTARS WITHOUT MEMORY AVAIL
ABLE.



PRINTERS	
NEC 5510	 \$2700
NEC 5520	
MALIBU	
TI-810	 
TI-820	 
EPSON	
OKIDATA	
ANADEX DP-8000	 795
ANADEX DP-9500	 1350
BASE 2800 MST	 600



Hazeltine 1500 . . . . . . . . . . . . 



		15	
9	(ici)		
4			
. 8	12. 70		

BOARDS	KIT	ASM
CB2 Z80CPU	\$168	\$220
VB1B VIDEO	125	170
VB2 VIDEO	135	188
VB3 VIDEO	300	347
IO4 INTERFACE	135	188
SBI SYNTHESIZER	161	227
MEASUREMENT SYST	TEMS МЕМО	RY
DM3200 32K 4MHZ	DYNAMIC	500
DM6400 64K 4MHz	DYNAMIC	640
DMB3200 32K BANK	SELECT RA	M .650
DMB6400 64K BANK	SELECT RA	M .790

DINABILE
DB 8/1 48K
DB 8/1 64K 2715
DB 8/2 48K 3900
DB 8/2 64K 4200
DB 8/4 SINGLE
DB 8/4 DUAL
10M WINCHESTER
32M PHOENIX11800
64M PHOENIX15000
96M PHOENIX
**

DVNADVTE

MORROW				
DISCUS-1 1 DRIVE	815			
DISCUS-12 DRIVE	1465			
DISCUS 2D 1 DRIVE	970			
DISCUS 2D 2 DRIVE	1635			
DISCUS 2 + 2 1 DRIVE	1265			
DISCUS 2 + 2 2 DRIVE	2245			
DISC JOCKEY 1	190			
DISC JOCKEY 2D	350			
DISCUS M26 HARD DISC	4095			
ADDITIONAL HARD DISC	3685			

MISC	DISCS-BOX OF 10
ATARI 400 \$450 ATARI 800 790 T1 99-4 CALL RS 232 CABLE 5 ' 20 RS 232 CABLE 10 ' 25 LEDEX MONITOR 125 NOVATION CAT 165	VERBATUM 51/4       1 SIDE \$28         VERBATUM 51/4       2 SIDE 45         VERBATUM 8       1 SIDE 35         VERBATUM 8       2 SIDE 55         OTHERS       CALL

We will try to beat any advertised price.

Automated Equipment Inc. Suite #D 4341 W. Commonwealth Ave. Fullerton, Calif. 92633

### OPEN MON-FRI 8 AM TO 5 PM

TERMS: All prices listed are cash discounted and are subject to change or withdrawal. Credit cards and COD's are accepted at 2% additional handling charge. Universities and Well Rated Firms NET-10.

SHIPPING: ADDITIONAL IN ALL CASES.

TECH. ASSISTANCE: WE TRY TO HELP INTERFACE AND TROUBLESHOOT CALL 714-739-4701

### Bubble Memory Update:

The first bubble-memory components were introduced in 1977 by Texas Instruments and Rockwell International. The number of bubble-memory suppliers has now increased substantially and includes Intel. Fujitsu, National Semiconductor, and Hitachi. Furthermore, Motorola and Siemens are secondsourcing the Rockwell device. It is likely that several other semiconductor makers will also enter the market.

Intel was the first to introduce a 1-megabit bubble-memory device, last year. Texas Instruments followed a few months later with its 1-megabit unit, and Rockwell is expected to announce its unit shortly.

Further, several manufacturers are also supplying support integrated circuits for simpler construction of the bubblememory controller.

At this time, the major problem to acceptance of these devices is the lack of standardization. The available devices and support circuits from different manufacturers are not compatible. A Joint Electron Device Engineering Council (JEDEC) committee is currently holding discussions toward establishing standards on device design, reliability, testing, interfacing, and terminology. There still is no agreement as to whether the standard should apply to the device or to the controller level. Hence, it seems that a bubblememory standard is still some time off, and we are unlikely to see bubble memory in wide use for some time to come.

Kentucky Farmers Get Viewdata: One hundred Kentucky farmers are trying out a Viewdata-type service to get information on markets, local crop conditions, and weather. The service is called the "Green Thumb Agricultural Weather Marketing Project." Using a box attached to a television set and phone line, a farmer can request information from the State's HP-3000 time-sharing computer, by means of a menuoriented prompting system augmented by local county Z80-based computer systems. Up to eight items may be requested per telephone call. Currently one hundred farmers are testing the units made by Motorola in cooperation with Radio Shack.

Aerox, DEC, And Intel Join Forces For Office Network: Xerox, Digital Equipment Corporation, and Intel have joined forces in an effort to create a new internal data-communications network for business offices. Called Ethernet, it is intended for large or complex business offices. It will link together different types and makes of automated office machines (eq: terminals, intelligent copiers, word processors, etc) into a single system. Xerox holds the basic patents and will license others to manufacture compatible Ethernet products. A prototype system with several hundred machines is reported to have been operating for five years.

Large-Size Flat Display Technique Announced:

RCA Laboratories, one of the leaders in display technology, has disclosed a new technical concept for building a wall-mounted 50-inch (diagonalmeasure), color, flat-panel television display. A paper presented at the recent annual Society of Information Display conference estimated that the display could be in production by 1990. The display would consist of forty 1-inch-wide by 30-inch-high modules fastened together, side by side, to form a display 40 inches wide by 30 inches high. Each module would contain an electron gun and beam-guide system.

thello Tournament Results: The best human player of the game Othello can still beat the best Othello-playing computer programs. This we conclude from the results of the First International Man-Machine Othello Tournament, held on June 19, 1980, on the campus of Northwestern University in Evanston, Illinois, Six of the best computer programs and the top two human players participated in a seven-round roundrobin tournament. Mr Hiroshi Inoue, the current world champion from Tokyo, Japan, defeated five of the programs and the other human entry. Mr Jonathan Cerf of New York. New York, to win the tournament. Mr Cerf is the United States' Othello champion and is considered to be second-best in the world, although he placed third in this tourna-

ment The second-place finish was obtained by the computer program written by Dan and Kathe Spracklen of San Diego, California, who are well known for their chess-playing program, Sargon. The Spracklens' program defeated Cerf in the fourth round of the tournament: this defeat was somewhat ironic because Mr Cerf had given the Spracklens help in refining their gameplaying algorithms.

Mr Inoue was narrowly defeated by only one opponent, a program called "The Moor" written by David Levy, Michael Stean, and Michael Reeve, all of London, England. This defeat, like the defeat of Cerf by the Spracklens' program, took place in the fourth round. Since the fourth round took place immediately after lunch. many observers have speculated that digestive factors may have impaired the performance of the human players. Oddly enough, The Moor was soundly beaten by programs which were themselves soundly beaten

by Mr Inoue.

Fourth place in the final standings went to the program Odin, written by Peter Frey of Northwestern University. Fifth place was occupied by the program Iago, written by Paul Rosenbloom of Carnegie-Mellon University, followed by The Moor in sixth place. Peter Nachtwey, a US naval officer stationed in Newfoundland, Canada, entered his program Reversi Master which ended up in seventh place. Last place was occupied by a program written by Tom Truscott and Dennis Rockwell of Duke University.

Look for a full report on this tournament in a future issue of BYTE. (The name Othello is a trademark of Gabriel Industries, a subsidiary of CBS, Inc.)


### AMSAT-OSCAR Phase III Satellite Crashes:

When the first stage of the French Arriane rocket exploded during launch on Friday, May 23, 1980, the OSCAR Phase III satellite was lost. The spacecraft had an equivalent value of \$250,000 and had required thirty man-years of effort for design and construction. The launch was not insured, so the Radio Amateur Satellite Corporation (AMSAT) has had to absorb a major loss.

The Phase III spacecraft appeared on the cover of the November 1978 BYTE and was discussed in Joe Kasser's article "The Sky's the Limit: Use Ham Radio Bands for Intercomputer Communication" (November 1978 BYTE, page 48). Part of the planned use of the satellite was to have been relaying of computer data by amateur radio operators in personal computer networks.

AMSAT is determined to build a second spacecraft (Phase III-B) to replace the lost unit, but the new satellite may take two years to complete. Fortunately, some material was left over from the original construction and may be used now.

# The Empire has expanded!



# New Mainframe opens more areas for development

n one quantum leap Tarbell has expanded its popular Empire (the vertical disk subsystem) into a full line. This entire series now encompasses 5 variations. Each one contains different components so the S-100 system designer, hobbyist, or serious business user can arrive at the exact custom state he wants and needs.

The basic Empire still includes two Shugart or Siemens 8" disk drives; the compact cabinet with fan and power supply; a Tarbell floppy disk interface; CP/M\*; Tarbell BASIC; the necessary cables, connectors and complete documentation. Naturally, it's fully assembled and Tarbell tested.

The new, top of the line Empire contains the basic model's components with the Tarbell designapproved Mainframe. Beside the 8-slot S-100 motherboard with an active terminated bus, there's a cardcage with card guides and a double-density interface.

You're the master of your Empire

You can call the shots in the Empire. Tarbell's made sure of that by offering them as complete subsystem packages . . . or, as separate units. For example, the mainframe may be ordered with 1, 2 or no drives. Whichever way you go, however, you always get the

reliability of Tarbell tested components and leadership-engineering.

**To get control** of your own Empire, see your quality computer store for quick delivery. Or, contact us for dealer locations or further information.

CP/M is a trademark of Digital Research.



950 Dovlen Place - Suite B Carson, California, 90746 (213) 538-4251 / 538-2254

AMSAT is continuing to develop software to be used by ground stations in the satellite networks and is seeking support from personal computer users in this software-development effort and in other areas of the rebuilding program. Information on AMSAT and its programs may be found in Orbit, which is published every two months and received by all members of the AMSAT group. A year's membership may be obtained for \$10 from AMSAT, POB 27, Washington DC 20044.

The AMSAT space program is not a complete loss, however. The Phase II OSCAR-8 satellite continues in orbit, and a group of radio amateurs from the University of Surrey in England will launch the scientific-research satellite UOSAT in late 1981. Carrying a coherent highfrequency beacon, a magnetometer, and a slow-scan television camera, the "bird" will provide opportunity for ham radio and personal-computer users to gain experience in tracking satellites and monitoring telemetry.

Mandom Bits: It is interesting to note that IBM. via its Science Research Associates subsidiary, is marketing the Atari personal computer to educational users. In fact, IBM is offering a special sale. If you buy one Atari Model 800 system, they will give you an Atari Model 400 system free....Avalon-Hill. well known in the war gaming field for its historical simulation board games. has introduced a line of microcomputer-assisted games for the TRS-80, Apple II, and Commodore PET....The sales of the Texas Instruments (TI) Model 99/4 personal computer have been so disappointing that in the Los Angeles area TI has started offering \$100 worth of free software plus a \$100 cash rebate....Apple Computer Company has shifted its

Apple II production from Silicon Valley to Carrolton. Texas, a mere 30 miles away from the new 100,000-square-foot plant Tandy has built to make TRS-80s....A record 82,000 people attended the National Computer Conference (NCC), in Anaheim, California, this past May. The NCC is the largest computer show in the world. When it was held in Anaheim two years ago, 55,000 attended. which set the record just smashed....Data General has begun selling its business-oriented microcomputer systems through independent computer stores nationwide....Fujitsu America Inc. Lake Bluff, Illinois, has announced a plug-in "Bubble Memory Cassette." It provides a portable, detachable. read/write block of 64 K bits. Fujitsu has also introduced a new fullyformed-character printer with speeds up to 80 cps (characters per second), nearly twice the speed of conventional daisy-wheel machines. The printer is currently offered as a \$4500 option to a word-processor system....Texas Instruments is now making the voicesynthesizer components used in the Speak & Spell and talking Language Translator available separately at \$13 in OEM (original equipment manufacturer) quantity....Shugart Technology, BASF, Control Data, and Erwin International, Ann Arbor, Michigan, are all expected to have 5-inch Winchester hard-disk drives available by the year's end....Commodore will be the first US manufacturer to use the new low-cost Shugart/Matsushita 5-inch floppy-disk drive....Zilog and Mostek have both announced that 6 MHz versions of the Z80 microprocessor will be available in production quantities next year.

Random Rumors: It is rumored that Commodore

will soon introduce two lowend personal-computer systems. One will be a black-and-white unit for under \$500 and the other a color unit for under \$800....Apple may be working on a low-end consumer computer that will compete with Mattel's Intellivision....Personal Software, Sunnyvale, California, the folks who brought out Microchess and VisiCalc (probably the two largest-selling personalcomputer software packages to date) are rumored about to release VisiText. a superpowerful text editor with features never before seen....NEC (Nippon Electric Corporation) is rumored to be investigating selling its Model PC-8000 microcomputer here in the US, after selling it in Japan for some time.

BM Demonstrates Continuous Voice Recognition: IBM research scientists, at the Thomas J Watson Research Center in Yorktown Heights, New York, have demonstrated that continuous speech can be recognized by a computer with an accuracy of 91%. In continuous speech there are no pauses between words. In the IBM experiment, the computer transcribed normal-speed speech into printed form. The program took 100 minutes to display or type a transcript of a 30-second sentence. In other words, it has a 200:1 response-time ratio. The experiment proves that continuous speech recognition by computers is possible.

UCSD Pascal Controversy Continues:

Several former University of California, San Diego (UCSD) Pascal licensees are threatening to file suit against UCSD and its new exclusive licensee, SofTech Microsystems. The licensees charge that UCSD violated the "fair use doctrine" in arbitrarily cancelling their licenses

only a short time before the software would have entered the public domain.

About thirty organizations, mostly computer hobbyist clubs, paid \$200 to \$300 for a UCSD Pascal license that permitted distribution of the software to their members and, after two years, would have placed no restrictions on copying the software.


These licensees are also upset over what they charge to be software developed with public funds now being sold by a private organization. SofTech counters this charge by asserting that it is merely an agent of the university and that it intends to spend as much money on developing UCSD Pascal as did the university.

One UCSD Pascal purchaser had an uncancellable license: Apple Computer Company. Its license, however, is restricted exclusively to use of the software on Apple Computer systems.

Terminal Gets Voice
Input: Heuristics Inc of
Sunnyvale, California, has
introduced a speechrecognition system which
works with a Lear Seigler
ADM-3A video terminal.
The unit, called VOCON
5000, recognizes 64 words
or phrases that can control
a program being run on the
computer. A 99% recognition rate is claimed for the
unit, which sells for \$2000.

**MAIL:** I receive a large number of letters each month as a result of this column. If you wish a response, please include a stamped, self-addressed envelope.

Sol Libes Amateur Computer Group of New Jersey (ACG-NJ) 1776 Raritan Rd Scotch Plains NJ 07076



- tions, Alternates, and other books, every 4 weeks (13x a year). • If you want the Selection, do nothing, it will be sent to you automatically. If you do not wish to receive the Selection, or if you want to order one of the many Alternates offered, you simply give instructions on the reply form (and in the envelope) provided, and return it to us by the date specified. This date allows you at least 10 days in which to return the form. If, because of late mail delivery, you do not have 10 days to make a decision and so
- To complete your Trial Membership, you need buy only four additional monthly Selections or Afternates during the next 12 months. You may cancel your-Membership any time after you purchase these four books

receive an unwanted Selection, you may return it at Club ex-

- All books—including the Introductory Offer—are fully returnable after 10 days if you're not completely satisfied.
- All books are offered at low Member prices, plus a small
- postage and handling charge.

  Continuing Bonus. If you continue after this Trial Membership. you will earn a Dividend Certificate for every book you purchase. Three Certificates plus payment of the nominal sum of \$1.99 will entitle you to a valuable Book Dividend of your choice which you may choose from a list provided Members.

earning power, and enjoyment of electronics. Whatever your interest in electronics, you'll find Electronics Book Club offers practical, quality books that you can put to immediate use and benefit.

This extraordinary offer is intended to prove to you through your own experience, that these very real advantages can be yours...that it is possible to keep up with the literature published in your areas of interest, and to save substantially while so doing. As part of your Trial Membership, you need purchase as few as four books during the coming 12 months. You would probably buy at least this many anyway, without the substantial savings offered through Club Membership.

To start your Membership on these attractive terms, simply fill out and mail the coupon today. You will receive the 6 books of your choice for 10-day inspection. YOU NEED SEND NO MONEY. If you're not delighted, return the books within 10 days and your Trial Membership will be cancelled without cost or obligation

ELECTRONICS BOOK CLUB, Blue Ridge Summit, Pa. 17214

BOOK CLUB and send me the 6 books circled below. I understand the cost of the books I have selected is only \$2.95 for all 6, plus a small shipping charge. If not delighted, I may return the books within 10 days and owe nothing, and have my Trial Membership cancelled. I agree to purchase at least four additional books during the next 12 months after which I may cancel my membership at any time.

800 801 804 971 985 1000 1050 1053 1055 1066 1077 1088 1101 1123 1136 1141 1169 1183 1184 1199 1203 1205 1225 1241

Name	Phone
Address	1955
City	
State	ZipZip areign and Canada add 15%.) BY-980

### LECTURE PROGRAM

A schedule of free lectures is available to all visitors. Lectures run about 50 minutes each, including, in most cases, some time for questions from the floor. Some topics are given twice, and, in some cases, topics of related interest are given on the same day for the visitor's convenience. (Program is subject to change without notice, but lectures will be posted daily in the show lobby.)

THING	NAV	OCTOBER	20
INUR	DUAI.	UCIUBER	JU

Noon Introduction to Small Systems for Business, Stan Veit, Associated Computer Industries

Noon Mailing Lists: Several Directions, Dr. Norman I. Agin, Mathtech, Inc.

1 p.m. Selecting a Small Computer for Business, David Benevy, Computer Mart of New Jersev

1 p.m. Evaluating and Improving Your Computer's Performance, Philip Grossman, Raytheon Co.

2 p.m. Law Office Systems Aspects of Word Processing, Bernard Sternin

2 p.m. Future Smart Machines: 2000 A.D. and Beyond, Dr. Earl Joseph, Sperry Univac

3 p.m. Computer Contracts—Facing the Issues, Alan C. Verbit, Verbit and Company

3 p.m. Accounts Receivable/Accounts Payable/ General Ledger

4 p.m. Using FORTRAN on a Microcomputer, Richard A. Zeitlin

4 p.m. Investment Analysis of Stocks and Commodities on a Microcomputer, Fred Cohen, Shearson Loeb Rhoades, Inc.

### FRIDAY, OCTOBER 31

Noon Introduction to Small Systems for Business, Stan Veit, Associated Computer Industries

Noon BASIC Programming, Michael Mulcahey, Worcester Stage College

1 p.m. Selecting a Small Computer for Business, David Benevy, Computer Mart of New Jersey

1 p.m. Videoprints: Full-Color, Low-Cost, Hard-Copy Computer Graphics, Warren Sullivan, Image Resource Corp.

2 p.m. Mailing Lists: Several Directions,Dr. Norman I. Agin, Mathtech, Inc.

2 p.m. Business Applications Software
Development via Data Base Management,
Dr. Andrew Whinston, Micro Data Base
Systems

3 p.m. Application of PASCAL to Small Systems for Business, Panel, Stan Veit, Moderator, Associated Computer Systems



# 4th Annual National Small

### A NEW WORLD OF SMALL COMPUTERS IS AT YOUR FINGERTIPS THIS FALL

When we say "fingertips" we mean just that: a hands-on-inspection opportunity for you to try the small computers and systems that will write the history of microprocessing in the 1980's.

Manufacturers will fill over 30,000 square feet with computers, software and peripherals. Amazing strides in technology are reflected in exhibits and lecture series.

New hardware and software for business, education, the sciences and professions, graphics and personal use are being gathered for the largest and most beautifully presented National Small Computer Show ever produced.

As always, the show contains attractions for the seasoned computer professional, as well as those who wish an introduction to the exciting world of small computers for business, professional or personal use. In just a short time, you can discuss your interest with many industry leaders, vendors, technologists, and our expert lecturers.

Registration fee is only \$10 per day, and all registrants have free access to the hourly lectures.

New York Coliseum, October 30 to Nov. 1, 1980

4th ANNUAL NATIONAL SMALL COMPUTER SHOW 110 Charlotte Place, Englewood Cliffs, NJ 07632 (201) 569-8542

Artificial Intelligence Update, Prof. Peter 1 p.m. Investment Analysis of Stocks and 3 p.m. Kugel, Boston College Commodities on a Microcomputer, Compiling and Retrieving Personal Medical Fred Cohen, Shearson Loeb Rhoades, Inc. 2 p.m. Data, Dr. Derek Enlander, St. Luke's Advantages of Distributed Processing and 4 p.m. Multi-Processing, John Steefel, Q1 Corp. The Present State of CP/M Compatible To be assigned. 2 p.m. 4 p.m. Software, Tony Gold, Lifeboat Associates **SATURDAY, NOVEMBER 1** High Volume Date Handling: An 3 p.m. Introduction to File Processing, Prof. Peter Educational Software: The Good, the Bad, Noon Kugel, Boston College the Ugly. Jo Ann Comito, S.U.N.Y. at Connecting the Computer to the Outside 3 p.m. Stony Brook World, Prof. James Gips, Boston College Introduction to Personal Computing, Noon Educational Applications in the Home, 4 p.m. RCA-Solid State David Ahl, "Creative Computing Magazine" Computer-Assisted Mathematics Courses. 1 p.m. Household Applications—Some New, 4 p.m. Dr. Frank Scalzo, Queensborough Dr. Dennis J. McGuire Community College

### SPECIAL SESSION: EXECUTIVE EDUCATION CONFERENCE FOR BUSY PEOPLE

This year, NSCS will present a special five-hour conference formulated as an intensive fast education for administrators and executives. The aim is to show the conferee how to cope with computers in business. No prior knowledge of computers is needed. The session will proceed on a step-by-step basis, covering computers, computer jargon, software, systems, and peripherals. It will indicate how to assess computer requirements. how to talk to vendors, and how to make a system work efficiently, after you've bought it wisely.

An executive education session will be given daily for four days, Oct. 29 through Nov. 1, in the New York Coliseum. Each session is limited in attendance, and reservation must be made. Registration is on a first-come, first-served basis. Fee is \$200, and includes three-day admission to the National Small Computer Show, coffee break, and workbook materials. Please write or call the show office for session outline and registration form. (Do not use registration form in this ad). Seminar instructor is Barbara Schwartz, author and seminar leader for private industry.



# nuter Show

Circle 106 on inquiry card.

### REGISTRATION FOR AMERICA'S BIGGEST SMALL COMPUTER SHOW-

Please register me for the 4th Annual National Small Computer Show, Oct. 30 - Nov. 1, 1980 New York Collseum.					
NAME			BUSINE	ESS TITLE (If Any)	
COMPANY (If Any)			TELEPH	HONE	
ADDRESS			ZIP _		
Your company's primary business. Check	one.				
Accounting firm     Advertising //Marketing     Banking/Insurance/     Real Estate/Credit/Securities     Communications	9 ☐ Engineering 10 ☐ Entertainment.News 11 ☐ Government/Military 12 ☐ Hospital 13 ☐ Hotel	18 ☐ Personnel Agency 19 ☐ Professional Services 20 ☐ Research/Development 21 ☐ Transportation (All) 22 ☐ Utility		ONE DAY \$10 THREE DAYS \$30	□ TWO DAYS \$20

6 ☐ Computer Dealer/Dist 8 D Education Check your primary job function.

5 

Computer Consultant

7 

Construction/Architecture

- 1 

  Account Executive
- 2 Administrator
  3 Bookkeeper
- 4 ☐ Chemist/Pharm
  5 ☐ Consultant
- 6 ☐ Corporate Officer
- C.P.A 8 Creative Arts (All)
- 9 Designer (All)

16 ☐ Management Consultant17 ☐ Manufacturing

- 12 🗆 Engineer (All)

- 11 D Doctor

14 ☐ Industrial Design 15 ☐ Law Office

- 14 Office Manager
- □ Programmer 16 Purchasing
- 10 DP/WP Manager/Operator

- 13 🗆 Lawyer
- 17 ☐ Salesperson (All) 18 ☐ Scientist
- 19 ☐ Skilled Laborer
- 20 Student 21 Teacher
- 22 
  Technician

23 ☐ Wholesale/Retail Sales

24 Other (Please Specify)

23 Other (Please Specify)

Mail with payment of \$10 for each day you wish to attend. Use one form per person. Registration badge will be sent by mail in early October. Check or money order only.

> Mail prior to October 10, 1980. Foreign orders: October 1, 1980. National Small Computer Show 110 Charlotte Place Englewood Cliffs, NJ 07632 201-569-8542

Your primary interest in computers (check only one) 1 □ Business 2 □ Personal 3 □ Both

# Ask BYTE

### Conducted by Steve Ciarcia

### Levels to Bits

Dear Steve.

I have been shopping around for the analog-todigital (A/D) converter integrated circuit that you used in your wood-stove interface (see "A Computer-Controlled Wood Stove," February 1980 BYTE, page 32), but it does not seem to be readily available.

### C W Vuaun

I try to avoid specifying components that are not commonly available. While I obtain parts through industrial distributors rather than surplus outlets, I check the latter often to see what is available. In the case of the ADC0808, the time-lag is greater than I expected. However, in the meantime

there is a sixteen-channel version, the ADC0816CCN. which is the same in every respect (except that it has twice as many channels). It is available from Digi-Key Corporation, POB 677, Thief River Falls MN 56701. Their toll-free phone is (800) 346-5144. Call or write them for the current price.

### More Power

Dear Steve.

I noticed your comment on UPSs (uninterruptible power supplies) in the June 1980 BYTE (see "Ask BYTE," page 86), and thought I would mention that they are commercially available in sizes small enough to be useful to

personal-computer users (see the Hardside catalog, page 34). I do not know who the actual manufacturer is, but I would like to know more about these items. The devices I am concerned with have specifications that accommodate 60 and 120 Hz power, with and without surge protection, and supply 150 or 200 W. The trade name is "Mayday."

### R M Sanford

Thank you for pointing out the Mayday UPS. It is manufactured by Sun-Technology Inc, which is located in New Durham, New Hampshire. The Mayday UPS is available from Hardside, 6 South St, Milford NH 03055, (800) 258-1790. According to the Hardside catalog, prices begin at \$168....Steve

### A Hot Tip

Dear Steve.

The solid-state sensor you described for your wood stove (see "A Computer-Controlled Wood Stove," February 1980 BTYE, page 50) is very interesting. I have constructed the circuit, but I am having trouble calibrating the device for a range of -18 to +100 °C. Ron Goodmaster

The circuit you refer to can be calibrated in a number of ways. There is an offset and gain adjustment included for this purpose.

In normal practice, say for a range of 0° C to 100° C, we would adjust for offset so that the output was 0 V with the temperature probe in an ice bath and adjust the gain so that the output is 1.00 V when it is placed in boiling water. To have it actually read  $-18^{\circ}$ as -0.18 V you will have to modify the circuit slightly. Presently the 50 k offset-

adjustment potentiometer is connected between +12 V and ground. By connecting it instead between + 12 V and -12 V you can impress a negative current flow into IC2 such that it has a negative offset. The gain of the circuit will now have to be adjusted for a 118-degree span instead of 100 degrees. The trick is that to accurately calibrate the unit you should have a  $-18^{\circ}$  C standard when you set the low end. Substituting a voltage source for the LM334 will only give you a relative calibration, but it may be all you need....Steve

### Remote Control at Home

Dear Steve,

The other day I was thumbing through a BYTE magazine and I came across the article you wrote about using the TRS-80 and the BSR X-10 home-control system. (See "Computerize a Home," January 1980 BYTE, page 28.) I had been working on the same project in my spare time, and I had been using opto-isolators for interfacing; however, your method is well above the idea that I was attempting. Your article was very informative and the accompanying software was excellent. I have since looked up your articles in other BYTEs, and I must say that you never fail to come up with interesting and practical pieces.

I have decided to use your method, and I will shortly be purchasing a "Busy Box" from MicroMint in Woodmere, New York.

Whenever I have my TRS-80 up and running, the Sears home-control-unit operation is either marginal or nonexistent. The minute I turn the TRS-80 off, the home-control unit works fine. I assume that the prob-



### **8" DISK CONTROLLER** NOW-DOUBLE SIDED OPTION!

- DOUBLES APPLE I STORAGE
- APPLE DOS COMPATIBLE
- SHUGART 800 OR 850 COMPATIBLE
- IBM 3740 DATA ENTRY CAPABILITY
- CP/M, UCSD PASCAL CAPABILITY Available at your local APPLE Dealer: \$400.



SORRENTO VALLEY ASSOCIATES 11722 SORRENTO VALLEY RD. SAN DIEGO, CA 92121



# AUTHORIZED TRS-80® DEALER A301



### **COMPUTER SPECIALISTS**

<b>10</b> %
<b>DISCOUNT</b>
Off
List
26-4002
64K 1 Drive

\$3499.00

26-1056 16K Level II System with Keypad. \$688	3.00
26-1145 RS-232 Board8	4.00
26-1140 "O" K Interface	9.00
26-1141 "16" K Interface	
26-1142 "32" K Interface	6.00
26-1160 Mini Disk - Drive O	
26-1161 Mini Disk · Additional	4.00
26-1154 Lineprinter II	0.00
26-1156 Lineprinter III	
26-1180 Voice Synthesiser	9.00
26-1181 VOXBOX14	5.00
26-1104 Factory Upper/Lower	
Case Modifaction Installed	0.00
26-1506 Scripsit · Tape	0.00
26-1563 Scripsit - Disk8	5.00

15%
DISCOUNT
Off
List
26-1054
4K Level II
\$552.00



### CENTRONICS

Fast 100 CPS Centronics 730 Printer - \$675.00 Text Quality Centronics 737 Printer - \$850.00



Model I Basic Compiler . . . . . \$180.00 Model II Basic Compiler . . . . . 360.00 ALL OTHER R.S. SOFTWARE FURNITURE, STANDS, CABLES AND ACCESSORIES DEDUCT 10% FROM CATALOG PRICE



Model II Cobol Compiler \$360.00 Cobol Run Time Package \$36.00



GAMES:
Alien Invasion\$9.00
Stock Market9.00
Star Trek9.00
Block 'Em
Ting-Tong 9.00 UTILITIES:
System Savers14.00 EDUCATION:
Language Teacher18.00

1-800-841-0860 Toll Free Order Entry

## MICHO MANAGEMENT SYSTEMS, INC.

No Taxes on Out Of State Shipments

Immediate Shipment From Stock.


DOWNTOWN PLAZA SHOPPING CENTER
115 C SECOND AVE. S.W.
CAIRO, GEORGIA 31728
(912) 377-7120 Ga. Phone No.

\*TRS-80 is a registered trademark of the Tandy Corp.

Full Factory Warranty on All Items Sold.

Largest Inventory In the S.E. U.S.A.

# SSG Writing and Mailing Systems.



for quick document preparation and edit plus NAD Name And Address for extensive mailing list capabilities

Put them together and you've got a flexible, powerful solution to big and small correspondence problems.

With Letteright you create and edit your document right on the screen. It's much easier to use than a typewriter. The letters are always perfect, and revisions are a snap.

Letteright's "wild card" slots let you create standard letters and forms, then insert information selected from your mailing list to address and "personalize" the letter.

The NAD system will store lots of names and addresses, with identifying information you create. You then print lists, labels, or envelopes

of virtually any group you want from the list, or the whole list.

This pair should be working for every microcomputer owner.

SIFUCTURED Systems Group

**Letteright and NAD** ore part of a full line of workings of tware solutions from Structured Systems Group, all ready to run on any CP/M<sup>®</sup> microcomputer system. CP/M is a registered trademark of Digital Research.

# Structured Systems

lem is RFI (radio-frequency interference), but I am not quite sure how to cope with the problem. I know the TRS-80 is a great noise generator, but I know little of how to deal with the problem. If you can give me any help along these lines, I would appreciate it very much. Thanks.

Robert G Romppel

Radio-frequency interference (RFI) is so pervasive among personal computers and consumer electronic gadgets that the Federal Communications Commission (FCC) has extended the long arm of the law. See Terry Mahn's article "FCC Regulation of Personal Computers and Home Computing Devices" on page 180 in this issue.

As for now, there are various alternatives open to you. First, try plugging the BSR unit into a different wall socket than the TRS-80. The range of the Busy Box is 30 feet, so it doesn't have to be right next to the computer anyway. (Avoid extra long extension cords and use a plug strip for the computer and peripherals.) The noise from the computer is being radiated into the power line; therefore you want to put as much electrical distance between the TRS-80 and the X-10 as possible. While there may be five wall outlets in an average room, they are rarely all on the same circuit breaker. For the noise to reach an appliance plugged into another circuit loop, it must first travel back to the breaker box. This is a lot of wire and the resulting inductance will diminish some of the interference.

If that doesn't work, next try to kill the noise at the source (the computer) by placing capacitors at the outlet. I suggest using three 0.1 µF 600 V disc ceramic capacitors, one from each side of the AC line connected to a good earth ground and another across the line. Ordinarily, you

would also connect the computer chassis to ground but this is not advisable on the TRS-80.

To really eliminate line noise, you need a combination of inductance and capacitance. Rather than trying to wind your own coils, it is better for you to buy a commercial noise suppressor. You want one that covers at least a range of 100 kHz to about 200 MHz. They are about \$20 and up. One company that lists a few in its catalog is: Hardside, 6 South St, Milford NH 03055, (800) 258-1790.

If none of this works, then encase the entire thing in copper screening and run it on a battery! ... Steve

### Remote Control on the Farm

Dear Steve.

I am a graduate business student at Colorado State University working with David R Miller, Sun Up Angus Farms, Smithville, Missouri, in establishing an in-house computer system for his ranch. This will also be the topic of my thesis.

Presently the main areas that we see a need for a computer are:

- cattle inventory
   —pedigree, calving dates, breeding dates, calf weights;
- 2) customer service—date, identification, and price of animals purchased, commercial or registered breeder, size of herd, etc;
- accounting system

   basically following the Internal Revenue's
   1040 form with some variations;
- various other programs for feed-ration analysis, investment analysis, profitability, etc.

I am interested in any existing computer programs or any information on the hardware available. Also, if you have any information about the cost, complexity,

# with RAM XX

RAM XX, our latest static memory board, satisfies discriminating users of ALL S-100 machines while allowing you to keep pace with the state of the art. It's compatible with standard S-100 systems (Altair. IMSAI, etc.): bank select systems (Cromemco, Alpha Micro, North Star, etc.): and IEEE compatible extended addressing systems. RAM XX boards are addressable on 4K boundaries and also have the capability to block out 4K windows. Don't throw away your memory boards when you upgrade—with RAM XX, simply change a few dipswitch settings and you're on-line with some of the best memory in the business.

As with all our memory products, you derive the benefits of 4/5 MHz operation, fully static design to eliminate dynamic timing problems, IEEE spec compatibility, low power, extensive bypassing, and careful thermal design. In addition, boards qualified under our Certified System Component high-reliability program run at 8 MHz typical and are guaranteed to run with 6 MHz Z80A CPUs; 32K CSC boards draw less than 1.5A guaranteed, with typical standby current of less than 1A.

If you're looking for specs — if you're looking for performance — if you're looking for exceptional value and insurance against obsolescence, look no further than the RAM series from CompuPro.

uni	kit assm	CSC	
16K RAM XX-16\$3	49 \$419	\$519	
24K RAM XX-24\$4			
32K RAM XX-32\$6	49 \$729	\$849	
OTHER S-100 MEMORY (lactudes IEEE compatible outended addressing)			

 SBC/BLC MEMORY

 32K RAM XI......n/a
 n/a
 \$1050

### COMPUPRO S-100 MOTHERBOARDS: DESIGNED FOR THE FUTURE, AVAILABLE NOW

Specifically designed to handle the new generation of 5 to 10 MHz CPUs coming on line (as well as present day 2 and 4 MHz systems), these advanced motherboards feature Faraday shielding between all bus signal lines to minimize crosstalk, active termination that splits the termination load between each end of every bus line, and mechanical compatibility with Godbout, Vector, Imsai, TEI, and similar enclosures. Available in "unkit" form (edge connectors and termination resistors pre-soldered in place for easy assembly), or fully assembled and ready to go.

"CK-024 20 slot motherboard with edge connectors – unkit \$174, assm \$214
 "CK-025 12 slot motherboard with edge connectors – unkit \$129, assm \$169
 "CK-026 6 slot motherboard with edge connectors – unkit \$89, assm \$129

NOTE: Most CompuPro boards are available in unkit form (sockets, bypass caps pre-soldered in place), assembled, or qualified under the Certified System Component (CSC) high-reliability program (200 hour burn-in, more).

### ENHANCED/ADVANCED Z-80A S-100 CPU BOARD

Superior design in a true IEEE-compatible board (timing specs available on request) gives the power for future expansion as well as system flexibility. Includes all standard Z-80A features along with power on jump/clear, on-board fully maskable interrupts for interrupt-driven systems, selectable automatic wait state insertion, provision for adding up to 8K of on-board EPROM, 4 MHz operation, and IEEE compatible 16/24 bit extended addressing. \$225 unkit, \$295 assm, \$395 CSC.

### SPECTRUM S-100 COLOR GRAPHICS BOARD

Includes 8K of IEEE-compatible static RAM; full duplex bidirectional parallel I/O port for keyboard, joystick, etc. interface; and 6847-based graphics generator that can display all 64 ASCII characters. 10 modes of operation, from alphanumeric/semigraphics in 8 colors to ultra-dense 256 × 192 full graphics. 75 Ohm RS-170 line output and video output for use with FCC approved modulators. \$339 unkit, \$399 assm, \$449 CSC. You don't have to settle for black and white graphics or stripped-down color boards; specify the CompuPro Spectrum.

Want graphics software? Sublogic's 2D Universal Graphics Interpreter (normally \$35) is yours for \$25 with any Spectrum board purchase.

### **OTHER S-100 BUS PRODUCTS**

Godbout Computer Enclosure	.\$289 desktop, \$329 rack mount
Active Terminator Board	.\$34.50 kit
2708 EPROM Board (less EPROMs)	.\$85 unkit
Memory Manager Board	.\$59 unkit, \$85 assm, \$100 CSC
2S "Interfacer I" I/O Board	.\$199 unkit, \$249 assm, \$324 CSC
3P Plus S "Interfacer II" I/O Board	. \$199 unkit, \$249 assm, \$324 CSC
Mullen Extender Board	.\$59 kit
Mullen Relay/Opto-Isolator Control Board	.\$129 kit, \$179 assm
Vector 8800V S-100 Prototyping Board	.\$19.95

### NEW! S-100 DUAL PROCESSOR CPU BOARD

The **Dual Processor Board** is here . . . and CPU boards will never be the same again. 8088 CPU gives true 16 bit power with a standard 8 bit S-100 bus; an 8085 gives compatibility with CP/M and 8080 software. Accesses up to 16 megabytes of memory, meets all IEEE S-100 bus specifications (timing specs available on request), runs 8085 and 8086 code in **existing mainframe** as well as Microsoft 8086 BASIC and Sorcim PASCAL/M<sup>IN</sup>, runs at 5 MHz for speed as well as power, and is built to the same stringent standards that have established our leadership in S-100 bus components. **\$385 unkit**, **\$495 assm. \$595 CSC**.

8085 single processor version of above: \$235 unkit, \$325 assm, \$595 CSC.

### PASCAL/M<sup>IM</sup> + MEMORY SPECIAL

PASCAL — easy to learn, easy to apply — can give a microcomputer with CP/M more power than many minis. We supply a totally standard Wirth PASCAL/M™ 8" diskette by Sorcim, with manual and Wirth's difinitive book on PASCAL, for \$150 with the purchase of any memory board. Specify Z-80 or 8080/8085 version. PASCAL/M™ available separately for \$175.

### 16K DYNAMIC RAM SPECIAL: 8/\$59!

Expand memory in TRS-80\* -I and -II, as well as machines made by Apple, Exidy, Heath H89, newer PETs, etc. Low power, high speed (4 MHz). Add \$3 for 2 dip shunts plus TRS-80\* conversion instructions.

TERMS: Cal res add tax. Allow 5% for shipping, excess refunded. VISA®/Mastercard® orders (\$25 mm) call (415) 562-0636. 24 hrs. COD OK with street address for UPS. Prices good through cover month of magazine.

SEE COMPUPRO QUALITY FOR YOURSELF AT FINER COMPUTER STORES WORLD-WIDE...

AND WATCH FOR OUR AMAZING MULTIFUNCTION BOARD ANNOUNCEMENT IN OCTOBER!



from



# The Working level of the level

Here's a straightforward stock control solution that will replace stacks of paperwork while helping you control your expensive inventory.

Today's money costs make inventory carrying costs more burdensome than ever. And the cost of inventory control personnel isn't exactly going down, either.

Now you can enter your stock additions and depletions once, at the keyboard of your microcomputer.

You'll get automatic re-order reports (to show you what you need), complete inventory parts listings and valuations (to show you what you have), and activity reports (to show what's moving).

You'll worry less, because you'll know more. The Inventory Control System includes an auditability option, extensive error screening, and reliable documentation. It was designed for people, not for programmers.

Call or write SSG for a complete System
Summary and the names of your closest dealers.
There are over 150 nationwide.

Structured Systems Croup

**The Inventory Control System** is port of a full line of working software solutions from Structured Systems Group, all ready to run on any  $\mathsf{CP/M^8}$  microcomputer system.  $\mathsf{CP/M}$  is a registered trademark of Digital Research.

# Structured Systems

5204 Claremont Oakland, Ca 94618 (415) 547-1567

Circle 110 on inquiry card.

satisfaction, or problems encountered in such a system, I am sure I would find it very useful.

My main problem in trying to choose a computer system is in deciding between two very diverse opinions. One opinion is that for a system as I have specified, I need a computer with 64 K bytes of memory and two 8-inch doubledensity floppy-disk drives for about one million bytes of storage. This would run in the neighborhood of \$8000 in hardware (computer, printer, and terminal). The other major opinion is that I could get by with 50 K bytes of memory and 50 K bytes of storage; ie: a system that would sell for \$1500 (such as the Intecolor 3600 Series from Intelligent Systems Corporation).

If you could give me any answers these questions, I would greatly appreciate it. Thank you for your time. Laurie A Miller

It looks to me as though you already have a good idea what kind of computer you need. At least 48 K, preferably 64 K, bytes of memory are required plus dual disks. If your data base is exceedingly large, or a large portion of it must be on-line at one time, make sure you choose a system that is expandable. This could include two more floppy-disk drives or a 10-megabyte or larger Winchester hard disk. If because of finances you choose to start small, select a system that does not require a

masters degree in electrical engineering to expand. Time of execution is generally the only real difference between large and small computers. The more disks you have to sort through to find the data you want, the longer it takes to get an answer. The software you want sounds like specific applications of generally available accounting and data-base management programs.

Hardware is only one part of the consideration however. Be aware that you are configuring a classic small-business system and the inventory and data-base management programs would be similar to, say, a dairy cooperative. While the choice of the hardware is important, adequate software and system maintenance are more signficant in the long run. Once the computer is installed it is very easy to become dependent upon it working.

There are many computers on the market that will satisfy your requirements: Cromemco, Hewlett-Packard, and Data General to name a few. The larger computer stores not only sell equipment like this, but offer custom programming and on-call field service as well. Take the time to evaluate the post-sale support for your computer, and check to see if your software will be compatible with other systems.

I do not know much about cattle, but the complaints I've herd— oops!—heard from smallbusiness computer users have been registered.

..Steve■

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE c/o Steve Ciarcia POB 582 Glastonbury CT 06033

If you are a subscriber to The Source, send your questions by electronic mail or chat with Steve (TCE317) directly. Due to the high volume of inquiries, personal replies cannot be given. Be sure to include "Ask BYTE" in the address.

# Now NRI takes you inside the world's most popular microcomputer to train you at home as the new breed of computer specialist!

NRI teams up with Radio Shack to teach you how to use, program and service microcomputers...make you the complete technician.


It's no longer enough to be just a programmer or a technician. With microcomputers moving into the fabric of our lives (over 200,000 of the TRS-80™ alone have been sold), interdisciplinary skills are demanded. And NRI can prepare you with the first course of its kind, covering the complete world of the microcomputer.

### Learn At Home in Your Spare Time

With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems quickly and easily.



Training includes TRS-80 computer, transistorized volt-ohm meter, digital frequency counter, and the NRI Discovery Lab with hundreds of tests and experiments.



Only NRI gives you both kinds of training with the convenience of home study. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always backed by the NRI staff and your instructor, answering questions, giving you guidance, and helping you over the tough spots.

### Explore the TRS-80 Inside and Out

NRI training is hands-on training, with practical experiments and demonstrations as the very foundation of your knowledge. You don't just program your computer, you introduce and correct faults ...watch how circuits interact...interface with other systems...gain a real insight into its nature.

You also build test instruments and the NRI Discovery Lab, performing over 60 separate experiments in the process. You learn how your trouble-shooting tools work, and gain greater understanding of the information they give you. Both micro-

computer and equipment come as part of your training for you to use and keep.

### Send for Free Catalog... No Salesman Will Call

Get all the details on this exciting course in NRI's free, 100-page catalog. It shows all equipment, lesson outlines, and facts on other electronics courses such as Complete Communications with CB, TV and Audio, Digital Electronics, and more. Send today, no salesman will ever bother you. Keep up with the latest technology as you learn on the world's most popular computer. If card has been used, write to:



### **NRI Schools**

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20016.

# COMPUTADNICS

# TRS-80 Is a trademark of the Radio Shack Division of Tandy Corporation

- ★ All Orders processed within 24-Hours
  - \* 30-Day Money Back Guarantee on all Software (less a \$3 penalty for handling)
    - \* 10-Day Money Back Guarantee on Disk Drives and Printers PLUS 120-Days Free Service

### By David Lien The Original Author Of The Level Manual A Step By Step approach to Learning Level II especially geared to new TRS-80™ Owners

### TRS-80" DISK AND OTHER MYSTERIES

Over 100 pages of indespensible information for disk owners. Learn to recover information from bad disks, how to make Basic programs unlistable and 12 more chapters of never published tips and information. Written by H.C. Pennington. (For all Disk Owners).

### NEW SBSG BUSINESS SYSTEM FOR MODEL OR MODEL II - IN STOCK

- General Ledger
- Accounts Receivable
- Accounts Payable
- Payroll
- Inventory Control with Invoicing
- Each module can be operated individually or as a coordinated **SYSTEM**. Turn-Key error catching operation for beginners.
- Complete manual and documentation
- accompany each program.
- Minimum System requirements 2-Disk Drives for Model I...1-Disk Drive for Model II
- Each module can be formatted to span data on up to 4-Disk Drives
- Free 30-Day telephone consultation
- Call for complete specifications
- \$125.00 Per Module Model | Version
- \$495.00 Per System \$225.00 Per Module Model II Version

### \$995.00 Per System

- DMS replace index cards or any data requiring long lists of information.
- TBS In-Memory Information System

DATA MANAGEMENT SYSTEMS

- (For Cassette Systems) TBS Disk Data Manager (Requires 1 or more disk drives)...Set up fast random access, files in minutes. Stores up to 320K of information on 4 Drives. Up to 10 fields and 255 characters per record. Supports upper and lower case. RS-232 or TRS-232...Features complete editing
- Personal Software CCA Data Management System...Completely user oriented, menu drive, 130 page Step By Step Manual...Capable of inventory control, sorting data, reporting data in nearly any form (for reports and mailing labels). Sorts data by up to 10 fields for zip code, balance due, geographic location or whatever. Prints reports with subtotals and totals automatically calculated. Fast random access

- **REMODEL-PROLOAD** Renumbers program lines, combines programs. The only renumber program that will renumber the middle of a program. Specify 16K, 32K or 48K. Works with Cassette or Disk \$34.95
- GSF Use in your Basic Programs for Instant Sorting (will sort 1000 items in 9 seconds). Other commands include Compress and Uncompress Data. Duplicate Memory, Display Screen Controls and Fast Graphic Controls
- (For Cassette or Disk, specify 16K, 32K or 48K).

  DOSORT All G.S.F. commands plus special Multiple Disk Sorting Routines \$34.95 (Specify 32K or 48K)
- INFINITE BASIC Adds 70 commands to your TRS-80™ including Instant Sort, Matrix Commands, String Commands, Left and Right Justification, String Centering, Simultaneous Equations, Upper and Lower Case Reverse and more. (For Cassette or Disk) \$49.95
- INFINITE BUSINESS (Requires Infinite Basic) Eliminate Round-off error, 127-Digit Calculation Accuracy, Insert New Elements in Sorted Arrays, Automatic Page Headings, Footings and Pagination, Multiple Precision Arithmetic and more. (For Cassette or Disk) \$29.95 COPSYS - Copy Machine Language Programs
- (For Cassette Only) \$14.95 \$75.00
- DSM (Disk Sort Merge)

### FROM SMALL SYSTEM SOFTWARE

- RSM-2 Machine Language Monitor
- RSM-2D Disk Version of RSM-2 \$29.95 DCV-1 Converts Machine Language Programs
- \$9.95 from tape to disk AIR RAID - The ultimate TRS-801 game converts
- your TRS-80™ into a real time shooting gallery \$14.95
- BARRICADE A fast pong style game \$14.95 CPM - (For Disk Only) \$150.0 TRS-232 INTERFACE - Interface with Software \$150.00
- driver RS-232 printers to your TRS-80™ \$49 TRS-232 FORMATTER Additional (optional)
- Software for TRS-232 owners. Adds many printer commands to your TRS-80™ (With purchase of TRS-232) \$14.95 \$9.95
- PENMOD Use the Electric Pencil with RS's lower case modification

### FROM GALACTIC SOFTWARE

MAIL PAC - For Model | Disk Systems

\$99.95 Quick-sorting full user control over mailing list from Galactic Software

STOCK MARKET PAC

\$26.95

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

### **HOURS: 9-5**

### Monday thru Saturday

48-Page Catalog \$2 FREE With Any Order Order By Phone Or Mail Add \$1 Per Order For Shipping Within UPS Areas Add \$3 For C.O.D.

Add \$3 For All Foreign And Non-UPS Shipments Add \$3 For UPS Blue Label





(914) 425-1535

**NEW TOLL-FREE** ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818

### FROM APPARAT NEW DOS +

35, 40 and 77 Track Versions available

NEW DOS/80 (With variable record length files, chainings and many other features \$149.95

\$99.95

### FROM THE BOTTOM SHELF CHECKBOOK II (For Cassette or Disk)

- SYSTEM DOCTOR (A complete diagnosis of your TRS-801 ... Checks memory, video, cassette, disk, ROM, and all other parts of your system) For Cassette or Disk \$28.50
- CHECKBOOK REGISTER ACCOUNTING

SYSTEM (Requires 2 disk drives) \$75.00 LIBRARY 100 - 100 established business, game and educational programs plus FREE Tiny Pilot all for \$49.50

- BASIC TOOL KIT Lists all variables, GOTO's and GOSUB's in your program \$19.80
- SOUNDWARE Adds sound to your TRS-80" Just plus it in \$29.95 Sample programs included.
- TING TONG Can be used with Soundware for a Sound version of pong

### - The Carta Visual Instructional

Computer Program \$19.95 The Level II 16K Cassette is designed to teach beginners the Basics of Machine Language and Assembly Language Programming. See every Machine Language Instruction Display on your video. VIC includes Step By Step 55 page manual

### VISTA V80 DISK DRIVE -

110K of Storage \$395.00 Add \$29.95 for Cable (Free with purchase of 2-Disk Drives). 10 day money back guarantee

### FROM HOWE SOFTWARE

- MON-3 Machine Language Programming for beginners. MON-3 is a complete System Monitor with Users Manual \$39.95 \$49.95
- MON-4 Disk Version of MON-3

### FROM MICROSOFT

LEVEL III BASIC

Now Cassette owners can add Disk Commands to their TRS-80" without owning a Disk Drive MICROSOFT DISK ADVENTURE \$29.95 \$195.00

TRSDOS BASIC COMPILER Run Basic Programs up to 15 times faster.

### **NEC BUSINESS QUALITY PRINTERS** (For MOD-I or MOD-II) \$2,995.00

### THE ELECTRIC PENCIL Cassette

Disk MOD-II Version \$150.00

\$49.95

HORSE SELECTOR II By Dr. Hal Davis The TRS-80" version updated for the TRS-80" and originally reviewed in Systems and

### • • • EVERYTHING • • FOR MOD-II OWNERS

### **NEW MOD-II NEWSLETTER**

MOD-II Catalog Free w/subscription \$12/year

MAIL PAC \$199.95 MICROSOFT BASIC COMPILER

MICROSOFT BASIC

**GSF SORT ROUTINE** CP/M

**WORD STAR** 

**PEACHTREE BUSINESS** SOFTWARE

Call \$495.00

\$395.00

\$325.00

\$50.00

\$170.00

#### THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80™\* MICROCOMPUTER

**SOFTWARE** FOR TRS-80" OWNERS

# 

MONTHLY **NEWSMAGAZINE FOR TRS-80"** OWNERS

#### MONTHLY NEWSMAGAZINE Practical Support For Model I & II

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS . . . . AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES INCLUDE THE FOLLOWING:

- A COMPLETE INCOME TAX PROGRAM (LONG AND SHORT FORM)
- **INVENTORY CONTROL**
- STOCK MARKET ANALYSIS
- WORD PROCESSING PROGRAM (FOR DISK OR CASSETTE)
- LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER
- PAYROLL (FEDERAL TAX WITHHOLDING PROGRAM)
- EXTEND 16-DIGIT ACCURACY TO TRS-801 FUNCTIONS (SUCH AS SQUARE ROOTS AND TRIGONOMETRIC FUNCTIONS)
- NEW DISK DRIVES FOR YOUR TRS-80"
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS-80" A HORSE SELECTION SYSTEM\*\*\*ARITHMETIC TEACHER
- COMPLETE MAILING LIST PROGRAMS (BOTH FOR DISK OR CASSETTE SEQUENTIAL AND RANDOM ACCESS)
- RANDOM SAMPLING\*\*\*BAR GRAPH
- CHECKBOOK MAINTENANCE PROGRAM
- LEVEL II UPDATES\*\*\*LEVEL II INDEX
- CREDIT CARD INFORMATION STORAGE FILE
- BEGINNER'S GUIDE TO MACHINE LANGUAGE AND ASSEMBLY LANGUAGE
- LINE RENUMBERING
- AND CASSETTE TIPS, PROGRAM HINTS, LATEST PRODUCTS COMING SOON (GENERAL LEDGER, ACCOUNTS PAYABLE AND RECEIVABLE, FORTRAN 80, FINANCIAL APPLICATIONS PACKAGE, PROGRAMS FOR HOMEOWNERS, MERGE TWO PROGRAMS, STATISTICAL AND MATHEMATICAL PROGRAMS (BOTH ELEMENTARY AND ADVANCED) . . . AND

FREE

WORD PROCESSING PROGRAM (Cassette or Disk) For writing letters, text, mailing lists, etc., with each new subscriptions or renewal.

LEVEL II RAM TEST (Cassette or Disk) Checks random access memory to ensure that all memory locations are working properly.

DATA MANAGEMENT SYSTEM (Cassette or Disk) Complete file management for your TRS-80°

CLEANUP (Cassette or Disk) Fast action Maze Game

ADVENTURE (Cassette or Disk) Adventure #0 by Scott Adams (From Adventureland International)

\* TRS.80" IS A TRADEMARK OF TANDY CORP

SEND FOR OUR NEW 48 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80" PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2.00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE.

50 N. PASCACK ROAD **SPRING VALLEY, NEW YORK 10977** 

(914) 425-1535



**NEW TOLL-FREE** ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818

TWO YEAR SUBSCRIPTION \$48 ...... SAMPLE OF LATEST ISSUE \$ 4 ...... START MY SUBSCRIPTION WITH ISSUE .....

ONE YEAR SUBSCRIPTION \$24 ......

MOD-II NEWSLETTER

(#1 - July 1978 • #7 - January 1979 • #12 - June 1979 • #18 - January 1980) W SUBSCRIPTION RENEWAL		3 - January 1980)	\$12/year (or 12 issues)		
CREDIT CARD NUMBER			EXP. DATE		
SIGNATURE					
NAME					
ADDRESS	CITYCITY	STATESTATE	ZIP		

## FCC Regulation of Personaland Home-Computing Devices

#### New Rules After a 3-Year Study

Terry G Mahn Wewer & Mahn PC 1762 Church St NW Washington DC 20036

If you have been reading BYTE within the last half year, you are probably aware that the FCC (Federal Communications Commission) has handed down a set of regulations prohibiting the sale of personal computers that emit unacceptable levels of RFI (radio-frequency interference). But the FCC has changed its regulations several times, and in any case, information on and interpretation of these rulings have been scarce. I hope to clarify these most recent FCC regulations and to describe how (and when) they will affect you as a

About the Author

Terry G Mahn is a principal in the law firm Wewer and Mahn PC in Washington DC, where he specializes in intellectual property protection and licensing, and the legal, regulatory, and policy issues affecting the data processing and telecommunications industries. He has previously served as general counsel to the Computer and Communications Industry Association and as a computer specialist for the US House of Representatives Committee on House Administration. Currently, he is regulatory counsel to MITA (Microcomputer Industry Trade Association).

It is current FCC policy for computer manufacturers to bear the associated costs of their technology.

personal-computer user or vendor and the industry in general.

It is a common misconception by many in the computer industry that the FCC is empowered by the 1934 Communication Act only to regulate communications providers and users—that is, common carriers, broadcasters, and Citizens Band radio users. This misconception emanates from the nearly decade-old controversy surrounding the Commission's so-called "Computer Rules." First adopted in 1971, these regulations attempted to define the technological boundary line between common-carrier communications and data processing, to identify the FCC's jurisdictional perimeter under Title II (common-carrier services) of the Act. Recently, the computer rules have undergone a major revision in an effort

to halt FCC encroachment into the traditionally nonregulated computer and data-processing industries.

The FCC's regulatory reach into the computer industry, however, is not as limited as the Computer Rules might seem to indicate. Title III of the Act (radio services) specifically empowers the FCC to protect communications systems from RFI. from whatever source derived. Insofar as virtually all computing devices emit spurious radio frequencies that can potentially interfere with radio or television services, manufacturers and vendors of such equipment come directly within the FCC's Title III jurisdiction.

It is not axiomatic that where federal authority exists, industry regulation and increase of the cost of doing business is sure to follow. (Under Chairman Ferris, for example, the FCC has been particularly notorious in reducing regulation of American industry.) Nevertheless, the FCC has chosen to regulate in this area for purely economic reasons. Because the radio spectrum is a valuable, but limited resource that can be used in various but incompatible ways, simple economic efficiency suggests that such resources be employed in their

Start learning and computing for only \$129.95 with a Netronics 8085-based computer kit. Then expand it in low-cost steps to a business/development system with 64k or more RAM, 8" floppy disk drives, hard disks and multi-terminal I/O.

**Special!** Full 8" floppy, 64k system for less than the price of a mini! Only **\$1499.95!** (Also available wired & tested, \$1799.95)

Imagine — for only \$129.95 you can own the starting level of Explorer/85, a computer that's expandable into full business/development capabilities — a computer that can be your beginner system, an OEM controller, or an IBM-formatted 8" disk small business system. or an IDM-IOMARCA OF A CONTINUES AND A CONTINUES ASSEMBLY From the first day you own Explorer/85, you begin computing on a significant level, and applying principles discussed in leading computer magazines. Explorer/85 features the advanced Intel 8085 cpu, which is 100% compatible with the older 8080A. It offers onis 100% compatible with the older 8080A. It offers on-board S-100 bus expansion, Microsoft BASIC in ROM. plus instant conversion to mass storage disk memory with standard IBM-formatted 8" disks. All for only \$129.95. plus the cost of power supply, keyboard/ terminal and RF modulator if you don't have them (see our remarkable prices below for these and other, ac-cessories). With a Hex Keypad/display front panel, Level "A" can be programmed with no need for a ter-minal, ideal for a controller. OEM, or a real low-cost start.



complete operating system, perfect for beginners, hobbyists. industrial controller use \$129.95

#### LEVEL "A" SPECIFICATIONS

Explorer/85's Level "A" system features the advanced Intel 8085 cpu. an 8355 ROM with 2k deluxe monitor/operating system, and an advanced 8155 RAM I/O all on a single motherboard with room for RAM/ROM/ PROM/EPROM and S-100 expansion. plus generous prototyping space.
PC Board: Glass epoxy, plated through holes with

solder mask. • I/O: Provisions for 25-pin (DB25) connector for terminal serial I/O, which can also support a nector for terminal serial I/O, which can also support a paper tape reader . . . cassette tape recorder input and output . . . cassette tape control output . . . LED output indicator on SOD (serial output) line . . printer interface (less drivers) . . total of four 8-bit plus one 6-bit I/O ports . Crystal Frequency: 6.144 MHz . Control Switches: Reset and user (RST 7.5) interrupt . . . additional provisions for RST 5.5, 6.5 and TRAP interrupts onboard. • Counter/Timer: Programmable, 14-bit binary. • System RAM: 256 bytes located at F800, ideal for smaller systems and for use as an isolated stack area in expanded systems . . . RAM expandable to 64K via S-100 bus or 4k on motherboard.

System Monitor (Terminal Version): 2k bytes of deluxe system monitor ROM located at F869. leaving deluxe system monitor ROM located at FBM. leaving BMM free for user RAM/ROM. Features include tape load with labeling ... examine/change contents of memory ... insert data ... warm start ... examine and change all registers ... single step with register display at each break point .a debugging/training feature ... go to execution address ... move blocks of memory with a constant ... display blocks of memory ... automatic baud rate selection to 9800 baud ... variable display line length control (1-255 characters/line) ... channelized I/O monitor routine with 8-bit parallel output for high-speed printer ... serial console in and console out channel so that monitor can communicate with I/O out channel so that monitor can communicate with I/O

System Monitor (Hex Keypad/Display Version): Tape load with labeling ... tape dump with labeling ... examine/change contents of memory ... insert data warm star . . . examine and change all registers .

Full 8" disk system for less than the price of a mini (shown with Netronics Explorer/85 computer and new terminal). System features floppy drive from Control Data Corp.. world's largest maker of memory storage systems (not a hobby brand!)



With Hex Keypad/Display

single step with register display at each break point . . . go to execution address. Level "A" in this version makes a perfect controller for industrial applications and is programmed using the Netronics Hex Keypad/Display. It is low cost, perfect for heginners. HEX KEYPAD/DISPLAY SPECIFICATIONS

Calculator type keypad with 24 system-defined and 16 user-defined keys. Six digit calculator-type display, that displays full address plus data as well as register and status information.

LEVEL "B" SPECIFICATIONS
Level "B" provides the S-100 signals plus buffers/
drivers to support up to six S-100 bus boards, and includes: address decoding for onboard 4k RAM expansion selectable in 4k blocks . . . address decoding for onboard 8k EPROM expansion selectable in 8k blocks . . . address and data bus drivers for onboard expansion wait state generator (jumper selectable), to allow the use of slower memories . . . two separate 5 volt regula-

#### LEVEL "C" SPECIFICATIONS

Level "C" expands Explorer/85's motherboard with a card cage, allowing you to plug up to six S-100 cards directly into the motherboard. Both cage and card are neatly contained inside Explorer's deluxe steel cabinet. Level "C" includes a sheet metal superstructure, a 5-card, gold plated S-100 extension PC board that plugs into the motherboard, just add required number of S-100 connectors.



Explorer/85 With Level "C" Card Cage

#### LEVEL "D" SPECIFICATIONS

Level "D" provides 4k of RAM, power supply regula-tion, filtering decoupling components and sockets to expand your Explorer/85 memory to 4k (plus the origi-

nal 256 bytes located in the 8155A). The static RAM can be located anywhere from 0000 to EFFF in 4k blocks.

#### LEVEL "E" SPECIFICATIONS

Level "E" adds sockets for 8k of EPROM to use the popular Intel 2716 or the TI 2516. It includes all sockets. popular line! 27 to 6 rine 1 zolo. I includes an sockets, power supply regulator, heat sink, filtering and decou-pling components. Sockets may also be used for 2k x 8 RAM IC's (allowing for up to 12k of onboard RAM). DISK DRIVE SPECIFICATIONS

- 8" CONTROL DATA CORP. professional drive. LSIcontroller.
- Datacapacity: 401.016bytes (SD), 802.032 bytes (DD), unformatted.
   Access time: 25ms (one Write protect. Singleor double density

#### DISK CONTROLLER/ I/O BOARD

- SPECIFICATIONS

  Control sup to four 8" drive
  1771ALSI (SD) floppy disk
  controller.
- Onboard data separator (IBM compatible),
- 2 Serial I/O ports
   Autoboot to disk system
- 2716 PROM socket included for use in custom
  applications.

  Onboard crystal controlled.
  Onboard I/O baudrate
- generators to 9600 baud.

  Double-sided PC board
- DISK DRIVE CABINET/POWER SUPPLY Deluxe steel cabinet with individual power supply for maximum reliability and stability.

#### ORDER A COORDINATED EXPLORER/85 APPLICATIONS PAK!

Beginner's Pak (Save \$26.00!) — Buy Level "A" (Terminal Version) with Monitor Source Listing and AP-1 5-amp Power Supply: (regular price \$199,95), now at SPECIAL PRICE: \$169,95 plus post & insur. Experimenter's Pak II (Save \$53.40!) — Buy Level

"A" (Hex Keypad/Display Version) with Hex Keypad/Display. Intel 8085 User Manual. Level "A"

Keypad/Display. Intel 8085 User Manual. Level "A" Hex Monitor Source Listing, and AP-15-amp Power Supply: (regular price \$279.35). all at SPECIAL PRICE: \$219.95 plus post. & insur. Special Microsoft BASIC Pak (Save \$103.00!) — Includes Level "A" (Terminal Version). Level "B". Level "D" (4k RAM). Level "E". 8k Microsoft in ROM. Intel 8085 User Manual. Level "A" Monitor Source Listing, and AP-15-amp Power Supply: (regular price \$439.70). now yours at SPECIAL PRICE: \$329.95 plus post. & insur.

ADD A TERMINAL WITH CABINET.

GET A FREE RF MODULATOR: Save over \$114 at this SPECIAL PRICE: \$499.95

plus post. & insur. Special 8" Disk Edition Explorer/85 (Save over \$104!) — Includes disk-version Level "A", Level "B", two S-100 connectors and brackets, disk controller, 64k 5-100 connectors and brackets, disk controller, 54k RAM, AP-15-amp power supply, Explorer/85 deluxe steel cabinet, cabinet fan, 8" SD/DD disk drive from famous CONTROL DATA CORP. (not a hobby brand!), drive cabinet with power supply, and drive cable set-up for two drives. This package includes everything but terminal and printers (see coupon for the control of the them). Regular price \$1630.30. all yours in kit at SPECIAL PRICE: \$1499.95 plus post. & insur. Wired and tested, only \$1799.95.

Special! Complete Business Software Pak (Save \$625.00!) — Includes CP/M 2.0. Microsoft BASIC. General Ledger. Accounts Receivable. Accounts Payable. Payroll Package: (regular price \$1325). yours now at SPECIAL PRICE: \$699.95.

☐ Disk Controller Board With I/O Ports . . . \$199.95 plus \$2 post Sinsur.

Special: Complete Business Software Pak (see above) ....

SOUD SEPARATELY:

SOUD SEPARATELY:

CP/M I.4 . . . \$100 postpaid.

•	Please send the items checked below:
	□ Explorer/85 Level "A" kit(Terminal Version) \$129.95 plus
	\$3 post. & insur.
	☐ Explorer/85 Level "A" klt (Hex Keypad/Display Version)
	\$129.95 plus \$3 post. & insur.
	■ 8k Microsoft BASICon cassette tape. \$64.95 postpaid.
	□ 8k Microsoft BASIC in ROM ldt (requires Levels "B", "D" and
	"E") \$99.95 plus \$2 post. & insur.
	<ul> <li>□ Level "B" (\$-100) kit \$49.95 plus \$2 post. &amp; insur.</li> <li>□ Level "C" (\$-100 6-card expander) kit \$39.95 plus \$2 post.</li> </ul>
	& insur.
	□ Level "D" (4k RAM) klt \$69.95 plus \$2 post. & insur.
	□ Level "E" (EPROM/ROM) kit \$5.95 plus 50¢ p&h.
	□ Deluxe Steel Cabinet for Explorer/85 \$49.95 plus \$3 post.
	& insur.
	☐ Fan For Cabinet \$15.00 plus \$1.50 post. & insur.
	□ ASCII Keyboard/Computer Terminal kit: features a full 128
	character set. u&l case: full cursor control: 75 ohm video
	output; convertible to baudot output; selectable baud rate. RS232-C or 20 ma. I/O. 32 or 64 character by 16 line formats,
	and can be used with either a CRT monitor or a TV set (if you
	have an RF modulator) \$149.95 plus \$3.00 post. & insur-
	DeLuxe Steel Cabinet for ASCII keyboard/terminal
	\$19.95 plus \$2.50 post. & insur.
	□ New! Terminal/Monitor: (See photo) Same features as above.
	except 12" monitor with keyboard and terminal is in deluxe
	single cabinet: kit \$399.95 plus \$7 post. & insur.

single cabinet: kit . . . . \$399.95 pius \$7 post & insur.

☐ Hazeitine terminals: Our prices too low to quote— CALL US

☐ Lear-Sigler terminals/printers: Our prices too low to quote:

□ Hex Keypad/Display kit . . . \$69.95 plus \$2 post. & insur

☐ AP-I Power Supply Kit ±8V @5 amps) in deluxesteel cabinet
\$39.95 plus \$2 post. & insur.
☐ Cold Plated S-100 Bus Connectors \$4.85 each, postpaid.
☐ <b>Rf Modulator kit</b> (allows you to use your TV set as a monitor)
\$8.95 postpaid.
☐ 16k RAM kit (\$-100 board expands to 64k) \$199.95 plus \$2
post, & insur.
☐ 32k RAM kit \$299.95 plus \$2 post. & insur.
☐ 48k RAM kit \$399.95 plus \$2 post. & insur.
☐ 64k RAM kdt \$499.95 plus \$2 post. & insur.
☐ 16k RAM Expansion kit (to expand any of the above in 16k
blocks up to 64k) \$99.95 plus \$2 post. & insur. each.
☐ Intel 8085 cpu Users' Manual \$7,50postpaid.
☐ 12" Video Monitor (10MHz bandwidth) \$139.95 plus \$5
post. & insur.
■ Beginner's Pak (see above) \$169.95 plus \$4 post. & insur.
☐ Experimenter's Pak (see above) \$219.95 plus \$6 post. &
insur.
☐ Special Microsoft BASIC Pak Without Terminal (see above)
\$329.95 plus \$7 post, & insur.
☐ Same as above, plus ASCII Keyboard Terminal With Cabinet,
Get Free RF Modulator (see above) \$499,95 plus \$10 post.
& insur.
☐ Special 8" Disk Edition Explorer/85 (see above) \$1499.95

post. & insur.	□ CP/M 2.0 , \$150 postpaid.
□ 32k RAM kit \$299,95 plus \$2 post. & insur.	☐ Microsoft BASIC \$325 postpaid.
□ 48k RAM kit \$399.95 plus \$2 post. & insur.	☐ Intel 8085 cpu User Manual \$7.50 postpaid.
☐ 64k RAM kit \$499.95 plus \$2 post. & insur.	Level "A" Monitor Source Listing \$25 postpaid.
☐ 16k RAM Expansion kit (to expand any of the above in 16k	Continental U.S.A. Credit Card Buyers Outside Connecticut
blocks up to 64k) \$99,95 plus \$2 post. & insur. each.	
□ Intel 8085 cpu Users' Manual \$7,50postpaid.	CALL TOLL FREE: 800-243-7428
□ 12" Video Monitor (10MHz bandwidth) \$139.95 plus \$5	To Order From Connecticut Or For Technical
post. & insur.	Assistance, call (203) 354-9375
☐ Beginner's Pak (see above) \$169.95 plus \$4 post. & insur.	12
☐ Experimenter's Pak (see above) \$219.95 plus \$6 post. &	Total Enclosed (Conn res. add sales tax) \$
insur.	Paid By:
☐ Special Microsoft BASIC Pak Without Terminal (see above)	☐ Personal Check ☐ Cashier's Check/Money Order
\$329.95 plus \$7 post. & insur.	□ VISA □ Master Charge (Bank No)
☐ Same as above, plus <b>ASCII Keyboard Terminal With Cabinet</b> ,	Acct. NoExp. Date
Get Free RF Modulator (see above) \$499.95 plus \$10 post.	
& insur.	Signature
□ Special 8" Disk Edition Explorer/85 (see above) \$1498.95	Print
plus \$26 post. & insur.	Name
☐ Wired & Tested \$1799.95 plus \$26 post. & insur.	Address
□ Ext ra8" COC Floppy Drives \$499.95 plus \$12 post & insur.	
	City
□ Cabinet & Power Supply For Drive \$69.95 plus \$3 post. &	StateZip
Insur.	NETRONICS Research & Development Ltd.
□ Drive Cable Set-up For Two Drives \$25 plus \$1.50 post. &	333 Litchfield Road, New Milford, CT 06776
insur.	1 333 Liichileid Koad, New Miliold, Ci 00//0

most valuable way-namely, in the way that yields the greatest public benefits. Just as raising a crop of corn and grazing cattle are incompatible uses of the same plot of land, so too may the operation of a computing device and the transmission of television signals present incompatible uses of the electromagnetic spectrum. The FCC, therefore, is forced to balance the demands placed on electromagnetic spectrum usage by American businesses and consumers: the difficulty arises in determining which use will yield the greatest public benefits.

Consider, for example, the follow-

ing possible public-cost/benefit scenarios involving computing devices and communications services:

A suspected criminal is being pursued by police through winding city streets. Several patrol cars begin converging on the suspect from different directions as information on the suspect's location and movement is relayed over the police radio band. Suddenly, the suspect makes an abrupt turn through the parking lot of a cocktail lounge. Before the pursuing car can communicate the suspect's sudden

movement, however, interference crackles over the police band, drowning out all communications for several seconds. When the band finally clears, the police learn that they have lost track of the fleeing suspect. Later, the police investigate the cause of the interference on their restricted band and learn that one of the coin-operated video games in the cocktail lounge was the source of the interfering radio frequencies.

- An airplane pilot finds himself caught in bad weather and is forced to make an "instrument" landing. As the pilot approaches the airfield, he asks his copilot to render a quick computation to better gauge their position. The control tower, which has the plane on radar, warns the pilot of an approaching larger aircraft. Suddenly, before the tower's automatic collision-avoidance instructions are received, interference drowns out the radio channel. While waiting for the channel to clear, the pilot nearly collides with a commercial airliner but manages to land safely. The FAA (Federal Aviation Administration) later conducts an investigation and learns that the electronic calculator used by the copilot emitted the RFI that caused the interference on the restricted aeronautical-frequency
- A young mathematics student receives a personal computer for his fifteenth birthday. Shortly thereafter his entire family begins to use the computer for various applications: the father does tax and financial planning for his insurance clients; the mother stores cooking recipes and addresses and telephone numbers of friends and relatives; and the younger brother plays electronic video games. Soon, even the family's home-security and energy-control systems are being run by the computer. Meanwhile a neighbor complains to an FCC field office that he has been experiencing interference each evening over one of his local television channels. The field office investigates and learns that the personal computer is the source of the RFI. The family is told to correct their computer or discontinue its use. Since the

#### Call on John D. Owens for all Your Computer Needs

COMPUTERS, PRINTERS, CRTs, MODEMS, MAINFRAMES, MEMORY, CONTROLLERS, FLOPPY AND HARD DISK DRIVES, I/O, DISKETTES AND SOFTWARE.

#### IMS 5000 and 8000 Systems

The new rising stars! Beautifully designed and constructed with the Industrial Micro System reputation for fine quality. These systems feature a Z80 CPU, S-100 bus; double density drives (either single or double sided) CP/M<sup>®</sup>. 5000 series uses mini floppies, 8000 uses maxi floppies. Hard disk and MP/M now available.

Model 5-00125 with two double density drives, 32K Static RAM	\$2,765
Model 8-00125 as above but with 8" drives	\$4,185
Other configurations available.	

TELETYPE Model 43 Inventory Sale!!!				
Model 4320 AAK \$1,085				
Model 4330 punch/reader. 10 or 30 CPS.				
8 level, 1" tape \$2,595				
Limited supply of Model 45 available.				
11.7				

DRIVES				
Per Sei 299B N	ow Av	ailable!!!	\$2,200	
Cabinet and po	wersu	pply	\$300	
Per Sci 277			\$1,210	
Siemens	\$395	Shugart	\$525	
MPI B51	\$265	B52	\$365	
Innotronics and QUME also available				

HAZELTINE	1500		. \$885
1510	\$980	1520	\$1,210

DEC LA 35/36 Upgrade . . . . . . . . \$750 Increases baud rate to 1200. Microprocessor controlled. Many features include TOF, tabs and margin control.

We have no reader inquiry number. Call on us for product sheets. Dealer inquiry invited. Prices subject to change without notice. IBM 3101 CRT Model 10 . . . . . . \$1,195 Model 20 . . . . . . \$1,395 Selectric-like, detached keyboard. 9x16 dot matrix. Maintenance contract from IBM only \$70 per year.

TELEVIDEO SMART CRTs 912 B and C	\$780
920 B and C	\$850
IMS MEMORY 16 K static	\$285
32 K static	\$585
64 K Dynamic with parity	\$950
TEI MAINFRAMES, S-100	
12 slot	\$500
22 slot	\$670

CODs accepted at no extra charge. Shipping \$14 for light printers and CRTs. Credit cards add 4%. NY residents add tax.

Double density controller . . . . . . . \$420

Overseas Callers:

TWX 710 588 2844 WE EXPORT: Overseas Callers: or Cable: OWENSASSOC

We Are Known for Our Prompt and Courteous Service!

#### IOHN D. OWEN

212 448-6283

Associates, Inc.

212 448-6298

12 Schubert Street Staten Island, New York 10305 manufacturer's warranty does not cover RFI defects, the family is forced to undertake expensive corrective measures of their own.

While these examples may seem a little contrived, in fact, each concerns a theoretical situation with which the FCC is concerned.

Moreover, in every case brought to the FCC's attention involving RFI from computers, the FCC has routinely decided that radiation from such devices is a less valuable use of the spectrum than the radio-communication services which might be interfered with. Stated another way, it is current FCC policy for computer equipment manufacturers to bear the associated costs of their new and beneficial technology.

#### Computing Device Interference

Computers and other similar devices emit potentially harmful radio-frequency signals. Inside a computer, very rapid electrical signals and pulses are generated and used to regulate sequences of events and to carry out the control and logic functions of the computer. These rapid electrical pulses produce highfrequency emissions that "float" around inside the cabinet of the computer. Unless this energy is somehow contained or filtered, it is radiated into space to be picked up by radio or television receivers.

Computers have been reported to cause harmful interference to almost all radio services, particularly those services below 200 MHz, including police, aeronautical, and broadcast services. Several factors that have contributed to the recent increase in computer-interference complaints include:

- the proliferation of digital electronic equipment in both businesses and homes;
- the development of higher-speed computers, which require designers to contend with problems of radio-frequency emission never before experienced;
- the increased replacement of steel cabinets with plastic cabinets, which provide little or no RFI shielding.

To the extent that computing devices are harmful in terms of their potential for generating RFI, and because private mediation between interfering uses is considered highly unlikely, the FCC becomes the final arbiter of spectrum interference.

Part 15 of the Commission's Rules specifically addresses these concerns by setting forth various technical and administrative specifications for all devices that generate or use radiofrequency energy. Computer and other digital devices not intended to radiate RFI are defined as restrictedradiation devices. Until very recently, however, restricted-radiation devices were subject to technical performance standards first drafted by the FCC in 1938. In further complication of matters, under these 40-year-old rules, personal computers are subject to vastly different technical standards depending on whether they contain their own video displays or connect to an external television set.

Three years ago the FCC initiated a rule-making procedure to modernize its Part 15 rules and to render them more workable and nondiscriminatory in our evolving electronic society. The proceeding was recently concluded with the adoption of new regulations that will affect all computer manufacturers. Hardest hit,

#### Call on John D. Owens for all Your Computer Needs

#### We Are Known for Our Prompt and Courteous Service!

PET COMPUTERS
INVENTORY SALE — LIMITED QUANTITIES
PET 2001N 32K\$950
DUAL DISK SYSTEM\$950

#### COMPLETE PET BUSINESS PACKAGE

31 fully integrated programs including Inventory, Sales summary, Accounts Receivable/payable, tax statements, general ledger, etc. etc. Prompts user. Validates each entry. 

#### ATARI AUTUMN SALE

	LIST PRICE	SALE PRICE
Computer, Model 800	\$1,080	\$845
Disk Drive, Model 810	\$ 699	\$545
Printer, Model 820	\$ 599	\$457
Cassette, Model 410	\$ 89	<b>\$ 7</b> 5
Paddle Controller Pair	\$ 19	\$ 17

#### MARINCHIP SYSTEMS M9900

Elegant 16 bit CPU, S-100 compatible Multi user, multi processor operating system. Extended precision commercial BASIC, FORTH, META, PASCAL, Word Processor and Text Editor. Fast and powerful!

Complete kit and software package .....\$550 We configure complete systems with floppy or hard disk.

#### HAWKEYE GRAFIX COMMUNICATIONS SOFT-WARE FOR 8080/Z80/CP/M®

Enables communications with a time sharing system thru Modem port. Modes of operation: TERMINAL (your system acts like an intelligent terminal), FILE-TO-FILE, LOCAL (Disk commands), Full/Half Duplex on 8" or 5" disks COM to COM mode does full CRC 16 error check and retransmits block on error.

Binary Code ......\$75 Source Code .....\$150 

High resolution graphics system. Microangelo feature 15", 22MHZ, green phospher screen, 72 key keyboard; includes complete cabling and software. From SCION.

**INDUSTRIAL** MICRO SYSTEMS TELETYPE **HAZELTINE IBM** TELEVIDEO TEL TARBELL SIEMENS PER SCI NEC **ITHACA** INTERSYSTEMS MARINCHIP DATA SOUTH QUME CENTRONICS **TEXAS** INSTRUMENTS **ATARI** DEC CALIFORNIA COMPUTER SYSTEMS **KONAN EDGE** TECHNOLOGY INNOTRONICS XEROX DIABLO INTEGRAL DATA SYSTEMS CROMEMCO SOROC **MICROPRO** TELETEK NOVATION FUJITSU ĆDC NORTH STAR COMMODORE **SCION** MPI POWER ONE MEASUREMENT SYSTEMS AND CONTROL

SEE OUR AD AND ORDERING DETAILS ON FACING PAGE!

#### OHN D. OWENS

Associates, Inc. 212 448-6283 212 448-6298

> 12 Schubert Street, Staten Island, New York 10305

however, will be the personalcomputer industry.

#### FCC Classification of Computing **Devices**

In order to establish RFI standards that are appropriate for a given computer's actual harm-causing potential, the Commission has classified all computing devices under a binary scheme: Class A devices are defined as computing devices used in commercial environments, and Class B devices are defined as those used in a residential environment or widely marketed to the public.

The basis for this dual classification scheme is rooted in the theory that Class B (consumer) devices are located in closer proximity to radio, television, and (in many cases) landmobile radio services and thus have a higher potential for causing interference than do Class A (commercial) devices. Additionally, the Commission has reasoned that consumer products usually do not contain the technical sophistication found in commercial equipment, nor do they receive the same level of preventive maintenance.

In recognition of these important differences, between consumer and commercial products, the FCC has imposed technical standards on consumer equipment that are ten times more stringent than those standards imposed on commercial equipment. More importantly perhaps, the Commission is requiring manufacturers of consumer devices to register their products with the FCC by January 1, 1981 or cease all marketing; no similar rule applies to manufacturers of commercial computing equipment.

(In addition, the FCC rules further distinguish between Class B "personal computing" devices that contain their own video displays and those that connect to a standard home television receiver (so-called Class I TV devices), with the latter being subject to somewhat stricter rules. Such distinctions between personalcomputing devices should soon disappear, pending the successful completion of an on-going rulemaking in this

#### The Regulatory Scheme for Computing Equipment

The FCC's regulatory scheme for

computing devices consists of both technical standards and administrative procedures. The technical standards are designed to minimize the likelihood that computing devices will cause interference with any FCCauthorized communications services. Therefore, standards for radiation as well as conduction (ie: through a building's wiring) limit the amount of radio frequency that computing devices will be permitted to emanate during their normal operation.

The administrative procedures adopted by the FCC are intended to ensure that manufacturers comply with the appropriate technical standards; these procedures also apprise the users of each class of equipment of its interference potential and what to do in case of technical failure. Most important, however, are the compliance deadlines that manufacturers must meet in order to continue (or begin) advertising and marketing their computing equipment. As explained more fully below, the rules differ substantially between commercial and consumer equipment, with the latter being subject to more stringent requirements.

#### Class Definition Distinctions

The FCC defines a "computing device" to be any electronic system that generates timing signals or pulses in excess of 10,000 cycles per second (10 kHz) and uses digital techniques. This definition includes, among other things, digital telephone equipment or any device that generates radio frequencies for the purpose of performing data-processing functions such as "electronic computations, operations, transformations, recording, filing, sorting, storage, retrieval, or transfer." The Commission notes that computer terminals and peripherals also fall within this definition but that other components and subassemblies do not.

Class A devices are further defined as any computing devices that are marketed for use in a commercial, industrial, or business environment. Class B devices are defined to be computing devices marketed for use in a residential environment in spite of their potential use in commercial environments. Examples of Class B devices are electronic games, personal computers, calculators, and similar electronic devices marketed to the general public. Temporarily exempt-

#### **Computer Hardware Professionals**

Our clients, highly successful manufacturers and OEMs of Computer Systems, Electronic Systems, and Peripherals, have immediate openings for Hardware Development Professionals to work on FUTURE SYSTEMS PROJECTS. Such projects include COMPUTER ARCHITECTURE, DATA COMMUNICATIONS, PERIPHERAL DEVELOPMENT, and POWER SUPPLY DESIGN. Specific openings currently exist at Senior and Intermediate levels for:

COMPUTER ARCHITECTS - Definition and development of Micro- Mini-computer systems

 $\begin{array}{ll} \text{POWER SUPPLY DESIGN ENGINEERS} & -\text{Switching regulators for Off-Line Power supplies.} \\ \text{Experience in High Frequency P.W.M. techniques and AC Power Distribution would be desirable.} \end{array}$ 

MICROPROCESSOR DESIGN ENGINEERS - Design/Development of state-of-the-art Microprocessor based systems and interfaces. Experience on any Microprocessor acceptable.

LSI DESIGN DEVELOPMENT — Numerous positions with local systems oriented firms in LSI technology development.

CPU DESIGN ENGINEERS — BSEE/BSCS and/or experience in the design of Digital Computers or Microprocessor systems. Requires an understanding of Software, i.e. ASSEMBLY, FORTRAN, or PL-1. DIGITAL LOGIC AND CIRCUIT DESIGN ENGINEERS - Logic and Circuit design plus a familiarity

with TTL, CMOS, LSI/VLSI, etc.  ${f ANALOG\ DESIGNERS-30}$  to 40 megahertz Phase Lock loop experience. Experience with 80 megahertz power drivers and DC motors.

PCB DESIGNERS - With CAD experience.

COMMUNICATIONS SYSTEMS DEVELOPERS — Experience with store and forward message switching, Network Data Link Control, and/or PBX and EPX Systems.

Compensation on all positions ranges from low 20's to low 40's, based upon experience. Client companies are equal opportunity/affirmative action employers, provide excellent benefits, and assume all fees.

Qualified applicants will receive IMMEDIATE RESPONSE and are invited to contact: Don Bateman, in strict confidence, at (617) 861-1020. Or submit current resume to him for review. For those who find it inconvenient to call during working hours, our office will be open until 7:30 p.m.

Contact: Don Bateman

#### Robert Kleven and Co., Inc. INDUSTRIAL RELATIONS MANAGEMENT CONSULTANTS

Three Fletcher Avenue, Lexington, Massachusetts 02173 Telephone (617) 861-1020



Manuschusetts Professional Placement Cunsultants
(Offices Nationwide)
Representing Equal Opportunity Employers M.F.

# THE OASIS RECIPE FOR QUALITY APPLICATION SOFTWARE.

appy customers are fast making Single & Multi-User OASIS recognized as the super system software. BUT, system software is only as good as the applications it runs. And that's where OASIS really cooks.

Application software developers particularly like oasis because it lets them blend unique performance features with their own products—in other words, build better software. Security features like User Accounting with Logon, Password and Privilege Level; File and Automatic Record Locking: Private, Shared and Public Files. Speed and convenience of Keyed Index (ISAM) Files. Economy from Compiled Re-Entrant BASIC that makes multi-user systems practical on as little as 64K memory. And lots more.

ecause OASIS has better development tools—and more of them—creating very sophisticated software is possible, practical, easier, faster. Just one example: BASIC that is an Interpreter and Compiler with Debugger and Editor. If you do your own development, you'll really appreciate these kinds of features. For software

professionals, they make providing superior products much more cost attractive.

Add all the ingredients together and, whether you do it yourself or buy it off the shelf, the pay-off is a wide selection of topperforming, top-quality application software that does more so you do less.

OASIS; Single or Multi-User with a sizzling array of features and tools; almost unlimited software possibilities (and application software for Single-User OASIS is Multi-User compatible); the most extensive documentation in the industry—indeed, you get a lot to like. And that's put OASIS System Software\* among the hottest products on the market.

prop us a line today for a complete, free Application Software Directory. And see your oasis Distributor, or send the coupon direct, to get the products you want. Try us. We believe you'll savor the oasis recipe.

\* For Z80 based computers.

#### OASIS IS AVAILABLE FOR

SYSTEMS: Altos; Compucorp; Cromemco; Delta Products; Digital Group; Digital Microsystems; Dynabyte; Godbout; (BC; Index; Intersystems; North Star; Onyx; SD Systems; TRS 80 Mod II; Vector Graphic; Vorimex.

CONTROLLERS: Bell Controls; Cameo; Corvus; Konan; Micromation; Micropolis; Tarbell; Teletek; Thinkertoys; X Comp.

#### APPLICATION SOFTWARE AVAILABLE FOR OASIS:

Accounts Payable: Accounts Receivable; General Ledger; Mail List Pak; Order Entry/ Inventory Control; Inventory Tracking Pak; Word Processors.

Architects & Pro Designers Timekeeping & Job Cost Analysis; Cable TV Subscriber Billing Sys; Construction Mgt Pak; Construction Pak; Contractors Tracking Pak; Distributors Pak; Dental Office Mgt Pak; Medical Billing Sys; Pharmacy Prescription Processing with A/R; Management Analysis Pak; Real Estate Office Mgt; Restaurant Pak; Sewer & Water Utility Info Pak.

Bisyncronous Communication Pak; 2780/ 3780/3270 Emulators; File & Screen Mgr with Report Generator; Full Network Data Base Mgt Sys; Game Pak; Hierarchical Data Base Mgt Sys; Radlogs (Radio Station Logs/Schedules/Programming/Billing with A/R. A/P. G/L.

THESE ITEMS ARE NOT AVAILABLE DIRECT FROM PHASE ONE SYSTEMS, INC.—please write for ordering instructions and complete, free Application Software Directory. If you have items you would like listed in the Directory, send us complete information.



MAKES MICROS RUN LIKE MINIS

#### PLEASE SEND ME:

Product	Price with Manual	Manual Only
OPERATING SYSTEM (Includes: EXEC Language; File Management; User Accounting; Device Drivers; Print Spooler; General Text Editor; etc.) SINGLE-USER MULTI-USER	\$150 350	\$17.50 17.50
BASIC COMPILER/ INTERPRETER/DEBUGGER	100	15.00
RE-ENTRANT BASIC COMPILER/INTERPRETER/ DEBUGGER	150	15.00
DEVELOPMENT PACKAGE (Macro Assembler; Linkage Editor; Debugger)	150	25.00
TEXT EDITOR & SCRIPT PROCESSOR	-150	15.00
DIAGNOSTIC & CONVERSION UTILITIES (Memory Test; Assembly Language; Converters; File Recovery; Disk Test; File Copy from other OS; etc.)	100	15.00
COMMUNICATIONS PACKAGE (Terminal Emulator; File Send & Receive)	100	15.00
PACKAGE PRICE (All of Above) SINGLE-USER MULTI-USER	500 850	60.00 60.00
FILE SORT	100	15.00
COBOL-ANSI '74	750	35.00

Order OASIS from:

Phase One Systems, Inc. 7700 Edgewater Drive, Suite 830 Oakland, CA 94621

Telephone (415) 562-8085 TWX 910-366-7139

NAME\_ STREET (NO BOX #)\_\_\_\_\_ CITY\_\_\_\_ STATE\_\_\_\_\_ZIP\_\_\_

AMOUNT \$

(Attach system description; add \$3 for shipping; California residents add sales tax)

Check enclosed VISA

UPS C.O.D. Mastercharge
Card Number
Expiration Date

Signature\_

ed (pending further rulemaking by the FCC) from the specific Class B technical and administrative requirements are microprocessors utilized in transportation vehicles, home appliances, test equipment, and electronic power or control systems utilized in industrial plants.

#### Compliance Verification Procedures

Class A device manufacturers are required, prior to marketing, to verify that their devices meet the technical provisions set forth in the FCC's rules. In contrast, manufacturers of most Class B devices on the market (eg: electronic video games and personal computers) must certify to the Commission that their devices comply. Herein lies the heavy burden to be shouldered by the personal computing industry under the FCC regulations. (For, if any lesson is to be learned from the FCC's "Part 68 Program" for certification of telephone devices, it is that federal regulations of this type are both costly and time consuming for manufacturers.)

Verification (for commercial devices) is basically an approval procedure based on the honor system, whereby a manufacturer tests his equipment to verify to the public that it complies with the appropriate technical standards. Although no FCC notification is imposed, manufacturers are still required to maintain records of their testing procedures and results.

By comparison, certification (for consumer devices) is an arduous equipment-authorization procedure which requires manufacturers to test their product for compliance and submit the test information to the FCC along with a completed application (FCC Form 731), photographs, and fees. After the FCC reviews the submissions, a certification number is issued for the tested equipment; the manufacturer must affix this number to every model thereafter imported, advertised, or marketed. Any subsequent change in the circuitry or operation requires that the equipment be recertified to the FCC.

Due to their high potential for causing RFI, the Commission has determined that only the following devices must be certified: electronic games, including coin-operated video games (but excluding handheld games that do not use a television

(1a) RADIATION -	Maximum field-strength	limits	
	Frequency (MHz)	Distance (meters)	Field Strength (µV/m)
Class A	30 to 88	30	30
	88 to 216	30	50
	216 to 1000	30	70
Class B	30 to 88	3	100
	88 to 216	3	150
	216 to 1000	3	200

(1b) CONDUCTION - Maximum voltage levels					
	Frequency (MHz)	Maximum RF Line Voltage $(\mu V)$			
Class A	0.45 to 1.6 1.6 to 30	1000 3000			
Class B	0.45 to 30	250			

**Table 1:** Radiation and conduction standards for computing devices. Table 1a sets the maximum permissible level of radiated radio-frequency emissions for both Class A (commercial) and Class B (consumer) devices. Table 1b does the same for conducted emissions impressed on the electrical-power network.

receiver for display); personal computers (excluding digital clocks, desktop calculators, and handheld calculators); and peripherals and terminals capable of being attached to a personal computer. All other Class B devices need merely be verified by manufacturers prior to their marketing.

#### Technical Standards

The technical standards imposed by the new rules are designed to provide a "reasonable degree" of protection for radio and television receivers. Since unwanted interference from computing devices can result from radiated as well as conducted RFI, the standards regulate both types of emmission. (See table 1.) Radiation testing requires manufacturers to measure the radio-frequency emanations at specified frequencies and distances from their equipment to ensure that certain maximum energy levels are not exceeded. Conduction testing is designed to ensure that equipment will not impart more than a maximum level of energy over a specified frequency range into the electrical-power network. [For example, this restriction will apply to devices that use house wiring to remotely control appliances....GW] (The actual equipment-test procedures to be used by manufacturers are the subject of a current rule-making before the FCC. Until final rules are issued, the Commission has approved certain conventional industry test procedures.)

Together, both tests protect against interference frequencies as low as 450 kHz (just below AM radio) to frequencies as high as 1000 MHz (above UHF television signals). As stated previously, the standards for Class B equipment are ten times more stringent than those for Class A.

#### Labeling and User Information

Complex rules notifying users of their computing devices' potential (or lack thereof) for interference with radio communications and spelling out corrective action to be taken are key aspects of the FCC's administrative regulations. In essence, all computing devices will require some type of labeling or warning after January 1, 1981; however, these regulations will vary depending on the classification of the device as well as the device's mandatory-compliance date. All Class A equipment (unless certified under the Class B standards) must warn users that its operation in a residential environment may cause interference for which the user will be held accountable.

# **TERRIFIC** Z80, OASIS, MAROT.

A superior operating system and top application software bring out the best in a microcomputer. That's why Marot offers the OASIS\* Operating System and compatible software for owners of Z80 based micros. They make a terrific trio.

**Z80 MICROS** — great machines. Tandy's TRS-80 MOD II with DMA. bank select possibilities and nationwide service. Altos. Cromemco. Horizon. And many others. Great machines—but it takes a great operating system to tap their full potential.

**ENTER OASIS** —available from Marot. OASIS is fast emerging as the operating system for Z80 commercial applications and serious programmers. Why?...rapid formating and back-up of diskettes; efficient disk utilization: excellent line editor and document processor for file management and textwriting; user accounting with logon, password, privilege level and use accounting, machine independence of programs, data and text files; sequential, direct and keyed index (ISAM) files; interpreted and compiled BASIC: COBOL-ANSI '74: single and multi-user versions; and more. No wonder pros sav 'OASIS makes micros run like minis!'

**APPLICATION SOFTWARE** - available from Marot. OASIS is your active, invisible partner supporting these excellent, ready-to-run products:

Magic Wand. The wordprocessor combining the ease of screen editing with micro power.

HDBS.\*\* For data management needs restricted to hierarchical tree structure and fixed length records.

MDBS.\*\* Handles full network CODASYL oriented Magic Wand, MDBS and HDBS are data structures and variable length records.

ABS.\*\*\* Quality office management systems accounts receivable and payable, general ledger. etc.—the total interacting. user-oriented business package. Written in COBOL; available with source code.

A Law package. And ready soon: complete medical management, real estate, restaurant, pharmacy, management analysis packages, and others.

Marot and its Dealers offer OASIS and many professional software products to individuals, OEMs and dealers. Licensing arrangements are also available. Just call or write and start your own terrific trio.

and send order with payment to the address shown below.)	
☐ SEND COMPLETE INFORMATION	
Product	Price
MAGIC WAND®	\$400
ABS ACCOUNTING (call o	r write)
MDBS, full network	\$900
HDBS	300
Report Generator, Query System Primer (Other options available)	300 10

---- PLEASE SEND ME: ---

Product

**OASIS** 

available for several operating systems.

\*OASIS IS the trademark of Phase One Systems, Inc \*\*HDBS and MDBS are produced by Micro Data Base 

TRS-80 is the registered trademark of the Tandy Corporation

Magic Wand is the registered trademark



MAROT SOFTWARE SYSTEMS **YOUR EASTERN SOURCE** 

	OPERATING SYSTEM (Includes: EXEC Language; File Management; User Accounting; Device Drivers; Print Spooler; General Text Editor: Text SINGLE-USER MULTI-USER	\$150 350	\$17.50 17.50
)	BASIC COMPILER/ INTERPRETER/DEBUGGER	100	15.00
	RE-ENTRANT BASIC COMPILER/INTERPRETER/ DEBUGGER	150	15.00
	DEVELOPMENT PACKAGE (Macro Assembler; Linkage Editor; Debugger)	150	25.00
	TEXT EDITOR & SCRIPT PROCESSOR	150	15.00
	DIAGNOSTIC & CONVERSION UTILITIES (Memory Test; Assembly Language; Converters; File Recovery; Disk Test; File Copy (rom other OS; etc.)	100	15.00

100

500 850

100

750

15.00

60.00

15.00

35.00

Price

with | Manual Manual | Only

Send order to:

COMMUNICATIONS

SINGLE-USER MULTI-USER

(Terminal Emulator; File Send & Receive)

PACKAGE

Marot Software Systems, Inc. 35 East 85th Street New York City, NY 10028

Telephone (212) 534-5499

NAME	
STREET (NO	BOX #)
CITY	
CTATE	ZID

AMOUNT \$ (Attach system description: add \$3 for shipping;

New York residents add sales tax.)
☐ Check enclosed ☐ VISA
□ UPS C.O.D. · □ Mastercharge

Card Number Expiration Date. Signature

#### Mandatory-Compliance Dates

With regard to the new rules' effective dates, here too, the Commission's regulations are complicated and confusing. Originally, the Commission proposed a single deadline, July 1, 1980, after which all manufacturers of computing devices would have to comply with the appropriate rules or cease marketing their equipment. However, it soon became obvious to the Commission that several factors made a unified effective date impractical; these factors include the apparent lack of trained personnel to perform the necessary tests, the large number of devices in production that would have to be tested, and the shortage of emission-suppression components.

Upon reconsideration, therefore, the FCC adopted the following schedule of mandatory effective dates for compliance with its Part 15 rules (see table 2):

- Personal computers and other devices requiring certification (eg: video games, peripherals, and terminals) must meet the Class B standards by January 1, 1981.
- All other computing devices (Classes A and B) must comply with the appropriate device standards if first manufactured after October 1, 1981.
- If such (noncertificated) devices, however, are placed into production before October 1, 1981, compliance will not be required (for subsequently produced devices) until October 1, 1983.

Any device failing to meet these mandatory-compliance dates cannot lawfully be marketed, imported, or advertised for sale in the United

#### Special Rules for Subassemblies and Peripherals

Components and subassemblies of computing devices are not required to comply independently with the Commission's technical standards. In addition, peripherals supplied as part of a computing device do not need to be considered separately. Nevertheless. because all end products must comply, systems vendors and integrators can be expected to pressure their components suppliers into indirect compliance with these new rules.

On the other hand, peripherals marketed independently from their associated computing devices must comply directly with all technical and administrative standards. Peripherals marketed as part of any personal computing systems (which are in the Class B certified category) therefore must be certificated; all other peripherals (in the Class B noncertified and Class A categories) need merely be verified. In addition, peripherals sold separately from their computing systems also must be individually labeled.

#### **Enforcement of Computing** Device Rules

Lest there be any question as to the Commission's experience or commitment in enforcing its interference regulations as they pertain to the mass distribution of consumer devices, you need only recall the regula-

Compliance Date	Equipment Class
January 1, 1981	All Class B devices requiring certification (personal computers, electronic video games, and peripherals and terminals capable of being attached to personal computers) manufactured after this date.
October 1, 1981	All Class A devices and Class B devices not requiring certification which are <i>first placed into production</i> after this date.
October 1, 1983	All Class A devices and Class B devices not requiring certification which are <i>manufactured</i> after this date, regardless of when first placed into production.
1	

Any device failing to meet these mandatory compliance dates cannot lawfully be marketed, imported, or advertised for sale in the US.

**Table 2:** Dates of mandatory compliance for computing devices.

#### **Hazeltine Distributors:**

ALABAMA: Huntsville, W. A. Brown Instruments, Inc. (205) 883-8660.

ALASKA: Anchorage, Global Communications, Inc. (907) 276-4532

ARIZONA: Phoenix, Data Systems Marketing (602) 265-5216; Leasamet (602) 258-1225; PLS Associates, Inc. (602) 279-1531; Tempe, Hamilt Avnet Electronics (602) 275-7851; The Phoenix Group (602) 894-9247.

(602) 258-1225, PLS Associates, Inc. (602) 279-1531. Tempe, Hamilton Avnet Electronics (602) 275-7851. The Phoenix Group (602) 894-9247.

CALIFORNIA: Anaheim, Leasametric (714) 634-9525: Burlingame, Data Access Systems (415) 692-5711. Carson, Data Access Systems (213) 538-4000. Data Systems Marketing (213) 324-1151, Costa Messa, Hamiton Avnet Electronics (714) 641-4100. Avnet Electronics (714) 754-6111. Calver City, Hamilton Avnet Electronics (213) 558-200. Leasametric (215) 970-0461. Fasier City, Leasametric (415) 744-441. Hawiltone, Hamilton Avnet Electronics (213) 970-0956, haward, byte Industries, Inc. (415) 783-8272; The Phoenix Group (415) 687-8251. Irvline, Computing Datacom. Inc. (714) 540-6327, Data Systems Marketing (714) 540-220. Cartain Calver (114) 540-540. Carta

COLORADO: Denver, Data Systems Marketing (303) 573-5133; Leasametric (303) 429-7900; PLS Associates, Inc. (303) 773-1218; Englewood, Hamilton Avnet Electronics (303) 779-9998

CONNECTICUT: West Haven, Westwood Associates (203) 932-6383. Southbury, J. J. Wild, Inc. (203) 264-9494.

DELAWARE: Newark, Westwood Associates (302) 454-1113

FLORIDA: Fort Lauderdale, Hamilton Avnet Electronics (305) 971-2900. W. A. Brown Instruments. Inc. (305) 776-4800; Melbourne, W. A. Brown Instruments, Inc. (305) 736-6800; Melbourne, W. A. Brown Instruments. Inc. (305) 723-0766. Orlando, Lessametric (305) 887-3500. W. A. Brown Instruments. Inc. (305) 426-5505; Taltahassea, W. A. Brown Instruments, Inc. (304) 878-6642; Tampa, W. A. Brown Instruments. Inc. (305) 426-5505; Taltahassea, W. A. Brown Inst

GEORGÍA: Atlanta, Data Access Systems (404) 449-5435. W. A. Brown Instruments. Inc. (404) 455-1035. Lake City, Westwood Associates (404) 961-0712. Mortoss, Hamilton Avnet Electronics (404) 448-0800. Leasa-metric (404) 449-6123.

HAWAII: Honolulu, David Jamison Carlyle Corporation (808) 531-5136; Kaneoke, Data Systems Marketing (808) 247-0934.

ILLINOIS: Chicago, David Jamison Carlyle Corporation (312) 475-1500: Elik Grove Village, Leasametric (312) 595-2700; Peripheral Support Inc. (312) 593-590; Morton Grove, Dala Access Systems (312) 967-0440; Schiller Park, Hamäion Avnet Electronics (312) 678-6310.

INDIANA: Indianapolis, Hamilton Avnet Electronics (317) 844-9333. South Bend, General Micro Computer (219) 277-4972.

KANSAS: Leneza, North Supply Company (913) 888-9800, Loonam Associates, Inc. (913) 888-2124: Overland Park, Hamilton Avnet Electronics (913) 888-9900; Shawnee Mission, Inland Associates, Inc. (913) 362-2366.

KENTUCKY: Jeffersontown, Loonam Associates (502) 499-8280.

LOUISIANA: Mandeville, W. A. Brown Instruments, Inc. (504) 626-9701

MARYLAND: Baltimore, Hamilton Avnet Electronics (301) 796-5000; Westwood Associates (301) 358-7812; Galthersburg, Leasametric (301) 948-9700; Lanham, Data Access Systems (301) 459-3377.

MASSACHUSETTS: Cambridge, Compumart Corporation (617) 491-2700; Needham, J. J. Wild, Inc. (617) 444-2366; Norwood, Data Ac cess Systems (617) 769-6420; Woburn, Hamilton Avnet Electronics (617) 273-7300; Leasametric (617) 935-7780.

MICHIGAN: Ann Arbor, Compumant Corporation (313) 994-3200; Livonia, Hamilton Avnet Electronics (313) 522-4700; Troy, Data Access Systems Hamilton Avnet I (313) 589-1409.

MINNESOTA: Burnsville, Leasametric (612) 894-6060; Edina, Hamilton Avnet Electronics (612) 941-3801; Minneapolls, Loonam Associates (612) 831-1616.

MISSOURI: Earth City, Hamilton Avnet Electronics (314) 344-1200; St. Louis, Inland Associates (314) 821-3742; Loonam Associates (314) 427-7272.

NEBRASKA: Omaha, Loonam Associates (402) 333-5502

NEW HAMPSHIRE: Merrimack, J. J. Wild. Inc. (603) 424-4717

NEW HAMPSHIRE: Merrimack, J. J. Wild, Inc. (603) 424-4717.

NEW JERSEY: Allendale. Leasametric, (201) 825-5900b. Bogota. Oytel (201) 467-7737. Cherry HIB. The Datastore. Inc. (609) 779-0200. Harmlon Awnet Electronics (609) 424-0100. Clinnaminson, Westwood Associates (609) 829-7280. Fairfledt, Hamilton Awnet Electronics (201) 575-3390. Matawan, David Jamisson Caylle Corporation (201) 946-9669. Mountain Lakes, Data Access Systems (201) 335-3322. Pallasades Park, Data Access Systems (201) 335-3322. Pallasades Park, Data Access Systems (201) 385-3322. Pallasades Park, Data Access Systems (201) 944-2005. Roseile, TSC Data Terminais (201) 425-6333. Springfield. Westwood Associates (201) 376-4242. Union, Transnet Corporation (201) 688-7800.

NEW MEXICO: Albuquerque, Data Systems Marketing (505) 294-5790; PLS Associates, Inc. (505) 255-2330.

PES ASSOCIATES. Inc. 1003 (257-230).

NEW YORK: Fatport, Data Access Systems (716) 377-2080. Great Mack, MTI Sales Corporation (212) 896-7177: Hollis, Synchro-Sound Enterpress (212) 466-7067. Latham, J. Cameron Associates. Inc. (158) 371-5947. Met Wille, Hamilton Annet Electronics (516) 454-6060. New York, Byte Snop East, Inc. (212) 868-4204, Data Access Systems (212) 564-3001. Lessametric (212) 564-8080. John D. Owens & Sociates. Inc. (212) 3301 : Leasametric (212) 594-5900 : John D. Gwens Ass ociates, Inc. (212) 448-6283 ; gylet (212) 889-3888. Pittisford, J. Cameron Associates. Inc. (716) 386-1681 : Plainview, Leasametric (516) 293-5881 : Rochester, Hamilton Avnet Electronics (716) 475-9130: East Syracuse, Hamilton Avnet Electronics (315) 437-2641 : Syracuse, Leasametric (315) 435-5611

NORTH CAROLINA: Durham, W. A. Brown Instruments, Inc. (919) 683 1580.

OHIO: Cincinnati, InteractiveInformation Systems (513) 761-0132. Cleveland, Data Access Systems (216) 473-2131: Hamilton Awnet Electronics (216) 831-3500. MTI Systems (216) 484-5868. Pro-Data Corporation (216) 229-8100. Dayton. Hamilton Avnet Electronics (513) 433-0610. Leasametric (513) 888-1707.

OREGON: 8 and, Data Systems Marketing (503) 388-3612; Hillsboro, Data Systems Marketing (503) 640-4883.

PENNSYLVANIA: Aston, MLPI Newcorp Products. Inc. (215) 485-8180. Bala Cymwyd, Data Access Systems (215) 667-8315. Folcoft, Leasametric (215) 583-200 0; Huntingdon Valley, Markelline Systems. Inc. (215) 947-6570.

SOUTH CAROLINA: Columbia, W. A. Brown Instruments, Inc. (803) 798-8070

TENNESSEE: Oak Ridge, W. A. Brown Instruments, Inc. (615) 482-5761 TEXAS: Austin, Hamilton Avnet Electronics (512) 837-8911, Dallas, Leasametric (214) 661-993. Houston, CMC Marketing Corporation (713) 954-980°, Dals Access Systems (713) 682-9565. Hamilton Annet Electronics (713) 760-771, Leasametric (713) 977-9390, Iviling, Data Access Systems (214) 256-5536; Hamilton Avnet Electronics (214) 661-8204.

UTAH: Salt Lake City, Data Systems Marketing (801) 487-8281; Hamilton Avnet Electronics (801) 972-2800; PLS Associates, Inc. (801) 466-8729. VIRGINIA: Newport News, Atlantic Communications (804) 380-8498; Sterling, Comsel Corporation (703) 525-5889; Vienna, Comsel Corpora-tion (703) 938-5264.

WASHINGTON: Bellevue, Hamilton Avnet Electronics (206) 643-3950. Bothell, Data Systems Marketing (206) 487-3571; Redmond, Consolidated Data Terminals (206) 883-0100. Leasametric (206) 883-6510; Tülkwila, Data Access Systems (206) 251-5070.

WISCONSIN: Milwaukee, Hamilton Avnet Elect onics (414) 784-4510; Peripheral Support, Inc. (414) 774-1000; Waukesha, Loonam Associates (414) 548-9790.

# Smart shopping

Your Hazeltine distributor has all the terminals you need.

You can save time by taking all your TTY terminal needs to one source —your local Hazeltine distributor. Right in your neighborhood, your distributor offers the same quality, the same service and the same comprehensive warranty program that you would get by contacting Hazeltine directly.

The Hazeltine distributor can give you easy access to a broad selection of Hazeltine products, including the economical Hazeltine 1400/1500 series of conversational and editing terminals, the high performance Modular One family, and - soon the new Hazeltine Executive 80™ line of sophisticated smart terminals.

An experienced sales professional, your local distributor is ready to provide full product and application

Most important, each of our authorized distributors has Hazeltine's full support. You will find that Hazeltine's entire field and factory organization supports the distributor when you need delivery, warranty service, or even just the answer to a question.

Be a smart shopper. Call your nearest Hazeltine distributor—part of our winning team for the eighties.

Hazeltine Corporation, Computer Terminal Equipment, Greenlawn, NY 11740. (516) 549-8800 Telex: 96-1435

Hazeltine and the Pursuit of Excellence





tory crackdown that accompanied the Citizens Band radio craze of a few years ago. There, the Commission revealed that it had adequate power over both manufacturers and retailers to prevent users from gaining access to equipment that was improperly engineered or tested.

The FCC can enforce its rules through either civil or criminal proceedings. For simple violations of any rules, the FCC has the power to issue cease-and-desist orders (ie: administrative injunctions) commanding the violator to comply with the rules or possibly face severe consequences. The severe consequences may be in the form of court-ordered injunctions or, in the case of willful violations, felony prosecutions with possible fines and prison terms of up to 2 years. Needless to say, criminal sanctions are rarely imposed by the Commission.

The FCC is hoping, rather, for manufacturers and vendors to comply willingly with its rules to avoid developing a reputation for selling customer equipment that results in widespread interference. Should large-scale noncompliance result, however, more vigorous standards

and more troublesome equipment-authorization procedures could very likely be adopted by the Commission and imposed on the entire industry.

#### Conclusion

As with any FCC rulemaking that involves evolutionary consumer products, the Commission's activities to date may reveal only the tip of the iceberg. The protracted FCC proceedings involving telephone-equipment registration bear strong witness to this observation. New microprocessor-based devices may create unforeseen RFI problems not addressed in the new rules, changing work patterns will slowly blur the environmental distinctions between the home and office, and evolving communication services will continue to place additional demands on spectrum usage. Indeed, the Commission's fundamental assumption for its classification of computing devices (ie: proximity to RF receivers) is already starting to erode as radio receivers become increasingly utilized in commercial environments for the provision of Teletext and direct (rooftop) broadcast satellite services.

With new rules come new costs-

whether they be costs of equipment redesign, costs of RFI-suppression components, or costs of testing, labeling, and FCC-certification delays.

The FCC is currently in the midst of a rulemaking proceeding to develop the Part 15 equipment-testing procedures. Slated for possible future rule amendments are handheld calculators, home appliances, microprocessor-based transportation systems, and other similar devices. Manufacturers of these types of equipment, therefore, should adapt to the idea that the FCC represents a cost of doing business that cannot be avoided—from now on.

Incidentally, the FCC's rules seek only to prevent interference between computing devices and (FCCapproved) communications services. Interference between incompatible devices utilized in the home (eg: wireless intercoms, burglar- and firedetection systems, wireless switches, etc) is probably beyond the FCC's jurisdiction. Thus, it will be up to the industry itself to resolve among its own members—possibly through the newly-formed Home Bus Standards Association—these emerging interference issues.



We will try to beat any advertised prices!

We Also Buy and Sell Used Micro Computers & Peripherals.

Product shipped in factory cartons with manufactures warranty. Add 2%, a minimum of \$5, for shipping and handling

2222 E. Indian School Rd. • Phoenix. Arizona 85016

Prices & availability subject to change without notice.



"WordPro is the most sophisticated Word Processing Software package available for the Commodore Computer line."

Solve Your Paperwork Problem... Let WordPro Software Do The Work

Using standard typing methods, hundreds of valuable hours are spent erasing, revising, and retyping letters and documents as you work towards a final draft copy. The second, third, or fourth drafts take just as long to type as the first!

With WordPro word processing software you can transform your Commodore computer into a "state of the art" word processing machine with sophisticated word processing features at an affordable price.


There are four versions of WordPro, ranging from the simple to the sophisticated. WordPro 1 on cassette will give computer enthusiasts a full range of text editing capabilities with cassette file storage. WordPro 2 is disk based and allows fast and easy file handling and manipulation. WordPro 3 was designed for professionals and contains the many features required in a business environment such as global search and replace, headers, footers, decimal tabulation, repagination, merging capabilities, and much, much more. WordPro 4 is our best. WordPro 4 runs on the new Commodore 8032, 80-column display computer. WordPro 4 has all the features of WordPro 3, plus additional features usually found only on the most sophisticated and expensive word processing equipment.

WordPro is a new breed of word processing software. Powerful, sophisticated, and easy to use, WordPro was field-tested by dozens of attorneys and commercial customers during 1979. WordPro is now installed and is saving its owners valuable time and money in hundreds of offices nationwide.

WordPro was designed with the user in mind. WordPro's unique "STATUS LINE" constantly interacts with the user by displaying the status of the system. Editing, storing documents, recalling letters, even the most sophisticated comands, are accomplished by a few, easy to remember, keystrokes.

You may find that WordPro alone is reason enough to own a computer. WordPro can be found at most Commodore dealers worldwide. Call us for the number of the dealer nearest you. If you cannot locate a stocking WordPro dealer you may place an order with Professional Software via check or VISA/MasterCharge.





Actual Photograph of WordPro on CBM Model 8032
The many features of WordPro 1 - 4:

WordPro 1 - Cassette based • Status line • Test Editing • Insert/Delete • Screen Scroll Auto Repeat • String Search • Erase Functions • Link Files • Margin Controls • Tab Functions • Justification • Page Length

WordPro 2 - Most WordPro 1 Functions Plus + Disk Based • Paragraph Indent • Centering • Text Transfer • Hyphenation • Appending • Margin Release • Variable Blocks (Form Letters) • Multiple Copies • Automatic Disk Commands • Complete Disk File Handling

WordPro 3 - Commercial Disk Version for 40 Columns • WordPro 2 Functions Plus + Global Functions (Search/Replace/Copy) • Merging Disk File Linkage • 10 or 12 Pitch • Repagination • Duplicate Lines • Auto Delete Word/Sentence/Range • Numeric Mode • Underlining • Continuous Print • Headers/Footers • Auto Page Numbering • Proportional Justification • Forced Paging • Non-Print Comments • BASIC Language File Compatibility

WordPro 4 - Commercial Disk Version for 80 Columns • WordPro 3 Functions Plus + Displays and Formats Text to Screen for Review

WordPro 1 — For all 8K RAM units. Requires C2N Peripheral/integrated cassette drive - \$29.95

WordPro 2 — For all 16K RAM units with 40 column screen. Requires 2040 disk drive - \$99.95

WordPro 3 — For all 32K RAM units with 40 column screen. Requires 2040 disk drive - \$199.95

WordPro 4 — For Model 8032 with 80 column screen.

Requires 2040 or 8050 disk drive - \$299.95

All four versions of WordPro are written in 6502 machine code.

# Professional Software Inc. 166 Crescent Rd., Needham, MA 02194 (617) 444-5224 Circle 116 on inquiry card.

\*WordPro Dealer Inquires Invited\*

 $\dot{\textbf{WordPro was developed by Steve Punter of Pro-Micro Software Ltd., and is marketed exclusively by Professional Software Inc.}$ 

WordPro is a registered trademark of Professional Software Inc. CBM is a registered trademark of Commodore Business Machines.

# **BUY ONE** of these great professional books when you join the



MINICOMPUTER SYSTEMS, Organization, Programming, and Applications. By Richard H. Eckhouse, Jr. and L. Robert Morris. 2nd Ed., 491 pp., illus. Updated, revised, and expanded, this is a book for every systems programmer, systems designer, computer scientist, and application specialist who wants to know more about microcomputer hardware, software, and design. 787 / 026 Pub Pr., \$21.95 Club Pr., \$17.75

MICROELECTRONICS: Digital and **Analog Circuits and Systems.** By Jacob Millman. 801 pp., 700 illus. Exciting news for the thousands of engineers who want a thorough refresher and updating on today's ICs. Will be welcomed by both digital and analog electronics engineers at every level of proficiency. 423/27X

Pub. Pr., \$28.95 Club Pr., \$22.50

**AUTOMATIC DATA PROCESSING HANDBOOK.** Edited by The Diebold Group. 976 pp., 269 illus. Written by a staff of internationally recognized authorities on ADP, this comprehensive handbook explains systems, programming and the languages, communications processes, and the design and installation of today's computers 168 / 075 Pub Pr., \$44.95 Club Pr., \$31.50

THE Z-80 MICROCOMPUTER HAND-BOOK. By William Barden, Jr. 304 pp., illus., paperbound. This book gives you the entire "state of the art" in microcomputer technology today. Arranged in three convenient and logically developed sections, the book discusses architecture and interface signals, then powerful interrupt sequences of Z-80 and interfacing examples of I/O memory devices.
784/914 Pub Pr., \$8.95 Club Pr., \$7.60



#### BE SURE TO CONSIDER THESE IMPORTANT TITLES AS WELL

APPLYING MICROPROCESSORS, New Hardware, Software, and Applications. Edited by L. Altman & S. E. Scrupski
191/603 Pub. Pr., \$23.50 Club Pr., \$18.95 Club Pr., \$18.95

57 PRACTICAL PROGRAMS & GAMES IN

**BASIC.**By K. Tracton 784/957 Pub. Pr., \$10.95 Club Pr., \$9.30

MICROPROCESSOR ARCHITECTURE AND PROGRAMMING. By W. F. Leahy
784/612 Pub. Pr., \$24.50 Club Pr., \$18.50 16 BIT MICROPROCCESSOR ARCHITECTURE. By T. Dollhoff

582003-X Pub. Pr., \$24.95 Club Pr., \$19.95

THE BASIC COOKBOOK. By K. Tracton Club Pr., \$6.75 MICROPROCESSOR PROGRAMMING FOR COMPUTER HOBBYISTS. by N. Graham 783 /56X Pub. Pr., \$12.95 Club Pr., \$10.95

DISTRIBUTED MICRO/MINICOMPUTER SYS-

**TEMS.** By C. Weitzman 789/622 Pub. Pr., \$22.50

HOME COMPUTER PROGRAMS. By J. W. Tudell, Jr. & M. Landberg Pub.Pr., \$8.95 787/042 Club Pr., \$7.60

FUNDAMENTALS OF COMPUTER AL-GORITHMS. by E. Horowitz & S. Sahni Pub. Pr., \$22.95 Club Pr., \$18.25 786/380

**ELECTRONICS DICTIONARY.** By J. Markus Pub. Pr., \$24.50 Club Pr., \$19.50

ectronics Design ( ngineers Build Your Own Custom TV Gan ańdbook by David L Heise Principles of Interactive


BIT-SLICE MICROPROCESSOR DE-SIGN. By John Mick and Jim Brick. 398 pp. All in one place-the crucial information you've been needing about the 2900 family of bit-slice microprocessor components. This remarkable 'first" designs right before your eyes not just one but two complete 16-bit machines! 417/814 Pub. Pr., \$18.50 Club Pr., \$14.50

PRINTED CIRCUITS HANDBOOK. Edited by C. F. Coombs, Jr. 2nd Ed., 634 pp., 595 illus. Covering the subject of printed circuits from the design's idea to final acceptance, this enormously well-received work includes double-sided plated boards through printed boards and also the major variations such as multilayer and flexible circuits. 126/089 Pub Pr., \$32.50 Club Pr., \$24.50

PRINCIPLES OF INTERACTIVE COM-PUTER GRAPHICS. By William M. Newman and Robert Sproull. 2nd Ed., 544 pp., illus. Now in a revised, updated Second Edition, this is a volume that has long been THE standard source of information for designers! 463/387 Pub. Pr., \$24.95 Club Pr., \$19.95 ELECTRONICS ENGINEERS' HAND-BOOK. Editor in Chief, D. G. Fink. 2,104 pp., 2026 illus. Brings together in one instant-reference volume the essential principles, data, and design information known today on the components, circuits, equipment, and systems of all the various specialties that make up modern electronics. 209/804 Pub. Pr., \$57.50 Club Pr., \$40.50

THE 8080A BUGBOOK: Microcomputer Interfacing and Programming. By Peter R. Rony, David G. Larsen, and Jonathan A. Titus. 416 pp., with figures, charts, and tables, paperbound. Gives you the basic concepts of microcomputer interfacing and the associated microcomputer I/O programming to develop your own interfaces. For the 8080 user, this book will be invaluable. 783 /845 Pub Pr., \$9.95 Club Pr., \$8.45

### and GET ONE FREE (values up to \$60.00) COMPUTER PROFESSIONALS' BOOK CLUB



COMPUTER DICTIONARY AND HAND-**BOOK.** By Charles and Robert Sippl. 624 pp.. illus. This handy reference/guide defines and explains a wide range of computer procedures, products, problems, and applications. Appendixes provide a "state-of-the art" guide to essential computer concepts. 582079-X Pub. Pr., \$29.95 Club Pr., \$24.95

ELECTRONIC GAMES, Design, Programming and Troubleshooting. By W. H. Buchsbaum and R. Mauro. 335 pp., 338 illus. Information you need to design, program, and troubleshoot electronic games is right here in this widely popular hands-on guide. 087/210 Pub. Pr., \$21.50 Club Pr., \$16.50

**MEMORY DESIGN: Microcomputers to** Mainframes Edited by LAURENCE ALTMAN. 192 pp., illus., 8½ x 11 format Keep "up" with memory chips through this collection of key articles from *Electronics* magazine. Data, diagrams, and discussions put all the technology to work for you in one authoritative book - a volume so up to date it's a pleasure

Club Pr., \$17.95 Pub. Pr., \$22.50

PROGRAMMING LANGUAGES. By Allen B. Tucker, Jr. 439 pp., illus. Gives you not only the principles of design but the applications of six major programming languages. Shows you their strengths and weaknesses in solving various representative "benchmark" problems. 654/158 Pub. Pr., \$23.95 Club Pr., \$16.95

#### MICROCOMPUTERS/ MICROPROCESSORS Hardware, Software, and

**Applications.** By John L. Hilburn and Paul N. Julich. 372 pp., illus. Expressly created for people involved in the design, use, or maintenance of digital systems using micro-computers. The authors describe the theory and workings behind microprocessor architec-ture, read-only memory (ROM), randomaccess memory (RAM), and input/output in-

terfacing methods 771/449 Pub Pi Pub Pr., \$22.50


LOGIC DESIGNER'S MANUAL. By John D. Lenk. 504 pp., illus. Written for logic IC users rather than for designers of logic ICs, cial logic ICs to solve all design and application problems.

784 / 671 Pub Pr.. \$18.95 Civ. 7

HOW TO DESIGN AND BUILD YOUR OWN CUSTOM TV GAMES. By David L. Heiserman. 544 pp., illus. Shows you how to create and build TV games from scratch and modify the ones you already have. 786 / 585 Pub Pr., \$14.95 Club Pr., \$11.95

**MICROPROCESSOR** APPLICATIONS MANUAL. By Motorola Semiconductor Products, Inc. 720 pp., illus., 8½ x 11 format. With nuts-and-bolts practicality, this manual by the Motorola people (who should know) gives you detailed applications information on microprocessors and assumes no prior knowledge on your part about MPUs. 435 / 278 Pub Pr., \$38,00 Club Pr., \$26.50 PERSONAL COMPUTING: Hardware and Software Basics ELECTRONIC BOOK SERIES 224 pp., 175 illus., outsized 8½ x 11 format Gives you comprehensive guidance to the present state of the art in personal computers—an overall survey of the technology, and methods available to perform various tasks, facts about the work others are doing - and just how they are doing it.

Pub. Pr., \$19.50 Club Pr., \$15.50



ENCYCLOPEDIA OF COMPUTER SCI-**ENCE.** Edited by Anthony Ralston and C. L. Meek. 1,500 pp., 60 illus., 100 charts, 7 x 10 format. This first and only in-depth coverage of the entire field of computer science in a single volume is comprehensive and completely up to date

769/01X Pub Pr., \$60.00 Club Pr., \$39.95

ANALOG SYSTEMS FOR MICRO-PROCESSORS AND MINICOMPUTERS. By Patrick H. Garrett. 248 pp., illus. Explores all possibilities for analog systems in one applications oriented volume-with many specific examples. 786 / 496 Pub Pr., \$18.95

#### Choose any one of these books at the special club discount, and select any other as your gift Free of Charge when you enroll

#### Why YOU should join now!

- BEST BOOKS IN YOUR FIELD Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the latest books in your field.
- BIG SAVINGS Build your library and save money too! We guarantee savings of at least 15% off publishers' list prices on every book. Usually 20%, 25% or even higher!
  - BONUS BOOKS You will immediately begin to participate in our Bonus Book Plan that allows you savings between 70-80% off the publisher's price of many books.
- CONVENIENCE-14 times a year you receive the Club Bulletin FREE, fully describing the Main Selection and alternate selections, together with a dated reply card. If you want the Main Selection, you simply do nothing—it will be shipped automatically. If you want an alternate selection - or no book at all - you simply indicate it on the regular reply card and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the Bulletin you should receive a book you do not want, just return it at the Club's

As a Club member, you agree only to the purchase of four books (including your first selection) over a two-year period.

Computer Professionals' Book Club
P.O. Box 582, Hightstown, New Jersey 08520
Please enroll me as a member and send me the two books indicated, billing me for my first selection only at the discounted member's price, plus local lax, postage and handling. If not solistied, I may return the books within 10 days and my membership witl be canceled I agree to purchase a minimum of 3 oddfional books during the next 2 years as outlined.

handling. If canceled I as outlined under the club plan described in this ad. Membership in the club is continuous but cancellable by me any time after the four book purchase requirement has been fulfilled Write Code # of

FREE selection here	FIRST selection here
dollars	repaid with international money orders in U.S. * Exp. Date
Credil Cord #	*MCBank #
Signature	
Nome	
Address	
City, Slate, Zip	
Corporate Affiliation	
	Graw-Hill. All prices subject to change without A postage and handling charge is added to all P39475

#### Technical Forum

# Relocating Assemblers and Linking Loaders

Ottmar E Bochardt, 4560 Decarie #301, Montreal PQ H3X 2H6, Canada

Relocating assemblers and linking loaders are two pieces of assembly-language-oriented software that are probably unfamiliar to the average computer enthusiast. As a matter of fact, the very words *relocating* and *linking* (especially the latter) sometimes conjure up ideas of some vague, unspecified process. In reality, though, relocating assemblers and linking loaders are companion pieces of software that are easy to understand. The purposes of this Technical Forum are to:

- explain the relocating and linking processes;
- compare the two major linking methods;
- demonstrate how the assembly process is made slightly more complicated by relocating and linking;

• comment on the microprocessor-software standard proposed by Formaniak and Leitch.

My machine-language examples are all based on the MOS Technology 6502 processor. The Technical Forum "A Proposed Microprocessor Software Standard" by Peter Formaniak and David Leitch appeared on page 34 of the July 1977 BYTE.

#### Relocating and Linking Process

A *relocating* assembler is one which assumes that your program will be stored beginning at location zero in memory. In addition to object-module records that give the assembled machine-language code, the relocating assembler also generates extra information in *relocation records* to indicate which parts of the object module must be changed if the code is loaded beginning at some location other than zero.

A relocating loader, then, need only be slightly more intelligent than an ordinary (or absolute) loader. It must be able to:

- separate the input stream into individual object modules;
- assign a relocation address to each module;

# WHY CAN'T MICROPOLIS DO THINGS LIKE EVERYONE ELSE?

**Listing 1:** Example output from a relocating assembler. The code followed by the symbol R indicates a relative address, one that will be changed if this code is relocated to any starting location other than hexadecimal 0000. The code followed by the symbol G or G' indicates an external address, one that will have a known value only when this module is linked with other modules of code.

Hexadecimal Āddress	Hexadecimal Code	Label	Instruction Mnemonic	Operand	Commentary
0000R 0000R 0000R 0000R 0000R 0000R	C3 70 00R A2 00	SUBI	ENTRY EXTRN EXTRN EXTRN LDA LDX	SUB1 SUB2 COMMON1 VAL001 COUNT #0	declare SUB1 to be an internal symbol
0040R 0041R	CA D4 00 01	LOOP	DEX STA	DATA	
004DR 004FR 0052R 0055R	A 0 00G' BD 0C 00G 20 00 00G 4C 40 00R		LDY LDA JSR JMP	#VAL001 COMMON1 + SUB2 LOOP	12,X
0070R - -	1E	COUNT	.BYTE	\$1E	
009CR 0000 0100 0100 0000R	60 00 03 07	DATA	RTS .ASECT * = \$100 .BYTE .END	0,3,7 SUB1	deposit some absolute code

To be honest, we could. But our customers have come to expect a lot more from us.

They've come to appreciate our desire to innovate, to improve upon, to blaze new trails in floppy disk technology. That's how we got our reputation as the industry's undisputed technological leader.

#### 96 TPI is nothing new for us.

Consider the current hubbub about "new" 96 TPI disk drives. You should know that what may be new to our competition is anything but new to us.

After all, we brought the 100 TPI MegaFloppy™ disk drive to the marketplace more than two years ago. And we've delivered more than 50,000 drives already.

To us, a 96 TPI drive is no big deal. So for the customer who's looking for a double track drive offering compatibility with 48 TPI drives, Micropolis can deliver.

#### Think of us as double headquarters.

We should also mention that our double track disk drives give you all the storage capacity of an 8-inch floppy in the body of a 5%-inch floppy. And with our double head version, you get up to 1.2 megabytes. That's more than ten times the capacity of other 5%-inch floppies.

But our innovations don't stop there. Over the years, many of our ideas have gone on to become

industry standard. And many more will.

Things like stainless steel, precision-ground lead screws instead of cheaper, less reliable plastic positioners.

We also developed a special disk centering mechanism that is the most accurate in the industry.

And who do you think successfully adapted Group Code Recording technology to the floppy disk drive industry? None other than Micropolis.

Remarkable as our technical achievements may be, some people still wonder how we got to be number two so rapidly in such a fiercely competitive business.

Obviously, we did it by design.





#### MICROPΩLIS™

Where the 514-inch OEM drive grew up.

Micropolis Corporation, 21329 Nordhoff Street, Chatsworth, CA 91311, For the telephone number of your nearest OEM rep, call (213) 709-3300.




# FREE COMPUTER FORMS KIT

#### **EACH KIT CONTAINS:**

Samples, Prices, Order Form, 4 Checks, 2 Statements, 2 Invoices, Programming Guides.

We specialize in small quantities, low prices. 500 CHECKS ONLY \$29.95



#### SEND COUPON, CIRCLE BINGO or PHONE TOLL FREE 1+800-225-9540

FAST SERVICE — It is our policy to ship within 6 working days following our receipt of your order. CODE 459
Name
Address
City
State, Zip
NEW ENGLAND BUSINESS SERVICE, INC.

- load each object module in correct relation to the new beginning address;
- read the relocation records to determine which memory locations must be changed to point to correct locations within the relocated code.

The example given in listing 1, which is source code to be processed by a hypothetical relocating assembler, will help illustrate these functions.

Suppose that the object module is to be loaded at hexadecimal location 0500. The effect of changing the load point of each object module by adding the relocation address shows that all relative addresses (those marked by an R in column 5 of the address) are offset by the amount hexadecimal 500; ie: hexadecimal 500 is added to each of these addresses.

Certain addresses within a portion of code are referred to in the code itself. If the code is moved (or *relocated*) to a different location, all references to these addresses (which are called *relative addresses*) must be changed so as to point to the correct location within the newly relocated code. Specifically, if the relocatable machine code is written to begin at memory location 0000, all references to a relative address must be replaced by the sum of the original address plus the relocation offset (which is equal to the beginning address of the code in its new location).

An example of this is the JMP LOOP instruction at hexadecimal location 0055 in listing 1. When the code is written to begin at hexadecimal location 0000, the label LOOP refers to memory location 0040. However, when this code is relocated to location 0500, LOOP becomes location 0540, and the JMP LOOP instruction now at 0555 is 4C 40 05 (4C is the JMP op code, and 40 05 is the address 0540, as stored in the computer, low byte first). In the example of listing 1, all data flagged with an R will be incremented by 0500.

(Note, however, that a relative address is not to be confused with assembly-language relative addressing. The latter refers to a mode of addressing available in the instruction sets of most microprocessors, where the byte being addressed is specified by how far away that byte is from the beginning of the next instruction. A relative addressing displacement byte is usually limited to a signed, one-byte quantity. A relative address, as part of a relocatable object module, is a two-byte address (for all 8-bit microcomputers) that must be changed when the module is relocated to another beginning address.)

An absolute address is an address that is not modified during the relocation process because it refers to a portion of memory outside the area being relocated. In our example of listing 1, the three bytes at 0100 are designated as being absolute (because they follow the .ASECT or absolute section pseudo-operation). When this section of code is relocated to hexadecimal 0500, the data bytes will still be at 0100. Thus, the reference to DATA (in the STA DATA line) still points to location 0100. This is because the data at 0100 has not been relocated.

Often assembly-language modules are written separately and are meant to be combined at a later time. In many cases, these modules reference each other. A label used in one program but defined in another is called

ΩMEGA SALES CO.

# "WHOLESALE COMPUTER PRICES" DIRECT TO THE PUBLIC

12 Meeting St., Cumberland, R.I. 02864











Atari 800 \$749.00





Products are NOW IN STOCK AT ΩMEGA Sales Co.



ΩMEGA OFFERS THE BEST DELIVERY AND PRICE ON: APPLE • ATARI • TRS•80 MODEL II • INTERTEC •

T.I. 810 • HEWLETT-PACKARD-85 • SOROC •

COMMODORE • NEC • QUME • CENTRONICS

 $\Omega$ MEGA sells only factory fresh, top quality merchandise to our customers.  $\Omega$ MEGA will try to match any current advertised price with similar purchase conditions. Before you buy anywhere else - be sure to call  $\Omega$ MEGA Sales Co. 1-401-722-1027 or

1-800-556-7587

ΩMEGA ships via UPS, truck, or air. COD's, VISA, Mastercharge accepted.





OLL FREE

OMEGA

an *external symbol*. When the modules are combined into one program, not only must they be relocated to separate memory areas, but they must also be *linked*; ie: the relocated values of each of the external symbols must be known by all of the modules. This means that the external symbols must be declared as such within the assembly-language source file.

In the sample program of listing 1, the purpose of the .ENTRY pseudo-operation is to declare that the value of the label SUB1 (ie: the address of the routine's entry point) is to be made available to other assembly modules. The character string "SUB1" and its value will be included in the object module, as part of an *internal symbol* record.

The next three statements indicate that the symbols SUB2, COMMON1, and VAL001 are referenced but not defined by this module (they will be defined later, when the modules are linked). These external symbols must be defined as internal symbols by exactly one of the assembly modules present at linking time. All listing lines flagged with a G or G' have an associated entry in an external symbol record, which includes the label name and a pointer to the label's use within the module. For example, the load module used with the module in listing 1 will have an external symbol record that associates the symbol "SUB2" with the address 0053R.

#### Implementing the Link Process

As an example, let us look at the format of *object modules* (ie: the machine-language module created by assembling a source module) resulting from the Mostek SDB-80 assembler. (A description of this standard is given by Formaniak and Leitch. See references.)

For each external symbol found, only one object record

is produced. All references to a given symbol are linked together with the external-symbol record containing the address of the head of the list and the last entry in the list containing the hexadecimal value FFFF. (See figure 1.) In other words, when the SDB-80 assembler encounters an external reference, it uses that two-byte memory location to indicate to the loader where to find the *previous* reference to that symbol.

In terms of object-file size, this is probably the most efficient way to store linkage information, because it guarantees that only one external-symbol record per symbol will be used, regardless of how many times the symbol is referenced. It follows that, since the number of records being processed is smaller because of the link process, the time taken to link a series of object files will be minimized.

In the case of assembler source code (especially when written for a 6502 or similar processor), this linkage technique has several drawbacks. First of all, there is no provision for handling single-byte values, because two bytes of memory are required within the object code for the pointers. This is a serious deficiency for machines like the MOS Technology 6502 and the Motorola 6800, because these processors allow heavy use of page-zero addressing; in this manner the user can specify an address with one byte. Also, it is convenient to define small-valued parameters externally (such as VAL001 in listing 1) for use in two-byte instructions; the Mostek and other assemblers do not allow this.

Another point: it is impossible to specify an external symbol as having an absolute address. This is due to the fact that the *internal symbols* (symbols that have an address equated with them, such as SUB1 and LOOP in listing 1) do not contain a flag to indicate whether the

Hexadecimal Address	Hexadecimal Code	Instruction Mnemonic	Operand	Commentary
0000R 0000R	*	.ENTRY .EXTRN	SUB2 XTR1	this is external symbol
0021R	20 FFFF	JSR	XTR1	first reference (end of chain)
003AR	20 00 22	JSR · ·	XTR1	backwards pointer to 0022
004ER	20 00 3B	JSR	XTR1	backwards pointer to 003B
006FR		.END	SUB2	

Figure 1: Keeping track of external symbol use with a linked list. When the source file of an assembly-language module (consisting of the columns marked with an asterisk) is assembled into an object module of machine-language bytes, an external symbol record is created which points to the last place that the symbol is used (ie: the last memory location that must be filled with the address of the symbol, once that address is known—after linking). Within the data records that contain the object code for the routine, each reference of the external symbol points to the address of the previous reference, with a value of hexadecimal FFFF terminating the chain; this is shown by the arrows in the second column.

# FOR TRS-80\* MODEL I USERS ONLY

16 Times
Normal Speed



- · High speed load TRS-80\* Level II cassettes
- · Input 15K byte Level II program in 15 seconds
- Search BASIC or SYSTEM programs by name

Unlike other high speed tape input devices, FASTLOAD uses standard format cassettes. Therefore, there is no need to re-record on other media. At 8000 baud, FASTLOAD is faster than disk for short programs. FASTLOAD reads tapes at the fast-forward speed of the CTR-41 cassette recorder. The recorder can also be used for CSAVE at the normal speed.

FASTLOAD connects to the 40 pin I/O or to the Expansion box. The control program does not use computer memory because it is in a built-in PROM. Other valuable features are keyboard debounce program, automatic key repeat routine and keybeep via cassette speaker. Price is \$188.00 for FASTLOAD and \$95.00 for the modified CTR-41 recorder.

### Personal Micro Computers Inc.

475 Ellis Street, Mountain View, CA 94043 (415) 968-1604

Listing 2: Use of a separate page-zero assembly module. Use of a module like this on computers that have a set of special page-zero addresses allows page-zero addresses (such as XNOW) and system parameters (such as XMAX) to be defined in a central location.

Hexadecimal Address	Hexadecimal Code	Label	Instruction Mnenomic	Operand	Commentary
0000R 0000 000F			.NLIST .ASECT * = 15		turn off the listing enter absolute mode
		- :	common variables		
0010 0011 0012		XNOW YNOW XVEL	<pre>* = *+1 * = *+1 * = *+1</pre>		current horizontal position current vertical position horizontal velocity
		;	simulator parameters		
	00 A0 00 OC	XMAX XVMAX	EQU EQU	160 12	maximum horizontal location maximum horizontal velocity
0000R 0000R			.CSECT .LIST		re-enter relative mode turn the listing back on

# Put your computer in touch with the world.

AJ makes it possible for only \$185 with the A 242 acoustic data coupler.

Experts call it "the best acoustic coupler ever made." Reliability is phenomenalhistorically over 35,000 hours mean time between failure! Thousands are in use by companies all over the U.S.


And now, the A 242 from AJ, refurbished at the factory, can connect to your terminal or personal computer, putting you in touch with every other compatible terminal or computer. If you can telephone the site, you can send and receive data.

Bell 103/113 compatible, the originatemode A 242 features quartz crystal control, RS 232 or TTY terminal interface, and operational speeds up to 450 bps. At just \$185-about half the original price-it's a tremendous bargain. And you can have even greater savings with purchases of 10 or more units.

The A 242 carries our standard 30-day parts and labor warranty, and we're offering a no-risk, 10-day money-back guarantee\*



\*Details on request.



If you just bought another printer, you gonna be sorry.

The Epson MX-80. It's not just another workedover rehash of last year's model. It's our top-ofthe-line 80-column printer. It's new. From the ground up. And it's the most revolutionary printer to hit the market since Epson invented small printers for the 1964 Olympics in Tokyo. Don't take our word for it, though. Compare. There simply isn't a better value in an 80-column printer. Period.

But here's the fact that's going to stand the printer world on its ear. The MX-80 sports the world's first disposable print head. After it's printed about 50 million characters, you can throw it away. Because a new one costs less than \$30, and the only tool you need to change it is at-

tached to the end of your arm. Now that's revolutionary, but that's only the beginning. The MX-80 also prints bidirectionally at 80 CPS with a logical seeking function to minimize print head travel time


and maximize throughput. It prints 96 ASCII, 64 graphic and eight international characters in a tack-sharp 9x9 matrix. And it provides a userdefined choice of 40, 80, 66 or 132 columns and multiple type fonts.

We spent three long years developing the MX-80 as the first of a revolutionary series of Epson MX Printers. We employed the most advanced automatic assembly and machining techniques in existence to produce a printer that is incredibly versatile, remarkably reliable and extraordinarily inexpensive. It's a printer that could only come from the world's largest manufacturer of print mechanisms: Epson.

If it sounds like we're proud of the MX-80, we

are. Not only does it do things some of the world's most expensive printers can't do, it'll do them for you for less than \$650. That's right. Under \$650.

And if that isn't revolutionary, we don't know what is.





23844 Hawthorne Boulevard, Torrance, California 90505, Telephone (213) 378-2220

defined symbol is relative or absolute. This could be changed by adding a flag byte to the internal-symbol record or by splitting the external-symbol record into two types: one for relocatable external symbols, the other for absolute-valued external symbols.

Also notice that code cannot be placed in absolute locations, because there is only one kind of data record and it is subject to relocation.

In all fairness, I would like to point out that there is a way around most of the problems mentioned above. A separate page-zero assembly module could be created to define both the addresses of all page-zero locations, which would probably have to be done anyway, and the values of all parameters that the system designer might want to change. This idea is demonstrated by the example given in listing 2.

Any good assembler should have some sort of copy command that instructs it to accept in-line source text from a separate file; this could be used to easily include a zero-page module like listing 2 wherever it is needed. A less convenient alternative would be to always prefix the page-zero module to the assembler input stream. This method of information binding (ie: giving a symbol its final value; see references, Elson) has the advantage of forcing the designer to define all assembly variables centrally, rather than having them scattered throughout the source code. Unfortunately, a major redefinition of the page-zero module would require reassembly of all associated programs. Also, the additional I/O (input/output) for the page-zero module could prove to be time- and resource-consuming on limited systems.

I have one more criticism about the proposed standard: it does not allow external variables to be referenced in an operand-arithmetic expression. This can be a strong drawback when referring to many fixed-data structures. Consider the following external declaration, written in FORTRAN:

#### COMMON / STATUS / XNOW, YNOW, XVEL ... /

An external declaration in any compiled language will take this form. Quite obviously, it should be possible to directly address any one of the variables in the common block. However, only the value of STATUS (the beginning address of the common block) is available using the proposed Mostek standard; the instruction would be EXTRN STATUS. This means that a reference to XVEL. for example, could be done only through an address computation (ie: its address is equal to that of STATUS plus a certain number of bytes). Needless to say, the result is a waste of machine time, memory, and perhaps microprocessor facilities (eg: an index register). This problem directly affects the assembler programmer, since his coding style is interfered with.

The most practical alternative would be to allow offsets in external references. The offset could then be stored in the target location, to be adjusted at link time (the method shown in the program of listing 2). This will necessitate one entry in an external symbol record for each reference to that symbol in a source program. The result is, of course, increased object-module size and increased time taken to link or load a given set of modules.

It is possible to decrease both program size and execution time by separating the linking loader into a linker program (which links together a set of object modules, creating one file of fully defined machine code) and a simpler loader program (which loads the already linked machine code).

#### Relocating Assemblers

To an absolute assembler, all variable names are alike; ie: each represents a known value. On the other hand, a relocating assembler must be able to distinguish between three types of entries in its symbol table:

- absolute symbols
- relative symbols
- external symbols

When a relocating assembler encounters an arithmetic expression containing more than one symbol, it must determine several things: whether the expression is valid or not: and if it is valid, what its value is and whether an external or a relocation record (if any) need be written. Also, the use of arithmetic operators is limited by the combination of symbols being worked upon. For example, REL + EXT is valid if an external record is generated for the resulting sum; REL - REL is always valid; but REL - EXT is always invalid. (REL and EXT refer to a relative and an external symbol, respectively.) The actual rules for combination of symbols are more complicated and must be taken into account when designing a linking assembler.

An additional difference is that a relocating assembler must be able to recognize specialized directives. The ones that I have used in this article are:

.ASECT enter absolute mode .CSECT enter relative mode .ENTRY define a list of internal symbols .EXTRN define a list of external symbols

In addition to these, there should be a directive to explicitly declare a one-byte external symbol, so that the assembler will know whether or not to generate a short (page-zero) form of an ambiguous instruction. As previously noted, this is most relevant to 6502- and 6800-type processors.

As shown in the previous section, a relocating assembler need be only slightly more complex than an absolute assembler, and allows the use of modular software-generation techniques. Unless the system being developed is extremely small (eg: 512 bytes or less), its advantages easily outweigh its drawbacks.

#### References

Elson, M, Concepts of Programming Languages, Science Research Associates, Chicago IL, 1973.

Formaniak, P G, and Leitch, D, "A Proposed Microprocessor Software Standard," July 1977 BYTE, page 34.

#### TO ORDER CALL (212) 687-5000

#### ERBRAIN

INTERTEC SYSTEMS 64K ONLY \$2995 32K \$2795



More than an intelligent terminal, the SuperBrain outperforms many other systems costing three to five times as much. Endowed with a helty amount of available software (BASIC, FORTRAN, COBOL), the SuperBrain is ready to available software (poster, memory per leady to take on your toughest assignment. You name it! General Ledger. Accounts Receivable. Payroll, Inventory or Word Processing. . . the SuperBrain handles all of them with ease

FEATURES INCLUDE:

2 dual-density minifloppies with 350K bytes of disk storage • A CP/M Disk Operating System with a high-powered text editor, assembler and debugger.

#### Model OD

720K Bytes disk storage and 64K RAM \$3895

#### SUPER BRAIN HARD DISKS

10 Megabyte \$3995

16 Fixed-16 Removable \$5995



#### **NEW AMPEX** HARD DISK

Fixed Removable Only \$5995



APPLE II PLUS

A complete self-contained computer system with APPLESOFT floating point BASIC in ROM, full ASC11 keyboard in a light weight molded carrying case.

#### Features Include:

auto-start ROM • Hi-Res graphics and 15 color video output

<ul> <li>Expandable to 48K.</li> </ul>			
Supertalker	\$279	Micromodem	\$379
Disk	595	Superterm (24 x 80)	395
Add-on Disk	495	Speechlab	229
Pascal Card	495	Communication Card	225
Business Software	625	Modem	200
Monitor	159	Graphics Printer	595
Printer Card	180	Graphics Tablet	795





**NEW 80** 



CBM Basic 4.0 Operating System

- 80 column by 25 line display
- 12" CRT
- New screen editor
- Split screen processing
- Super fast string handling
   15 additional basic commands
- Supports relative record processing

Model 8016 16K memory

Model 8032 32K memory

AND \$1795 \$1495

#### NEW 8050 DUAL DISK 1 million bytes on-line storage and DOS 2.0 operating system

- Supports relative record (Random Access)
- Faster more reliable only \$1695

#### **CENTRONICS 704**



Upper/Lower Case
Tractor Feed RS-232
 Serial Interface

\$1895 List \$2500

#### **CENTRONICS 700-9** \$1295 List \$1895

• 60 cps • Up to 15" paper width • Tractor Feed • Parallel Interface for Apple & TRS-80 • 2 channel vertical forms! • Top of Form!

CENTRONICS(Letter quality) 737 Serial \$995

737 Parallel \$965

#### **CENTRONICS**

730 Serial \$775 730 Parallel \$745

#### Commodore Computer

These low cost Commodore PET Business Computers have virtually unlimited business capabilities. Accounts Receivable, Inventory Records, Payroll, and

other accounting functions.

- PET 16N & 32N COMPUTERS
- Full size keyboard 16 or 32,000
- Bytes Memory Level III
- Operating System Full Screen
- Editor

PERIPHERALS

24K Memory Expansion

Upper lower case & 64 graphic characters



#### PET DUAL FLOPPY DISK

\$995

- Stores 360,000
- Bytes on-line

  Microprocessor
- controlled
- Uses single or dual sided floppies HI-SPEED PRINTER
  - 150 characters per
  - second Up to 4
    copies 8" wide
     Microprocessor
    Controlled Prints
    All Graphics Full
  - Formatting Capability
- \$499 399 179 16K Memory Expansion
   PET to RS232 Serial 2 Way Serial/Communication
   Modem Board for PET 229 375 Analog to Digital Board for 16 Devices
   Second Cassette Drive 275 95

#### DIP - 81 BIDIRECTIONAL PRINTER

Centronics

\$695

- interface Serial add \$50
- · Ribbon cartridge
- American made
- 80 column

\$495




#### ANDERSON JACOBSON

841 I/O Terminal Ideal for word processing and small businesses. ASCII Code
 15 CPS Printout A STATE OF THE PARTY OF THE PAR

\$1130 Serial \$1230

High Quality Selectric Printing Reliable heavy duty mechanism Completely Refurbished by A.J.

Delivered FREE to nearest service center



#### XEROX 1730

Letter Quality Printer

List \$2755 **Special \$2495** 

- 90 Day On Site Warranty • 40 Cps
- Uses all 100 metal & plastic daisy wheels
- · Automatic bidirectional printing Fewer moving parts



#### XYMEC HQ 1000

with 10, 12, 15 Pitch & Proportional Spacing

Up to 198 columns \$2495



Min. Credit Card Order \$75

N Y residents add 8% sales tax Same day shipment on prepaid and

TO ORDER CALL (212) 687-5000 Open Mon-Fri.10-6 Sat. 11-5

The COMPUTER FACTORY

485 Lexington Ave., New York, NY 10017 (46th St. Lobby)

Foreign order desk — Telex 640055

#### NEECO PROUDLY INTRODUCES

#### COMPUT



#### ALTOS ACS 8000-5

- Megabyte storage
- 64K RAM
- Totally expandable to Hard Disk (29MB) and Multi-User

#### ALTOS OFFERS OUR USERS Dual 8" floppy disks TOTAL SYSTEM CAPABILITIES AND FLEXIBILITY . . .

- Z80 based CP/M Multi-User
- Hard Disk Seven languages
- MP/M NEECO system support
- Full Word Processing

"ALTOS Computers offer you System Flexibility and Reliability"

CONTACT NEECO FOR ADDITIONAL INFORMATION ON HOW ALTOS CAN BECOME YOUR COMPUTER SOLUTION.

Altos computers range in price from less than \$3000 to over \$14,000, Altos Computer Systems' capabilities range from single disk-single user to 29 Megabytes-Multi-User.

ALTOS computers are distributed to Dealers/OEMs in the N.E. Region by MICROAMERICA

(Business Packages written in MicrosoftBASIC) • Payroll Package

Trial Tested Osborne Business Packages on the Superbrain

- Accounts Receivable \$250.00 General Ledger
  - \$250.00
- Complete 4 Module Package \$795
- Accounts Payable
- \$250.00
- MicrosoftBASIC \$325
- \$250.00

SPECIAL OFFER! - Purchase a Centronics 704-9 (RS232, 180 CPS, retail \$2380) printer and a 64K Superbrain together

for only \$4595 - cash price only.

#### SUPERBRAIN

32K RAM \$2795 64K RAM \$2995 FORTRAN \$ 450

#### SPECIAL OFFER!

Purchase a 64K Superbrain at \$2995 and will include MBASIC5 for only \$250! (regularly \$350)

"The Superbrain is ideal for use as an intelligent terminal or stand alone microcomputer system for OEM's, commercial customers, and other sophisticated computer users.'

- Two 5.25" Shugart Minifloppies with over 300 K (CP/M Version 2.2 or later) Disk Storage.
- Integrated in a single compact housing.
- CP/M operating System with MBASIC5 and other interpreters/compilers available.
- 32K or 64K RAM models available.
- 2 I/O Ports one fully enabled RS232 port for communications. Other port for RS232 serial printer output.
- Too many software packages are now available to list them here.

#### OEM/DEALER INQUIRIES

All pricing and specifications are subject to change.

|PERBRAIN

The Honor Graduate



679 Highland Ave. Needham, MA 02194

Mon-Fri 9:30-5:30 MasterCharge & Visa Accepted

617) 449-1760 Telex: 951021

#### MICROAMERICA DISTRIBUTING

"Nationwide distributors of Computer Equipment" 21 Putnam Street

Needham, MA 02194

(617) 449-4310

Circle 122 for NEECO



#### **NEECO**

'Your complete source for all CBM Hardware and Software Products"

# PROUDLY ANNOUNCES OUR NEW ONE YEAR WARRANTY ON ALL CBM COMPUTERS!

"All CBM Computers purchased between June 15th and Sept. 15th will automatically carry a full one year NEECO warranty"

The 8032 CBM Computer is now available!





#### **CBM™** 8000 SERIES BUSINESS COMPUTERS

The new Commodore 8000 series computers offer a wide screen display to show you up to 80-character lines of information. Text editing and report formatting are faster and easier with the new wide-screen display. The 8000 series also provides a resident Operating System with expanded functional capabilities. You can use BASIC on the 8000 computers in both interactive and program modes, with expanded commands and functions for arithmetic, editing, and disk file management. The CBM 8000 series computers are ideally suited for the computing needs of the business marketplace.

#### CBM™ 8050 DUAL DRIVE FLOPPY DISK

The CBM 8050 Dual Drive Floppy Disk is an enhanced version of the intelligent CBM 2040 Disk Drive. The CBM 8050 has all of the features of the CBM 2040, and provides more powerful software capabilities, as well as nearly one megabyte of online storage capacity. The CBM 8050 supplies relative record files and automatic diskette initialization. It can copy all the files from one diskette to another without copying unused space. The CBM 8050 also offers improved error recovery and the ability to append to sequential files.

#### HARDWARE SPECIFICATIONS

Dual Drives
Two microprocessors
974K Bytes storage on two
5.25" diskettes (single sided)
Tracks 70
Sectors 17-21
Soft sector format
IEEE-488 interface
Combination power (green) and
error (red) indicator lights
Disk Operating System Firmware
(12K ROM)

#### FIRMWARE

DOS version 2.1
Sequential file manipulation
Sequential user files
Relative record files
Append to sequential files
Improved error recovery
Automatic diskette initialization
Automatic directory search
Command parser for syntax
validation
Program load and save

			Disk But	ffer (4K RAM)		*
4008N 4016N 4016B 4032N 4032B 8016 8032 2023 2022	PRODUCT DESCRIPTION  8K RAM-Graphics Keyboard-40 col.  16KN RAM-Business Keyboard-40 col.  16K RAM-Business Keyboard-40 col.  32K RAM-Graphics Keyboard-40 col.  32K RAM-Business Keyboard-40 col.  16K RAM-80 Col4.1 O/S  32K RAM-80 Col4.1 O/S  Friction Feed Printer  Tractor Feed Printer	PRICE \$ 795.00 \$ 995.00 \$ 995.00 \$1295.00 \$1295.00 \$1495.00 \$1795.00 \$ 695.00 \$ 795.00	NOTE: All current CBM production computers/disks	2040 4040 8050 C2N Cassette CBM to IEEE IEEE to IEEE 8010 2.0 DOS 4.0 O/S	PRODUCT DESCRIPTION  Dual Floppy-343K-DOS 1.0  Dual Floppy-944K-DOS 2.0  External Cassette Drive  CBM to 1st IEEE Peripheral  IEEE 300 Baud Modem  DOS Upgrade for 2040  O/S Upgrade for 40 Column  ate fall delivery—all others are immedia	PRICE \$1295.00 \$1295.00 \$1695.00 \$ 95.00 \$ 39.95 \$ 49.95 \$ 395.00 \$ 50.00
Street, Square, or other party of the last				Asterisks murca	ate fall delivery—all others are immedia	itely available.

#### SPECIAL OFFER ON CBM COMPATIBLE BUSINESS SOFTWARE!

Purchasing software has always been difficult due to the "you buy it - you own it" attitude of most vendors. We at NEECO, recognize this problem and can now, on all of the Software Packages listed, offer a full 30 day refund policy to NEECO's customers. Now you can purchase with confidence. Buy it - try it; if the program package is not suitable for any reason, send it back to us within 30 days and we will refund the full purchase price—less shipping charges!

SOFTWARE	APPLICATION	REQUIRES	AUTHOR	AVAILABILITY	PRICE
Word Pro I	Word Processing	8K + cassette	Pro Micro	Immediate	\$ 29.95
Word Pro II	**	10K + 2040	**		99.95
Word Pro III		32K + 2040	**	**	199.95
WordProIV	96	8032 + 2040/8050	22.	157	299.95
BPI Integrated G/L	Business	32K/8032 + 2040	BPI	**	360.00
BPI Inventory		> m.	**	(ee	T.B.A.
BPI Payroll		***	**		
BPI Enhanced A/R				**	**
CMS G/L	**	C#	CMS Software		295.00
CMS A/R	**	**	*	27	195.00
CMS A/P	**	**	**	**	195.00
CMS Customer Mail List	**	196	**	W	195.00
CMS Payroll	**	S(##)	**		350.00
BMB Database	All Business	32K/8032 + 2050/8050	BMB	August/Sept.	295.00

"Wordprocessing Software requires output printer. We recommend the NEC Spinwriter (\$2995) for letter quality.

"PET is a registered trademark of Commodore Business Machines. Small Keyboard PETS require a ROM Retrofit Kit.

Multi-Cluster is available in Canada from BMB Compu Science, P.O. BOX 121, Milton, Ontario, L9T2Y3

All prices and specifications are subject to change without notice.



#### NEECO

679 HIGHLAND AVE. NEEDHAM, MA 02194 **NEW ENGLAND ELECTRONICS CO., INC.** 

"NEW ENGLAND's Largest Computer Showroom" (617) 449-1760

MASTERCHARGE OR VISA ACCEPTED TELEX NUMBER 951021, NEECO MON-FRI, 9:00-5:30

## Varieties of Threaded Code for Language Implementation

Terry Ritter Gregory Walker Motorola Inc. Mail Drop M2880 3501 Ed Bluestein Blvd Austin TX 78721

Between a high-level language (HLL) and its underlying machine architecture lurk many language implementation techniques. These include the older techniques of interpretation and compilation, as well as newer ones like intermediate languages and threaded code. In this article, we will present four types of threaded code techniques for implementing intermediate languages. We will examine how these four logically equivalent techniques offer various trade-offs of execution speed, program storage, and use of processor resources.

#### Implemention of a Language

The implementation of a high-level language on various logical or physical machine architectures involves such characteristic trade-offs as size of the language implementation, size of generated code, and speed of program execution. We will bypass other issues of high-level language use (eg: interaction, debugging, testing, etc) and concentrate on language implementation considerations.

Language implementation techniques can be logically divided into two categories: translation and interpre-

Translation: Translation techniques replace elements of higher-level syntax with lower-level instructions that perform an equivalent operation. The resulting transla-

#### About the Authors

Terry Ritter and Gregory Walker are software engineers at the Motorola Microprocessor Design Group, where their exploration into the structure of computer languages led them to examine FORTH and other threaded languages for use as a possible software tool. Terry Ritter is one of the co-architects of the MC6809 microprocessor and has been involved with personal computing since 1974. Gregory Walker is on the IEEE floating-point standards committee and has been involved with microcomputers since 1975.

tion is then executed in order to run the program. A compiler is a computer program that translates high-level language programs into instructions of another language. Traditionally, assemblers and compilers translate their input into machine-level code.

Interpretation: Interpretation techniques directly execute the high-level language program. The interpreter is a program that sees the high-level language source program as a series of operation (op) codes used to guide its execution. The interpretive system appears to the user as a "virtual machine" that has the architecture of the highlevel language.

Any form of interpretation offers significant opportunities for implementing debugging tools. Tests performed as each command is interpreted can result in a programmer-controlled display of debugging information. This is the basis for trace or breakpoint facilities that can be included in the interpreter.

Combinations: Combination techniques may translate the sequence of characters representing a high-levellanguage keyword into a form that is easier to interpret. Most BASIC interpreters translate the BASIC keywords into one-byte tokens that are easier to identify. This technique avoids the continual string searches of a traditional interpreter, but executes a language that is syntactically unchanged from the high-level-language source program. (For our purposes here, the term syntax will specifically refer to the structural relationship between language elements.)

Intermediate language: Intermediate-language (IL) techniques translate the high-level-language programs into a language that is simultaneously easier to deal with and syntactically different from the original. Many compilers translate a high-level-language program into an intermediate language, which is then translated into

#### THE NEXT GENERATION OF MICROCOMPUTERS IS HERE AT QUASAR DATA PRODUCTS



**16 BIT POWER** Z-8000

AND STILL RUN YOUR 8BIT SOFTWARE

#### IF YOU see it our way then we think we have the products for you:

- The S-100 bus is here to stay. It is not the greatest but with proper termination it works reliably at high speeds, and since it is now an IEEE standard, it is well defined.
- The 8 BIT systems are useful but they are the limiting factor for many applications.
- The 16 BIT systems are the way future systems will go. Why not? There is very little price difference and an order of magnitude performance difference.
- The real usefulness of the 16 BIT microprocessors will be determined by the software.
- The systems using 51/4 inch disk drives really do not have adequate memory storage or computer power for many business or scientific
- Sixty-four kilobytes of addressable RAM, the maximum for 8 BIT systems, is not adequate for many business or scientific applications.
- It is not worth buying 8 BIT systems or boards now if you can get the same software with 16 BIT systems at about the same price.

8 BIT POWER **Z-80** 

• The new 16 BIT microprocessors have power comparable to minicomputers but do not require the same overhead in terms of downtime, maintenance, or initial investment. They are more versatile in many applications such as real time applications.

#### THIS IS WHAT ODP HAS AVAILABLE:

- A Z-8000 Board that can plug into your existing S-100 Bus System (see below for description)
- A complete Z-8000 System (see below for description).
- A Z-8000 System configured for your exact needs.
- Software to allow you to run all the available Z-80/8080 software including CP/M.
- Software that includes a Monitor, Debugger, Disassembler, and Basic.
- Software options: a) Extended Monitor, b) Pascal, c) Simulators for 8080, Z-80, 6800, 6502, 1802.
- A Z-80 System (QDP-100) that is upward compatible with the Z-8000.

#### THIS IS WHAT IS COMING FROM QDP:

- A 256 kilobyte RAM card
- UNIX<sup>2</sup> operating system.

#### Z-8000 SERIES 16 BIT CPU S-100 BOARD - CAN BE PLUGGED INTO YOUR EXISTING SYSTEM \$695.00

- Fully S-100 IEEE compatible.
- Supports existing 8 BIT memory and 8 BIT peripheral boards.
- Capable of reading and/or writing 8 BIT, 16 BIT, or
- mixes 8 BIT and 16 Bit memories automatically.

   8 BIT and/or 16 BIT peripheral modules can simultaneously co-exist in the same bus without any modifications.
- Capable of operating as a slave processor to enable your existing CPU to control the Z-8000.

#### Industrial Quality

- Supports either segmented CPU or non-segmented CPU.
- Power-on and reset jump dip switch selectable.
- Jumper selectable 2 or 4 MHz. operation.
- Dip switch selectable number and type of wait states.

#### SOFTWARE

- Z-80 emulator enables you to execute your existing 8 BIT software without any modifications and allows you to run CP/M immediately.
- · Extended Monitor, Debugger, Disassembler.

#### QDP-8100 WITH 2 MEGABYTES STORAGE STANDARD (OPTIONAL 4 MEGABYTES)

• Z-8000 series 16 BIT CPU S-100 Board - see above

#### SOFTWARE (Provided with system) • CP/M 2.2¹ operating system

- Z-80/8080 Emulator
- Monitor, Debugger, Disassembler software
- Optional software: Pascal
- UNIX<sup>2</sup> operating system coming

#### **SYSTEMS**



- QDP-100 WITH 2 MEGABYTES STORAGE **STANDARD (OPTIONAL 4 MEGABYTES)**
- Z-80 series 8 BIT CPU S-100 Board (4 MHz. Z-80, Double density disk Controller, 2716 Prom Burner 2 Parallel & 2 Serial Ports, real time clock)

#### SOFTWARE (Provided with system)

- CP/M 2.21 operating system
- **\$4.995.**
- Basic
- · Accounts Receivable, General Ledger, Accounts Payable, Payroll with Cost Accounting

  Optional software: Fortran, Pascal, Cobol, C

#### **EACH SYSTEM CONTAINS:**

• Intelligent CRT terminal (80 characters X 24 lines) • 64 kilobytes RAM • Two 8 inch, double sided, double density floppy disk drives with controller • 2 serial and 1 parallel (2 parallel for QDP-100) ports • Attractive woodgrain cabinet with power supplies and cabling

#### FULL TECHNICAL SUPPORT FROM THE STAFF AT QUASAR DATA PRODUCTS

#### 4 Mhz 64K Dynamic RAM

16K - \$250°° 32K - '350°°

48K - 450°°

64K · 54900

**\$6,395.** 

#### TELETEK DBL. DENSITY, DBL. SIDED

#### **QUASAR FLOPPY SYSTEM**

• Two MFE DBL sided drives • Cable • Case & Power Supply 

#### **QUASAR 2 MEG FLOPPY**

- 2 MFE double sided drives
- Teletek disk controller board
- Power supply & cable
- Wood cabinet
- CP/M version 2.2 & bios
- Assembled & tested . . . . . . . 3229500

Dealer Inquiries Invited. Hours: 9-5:30 M-F

Specifications Subject To Change

CP/MIM Digital Research


²UNIX™ Bell Lab



#### PAPER TIGER

Includes Graphics . . . . . . 5949°° Cable for TRS-80 ..... '39"

Call for Apple



TI - 820

Serial Printer -

Full package options... '1995"

30 DayARO




Checks, money orders accepted

Add \$2.50 freight charges on orders under 10 lbs. Over 10 lbs. F.O.B. Cleveland

**QUASAR DATA PRODUCTS** 

25151 Mitchell Dr., No.Olmsted, Ohio 44070 (216)779-9387





Someday your computer is going to break; even the most reliable computer systems "go down". Often, finding exactly what is wrong can account for the most time consuming part of repairing the system, and the longer the system is down, the more money you lose.

DIAGNOSTICS I is a complete program package designed to check every major area of your computer, detect errors, and find the cause of most common computer malfunctions, often before they become serious. For years, large installations have run daily or weekly diagnostic routines as a part of normal system maintenance and check-out procedures.

DIAGNOSTICS I is designed to provide that kind of performance testing for 8080/Z80 micro computers.

DIAGNOSTICS I will really put your system through its paces. Each test is exhaustive and thorough. The tests include:

 Memory Test •CPU Test (8080/8085/Z80) Printer Test Disk Test CRT Test

To our knowledge, this is the first CPU test available for 8080/Z80 CPU's. Many times transient problems, usually blamed on bad memory, are really CPU errors.

A good set of diagnostics is an indispensable addition to your program library even if your system is working fine. Hours have been wasted trying to track down a "program bug" when actually hardware was to blame!

DIAGNOSTICS I also allows you to be confident of your system. This can be critical when file merges or sorts and backups are involved. You want to be as sure of your computer as possible during these critical times. Running DIAGNOSTICS I prior to these and other important functions helps to insure that your system is operating at peak performance.

DIAGNOSTICS I is supplied on discette with a complete users manual.

DIAGNOSTICS 1: \$60.00 Manual only: \$15.00

Requires: 24K CP/M; 16K disc for TRS-80

formats: CP/M 8" SOFT SECTORED, NORTHSTAR CP/M AND TRS-80 DOS



CP.M REGISTERED TRADEMARK DIGITAL RESEARC TRSOOS TRS-80 TRADEMARKS TANDY CORP

All Orders and General Information: **SUPERSOFT ASSOCIATES** P.O. BOX 1628 CHAMPAIGN, IL 61820 (217) 359-2112

Technical Hot Line: (217) 359-2691 (answered only when technician is available)

Intermediate-language techniques offer the advantage of machine independence of the source language.

machine code. When used in this manner, the intermediate language can allow global code-optimization techniques to be more easily applied.

Since the translation into the intermediate language is independent of the target machine, different compilers for the same target machine need only produce the simpler code of the intermediate language. Similarly, different code generators (which translate the intermediate language into machine language) can allow the same compiler to produce code for different computers. Intermediate-language techniques offer the advantage of machine independence of the source language and allow program portability, the ability to execute the same source program on widely different computers.

The intermediate-language representation of a program might also be interpreted instead of translated to machine code. To minimize interpretation overhead, we need complex and powerful machine-language routines. But machine independence is best accomplished by having simple, easy-to-write machine-language routines. This same trade-off of machine independence versus execution speed must be made in the design of any intermediate language. An example of this use of intermediate language is the pseudocode (p-code) used to implement most versions of Pascal.

This article is principally concerned with a class of intermediate-language representations particularly suited to interpretation; these are known as threaded codes. Naturally, the intermediate-language code will be generated by a compiler or by some other translation program. We will not discuss the translation process, which is a function of the syntax of the high-level language and other programming considerations; rather, we will discuss the resulting intermediate language and its interpreter.

#### Aspects of Intermediate-Language Architecture

An intermediate language is composed of a set of primitive operations (which, in combination, can express any algorithm) and storage capabilities for both internal and program data. In particular, it must be possible to pass data values between routines that make up the intermediate language. The intermediate-language program can use a fixed number of memory locations to simulate general-purpose registers, but then routines are needed that load (and store) each register from memory, as well as routines that simply move values between registers. If the intermediate language approaches the complexity of the original machine language, its use is of dubious value.

One approach that simplifies an instruction set is a "zero-address" or stack architecture. In this architecture, all operations will obtain values by pulling them from the stack and results will be returned by pushing them onto the stack. Only two operations with memory are now required: the "pull (from stack) and store (to memory)" operation and the "load (from memory) and push (on the stack)" operation. By designing a zero-address architecThe first personal computer for under \$200.

The Sinclair ZX80. A complete computer only \$199.95 plus \$5.00 shipping.

Now, for just \$199.95, you can get a complete, powerful, full-function computer, matching or surpassing other personal computers costing several times more.

It's the Sinclair ZX80, the computer that independent tests prove is faster than all previous personal computers. The computer that "Personal Computer World" gave 5 stars for 'excellent value.'

The ZX80 cuts away computer jargon and mystique. It takes you straight into BASIC, the most common, easy-to-use computer language.

You simply take it out of the box, connect it to your TV, and turn it on. And if you want, you can use an ordinary cassette recorder to store programs. With the manual in your hand, you'll be running programs in an hour. Within a week, you'll be writing complex programs with confidence.

All for under \$200.

#### Sophisticated design makes the ZX80 easy to learn, easy to use.

We've packed the conventional computer onto fewer, more powerful LSI chipsincluding the Z80A microprocessor, the faster version of the famous Z80. This makes the ZX80 the world's first truly portable computer  $(6\frac{1}{2}$ " x  $8\frac{1}{2}$ " x  $1\frac{1}{2}$ " and a mere 12 oz.). The ZX80 also features a touch sensitive, wipe-clean keyboard and a 32-character by 24-line display.

Yet, with all this power, the ZX80 is easy to use, even for beginners.



#### Your course in computing.

The ZX80 comes complete with its own 128-page guide to computing. The manual is perfect for both novice and expert. For every chapter of theory, there's a chapter of practice. So you learn by doing-not just by reading. It makes learning easy, exciting and enjoyable.

#### The ZX80's advanced design features.

Sinclair's 4K integer BASIC has performance features you'd expect only on much larger and more expensive computers. These include:

- Unique 'one touch' entry. Key words (RUN, PRINT, LIST, etc.) have their own single-key entry and are stored as a single character to reduce typing and save memory space.
- Automatic error detection. A cursor identifies errors immediately to prevent

entering programs with faults.

- Powerful text editing facilities. Also programmable in machine code.
- Excellent string handling capability—up to 26 string variables of any length.

Graphics, with 22 standard symbols.

■ Built-in random number generator for games and simulations.

Sinclair's BASIC places no arbitrary restrictions on you-with many other flexible features, such as variable names of any

And the computer that can do so much for you now will do even more in the future. Options will include expansion of 1K user memory to 16K, a plug-in 8K floatingpoint BASIC chip, applications software, and other peripherals.

#### Order your ZX80 now!

The ZX80 is available only by mail from Sinclair, a leading manufacturer of consumer electronics worldwide. We've already sold tens of thousands of units in Europe, so demand will be great.

To order by mail, use the coupon below. But for fastest delivery, order by phone and charge to your Master Charge or VISA. The ZX80 is backed by a 30-day moneyback guarantee, a 90-day limited warranty with a national service-by-mail facility, and extended service contracts are available for a minimal charge.

Price includes TV and cassette connectors, AC adaptor, and 128-page manual.

All you need to use your ZX80 is a standard TV (color or black and white). The ZX80 comes complete with connectors that easily hook up to the antenna terminals of your TV. Also included is a connector for a portable cassette recorder, if you choose to store programs. (You use an ordinary blank cassette.)



The ZX80 is a family learning aid. Children 10 and above will quickly understand the principles of computing-and have fun learning.

Phone orders: (203) 265-9171. Mon.-Fri. 8 AM-6 PM EST. We'll deduct the cost of the call from your invoice. (For technical information, call (617) 367-2555, Mon.-Fri. 9 AM-5 PM EST.)

	* *		
direct (Cath			
		The state of the s	

Sinclair Research Ltd., 475 Main St., P.O. Box 3027, Wallingford, CT 06492.

Please send meshipping. (Your ZX80 n		\$199.95* each (US dollars), plus \$5
I enclose a check/mon	ey order payable to Sinclair Researc	h Ltd. for \$
Name		
Address		(2)
City	State	Zip
Occupation:		Age:
	computer? $\square$ Yes $\square$ No. ersonal computer? $\square$ Yes $\square$ No. *F	or Conn. deliveries, add 7% sales t







Figure 1: Diagram of subroutine-threaded code (STC). In this and figures 2 thru 4, the pointer points to the main program being executed. Both A and B are subprograms called by the main program; A is an intermediate-language subprogram of the same type as the main program, and B is an in-line machine-language program that directly executes the machine language of the host computer. The words next, call, and return refer to operations that must be performed for any threaded-code language. The information to the right of these words tells how each operation is performed in the current type of threaded code.



**Figure 2:** Diagram of direct-threaded code (DTC). Here, "temporary storage" refers to a memory location that is used to hold the address of the machine-code routine associated with the current unit of code.





**Figure 3:** Diagram of indirect-threaded code (ITC). Here, "indirect temporary storage" and "code temporary storage" store the indirect and direct pointers to the machine code routine associated with the current unit of code.

TWX 710-985-5485

UNION, N.J. 07083

ture into the intermediate language, the parameter transfer location is implied and need not be part of the intermediate language representation. (A stack architecture is certainly simpler than other architectures, but that does not mean it is better; many complex trade-offs that are beyond the scope of this article are involved.)

#### Threaded Code

Threaded code is an intermediate-language implementation technique that organizes the control of program flow into a sequence of subroutine invocations. No other aspects of the language are represented in threaded code. Threaded code is especially applicable to interpretation; the interpretation process consists of transferring control to the routines selected by the threaded-code op codes. The functions available in the intermediate language are provided by the subroutines that are invoked and are not an inherent part of the threaded code itself.

The characteristics of the language FORTH are independent of its current implementation via threaded code. FORTH enthusiasts often blur the distinction, attributing the language's speed and compactness to the language instead of to its threaded-code implementation. I think this is an important point to remember when talking about the advantages of FORTH....GW]

Threaded-code intermediate languages are especially applicable to the implementation of virtual machines embodying zero-address architectures. As such, the technique of using threaded code to implement a language can be applied to, for example, Pascal (using the p-code intermediate language), LISP interpreters, or, of course, FORTH. We classify four varieties of threaded code: subroutine, direct, indirect, and token.

All varieties of threaded code consist of a data structure that is a sequence of unique subroutine identifiers. Traditionally, threaded code has been kept close to the machine level and has included actual pointers to the subroutines (which themselves may be either intermediate language or machine code). Also traditionally, a portion of the processor resources—in particular, processor registers—has been dedicated to the use of the threaded-code interpreter. As we shall see, neither absolute pointers nor register resources need be used to implement threaded code.


#### **Implementing Threaded Structures**

We will now describe the structures associated with the various types of threaded code. Figures 1 through 4 present diagrams of subroutine-, direct-, indirect-, and tokenthreaded code structures, respectively, along with a description of the three operations, next, call, and return, which make up the complete threaded-code interpreter. In the diagrams, the notation "→A" means a pointer to the memory location labeled "A".

Subroutine-threaded code: A sequence of subroutine calls with no other embedded instructions implements an intermediate language. Each subroutine call may be considered a single intermediate-language operation, which need not be related to the underlying machine architecture. Subroutine-threaded code (STC) is a control mechanism that is widely supported at the machinehardware level.

The peculiar program organization consisting only of

#### The **2nd Generation** is shaping up...



#### MEASUREMENT systems & controls incorporated



#### MicroByte Software

2415-C Gateway Plaza Crabtiee Blvd. Raleigh, North Carolina 27604

(919) 833-4094

AT LAST! A fully implemented computer based file management system. Only a few minutes of instruction and you are creating and using your own client lists, mailing lists, inventories, bibliographies, vendor lists, and more.

#### D B M S 8 0

Files, lists, or records, with user defined formats, can be created, sorted, edited, and printed with ease. Sub-files can be created out of parts of existing files, selecting parts of a record or individual records by a search criterion. ALSO available with DBMS80. . .

#### REPORT80

Build your own custom defined and formatted reports and data summaries. Print lables with user specified formats that will fit your own forms.

DBMS80 and REPORT80 will run under either CP/M or TRSDOS

DBMS80\$250.00
REPORT80\$100.00
Manuals each
OTHER PRODUCTS OF MICROBYTE SOFTWARE:

EDIT80 .....\$100.00 Text editor and print formatter which runs under CP/M or TRSDOS

Utility which allows you to examine and patch a disk. Apple PASCAL utilities: extensions to Apple Pascal, together with file

control utilities, cross-reference, etc. Apple PASCAL payroll for 150 employees, full

deduction options, etc. Write or call today for further details on our products. Source ID#TCE373


APPLE is a trademark of Apple Computer Corp. TRSDOS is a trademark of Tandy Corp. CP/M is a trademark of Digital Research

Owing to a printer error a wrong telephone number was run in August. Our apologies for any inconvenience this caused. Our correct telephone number is 919-833-4094.

subroutine calls is rarely used by programmers (who have no reason to resist obvious opportunities for optimization), but it is sometimes used by compilers. It is the most general intermediate language possible, and it retains the advantages of machine independence by not generating in-line machine language. (The difference in the form of subroutine call and return instructions on various computers is usually trivial.)

Subroutine-threaded code will incur less execution overhead than most intermediate languages because its interpretation is handled by hardware rather than by a sequence of instructions. Furthermore, subroutine-threaded code can be optimized by using in-line machine code for operations where subroutine overhead is excessive, an advantage unobtainable with other types of threaded code. Of course, the resulting optimized code is no longer machine-independent; the additional translation step converts the intermediate language into object code for a particular machine.

Direct-threaded code: Direct-threaded code (DTC) may be considered a sequence of machine-language subroutine calls with the "call" op code removed. This results in a list of addresses, each of which points to a machine-language subroutine. Since the direct-threaded program includes no op codes, a short machine-language program must be written to read the next address in the list and transfer control to that address. Traditional direct-



**Figure 4:** Diagram of token-threaded code (TTC). Since tokens can be made shorter than addresses, this makes the threaded code more compact, but the table lookup makes the resulting code slower. Here, the "indirect token" is the contents of the table entry that matches the current token of code.

threaded code implementations do not allow the use of true subroutines at the machine level but instead require that each routine terminate by executing the *next* operation

In order to call direct-threaded routines (see the instructions for "call" in figure 2), machine-language code (executing the instructions for "call") must be included at the beginning of each direct-threaded routine to put the current value of the list pointer on an address stack, load the list-pointer register with the start address of the list of routine addresses for this just-begun, direct-threaded routine, and execute the *next* operation.

The *next* operation (coded here as in-line machine code) causes the computer to execute the routine pointed to by the list pointer, regardless of whether the routine pointed to is another intermediate-language routine or a machine-language routine.

In order to return to a higher level of nesting, the last list item in an intermediate-language routine points to the code for the *return* operation. When executed by the *next* operation, this operation recovers the previous value of the list pointer from the stack, then executes the *next* operation, which in turn executes the first routine past the routine the computer just returned from.

Thus direct-threaded code is implemented in three operations: *next*, *call*, and *return*.

Indirect-threaded code: Indirect-threaded code (ITC) consists of a list of addresses, but each address points to another address which then points to the machine-code routine. (See figure 3.) As compared to direct-threaded code, in indirect-threaded code, the interpreter must go through an extra level of indirection. Indirect-threaded intermediate-language subroutines do not contain machine-language code for the *call* operation, and one advantage of indirect-threaded code is that a compiler using it need only produce pointers. By manipulating only pointers, the compiler generates intermediate-language code that does not include machine-language code itself; thus it is independent of the target machine. However, a disadvantage of indirect-threaded code is that the interpreter has the overhead of an extra level of indirect addressing.

Token-threaded code: The varieties of threaded code previously mentioned contained pointers that were actual addresses of the subroutines in memory. Using memory addresses to select routines wastes storage because the number of subroutines in the system is far smaller than the number of memory locations. A savings in intermediate-language program size can be obtained by using short tokens to identify the subroutines to be invoked. Typically, token-threaded code (TTC) can be implemented by using the current token to index into a table of subroutine addresses. (See figure 4.)

#### High-Level Descriptions of Threaded-Code Interpreters

Listings 1 thru 3 illustrate the logical implementation of direct-, indirect-, and token-threaded code, respectively. The program descriptions are written in a high-level language that is similar in appearance to Pascal. It differs from Pascal in that the variables are not declared as standard Pascal data types. Also, the *next*, *call*, and *return* operations are not written as Pascal procedures; this was done to remain faithful to actual implementations where

# THE ULTIMATE REFINEMENT. PL/1 FOR YOUR MICRO.

# IBM's told us about PL/1 for years. Now, we're telling them something.

PL/I Subset G. Newly designed expressly for minicomputers by an ANSI committee of PL/I experts. All the best application programming features, refined to match contemporary programming practices.

PL/I-80™ for Microcomputers. Based on Subset G, PL/I-80 runs under our CP/M® and MP/M™ operating systems.

PL/I-80 Means Performance. In an independent benchmark, PL/I-80 was tested against 34 other highlevel languages for 8-bit processors, and came out on top. \*

#### PL/1-80 versus the best of several languages:

PL/I-80	1.00
FORTRAN	1.21
BASIC COMPILER	1.71
PL/M	1.71
PASCAL COMPILER	1.89
PASCAL INTERPRETER	17.07
BASIC INTERPRETER	34.57

\*Execution time ratio, Eratosthenes Sieve

Subset G is a brand new language with a new following. DEC®, Data General, and Prime now support it, and the list is growing. There's no better way to protect your software investment.

PL/I-80 from Digital Research. Fast. Economical. Refined. With the programming power of minicomputer PL/I. The package includes compiler, run-time library, linkage editor and relocating macroassembler, plus three comprehensive manuals. All for only \$500.

#### Interested in Refinement?

Call or write Digital Research. Experts in refinement.

#### OD DIGITAL RESEARCH®

P.O. Box 579 801 Lighthouse Avenue Pacific Grove, CA 93950 408-649-3896 TWX 910 360 5001



these three code segments are reached by jump instructions rather than by subroutine calls.

Several other notational conventions used in these listings may also need explanation. The data type pointer means an actual machine address. If ip is a pointer variable, then  $\rightarrow ip$  means the value at the location which is pointed to by the address in variable ip. Therefore, the statement

goto → ip;

means jump to a new location using the contents of variable *ip* as the address at which to proceed with execution.

#### Implementation Concerns

The traditional implementations of threaded-code interpreters have had one or more machine registers dedicated to the exclusive use of the interpreter; implementations on microcomputers have tended to use all microprocessor resources. One problem with these implementations is that all machine-language routines (where all real computation is done) must save processor registers before modifying them and must restore them before returning to the interpreter.

Additionally, this use of machine resources, simply for the transfer of control, obstructs the use of standard machine-language subroutines that pass parameters through the registers. In the context of microcomputer



The world's most popular microcomputer, with 16K of memory and Level I I basic for only \$685, complete with full 90 day Radio Shack warranty. We accept check, money order or phone orders with Visa or Master Charge. (Shipping costs added to charge orders).

Disk drives, printers, peripherals, software and games . . . you name it, we've got it (Both Radio Shack & other brands). Write or call for our complete price list.



ECTRONICS

AUTHORIZED DEALERSHIP Radio Jhac

32E. Main Street Milan Michigan 48160 (313) 439-1400

**Listing 1:** Description of a direct-threaded code interpreter in a Pascal-like language. See figure 2.

```
const pointer_length = (length of an address pointer);
    call_code_length = (length of "call" code segment);
           list_pointer: pointer; { contains threaded-code item
label next, call, return;
next: list_item := ^list_pointer;
    list_pointer := list_pointer + pointer_length;
    goto ^list_item;
call: push_on_stack(list_pointer);
            The value of list_item was set by the preceding "next" operation.
           Inst_operation.

list_pointer := list_item + call_code_length;

The following code duplicates the "next" operation.

list_item := ^list_pointer;

list_pointer := list_pointer + pointer_length;


goto ^list_item;
return: list_pointer := pop_from_stack();
               The following code duplicates the "next" operation. }
list_item := ^list_pointer;
list_pointer := list-pointer + pointer_length;
goto ^list_item;
```

**Listing 2:** Description of an indirect-threaded code interpreter in a Pascal-like language. See figure 3.

```
const pointer_length = (length of an address pointer);
var list_pointer: pointer; { interpreted program counter }
list_item: pointer; { contains threaded-code item }
code_pointer: pointer; { points to actual machine code
label next, call, return;
             list_pointer := list_pointer + pointer_length;
code_pointer := ^list_item; { here is the extra }
{ level of indirection }
              goto ^code pointer;
call: push_on_stack(list_pointer);
             push_on_stack(list_pointer);
The value of list_item was set by the
    preceding "next operation.
list_pointer := list_item + pointer_length;
The following code duplicates the "next" operation.
list_item := ^list_pointer;
list_pointer := list_pointer + pointer_length;
code_pointer := ^list_item;
goto ^code_pointer;
goto ^code_pointer;
```

**Listing 3:** Description of a token-threaded code interpreter in a Pascal-like language. See figure 4.

```
const token_length = (length of token);
  call_code_length = (length of "call" code segment);
  toknumber = (number of tokens possible); { is 256 for an }
  { 8-bit token }
}
var list_pointer: pointer; { interpreted program counter }
    code_pointer: pointer; { pointer to machine code }
    table: array[1..toknumber] of pointer; {subroutine table }
    token_item: short token;
label next,call,return;
next: token_item := ^list_pointer;
    list_pointer := list_pointer + token_length;
    code_pointer := table[token_item];
    token_item := ^code_pointer;
    code_pointer := table[token_item];
    goto ^code_pointer;
call: push_on_stack(list_pointer);
{     The value of the code_pointer was set by the preceding }
{     "next" operation.
     list_pointer := code_pointer + call_code_length;
{        The following code duplicates the "next" operation. }
        token_item := ^list_pointer;
        list_pointer := list_pointer + token_length;
        code_pointer := tableLtoken_item];
        goto ^code_pointer;
```



## Why Not the Best?

## From The Dynamic RAM Company.

2MHz	4MHz
16K-\$249	\$259
32K-\$375	\$395
48K-\$500	\$530
64K-\$625	\$665

We have now been shipping our 2MHz dynamic RAM boards for over two years. Hundreds of 4MHz boards have been going out every month since early 1979. Our reliability is proven in the thousands of systems which contain our board. Many qualityminded systems houses across the country and overseas are using our boards for their equipment.

Our prices still beat all. Despite rising 16K memory chip prices (at least from reputable suppliers), Central Data continues to give you the best buy in memory today. Nobody offers a board with a capacity of 64K, assembled, tested, and guaranteed for a full year at the price we do.

Deselect around PROMs. Our boards have the important deselect feature which lets you overlap any fixed memory in your system with no interference.

Our features make the board easily used and expanded. You address our boards on 16K boundaries with mini-jumps (small shorting plugs that slide over wirewrap pins) near the top of the board for easy access. If you want to expand your board after you have purchased it, all that you need to do is add memory. We can supply you with expansion packages (\$150-2MHz, \$160-4MHz) which include eight RAMs that you can depend on as well as two mini-jumps for addressing. And of course, our board **never** generates wait states.

Low power consumption keeps your computer running cool and reliable. The total power consumption of our 16K board is typically less than 4 watts (+8V @ 300ma, +16V @ 150ma and

-16V @ 20ma). Boards with additional memory typically increase power consumption only 1 watt per 16K!

Standard S-100 Interface, Our board is designed to interface with any standard S-100 CPU. All of the timing of the board is independent of the processor chip, and the board is set up for different processors by changing two plugs on the board.

Call or write us today. That will guarantee a fast response with more information on the board. Or make an order — you'll probably have the board in two weeks! If you're interested, also ask for a catalog on our Z8000 16-bit processor board designed for the MULTIBUS. All of these products are available to your local dealer, also.

Central Data Corporation, 713 Edgebrook Drive, PO Box 2530, Station A, Champaign, IL 61820. (217) 359-8010

#### **Central Data**

Listing 4: A simple direct-threaded code interpreter for the MC6809 microprocessor.

RETURN: PULS GET NEW THREAD PTR [,Y++3 DO "NEXT

Machl Routine IL Routine CALL: PSHS Y LEAY STACK OLD THREAD POINTER JMP [,Y++] ADDR OF FOLLOWING IL CODE FDB RETURN ADDR OF "RETURN"

systems (which may want to use read-only memory modules), this limitation requires that special "header" and "trailer" code be written to move data values used by the intermediate language to and from the registers used by previously written machine-language code.

It is also possible to eliminate the use of processor resources in an intermediate language by storing the interpreter's "registers" in memory; this leaves the processor free for use by machine-language code at the expense of additional overhead during interpretation. [This overhead consists of having to move these registers between memory and the hardware registers of the host processor when you want to manipulate the contents of the interpreter registers....GW] The use of absolute locations in memory would itself be a problem, because these locations can then conflict with locations used by other software packages. By saving the intermediate-language registers on the stack, the language may be made inde-

#### MICRO MISCELLANY APPLE II PARALLEL INTERFACE SOLID STATE SWITCH @ ° = \$44.95 \$79.95 \$12.50 Your computer can control power (120VAC) to your printer, lights, and other 120VAC appliances up to 720 Interfaces printers, synthesizers keyboards, and JBE A D D-A Converter & Switches. This Interface has 4 I/O watts (6AMPS at 120VAC). Input 3 to 15 VDC, 2-13 MA TTL compatible, isolaports with handshaking logic, 2-6522 VIA's and a 74LS74 for timing. Inputs VDC, 2-13 tion 1500V. and outputs are TTL compatible. 1 Channel Kit \$ 9.95 79-295K Complete Kit \$69.95 79-295A Assembled \$79.95 \$12.50 79-282 4 Channel Kit \$34.95 Assm. AtoD DtoA CONVERTER **BARE BOARDS** SINGLE BOARD COMPUTERS 8088 5-CHIP SYSTEM 8085 3-CHIP SYSTEM \$69.95 MEMORY BOARD 8208 64K DYNAMIC \$39.95 ALL PRODUCTS AVAILABLE FROM: JOHN BELL ENGINEERING Analog to Digital, Digital to Analog Converter, AtoD conversion time 20us. DtoA conversion 5us. Uses include P.O. Box 338 Dept. 4 Redwood City, CA 94064 (415) 367-1137 speech and music synthesizing and slow scan TV. Single power supply (5V), 8 Bits wide, latched I/O, strobe Add 6% sales tax in California and \$1.00 shipping and handling for orders less than \$20. Add 4% for VISA or M.C. 79-287K Complete Kit \$49.95 79-287A Assembled \$69.95 79-287A Assembled JOHN BELL ENGINEERING

**Listing 5:** A simple indirect-threaded code interpreter for the MC6809 microprocessor. In this and listings 6 thru 8, each block of information in lowercase is a "stack picture"—ie: a diagram of what is on the stack at that particular place in the code.

```
s ->thread ptr 1
              thread ptr 2
  NEXT:
          LEAS
                -2, S
                                     MAKE SPACE
                X
          PSHS
                                     SAVE X
          5 ->x
               space
               thread ptr 1
              thread ptr 2
          LDX
                                     GET ADDRESS OF ROUTINE
          STX
               2, S
                                     SAVE AS UPCOMING PC
          s ->x
              routine addr
               thread ptr 1
              thread ptr 2
          PULS X, PC
                                     RECOVER X AND GO!
          s ->thread ptr 1
thread ptr 2
  CALL:
          PSHS
                Υ
                                     SAVE CURRENT THREAD PTR
         ر ۲ راکت
LEAY ۲ – ۲
                                     GET PREVIOUS INDIRECT PTR
                                     NEW THREAD PTR
               NEXT
          BRA
RETURN:
          PULS Y
                                     RECOVER OLD THREAD PTR
          RRA NEXT
```

**Listing 6:** A more complex direct-threaded code interpreter for the MC6809 microprocessor. Execution of the intermediate-

```
language subroutine starts at the label ENTRY.
           s ->next
               thread ptr
               thread ptr 2
RETURN:
          LEAS
                             DISCARD "NEXT"
          PULS
                             GET SAVED THREAD PTR
          BSR
               N2
                             PUSH ADDR OF NEXT
           s ->thread ptr 2
NFXT:
          BRA
              N1
                             SET UP RETURN TO NEXT
          JMP
               [. V++]
                             GO TO ROUTINE
           s -> next
                 thread ptr 2
     I-Code Routine (start at ENTRY)
         PSHS
                             SAVE X
          s ->
               thread ptr 0
               space
                next
                thread ptr
               thread ptr 2
         LDX
                             GET ADDR OF "NEXT"
              6.5
                             MOVE IT
         STX
              4, S
                             SAVE OLD THREAD PTR
         STY
              6, S
          s ->x
              thread ptr O
              next
                (old thread ptr)
               thread ptr 1
               thread ptr 2
                             RECOVER X, NEW THREAD PTR DO SIMPLE "NEXT"
         PULS
               X, Y
              [,Y++]
         JMP
ENTRY:
                        MAKE SPACE
PUSH NEW THREAD PTR, GOTO PSHS X
         LEAS
               -2, S
         BSR
                -14
    0:
                             START OF THE IL CODE
                             ADDR OF "RETURN"
         FDB
              RETURN
```

N1:

N2:

#### PRIAM **Hard Disks** Now Available from SIRIUS SYSTEMS!



PRIAM's high-performance, low-cost Winchester disc drives speed up throughput and expand data storage from 20 megabytes to 154 megabytes. And a single controller can be used to operate 14-inch-disc drives with capacities of 33, 66, or 154 megabytes or floppy-disc-size drives holding 20 and 34 megabytes. So it's easy to move up in capacity, or reduce package size, without changing important system elements or performance.

- Fast, Linear Voice Coil Positioning DC Power required only! ■ 10 ms track-to-track positioning
- Fully servoed head positioning
- Dedicated servo tracks
- Simple, parallel Interface Optional SMD Interface
- 50 ms Average Positioning time ■ 90 ms Maximum Positioning Time

#### ■ 6.4 ms Average Latency

#### THE PRIAM LINEUP

Model/Disc Size	Capacity	Size	Weight	Price
DISKOS 3350 (14")	33Mbytes	7'' × 17'' × 20''	33 lbs.	\$2995
DISKOS 6650 14"	66 Mbytes	7" × 17" × 20"	33 lbs.	\$3749
DISKOS 15450 (14")	154 Mbytes	7'' × 17'' × 20''	33 lbs.	\$4695
DISKOS 2050 8")	20 Mbytes	4.62" × 8.55" × 14.25"	20 lbs.	\$2995
DISKOS 3450 (8")	34 Mbytes	$4.62" \times 8.55" \times 14.25"$	20 lbs.	\$3745
DISKOS 570	5.3 Mbytes	floppy-size	(low)	(low)
DISKOS 1070	10.6 Mbytes	floppy-size	(low)	(low)
All PRIAM DISKOS Drives ha		1.03 Mbytes/Sec.	,	
Optional SMD interface availa	able for \$150.			

SIRIUS SYTEMS offer cases and enclosures for all PRIAM Hard Disk Drives. All 14" Winchester Drives will mount in our 14" Standard Case. The 8" Winchesters have two alternatives: a single drive case and a dual drive case. All SIRIUS SYSTEMS Winchester drive cases include Power Supply, internal cabling, switches, for outlet (not switched, but fused) and possess very adequate ventilation. Drive addressing is done on the rear of the Case and not on the drive iteself to provide ease of use during operation. All WINCHESTER DRIVE Cases are Warranted for a full year and come in our standard blue-black color scheme. Consult us for current availability and pricing.

Remex RFD 4000/4001 8" Floppy Disc Drives Double sided . . . Double density!!

RFD 4001, \$569.95

Data and Sector Separator

Offers quality and features found in drives costing much more! ■ Single or Double Density ■ Double-Sided Drive ■ Door Lock INCLUDED ■ Write-Protect INCLUDED ■ 180 Day Warranty ■ Compatible with Shugart 850/851 ■ Low Power Operation ensures LONGER LIFE!! ■ Model RFD 4001 offers

... 3000/4001 Technical Manual ... 6.95
Connector Set #3 (AC, DC, Card Edge) ... 10.95
Connector Set #4 (AC and DC) ... 2.95

but not wanting to sacrifice quality

RFD 4000C/B Cabinet (for use with 

Remex 1000B... If you've been looking for a less expensive floppy disc drive,

this is it! \$**419**95

You get both in the Remex 1000B! For only \$419.95 look at what you get: ■ 8" Floppy Drive ■ Single or Double Density ■ Hard or Soft Sectoring ■ MediaProtection Feature ■ Single Density Data Separator ■ 180 Day Factory Warranty

Door Lock Option ....\$19.95 Write Protect Option ....\$19.95 RFD 1000B Technical Manual .\$5.95 Interface Adapter Connector Set #1 RFD 1000B CASE (for use Interface Adapter Connector Set #1 RFD 1000B CASE (for a (REMEX-to-Shugart) . . \$14.95 (AC, DC, & Card Edge) . . \$10.95 (with Power Modules)

#### **SIRIUS 8" DISK POWER MODULES**

The Single and Dual Drive Power Modules are designed to provide DC and (switched) AC power for one (the Single Drive Power Module) or two (the Dual Drive Power Module—the DDPM will power three RFD 4000s or 4001s) 8" Floppy Disk Drives. Many features are included fur safe and reliable operation and the Power Modules come with our stan-

dard 180 day WARRANTY (the Open Frame Power Supply warranty is for 2 years). All Power Modules will work with either the RFD 4000C/B or RFD 1000B case (color schemes match also).

**Dual Drive** Power Module (DDPM) . . . . . . . . \$139.95

Single Drive 

#### SIRIUS 80+

#### Perfect Add-Ons for Your **Computer System!**



The SIRIUS SYSTEMS 80+ Series of Floppy Disk add-ons are designed to provide un-matched versatility and performance for your computer. Consisting of four different add-ons, there is a 80+ Series Floppy Disk to meet your need. All80+ Series Floppy Disk are compatible with the TES-80- and open rends to Alla int. with the TRS-80\* and come ready to plug in!

#### **COMMON CHARACTERISTICS**

- 5 ms track-to-track access time
- 180 day WARRANTY
- Exceptional speed stability 1½%
   Single density (FM) or double density (MFM/M²FM)

- Ultra high reliability
   2 year Power Supply Warranty
   Mixany or all 40+ Series on the same cable!
   Includes user accessible plugboard for drive reconfiguring

SPECIFIC CHARACTERISTICS
The SIRIUS 80+1 is a single sided, 40 track, highly reliable Floppy Disk add-on. Offering 5 more tracks than the Radio Shack mode, it cost \$140 less! Formatted data storage is 102K/20K byte sizely deather before 12K. bytes single/double density.

SIRIUS 80+1 . . . . . . .

The SIRIUS 80+2 is a dual sided, 70 track (35 per side), highly versatile Floppy Disk unit. It appears to the TRS-80- as TWO 35 track drives, yet COST LESS THAN HALF THE PRICE! Even yet CUSI LESS IHAN HALF THE PRICE! Even between savings result, since data is recorded on both sides of the media instead of only a single side. Using the plug board, it may be reconfigured for other computer systems (The 80+2 operates as Drive 0 and any of the other three addresses (with the sandard Radio Shack Cable) or as any of four drives (with the SS Standad Cable).) Formatted data storage is 80.6K/ Cable).) Formatted data storage is 80.6K/ 161.2K bytes single/double density.

SIRIUS 80+2.....\$449.95

The SIRIUS 80+3 is a single sided, 80 track, "Quad" density Floppy Disk unit. Offering 2½ times the storage of a Standard Radio Shack drive, the 80+3 greatly reduces the need for diskettes correspondingly. Additionally, because of the increased storage and faster track-to-track access time, the 80+3 allows tremendously increased throughput for disk based programs!!! The 80+3 INCLUDES SIRIUS's TRAKS-PATCH on Diskette. Formatted data storage is 204K/40K8 bytes single/double

SIRIUS 80+3 ......\$489.95

The SIRIUS 80+4 Floppy Disk add-on is a The SIRIUS 80+4 Hoppy Usik add-on is a double sided, 160 track (80 per side), 5¼." monster! The ultimate in state-of-the-art 5¼." Hoppy Disk technology, to 80+4 is seen by the TRS-80\* as two single sided disk drives, each with 80 tracks. Thus, in terms of capacity one 80+4 is equivalent to 4½ standard Radio Shack drives — a savings of over 73% (not to mention diskettes!!!). (With a double density converter, the available memory is huge!) The 80+4 is similar to the 80+2 in that it arrives configured similar to the 80+2 in that it arrives configured as Drive 0 and any of the other three addresses (with the standard Radio Shack Cable) or as any of four drives (with the SS Standard Cable). The 80+4 INCLUDES TRAKS-PATCH on Diskette. (The plug board is also included.) Formatted data storage is 408K single density or 816K bytes turbule density.

SIRIUS 80+4 ..... \$624.95

All 80 + Series Floppy Disk add-ons operate a 5 milliseconds track-to-track access time (eight times faster than the SA 400) but are Expansion Interface Limited to 12 milli-seconds for the

\*TRS-80@ Tandy Corp

#### TO ORDER CALL (615) 693-6583

Phone Orders Accepted 9AM-7PM (ESDT)

We accept MC, VISA, AE, COD (requires Certified Check, Cashier's Check or Cash) and Checks (personal checks require 14 days to clear). SHIPPING AND HANDLING: \$7.00 per Floppy Disk Drive or 80+ Module ■ 5% for other items (any excess will be refunded) ■ Foreign Orders add 10% for Shipping & Handling. Payment in U.S. currency Tenessee residents add 6% Sales
Tax VOLUME DISCOUNTS AVAIL ABLE

#### **MPI** 51/52 . . . A Great Reliable Mini-Drive!

- Fast! 5ms track to track access
- Exclusive Pulley-Band Design
- Unique Door/Ejector Mechanism
- Reliable 11/2% Speed Stability
- Single/Double Density Operation
- Industry/ANSI Standard Interface

(Single Head, 40 tracks, 120K/240K bytes Single/Double Density...) \$259.95

(Dual Head, 70 tracks, (35/side), 218.8K/437.5K Single/Double Den-

.\$349.95



#### MPI 91/92 ... NEW STATE-OF-THE-ART **DISK DRIVE!**

MPI 91 (Single Head, 80 tracks, 240K/480K Single/Double Density\*\*) . . . . . . . . \$389.95

(Single Head, 160 t acks (80/side), 480K/960K Single/Double Den-

**...\$499.95** 

#### Introducing the Versatile, Low-Cost **OMEGA Series** Controller

As new technological advances bring down the As new technicipicar advances oning down to cost of fast, reliable mass data storage, the need for an inexpensive, versatile controller have become greater and greater. To meet this need, SIRIUS SYSTEMS' OMEGA Series Controller was designed.

The SIRIUS OMEGA Series Controller Module utilizes an on-board microprocessor to mediate data transfer to a wide variety of peripherals from an equally wide variety of host peripherals from an equally wide variety of host computer systems. Up to four Winchester Hard Disks (8" or 14"), four 5'w "Floppy Disk Drives and/or up to eight 8" Floppy Disk Drives may be in use at one time. Host systems interdacing is accomplished via a parallel or a serial interface. With the addition of a Personality module to the OMEGA Series Controller Module is directly compatible with many popular computer systems (among them the TRS-80". Apple, Heath, and others). Provision is made for the addition of a streaming tape drive, also.

#### SPECIFIC HARDWARE

FEATURES INCLUDE:
■ Control of up to twelve Floppy Disk Drives (eight 8" and lor four 5'\( x'' \)
■ 8" and lor 5'\( x'' \) Disk Drive Utilization

• Single (FM) or Double (MFM) density data

Hard or Soft sectored diskette usage
Utilization of "Quad" density (96 to) 8" or
5 ¼" Disk Drives

Control of up to four WINCHESTER type
PRIAM DISKOS Disk Onves

Or or 14" may intermix on the same cable
Accommodates 8" and/or 14" drives of
5.3Mbytes to 154Mbytes

Ultra-Fast data transfers

■ Extremely flexible host-controller interfacing

#### SPECIFIC SOFTWARE FEATURES INCLUDE:

■ Dynamic format modifications via command Synamic from the command words
 Extremely flexible format acceptance for unusual data storage formats

Easily interfaces to standard operating systems (TRS-DOS\*, CP/M\*\*\*, etc)

Operates in either get/put sector mode or data string mode.

data string mode
Performance parameters may be changed by
EPROM, replacement or Dynaminic Reprogramming

Dedicated systems cards are also available on a limited basis for the STD-BUS and the S 100. These cards feature shared memory also (again, software selectable) in addition to the regular OMEGA Series Controller Module features. Consult SIRIUS SYTEMS for current price and availability for the entire line of OMEGA Series Memory Units and Controllers. Dealer inquires are justed. ies are invited.



Software can be written to function properly on widely varying computers that use the same microprocessor.

pendent of particular programmable memory locations.

Another way to eliminate the use of processor resources, as well as maximize throughput, is to use subroutine-threaded code (STC). Subroutine-threaded code makes use of only the program counter and the subroutine return stack, resources already dedicated to the control of program flow. Thus, the processor resources traditionally available to the programmer remain free for use by machine-language code.

#### Distribution of Software

It is possible to conceive of a mass market for software: such a market would allow high-quality programs to be distributed at low cost. We will assume that such code will be distributed in the form of read-only memory modules, so that a purchaser actually receives a physical product for his money. Furthermore, the memory needed to store the program is included in the purchase price, a characteristic not obtained with distribution on magnetic media. Software piracy will be possible for advanced hobbyists, but these represent only a small portion of the consumer market.

To maximize sales, it is necessary that everyone who has a computer and who wants to use the program be

able to do so. Given machine-language distribution, the market is already limited to those users with a particular processor; it should not also be limited to those users with a particular computer system,

Software can be written such that it functions properly on systems that use different locations for programmable memory, read-only memory, and input/output (I/O) devices, as well as systems that use completely different I/O devices. The system-independent read-only memory must be written in code that is position independent, and it must also include features for linking to other similar modules. These criteria can be satisfied with machinelanguage code (on certain processors) or with a correctly designed intermediate language. Widest distribution requires such properly written code.

#### Machine-Language Examples of Threaded-Code Interpreters

Here we present assembly-language code for the Motorola MC6809 microprocessor which implements complete interpreters for direct-threaded code, indirectthreaded code, and token-threaded code. Most of these listings are punctuated by "stack pictures" (typed in lowercase) that represent the current state of the stack at various points in the listing; visualization of the stack is often crucial to understanding the interpretive process.

An illustration of subroutine-threaded code (using subroutine jump and return instructions) would be trivial, and thus is not included. However, it should be noted that a position-independent form of subroutinethreaded code is available on computers with long rela-

### New Produced and widely used in England and U.S.A. **COMPLETE BUSINESS PACKAGE**

#### INCLUDES EVERYTHING FROM INVENTORY TO SALES SUMMARY PROMPTS USER, VALIDATES EACH ENTRY, MENU DRIVEN

Approximately 60-100 entries/Inputs require only 2-4 hours weekly and your entire business is under control.

#### PROGRAMS ARE INTEGRATED-

01 = ENTER NAMES/ADDRESS, ETC

01 = ENTER NAMES/ADDRESS, E1
02 = ENTER/PRINT INVOICES
03 = ENTER PURCHASES
04 = ENTER A/C RECEIVABLES
05 = ENTER A/C PAYABLES
06 = ENTER/UPDATE INVENTORY
07 = ENTER/UPDATE ORDERS
08 = ENTER/UPDATE BANKS
08 = ENTER/UPDATE BANKS

09 = EXAMINE/MONITOR SALES LEDGER 10 = EXAMINE/MONITOR PURCHASE LEDGER 11 = EXAMINE/MONITOR (INCOMPLETE RECORDS)

12 = EXAMINE PRODUCT SALES

#### SELECT FUNCTION BY NUMBER-

13 = PRINT CUSTOMER STATEMENTS

14 = PRINT SUPPLIER STATEMENTS 15 = PRINT AGENT STATEMENTS

16 = PRINT TAX STATEMENTS

17 = PRINT WEEK/MONTH SALES 18 = PRINT WEEK/MONTH PURCHASES

19 = PRINT YEAR AUDIT

20 = PRINT PROFIT/LOSS ACCOUNT

21 = UPDATE END MONTH FILES MAINTENANCE 22 = PRINT CASH FLOW FORECAST

23 = ENTER/UPDATE PAYROLL (NOT YET AVAILABLE)

24 = RETURN TO BASIC

#### WHICH ONE? (ENTER 1-24)

01 SUB. MENU EXAMPLE: 01 = EXAMINE: 02 = INSERT: 03 = AMEND: 04 = DELETE 05 = PRINT (1,2,3): 06 = NUMERIC COMBINATIONS: 07 = SORT VERY FLEXIBLE. ADD YOUR OWN FUNCTIONS. EASY TO INTEGRATE. All programs in BASIC for CP/M. PET. 6800

G. W. COMPUTERS LTD, the producers of this beautiful package in U.K.

#### WE EXPORT TO ALL COUNTRIES: BARCLAYCARD ACCEPTED CBM APPROVED

CP/M Ver. 9.00 is one 16 K core program using random access releasing both drives for data storage, and 250 word vocabulary is translatable in any foreign language

PRICES: Programs 1-23 EXC (19,20,22,23) £475

CALLERS BY APPOINTMENT ONLY 89 Bedford Court Mansions **Bedford Avenue** London WC1, U.K

#### CONTACT TONY WINTER 01-636-8210 BARCLAYCARD ACCEPTED CBM APPROVED

CP/M Ver. 9.00 is one 16 K core program using random access releasing both drives for data storage, and 250 word vocabulary is translatable in any foreign language

£575 Stock Integrated Option + £100 Bank Integrated Option + £100

# Is Expandability the Reason Over 200,000 Smart Buyers Chose TRS-80? Or is it Price? Or...


Maybe these customers came to Radio Shack for their computer because they knew they could get nationwide service? Or buy a Model I micro starter system for \$499? Or because Radio Shack started the boom in reliable little computers? But come they did. And coming they still are!

#### "Who Wants One That Can't Grow?"

This question was asked by Radio Shack's president before TRS-80<sup>190</sup> went to market. So we made memory expandable from 4K to 48K RAM (in 16K leaps). We made ROM expandable and BASIC upgradable. We provided for the addition of disk drives, printers, acoustic couplers and other peripherals. We have a great new upper/lower case conversion, and a SCRIPSIT package that makes TRS-80 Model I a great bargain in Word Processing.

"Be Better Than Competition!"

"Not merely cheaper," he said, "not just more popular," he said. "Better!" That includes software, hardware, service, monitor size, keyboards, salesmen, store fronts, peripherals and RAMs. If you own a TRS-80, let us show you how to better your system and its benefits. If you're still on the sidelines . . . shouldn't you play with us? After all, Radio Shack and TRS-80 have FAST DELIVERY FROM STOCK or a very short wait. Most (if not all) the competitors are much slower players!



## 

#### **Expansion Interface**

The hub of an expanded TRS-80 system. Holds up to 32K more memory! Has interfaces for printer, 4 disk drives, second cassette. Also takes RS-232C interface card. \$299

#### Save \$100°°

#### Mini-Disk Drives

Reg. \$399 \$499 each



Quality engineered disk drives let you store and retrieve data and programs fast. Sale ends 9/30/80. Order Today!



#### Line Printer II

Quality for less! Prints 100 cps on 80 columns. Accepts 9%" fan-fold, 8½" roll paper or single sheets.

<sup>\$</sup>799

(BYTE)

#### FOR MORE REASONS SEND FOR OUR FREE COMPUTER CATALOG

NAME

STREET

CITY STATE ZIP

Some computer equipment may require special order.

Retail prices may vary at individual stores and dealers.

tive branch instructions (eg: the LBSR, long branch-tosubroutine, and RTS, return-from-subroutine, instructions on the MC6809).

Listing 4 illustrates a very simple implementation of a direct-threaded code interpreter. This particular implementation is very fast, but it has the following undesirable properties:

- it requires a special machine-language return instruction (ie: IMP[,Y++]):
- it reserves the Y register for use by the interpreter:
- it requires that the interpreter location (the address of RETURN) be known to the compiler, making the resulting intermediate-language code definitely position-dependent.

In operation, the Y register points to the next address in a direct-threaded code list; that address, of course, points directly to machine code. Executing the operation JMP [,Y++] (indirect, autoincrement by 2) causes the machine to start execution at the address contained in the list element; simultaneously, the Y register is updated to point at the next item in the list of addresses.

The single instruction [MP](Y++) ends each machine-language subroutine. By reserving a processor register for use as the current thread pointer, a speed advantage is obtained; transfer of control using JMP [Y + +] requires nine machine cycles (on the MC6809), while a JSR-RTS pair requires thirteen.

The situation becomes more complex when control is transferred to a subroutine composed of intermediatelanguage statements. Machine-language instructions are included at the beginning of the intermediate-language subroutine to perform the call operation. The Y register may be thought of as the topmost location of the stack of intermediate-language return addresses; its contents are pushed onto the stack, and Y is loaded with the address of the start of the intermediate-language subroutine list.

The last item in an intermediate language list is the address of the return routine. This recovers an old intermediate-language pointer from the stack and continues interpretation where it left off when it did a subroutine call.

In listing 5, we show a very simple indirect-threaded code interpreter. As in the previous example, the interpretation process is fast, but again it has the following limitations:

- it must use a position-dependent, machine-language return instruction (eg: IMP NEXT):
- it uses the Y register to hold the list pointer;
- it still requires that the compiler generate positiondependent pointers to the CALL and RETURN routines.

Listing 6 is an example of a moderately complex directthreaded code interpreter. It is somewhat slower than the simple interpreter in listing 4, but it uses a standard RTS instruction to return from machine-language routines. Thus, the machine-language routines need not contain pointers to the next operation. Still, this advantage is bought at the expense of additional machine-language code in each intermediate-language subroutine. The intermediate-language subroutines themselves do have

**Listing** 7: An improved direct-threaded code interpreter for the MC6809 microprocessor. This interpreter does not use any of the microprocessor registers.

s ->ptr to new thread

```
addr of "next"
              old thread ptr
         PSHS D
                          SAVE D
  CALL:
         LDD 2, S
                          GET NEW PTR
         STD 4, S
                          THREAD PTR
         s ->d
              space
             new thread ptr
             old thread ptr
         PULS D
                          RECOVER D
                          DELETE SPACE
         LEAS 2, S
  NEXT:
                          MORE SPACE
         LEAS -4, S
         s ->space
              space
              thread ptr
RETURN:
         PSHS X, D
                          SAVE X, D
         s ->d
              space
              space
              thread ptr
         LDX 8'S
                           GET THREAD PTR
         LDD , X++
                          GET NEXT MACHL ADDR
         STX 8,S
                          STACK THREAD PTR
         STD 4,S
                          STACK ROUTINE ADDR
                          GET ADDR OF "NEXT"
         LEAX NEXT, PCR
         STX 6,S
                          SAVE AS MACHL RETURN
         s ->d
             machl routine
              addr of "next"
              thread ptr
         PULS D, X, PC
                          GO TO MACHL ROUTINE
          s ->addr of "next"
              thread ptr
```

Listing 8: Token-indirect token-threaded interpreter for the MC6809 microprocessor. Because of the use of two levels of lookup, this interpreter is completely position independent.

s ~> table addr

JSR CALL <instl> ... <RETURN>

I-CODE:

```
old indirect
             thread ptr
       LEAS -4, S
                          MAKE FREE STACK SPACE
NFXT.
       PSHS U, X, D
                          SAVE REGISTERS
        s -> d
             X
             space
             space
             table addr
             indirect
             thread ptr
                        Listing 8 continued on page 222
```

## Pascal/MT® + The Choice of Professionals, Worldwide

Pascal/MT+ is an enhanced version of our successful Pascal/MT package popular with both hardware and software engineers. Generating even more optimized ROMable 8080/ZBO object code (directly from the Pascal source), Pascal/MT+ now includes those features demanded by today's professional. We've added modular compilation and linking (incorporating the industry standard linker format used by FORTRAN and PL/I) and user selectable ZBO native code or our enhanced 8080/ZBO object code. Also included is an improved SYMBOLIC DEBUG, more I/O facilities and even an option to produce pseudo assembly output intermixed with the Pascal source.

#### **MODULAR COMPILATION**

Pascal/MT+ generates the same industry standard relocatable code used in FORTRAN and PL/I. Pascal code may be linked with our linker or any compatible linker. Both Pascal and assembly language modules may be separately compiled and then combined to produce a final program. With modular compilation available, the run time overhead becomes as small as 256 bytes, and is typically 1200 bytes.

## OPTIMIZED NATIVE OBJECT CODE

Pascal/MT+ now produces even more optimized object code than before. Now included is a compile-time selectable option to generate ZBO code where it is more efficient. The 8080/8085 code is better, too.

## IMPROVED DEBUGGING FACILITIES

The Pascal/MT+ debugger is improved. We've added facilities to use the debugger with larger programs and even in a ROM-based environment. The compiler can also output a disassembled listing of your programs with the Pascal source code interspersed between the object code. This helps you gain visibility in non-CP/M® applications.

### ENHANCED I/O CAPABILITIES

To our already powerful console, printer and re-directable I/O facilities we have added Pascal standard TEXT file I/O as well as improved line editing for console I/O.

#### PLUS...

- Transcendental functions
- Improved String Handling
- Benchmark tests rate our code up to 10 times faster than P-code Pascal and faster than other native code high level languages too!
- Re-assembly of the run-time package no longer required for ROM based applications!

## AND OUR STANDARD FEATURES:

- High speed compilation (up to 2000 lines per minute)
- Non-CP/M® environments supported
- CP/M® file support
- Program chaining
- Built-in mini-assembler
- Compile-time constants
- Business (18-digit) arithmetic
- Scientific (6.5 digit) arithmetic
- AMD9511 Hardware support
- Source code for run-time package included (re-assembly now requires Macro-80 assembler)
- I/O port, Interrupt facilities
- Bit and Byte manipulation
- Many useful built-in procedures (loaded from run-time library)

#### SYSTEM REQUIREMENTS

To execute the Pascal/MT+ system you must have a CP/M® system with at least 32K of memory. For larger applications we recommend 48K or more. Source programs are prepared using ED [or equivalent], we recommend WORD-MASTER.

(Coming soon: versions for Intel ISIS-II and Heath HDOS. Ask us.)

#### ORDERING STILL ONLY \$250

will buy you one of the best software power tools available.

Pascal/MT+ has been chosen by companies such as GE, FMG and Chromatics (as well as over 700 other companies) as the Pascal for them, why not join them!

The Pascal/MT+ package:

- BCD compiler
- · Hoating point compiler
- Linker
- Interactive Symbolic Debugger
- Run time package in Source and Object form.
- Pascal library utility routines
- 95 + page user's quide
- Sample programs

The user's guide is available for \$30.00, refundable with a system purchase.

MT microSYSTEMS has a very reasonable graduated, one time royalty arrangement for free standing software generated by Pascal/MT. Ask us.

To order Pascal/MT+ write or call:

#### MT MicroSYSTEMS

1562 Kings Cross Drive Cardiff, CA 92007

[714] 753-4856

We ship on 8" single density and 5-1/4" North Star single density. Other formats available. Ask us.

CP/M is a trademark of Digital Research
Pascal/MT is a trademark of MT microSYSTEMS

#### BUSINESS - PROFESSIONAL - GAME SOFTWARE FOR APPLE AND TRS-80

20LIMARE LOR ALLE AND 142-00
☐ HOME FINANCE PAK I: Complete package \$49.95 Apple, TRS-80
■ BUDGET: The heart of a comprehensive home finance system. Allows user to define up to 20 budget items. Actual expense input can be by keyboard or by automatic reading of CHECKBOOK II files. Costs are automatically sorted and compared with budget, BUDGET produces both monthly actual/budget/variance report and a year-to-date by month summary of actual costs. Color graphics display of expenses\$24.95
CHECKBOOK II: This extensive program keeps complete records of each check/deposit. Unique check entry system allows user to set up common check purpose and recipient categories. Upon entry you select from this pre-defined menue to minimize keying in a lot of data. Unique names can also be stored for completeness. Rapid access to check files. Check register display scrolls for ease of review. 40 column print-out. Up to 100 checks per month storage. Files accessible by BUDGET program
SAVINGS: Allows user to keep track of deposits/withdrawals for up to 10 savings accounts. Cpmplete records shown via screen or 40 column printer
CREDIT CARD: Keep control of your cards with this program. Organizes, stores and displays purchases, payments and service charges. Screen or 40 column printer display. Up to 10 separate cards \$14.95
THE UNIVERSAL COMPUTING MACHINE: \$39.95 Apple, TRS-80  A user programmable computing system structured around a 20 rowx 20 column table. User defines row and column names and equations forming a unique computing machine. Table elements can be multiplied, divided, subtracted or added to any other element. User can define repeated functions common to a row or column greatly simplifying table setup. Hundreds of unique computing machines can be defined, used, stored and recalled, with or without old data, for later use. Excellent for sales forecasts, engineering design analysis, budgets, inventory lists, income statements, production planning, project cost estimates in short for any planning, analysis or reporting problem that can be solved with a table. Unique curser commands allow you to move to any element, change its value and immediately see the effect on other table values. Entire table can be printed by machine pages (user-defined 3-5 columns) on a 40 column printer. Transform your computer into a UNIVERSAL COMPUTING MACHINE.
COLOR CALENDAR: HI-RES color graphics display of your personal calendar. Automatic multiple entry of repetitive events. Review at a glance important dates, appointments, anniversaries, birth-days, action dates, etc. over a 5 year period. Graphic calendar marks dates. Printer and screen display a summary report by month of your full text describing each day's action item or event. Ideal for anyone with a busy calendar (Apple Only)
BUSINESS SOFTWARE SERIES: Entire package \$199.95 Apple, TRS-80  MICROACCOUNTANT: The ideal system for the small cash business. Based on classic T-accounts and double-entry bookkeeping, this efficient program records and produces reports on account balances, general ledger journals, revenue and expensess. Screen or 40 column printer reports. Handles up to follournal entries per period, up to 100 accounts. Instructions include a short primer in Financial Accounting. \$49.95
UNIVERSAL BUSINESS MACHINE: This program is designed to SIMPLIFY and SAVE TIME for the serious businessman who must periodically Analyze, Plan and Estimate. The programwas created using our Universal Computing Machine and it is programmed to provide the following planning and forecasting tools.  CASH FLOW ANALYSIS PROFORMA BALANCE SHEET SOURCE AND USE OF FUNOS PROFORMA PROFIT & LOSS SALES FORECASTER JOB COST ESTIMATOR  Price, including documentation and a copy of the base program. Universal Computing Machine S89.95
INVOICE: Throw away your pens. Use the ELECTRONIC INVOICE facsimile displayed on your CRT. The program prompts and you fill in the data. Includes 3 address fields (yours, Bill to and Ship to), Invoice No., Account No., Offer No., Salesman, Terms, Ship Code, FOB Pt. and Date. Up to 10 items per sheet with these descriptions: Item No., No. of units, Unit Price, Product Code, Product Description, Total Dollar amount per item and invoice total dollar amount, Generates, at your option, hard copy invoices, shipping memos, mailing labels, audit copies and disc updates to master A/R files (48K)
BUSINESS CHECK REGISTER: Expanded version of the Checkbook II program. Handles up to 500 checks per month wit'i complete record keeping. (48K)
BUSINESS BUDGET: As described above and companion program to Business Check Reuister. Handles 500 transactions per month, up to 20 cost categories. Accesses BCR files for actual costs. (48K)\$29.95
□ ELECTRICAL ENGINEERING SERIES: Both programs \$159.95 Apple □ LOGIC SIMULATOR: SAVE TIME AND MONEY. Simulate your digital logic circuits before you build them. CMOS, TTL, or whatever, if it's digital logic, this program can handle it. The program is an inter- active, menu driven, full-fledged logic simulator capable of simulating the bit-time reponse of a logic network to user-specified input patterns. It will handle up to 1000 gastes, including NAMOS, NORS, IN- verters, FLIP-FLOPS, SHIFT REGISTERS, COUNTERS and user-defined NACROS. Up to 40 user-defined, random, or binary input patterns. Simulation results displayed on CRT or printer. Accepts network des- criptions from keyboard or from LOGIC DESIGNER for simulation. Specify 1000 gate version (48K re- quired) or 500 gate version (32K required). S89.95
□LOGIC DESIGNER: Interactive HI-RES Graphics program for designing digital Ingic systems. A menu driven series of keyboard commands allows you to draw directly on the screen up to 15 different pate types, including 10 gate shape patterns supplied with the program and 5 reserved for user specification. Standard patterns supplied are NAND, NOR, INVERTER, EX-OR, T-FLOP, JK-FLOP, D-FLOP, RS-FLOP, 4 Bit COUNTER and N-BIT SHIFT REGISTER. User interconnects gates just as you would normally draw using line graphics commands. Network descriptions for LOGIC SIMULATOR generated simultaneously with the CRT diagram being drawn. Drawing is done in pages of up to 20 gates. Up to 50 pages (10 per disc) can be drawn, saved and recalled. Specify 1000 gate (48K) or 500 gate (32K) system S89.95
☐ MATHEMATICS SERIES: Complete Package \$49.95 Apple only
NUMERICAL ANALYSIS: HI-RES 2-Dimensional plot of any function. Automatic scaling. At your option, the program will plot the function, plot the INTEGRAL, plot the DERIVATIVE, determine the ROOTS, find the MAXIMA and MINIMA and Ist the INTEGRAL VALUE. For 16K
MATRIX: A general purpose, menu driven program for determining the INVERSE and DETERMINANT of any matrix, as well as the SOLUTION to any set of SIMULTANEOUS LINEAR EQUATIONS. Disk I/O for data save. Specify 55 eqn. set (48K) or 35 eqn. (32K)
3-D SURFACE PLOTTER: Explore the ELEGANCE and BEAUTY of MATHEMATICS by creating HI-RES PLOTS of 3-dimensional surfaces from any 3-variable equation. Disc save and recall routines for plots. Menu driven to vary surface parameters. Demos include BLACK HOLE gravitational curvature equations, .\$19.95
ACTION ADVENTURE GAMES SERIES: Entire series \$29.95 Apple only  REO BARON: Can you outfly the REO BARON? This fast action game simulates a machine-gun DOG- FIGHT between your WORLD WAR I BI-PLANE and the baron's. You can LOOP, DIVE, BANK or CLIMB in any one of 8 directions - and so can the BARON. in HI-RES graphics
BATTLE OF MIDWAY: You are in command of the U.S.S. HORNETS' DIVE-BOMBER squadron. Your targets are the Aircraft carriers, Akagi, Soryu and Kaga. You must fly your way through ZEROS and AA FIRE to make your DIVE-BOMB run. In HI-RES graphics

FREE CATALOG—All programs are supplied in disc and run on Apple II w/Oisc & Applesoft ROM Card & TRS-80 Level II and require 32K RAM unless otherwise noted. Detailed instructions included. Orders shipped within 3 days. Card users include card number. Add \$1.50 postage and handling with each order. California residents add 65% sales tax. Make checks payable to:

OEALER INQUIRIES P.O. BOX 2084 - 142 CARLOW, SUNNYVALE, CA 94087
INVITED FOR PHONE ORDERS - 408-738-4387

SPECTRUM SOFTWARE

Listing	8 co	ntinuea	l:				
LDU LDX	10, 14,	S S	GET GET	TABL THRE	E ADDR AD PTR		
LDB STX CLRA ASLB	14,	S	SAVE :	THR	RECT TO EAD PTR TES PER	?	
ROLA LDX ADDD TFR			: TABL NOW			INDIRECT	PTR
LDB STX CLRA ASLB	, X+ 12, 9	5	GET SAVE		N IRECT P	TR	
ROLA LDD ADD TFR	D, U 4, S D, X		TABL NOW	E-RE ABSO	LATIVE LUTE	MACHL AD	DR
STX ( LEAX   STX ( PULS )	B, S	T, PC	R ADDR	OF I	JPCOMIN NEXT MACHL REGS +	RTS	
	tab! ind:	r of ' le add irect ead p					
CALI	_:	PSHS	D		SAVE D		
		s ->	d addr o table a indire thread	addr ct			
		PULS	2, S		GET TAI MOVE I RECOVE		
RETUR	N:	PSHS	D		SAVE D		
		s ~>	d addr or table a old ind thread thread	addr dire ptr	t 1		
		LDD STD LDD LEAS BRA	6, S 6, S		GET TAI MOVE IT RECOVER DISCARI	R D	

Listing 8 continued:

pointers to the *return* operation, of course (making the code position-dependent), and the interpreter reserves the Y register for its own use.

Listing 7 illustrates a direct-threaded code interpreter that does not reserve any processor registers; this interpreter also allows the return from machine-language routines by means of a standard RTS instruction. The absolute locations of the interpreter *call* and *return* routines must be included in each direct-threaded code subroutine; this usually precludes the distribution of such subroutines in read-only memory.



## Hard disk and hardtape<sup>™</sup> control

## Up to 2400 Megabytes of hard disk control for the S-100 bus.

Konan's SMC-100 interfaces S-100 bus micro computers with all hard disk drives having the Industry Standard SMD Interface. It is available with software drivers for most popular operating systems. Each SMC-100 controls up to 4 drives ranging from 8 to 600 megabytes per drive, including most "Winchester" drives -- such as Kennedy, Control Data, Fujitsu, Calcomp, Microdata, Memorex, Ampex, and others.

SMC-100 is a sophisticated, reliable system for transferring data at fast 6 to 10 megahertz rates with onboard sector buffering, sector interleaving, and DMA.

SMC-100's low cost-per-megabyte advanced technology keeps your micro computer system micro-priced. Excellent quantity discounts are available.

#### Konan's HARDTAPE™ subsystem...very low cost tape and/or hard disk Winchester backup and more.

Konan's new DAT-100 Single Board Controller interfaces with a 17½ megabyte (unformatted) cartridge tape drive as well as the Marksman Winchester disk drive by Century Data.

The DAT-100 "hardtape" system is the only logical way to provide backup for "Winchester" type hard disk systems. (Yields complete hard disk backup with data verification in 20-25 minutes.)

Konan's HARDTAPETM subsystem is available off the shelf as a complete tape and disk mass storage system or an inexpensive tape and/or disk subsystem.

## Konan controllers and subsystems support most popular software packages including FAMOS™, CP/M® version 2.X, and MP/M.

Konan, first (and still the leader) in highreliability tape and disk mass storage devices, offers OEM's, dealers and other users continuing diagnostic support and strong warranties. Usual delivery is off the shelf to 30 days with complete subsystems on hand for immediate delivery.

Call Konan's TOLL FREE ORDER LINE today:

800-528-4563

Or write to Bob L. Gramley Konan Corporation, 1448 N. 27th Avenue Phoenix, AZ 85009. TWX/TELEX 9109511552

CP/M<sup>®</sup> is a registered trade name of Digital Research, FAMOS™ is a trade name of MVT Micro Computer Systems. HARDTAPE™ is a trade name of Konan Corporation.



Type of Threaded Code	MC6809 Machine Cycles Used	Ratio of Cycles Used	Relative Size of Resulting Intermediate- Language Code	Can this Code Be Marketed to All Users of a Given Microprocessor?
Subroutine-threaded code	91	1.0	3	no
Relative subroutine-threaded code	98	1.1	3 ,	yes
Simple direct-threaded code (listing 4)	93	1.1	2	no
Simple indirect-threaded code (as in listing 5)	371	4.1	2	no
Moderately complex direct- threaded code (as in listing 6)	228	2.5	2	no
Improved direct-threaded code (as in listing 7)	552	6.1	2	no
Token-threaded code (as in listing 8)	1083	11.9	1	yes

Table 1: Comparison of threaded-code techniques. Notice that only two forms of threaded code, the relative subroutine-threaded code and the token-indirect token-threaded code are sufficiently system-independent to be used for mass distribution to (potentially) all users of a given microprocessor.

A possible alternative would be to modify the directthreaded code interpreter in listing 7 to use strictly selfrelative pointers. Then by including code for call and return in each read-only memory device, a form of distributable direct-threaded code might be obtained. However, because the read-only memory still contains machine-dependent code, the use of direct-threaded code in a read-only memory environment offers little advantage.

The improved direct-threaded code interpreter allows the use of most previously coded machine-language modules and allows these routines to pass parameters through the processor registers. Routines cannot pass parameters on the hardware stack (which is used to maintain the state of the interpreter), but could easily use the user stack of the MC6809 microprocessor for parameter transfer.

A similarly improved interpreter could be built for indirect-threaded code, but the position-independence problem is inherent in this intermediate language as well. Each indirect-threaded subroutine must include a pointer the call routine, thus making the resulting

intermediate-language code unsuitable for distribution in read-only memory.

However, it is possible to build a token-thread interpreter that has a completely position-independent intermediate-language representation. Listing 8 shows one implementation that achieves these goals. Notice the increased complexity and overhead when compared to our original direct-threaded code interpreter.

This token-thread interpreter produces intermediatelanguage code that is more compact than that produced by previously mentioned interpreters. The advantage of a compact representation need not affect execution speed severely; remember that the overall efficiency of any interpretation scheme (including the hardware interpretation of op codes) depends more upon the work actually accomplished than the time spent in the interpretation process itself.

This particular implementation is essentially a tokenindirect token-thread interpreter. Two levels of token lookup are involved so that neither machine-language nor absolute addresses need be included as part of the intermediate-language subroutine. Of course, perhaps

## GOLD DISK CP/M<sup>®</sup> Compatible Z-80 Disassembler

- RECREATES Z-80 ASSEMBLY LANGUAGE SOURCE FILES FROM ABSOLUTE CODE (.COM FILES) FOR ALTERATION.
- FEATURES MNEMONIC LABELS FOR EASY PROGRAM TRACING.
- INCLUDES COMPLETE DOCUMENTATION AND FREE UTILITY FOR SPECIFYING AND DECODING ASCII SECTIONS OF CODE.
- OPERATES UNDER MINIMUM CP/M' CONFIGURATION (16K RAM).

DOCUMENTATION ONLY: \$12 (MAY BE APPLIED TO DISK ORDER).


ONE DAY SERVICE FOR CREDIT CARD CUSTOMERS: ORDER DISK BY PHONE FREE! (WE WILL PAY YOU BACK FOR THE PHONE CALL)



**BOWER-STEWART & ASSOCIATES** P.O. BOX 1389 HAWTHORNE, CA. 90250

POSTPAID

(213) 676-5055



"WORTH ITS WEIGHT IN GOLD"

SPECIFY DRIVE AND SYSTEM AVAILABLE ON 51/4" OR 8" IBM SS/SD DISK 'CP/M IS A TRADEMARK OF DIGITAL RESEARCH

CALIF. RESIDENTS ADD 6 /. SALES TAX.

## on Software and Hardware for TRS-80° and Apple°

#### **NEWDOS80**

#### A new enhanced NEWDOS for the TRS-80.

The most powerful Disk Operating System for the TRS-80 designed for the sophisticated user and professional programmer who demands the ultimate.

NEWDOS/80 is the planned upgrade from NEWDOS 2.1. Some of the features are:

- New BASIC commands for files with variable record lengths up to 4095.
- Mix or match drives. Use 35, 40 or 77 track 5" disk drives or 8" disk drives, or combo.
- Security boot-up for BASIC or machine code application
- New editing commands.
- Enhanced RENUMber that allows relocation.
- Command chalning.
- Print Spooler.
- DFG function; striking of D, F and G keys allows user to enter a mini-DOS without disturbing program.
- Compatible with NEWDOS & TRSDOS.
- Machine language Superzap/80, 2.1 utilities and enhanced copy by file commands.
- Enter debug any time by pressing 123 keys. Also allows
- Diskette "Purge" command.
- Specifiable system options (limited) sysgen type commands).
- · Increased directory capacity.

\$149

#### **APEX**

#### A new disk operating system for the Apple.

Fully Professional DOS for the Apple II. The result of two years of extensive development, APEX provides a complete program development and file management system, both powerful and useable. A comprehensive command set allows the user to perform almost any imaginable disk operation. Here are some of APEX's features:

- · Command structure similar to CPM and main frame systems. Contains 20 command words, with ability to treat external programs as transient commands to the operat-Ing system.
- Scrolling editor compatible with Videx 80 char. card.
- Easy program interface. Simple communications between the DOS and user program.
- Capable of handling 5 Inch, 8 Inch and hard disks.
- Safety features to protect against accidental data loss. Features Include backup flies, directory, read-after-write and limit checks.
- 4 times faster than CPM.
- Auto default structure eliminates tedious typing by automatically setting up command strings, file names, etc.
- Functional on both single and multi-drive systems. Includes ultilities for file copy.
- Device handler structure for interfacing peripherals.

The APEX package includes all of the tools for a complete assembly language development system, high speed two

pass resident assembler and a powerful macro editor.
The complete APEX package with operating system, assembler, editor and manuals also includes utilities to maintain files on single or multiple drive systems.

• 2 Shugart SA400 drives with

**\$99** 

Related Software	\$70
XPLØ	717
FOCAL™	\$59

#### **Disk Drive Sale!**

<b>\$70 worth of FREE merchandise</b> with pur- of Shugart SA400 with power supply and ch the disk that Radio Shack sells for \$499.	
SAVE \$200	\$369
TF-Pertec FD200, 40 track, use	
both sides	\$389
TF-5 MPI B51, 40 track	\$389
TF-70 Micropolis, 77 track with	
195K storage	\$639
TDH-1 Dual Sided drive, 35 track	\$499
NEWDOS+, 40 track	\$110
35 track	
Business Programs (Interactive A/R,	
A/P, & GL)	\$349
Radex Data Base Program	\$ 99
Mailing List	\$59



#### **Disk Drive Expansion System**

power/chassis ...... \$ 738

• I Two-Drive Cable	\$ 25
• 1 Expansion Interface 32K	\$ 499
• 1 35-track DOS+	\$ 99
TOTAL LIST PRICE	\$1,361
SPECIAL PRICE ONLY	\$1,199
MOD I 8" Disk System • One SASOOR Floppy	
<ul><li>2 Drive Chassis and Power Supply</li><li>DOS and Cable</li></ul>	\$1,095
MOD II 8" Disk System	-

#### Drives for any microcomputer

Does not include power supply & cabinet

Pertec FD200 \$	282	FD250\$	399
Shugart SA400 \$	279	SA800/801\$	479
MPI B51\$	279	B52\$	349

#### **PRINTERS**

Centronics 779 .. \$1,069 Base 2 ... Centronics 737

Text processing capabilities, lower case descenders, underlining, subscripts and superscripts, 80 cps \$899



Spinwriter ..... \$2,549

#### **More Savings**



**NEW SALE PRICE** TRS-80 Graphics, Okldata Microline 80...

LIst \$949 Our price

List Price

Save on Apple II 16K FREE memory upgrade kit to 48K with purchase of Apple II 16K .... \$1,195

Introductory Offer-Mini-Floppy for Apple (2nd Drive) ... Only \$419

Apple 8" Disk System • One SA800R Floppy

• 2 Drive Chassis & Power Supply • Controller, Cable and DOS ..... \$1,449 16K Memory Upgrade Kits ......

• 3rd Drive ... Add \$479

79



4401 S. Tamarac Pkwy. • Denver, CO 80237 • (303) 758-7275





3304 W. MacArthur • Santa Ana, CA 92704 • (714) 979-9923

All prices cash discounted / Freight: FOB factory. Ask for our free catalog.

other, more advantageous forms of token-threaded code interpreters are possible. However, we have shown that there is no longer a question whether position-independent threaded code is possible; now the question is: "at what cost?"

#### The Cost of Implementation

The claims made for threaded-code techniques in an intermediate-language implementation include reduced program storage and high speed of execution. Unfortunately, these claims are justified only in certain limited contexts. The original implementations of threaded code, which occurred on the Digital Equipment Corporation PDP-11, made use of the instruction JMP @(Rn)+; this instruction jumps through a memory pointer while retaining the location of *next* in a register. This is equivalent to the MC6809 instruction JMP [r,r++].

The instruction JMP @(Rn)+ does not save a return address on a memory stack and thus is faster than a JSR instruction. In the environment of a single intermediate-language program that calls only machine-language subroutines, stacking and unstacking of the return address need not occur. Of course, when intermediate-language programs call intermediate-language subroutines, such stacking must occur in a process that will take *longer* than a normal JSR. Thus, for maximum speed, the threaded-code intermediate-language program should not call intermediate-language subroutines.

On the other hand, the instruction JMP @(Rn)+ does eliminate the in-line 16-bit JSR op code for a 50% code reduction (on the PDP-11). But the 50% code reduction

Computers & Gambling Magazine\*

PROBABILITY HANDICAPPING DEVICE I

A 16K BASIC PROGRAM FOR:

#### HORSE RACE HANDICAPPING!

This amazing program was written by a professional software consultant to TRW Space Systems and is being introduced by the publishers of Computers and Gambling Products Magazine. "PHD-1" is a large complex basic program requiring a full 16 K, it is carefully human factored for easy use. PHD-1 is a comprehensive horse racing system for spotting overlays in thoroughbred sprint races (less than 1 mile). You simply sit down with your computer and the Racing Form the night before the race and answer 5 or 6 questions about each horse's past performance. Your computer then accurately predicts the win probability and odds-line for each horse allowing you to spot overlaid horses while at the track. The users manual contains a complete explanation of overlay betting.

Statistics for thousands of horses were used to develop this handicapping system. The appendix of the manual contains a detailed tab run of a 100 consecutive race system workout showing an armazing 45% positive return (45c for each \$1.00 wagered). A graph is also included showing PHD-1's close fit to the ideal predicted probability vs. actual win

This program features: Win probability and odds for each horse Verification display of each horse's parameters prior to entry for easy error correction Bubble-sort routine for final display Facility for line printer output Cassette ARCHIVE routine to store PHD-1's output for later analysis Complete users manual.

The user's manual may be ordered separately for your perusal for \$7.95 and will be credited if you purchase PHD-1.

Order now to get on our list and receive back issues FREEI

PHD-1 User's Manual and 16K Cassette for: Apple II
Applesoft, Challenger (Specify Type), TRS-80† Level II . . . . \$29.95
Ca. res. edd 6%

Make checks payable to: JOE COMPUTER
22713 Ventura Blvd., Suite F, Woodland Hills, CA 91364
\*BE A WINNER: Get on the Computers and Gambling Products Magazine mailing list for \$3.00

and receive available back issues.

† TRS-80 is a registered trademark of Tandy Corporation.

achieved on the PDP-11 (which uses a 16-bit JSR op code) is only a 33% code reduction on most microcomputers, which have 8-bit JSR op codes. (The LBSR instruction can be used in the case of the MC6809.) And if the motivation for threaded code is reduction of the intermediate-language code size, token-threaded code implementations can improve the storage efficiency by another 50%.

The two traditional forms of threaded code (direct and indirect) are optimized for the environment of a particular computer architecture that is represented by the PDP-11 (and also reflected in the MC6809). Consequently, many microcomputer threaded-code implementations have provided neither maximum code efficiency nor maximum speed and have devoured virtually all of the machine-level microprocessor resources. Comparisons of the four types of threaded code demonstrate that it is unlikely that the speed and code-efficiency maxima will ever coincide.

The main factor affecting code compaction is the use of subroutines instead of in-line code; but the use of subroutines inherently increases interpretation overhead. Since all methods of threaded-code implementation allow the use of subroutines, effects due to the use of subroutines can be disregarded and the efficiency of the implementation methods can be compared directly. Table 1 shows this comparison with values from the machine-language routines developed earlier (based on six next operations for each call and return operation).

#### Conclusions

Languages that have been historically associated with threaded code will probably continue to use these techniques when implemented on microcomputers. New implementations should take advantage of the interpretive nature of threaded code to provide extensive debugging facilities. However, there is no excuse for the threaded-code implementor to prohibit the use of previously coded machine-language modules by eliminating parameter passage through microprocessor registers. Either the interpreter can be designed to keep these registers free, or special routines must be written by the implementor to save and restore these registers when using library routines stored in read-only memory.

Similarly, the motivation for distributing software in an open market (to many different users with many different systems) leads directly to the requirement for position independence. While the MC6809 directly supports position-independent code at the machine-language level, it is also possible to devise threaded-code intermediate languages that are position independent. But any intermediate language or interpreter that requires particular absolute storage locations is so obnoxious as to be unworthy of discussion in polite programming society. Absolute-address storage requirements are simply unacceptable in code written for mass distribution.

Within these constraints, the various forms of threaded code offer different trade-offs of speed and code efficiency. Because these forms are logically equivalent, a single compiler could be used to generate any of them at the user's choice. Thus, without changing the source program, a threaded-code technique could be selected that would give the desired trade-off between speed and code efficiency for a particular situation.

In the end, threaded-code implementation techniques

are neither particularly compact nor are they particularly fast. Continued development of direct-threaded code structures could result in a language representation that would look more like Pascal p-code than threaded code. Threaded code does offer a conceptually simple and general control-transfer technique that displays a clear boundary between interpretation and language. However, threaded code is probably not an optimal representation for any particular language, including FORTH.■

Bibliography

- 1) Bartholdi, P. Stepwise Development and Debuging (sic) Using a Small Well Structured Interactive Language for Data Acquisition and Instrument Control. Copy received from the author. (Author's address: Observatoire De Geneve, CH-1290-Sauverny, Switzerland.) 2) Bell, James R, "Threaded Code," Communications of the ACM, volume 16, number 6, June 1973, pages 370 thru 372.

  3) Dewar, Robert K, "Indirect Threaded Code," Communications of
- the ACM, volume 18, number 6, June 1975, pages 330 thru 331.
- 4) Dewar, Robert K and A P McCann, "MACRO SPITBOL-A SNOBOL4 Compiler," Software Practice and Experience, volume 7, number 1, 1977, pages 95 thru 113.
- 5) fig-FORTH Installation Manual, FORTH Interest Group, San Carlos CA, May 1979.
- 6) FORTH Dimensions, volume 1, numbers 1 to 4, FORTH Interest Group, San Carlos CA.
- 7) Gaebler, Robert F, "Make it Natural," Electronics, volume 52, number 14, July 5, 1979, page 6.
- 8) Grappel, Robert D, "STRUBAL vs FORTH," Dr Dobb's Journal, volume 3, number 8, September 1978, page 28.
- 9) Brinch Hansen, Per and C Heyden, "Microcomputer Comparison," Software Practice and Experience, volume 9, number 3, 1979, pages 211 thru 217.
- 10) James, John S, "FORTH Dump Programs," Dr Dobb's Journal, volume 3, number 28, September 1978, pages 26 thru 27.
- 11) James, John, "FORTH for Microcomputers," Dr Dobb's Journal,
- volume 3, number 25, May 1978, pages 26 thru 27. 12) Main, Richard B, "FORTH vs Assembly," *Dr Dobb's Journal*, volume 4, number 31, January 1979, pages 45 thru 47.
- 13) Meinzer, Karl, "IPS, An Unorthodox High Level Language," January 1979 BYTE, volume 4, number 1, pages 146 thru 159.
- 14) MicroFORTH Primer. FORTH Inc, Hermosa Beach CA, December
- 15) Moore, Charles H, "FORTH: A New Way to Program a Mini-Computer," Astronomical Astrophysics Supplement, volume 15, 1974, pages 497 thru 511.
- 16) Moore, Charles H, and Elizabeth D Rather, "The Use of FORTH in Process Control," Proceedings of the International Mini-Micro Computer Conference, Geneva, March 26, 1977.
- 17) Oliver, John P, "Astronomy Application for PET FORTH," Dr Dobb's Journal, volume 3, number 30, November and December 1978, page 46.
- 18) Phillips, J B, M F Burke, and G S Wilson, "Threaded Code for Laboratory Computers," Software—Practice and Experience, volume 8, 1978, pages 257 thru 263.
- 19) Rather, Elizabeth D, and Charles H Moore, "The FORTH Approach to Operating Systems," ACM '76 Proceedings, October 1976, pages 233 thru 240.
- 20) Rawson, Edward B, "Let it Be," Electronics, February 14 1980, volume 52, number 4, page 8.
- 21) Ritter, Terry F, and Joel Boney, "A Microprocessor for the Revolution: The 6809—Part 1: Design Philosophy," January 1979 BYTE, volume 4, number 1, pages 14 thru 42; "Part 2: Instruction Set Dead Ends, Old Trails and Apologies," February 1979 BYTE, volume 4, number 2, pages 32 thru 42; "Part 3: Final Thoughts," March 1979 BYTE, volume 4, number 3, pages 46 thru 52.
- 22) Roichel, Ancelme, "SAM76-FORTH-STRUBAL," *Dr Dobb's Journal*, volume 3, number 30, November and December 1978, pages 44 thru 45.
- 23) Sachs, John, STOIC (Stack Oriented Interactive Compiler), MIT and Harvard Biomedical Engineering Center, Cambridge MA, 1977. 24) Sirag, David J, "DTC Versus ITC for FORTH on the PDP-11," FORTH Dimensions, volume 1, number 3, June and July 1978, pages 25 thru 29.

## The 2nd Generation... It's all that it's Cracked up to be.



**MEASUREMENT** systems & controls

## CP/M® USERS! The ED-80 TEXT EDITOR

- \$50,000 in Development Costs Yours for Only \$99!
- For all CP/M, Cromemco, TRS-80 Mod II, and North Star Systems.
- Full Screen Text Editor w/Scrolling.
- For all CRT and Video Monitors.
- Features Found only on IBM, CDC, UNIVAC and DEC Systems.
- Forward or Backward Locate and Change Commands.
- Field Proven More than 2 Years.

A Terrific Value -

\$9900 Write for FREE Color Brochure Color Brochure

**Software Development & Training, Inc.** Post Office Box 4511, Dept. B Huntsville, Alabama 35802

VISA or MC

# our price vs. list price"

/TRS-80	List Price	Our Price	APPLE	List Price	Our Price
Level-II, 4K	\$649.00	\$599.00	Mtn. Hard. Apple Clock	\$280.00	\$262.50
Level-II 16K no keypad	\$768.00	\$669.00	Mtn. Hard. ROMPLUS+ w/Fil	\$200.00	\$187.50
Level-II 16K with keypad	\$849.00	\$749.00	16K Memory Kit	\$119.00	\$85.00
COMM-80 Interface		\$179.95	Busy Box, Apple	\$114.95	\$99.95
CHATTER BOX Interface		\$259.95	BSR X-10 Starter Kit	\$124.95	\$99.95
Disk-80 Interface		\$299.95	DTT (0D1)		
Expansion Interface, no RAM	\$299.00	\$279.00	PET/CBM		
Expansion Interface 16K RAM	\$418.00	\$369.00			
Expansion Interface 32K RAM	\$537.00	\$459.00	PET 2001 large keyboard, 16K	\$995.00	\$895.00
RS-232-C Board	\$99.00	\$89.00	PET 2001 large keyboard, 32K	\$1295.00	\$1195.00
TRS-232 Printer Interface	\$59.95	\$49.95	CBM 8032 Business Comp.	\$1795.00	\$1619.00
16K Memory Kit, TRS-Keyboard	\$119.00	\$89.00	CBM Cassette Recorder	\$95.00	\$84.95
16K Memory Kit, TRS-Exp. Int	\$119.00	\$85.00	CBM 2040 Dual Disk Drives	\$1295.00	\$1195.00
Percom, TFD-100, 40-track	\$399.95	\$389.00	CBM 8050 Dual Disk Drives	\$1695.00	\$1495.00
Percom, Dual TFD-100 Drives	\$795.00	\$775.00	CBM Modem	\$395.00	\$349.00
Percom, TFD-200, 77-track	\$675.00	\$599.00	CBM Voice Synthesizer	\$395.00	\$349.00
Percom Data Separator		\$29.95	CBM to IEEE Cable	\$40.00	\$37.50
Percom Extender Card	\$15.95	\$15.00	IEEE to IEEE Cable	\$40.00	\$37.50
2-Drive Cable	\$29.95	\$29.00	DDINTEDO		
4-Drive Cable	\$39.95	\$39.00	PRINTERS		
Data Dubber	\$49.95	\$44.95	Centronics 730	\$795.00	\$699.00
Percom Electric Crayon w/cbl		\$279.95	Centronics 730	•	
Busy Box, TRS-80	\$109.95	\$99.95	Centronics 737 Centronics 779	\$995.00 \$1559.00	\$875.00
BSR X-10 Starter Kit	\$124.95	\$99.95	Centronics 779 w/lower case	\$1339.00	\$1095.00
Busy Box 4-yr Control Program		\$19.95	& motor control	£1770 00	£1205.00
			NEC 5510 SpinWriter	\$1779.00 \$3195.00	\$1295.00
ATARI			NEC 5510 SpinWriter	\$3395.00	\$2595.00 \$2895.00
*********			NEC 5530 SpinWriter	\$3195.00	\$2495.00
ATARI 400 Comp. System, 8K	\$629.95	\$499.00	NEC Tractor-Feed Option	\$225.00	\$195.00
ATARI 800 Comp. System 16K	\$1079.95	\$819.00	LRC 7000 + (64-col.)	\$405.0 <mark>0</mark>	\$349.00
ATARI 410 Program Recorder	\$89.95	\$59.00	LRC 7000 + (04-col.)	\$389.00	\$349.00
ATARI 810 Disk Drive	\$699.95	\$569.00	Okidata Microline-80	\$800.00	\$709.00
ATARI 815 Dual Density Disks	\$1495.95	\$1219.00	Tractor-Feed Option	\$140.00	\$129.00
ATARI 820 Printer (40 col.)	\$599.95	\$469.00	RS-232-C (2K) Option	\$299.00	\$279.00
ATARI 822 Thermal Printer	\$449.95	\$369.00	LRC to TRS-80 or APPLE	Ψ233.00	
ATARI 825 Printer	\$999.95	\$819.00	LRC to PET, IEEE		\$20.00 <b>\$</b> 59.00
ATARI 830 Acoustic Modem	\$199.95	\$169.00	LRC to RS232C, male/female		\$65.00
ATARI 850 Interface Module	\$219.95	\$179.00	730 or 737 to TRS-80		\$29.00
ATARI Light Pen	\$74.95	\$59.00	NEC or 779 to TRS-80		\$35.00
8K RAM Memory Module	\$124.95	\$99.00	RS-232-C/RS-232-C male/male		\$24.95
16K RAM Memory Module	\$199.95	\$159.00	N3-232-0/N3-232-0 IIIale/IIIale		Ψ24.33
ATARI Joystick Controllers	\$19.95	\$18.95	DUST COVERS		
ATARI Paddle Controllers	\$19.95	\$18.95	DUST CUVERS		
OADDVINO CACEO			TRS-80 (3pc set)		\$7.95
CARRYING CASES			APPLE		\$7.95
	£400.00	<b>600.00</b>	ATARI 800		\$7.95
TRS-80 Computer Case	\$109.00	\$99.00 \$70.00	ATARI 400		\$7.95
TRS-80 Monitor Case	\$84.00	\$79.00 \$00.00	PET/CBM 2001		\$11.95
APPLE System Case w/1 drive	\$109.00	\$99.00			
APPLE System Case w/2 drive	\$119.00 \$120.00	\$109.00 \$110.00	*TRS-80, ATARI, APPLE, and PET/CBM are trademarks Apple Computer Co., and Commodore respectively.	of Tandy Corp, Warner C	Communications,
APPLE System Case w/mon.	φ123.00	\$119.00	Apple computer co., and committee respectively.		



6 SOUTH ST., MILFORD, NH 03055

To order: Call Toll-Free 1-800-258-1790 (in NH call (603) 673-5144)

The Software Exchange & HardSide (Div. of Robitaille & Sons, Enterprises, Inc.), SoftSide Publications




Where can you dial one TOLL FREE number and be able to select the finest software from the world's foremost suppliers?


## The Software Exchange

Our stockrooms are overflowing with the finest software available in today's marketplace. We carry software from all these companies:

- Adventure International
- ●Personal Software
- ●Web Associates
- Small Systems Software
- Sensational Software
- Synergistic Software
- Strategic Simulations
- ●Lance Micklus
- Softape
- Quality Software
- ●Image Products
- Acorn Software
- ●Havden
- Muse
- Microsoft
- Apparat



We could not possibly list all of the software on this page, however, if you send us \$1.00, you'll receive our catalog plus a \$2.00 credit toward your next purchase!



microcomputer. Suppose too, that each article was geared to the person with a beginning or intermediate interest in personal computing.

NOW you can get all this, and more, at a price you can afford. It's SoftSide — the magazine that provides its readers with tried and true listings, along with structured "walk-thrus" of some of the most stimulating software pieces, month after enjoyable month.

Subscribe today! Until November 1, 1980, the price is only \$15.00. After November 1, the price will be \$18.00, so why not save \$3.00 and start your family on the road to microcomputing?



## The Sitware Exchange 6 SOUTH ST., MILFORD, NH 03055

To order: Call Toll-Free 1-800-258-1790 (in NH call (603) 673-5144)

The Software Exchange & HardSide (Div. of Robitaille & Sons, Enterprises, Inc.), SoftSide Publication





## **Education Forum**

## New Cultures from New Technologies

Seymour Papert, Project LOGO, Massachusetts Institute of Technology, Artificial Intelligence Laboratory, 545 Technology Sq., Cambridge MA 02139

When I was asked to write this Education Forum for BYTE, I was in the process of correcting the proofs of my book, *Mindstorms: Children, Computers and Powerful Ideas*. (See reference 1.) There I struggled to present in two hundred pages a vision of a few ways in which computers might affect how children learn; it is challenging now to find the right 3000 *words* to convey something of the same vision. What images, what metaphors best capture for me the essence of the computer as it might enter the lives of children?

I start with an image, more general than the computer, that has helped me to think about how the world takes up any new technology. The first movies were made by setting the newly invented motion-picture camera in front of a stage where a play was performed just as plays always had been. Only after some time did cinema become more than theatre plus camera. When it did, what emerged was

something original and unique, a whole new culture with new modes of thinking and new breeds of people—stars, directors, scriptwriters, cameramen, critics, and audiences whose sensitivities, expectations, and ways of seeing were quite different from those of the theatre-goers of the past.

So too with the computer. The first instinct of educators is to couple the new technology to their old methods of instruction. My vision is of something much grander. So I dream of using this powerful new technology not to "improve" the schools we have always known (and, to be honest, hated) but to replace them with something better. I do not believe that this something will look anything like what is now known as "computer-aided instruction" (CAI). I think it will be more like the growth of a new culture, a "computer culture" in which the presence of computers will have been so integrated into new ways to think about ourselves and about the subject matters we learn that the nature of learning itself will be transformed.

In thinking about the nature of such potential transformation, the LOGO group of the Massachusetts Institute of Technology (MIT) Artificial Intelligence Laboratory has been guided by the idea of creating computer-based environments in which mathematics and other areas of "formal" learning can be learned in a natural fashion, much as a child learns to speak; and applying concepts from artificial intelligence to children's learning, to help children become articulate about, and thus gain control over, the learning process. Before developing these ideas, I would like readers to clear their minds of a misleading but common image. People generally think about computers in schools as a scarce resource to which students have occasional access. It is time we learned to think in terms of a computer for every child, and we should think about children having access to computers from infancy. If we think in these terms, we begin to recognize that there is a clear discontinuity between the current ideas about using computers in schools and the situation of the future. I really believe that almost everything being done today is only relevant to the future in that it sets a bad example so that people become accustomed to primitive

A natural place to begin a search for "something new in education" is to look for examples of highly successful learning. For me the most dramatic image of successful learning is the way children learn to talk. This learning contrasts with school learning in many ways, of which I think two are most important. First, it is highly successful: all children learn to speak the colloquial dialect in which they grow up. Second, it has none of the technical paraphernalia of schooling—no curriculum, no set lesson times, no quizzes, no grades, no professional teachers. It is part of living. I call it learning-without-teaching or





## NOT ANYMORE!

No this isn't a "Hard Disk". We used to call it that, sometimes. But somebody muddied the water.

"Hard Disk", unfortunately, now calls something else to mind. That little bitty guy with no backup capability and no way of switching media? It's a "Hard Disk" to work with, all right, in business applications. Some even say "Impossible Disk".

We'd like to avoid confusion between our Cameo database solution and the one that doesn't work so well. The Cameo DC-500 subsystem employs a decade-proven **cartridge** disk. Our backup capability is built in, and takes four minutes. The ability to switch applications (by exchanging the removable cartridge) means you can use your computer for more kinds of work. A ten megabyte (5 fixed + 5 removable) subsystem costs \$5995, for your **TRS-80\*** (Mod. I or II), Apple\*, Heath H89<sup>T.M.</sup> or S-100 computer.

So call **us** "The **Cartridge Disk** Guys", please, and call us soon. We'll show you the **really** cost-effective solution to microcomputer database storage.



\* TRS-80 is a registered trademark of the Tandy Corp. \*Apple is a registered trademark of Apple Corp.

Circle 148 on inquiry card.

BYTE September 1980 231

First one 8:88 IJohn Swith/root can 18		Ed Jones/check up and x-rays
	Dennis Johnson/wisdow	
9:00   :10 (Kathy Helson/check :20	up.	
:38   :48		
:58 Hike Silva/restorat	ion.	
10  George Kennedy/		
	!Theima Carter/check up.	100
50 ! 11 80 :		

## INTRODUCING DATEBOOK™

#### THE NEW OFFICE APPOINTMENT CALENDAR PROGRAM

DATEBOOK<sup>TM</sup> helps manage time just like a common office appointment book, but with the speed and accuracy of a computer. DATEBOOK<sup>TM</sup> eliminates the scribbles, erasures, and frustration of searching through the book for a specific opening.

DATEBOOK<sup>TM</sup> is ideal for Doctors, Dentists, Lawyers, Salesmen, Repairmen, or in any situation where time management is critical to office efficiency. Its menu display and one-key options make DATE-BOOK<sup>TM</sup> one of the easiest programs to learn and use

#### DATEBOOK<sup>™</sup> features include:

- Appointment scheduling, cancelling, modifying and rescheduling.
- Automatically searches for openings according to time of day, day of week, and week of year.
- Displays all scheduled appointments for a specified person.
- Lists day's schedule (Screen or hard copy).
- Can be customized to accommodate any workday/hours schedule.

DATEBOOK  $^{\text{TM}}$  is written in PASCAL and is available to run on CP/M as well as UCSD PASCAL systems.



Piagetian learning (after the Swiss philosopher-scientist Jean Piaget who has done more than anyone else to show us how very much children learn in this way).

Much of the work done to date in the whole area of computers and education—eg: CAI—has promoted a style of learning that gives the impression of a child being "programmed" by the computer. Our approach has been diametrically opposed to that. By striving to make the computer's processes as transparent as possible and creating activities in which children "teach" (ie: program) computers in a well-structured, procedural language like LOGO, we have aimed toward putting children in control of their own learning. Obviously, I cannot hope to explore these ideas in much depth in a short space. What I shall try to do is to describe a couple of learning environments we have created which I believe challenge the fundamental assumptions our society makes about children and learning.

#### Mathland

The belief that only a few people are mathematically minded is a truism in our culture and a cornerstone of our educational system. It is therefore sobering to reflect on the flimsiness of our reasons for believing it. In fact, the only evidence is crass empiricism: look around and you will see that most people are very poor at mathematics. But look around and see how poor most Americans are at speaking French. Does anyone draw the conclusion that most Americans are "not French-minded?", that they are not capable of learning French? Of course not! We all know that these same people would have learned to speak French perfectly well had they grown up in France. If there is any question of lack of aptitude, the aptitude they lack is not for French as such but for learning French in schools.

Could the same be true of mathematics? Could there be a place, a "mathland," which is to mathematics as France is to French, where children would learn to speak mathematics as easily and as successfully as they learn to speak their native dialect?

I believe that the answer is Yes. In Mindstorms I suggest that the world we live in contains pockets of mathland, which explains why all children learn some mathematics spontaneously (eg: one-to-one correspondences, conservation of number, reversibility of logical operations) and some children become very good at it. Here I have space only to talk about some ways in which the world could become much more of a mathland for everyone.

Computers are the Proteus of machines: they take on many different forms. One of their manifestations is as mathematics-speaking beings. If children grew up surrounded by such beings, the learning of mathematics might very well be much like the learning of spoken language. Developing and testing this image has become a central research question for us at MIT: under what conditions will children talk in mathematical languages to mathematics-speaking computers? The results have already convinced us that the idea of mathland is fundamentally sound and that, indeed, what the mathematics schools fail to teach can be learned successfully on the model of picking up living languages.

But computers do not automatically create that result. For example, instructing computers in FORTRAN to



#### What do you need?

Program listings...inventory listings...
custom logos and letters...mailing labels in a
multitude of sizes...custom forms and the data
to complete them...curve plotting or bar
graphs...digitized images from video or bit
pads...multi-part forms...preprinted forms
...tickets...and the list goes on...

#### How do we do it?

High speed bi-directional full logic printing; two standard character sets, upper/lower case with descenders; high speed font at 165 cps; letter quality font at 90 cps; expanded characters, solid underlining; programmable character sets; complete dot control graphics; adjustable tractor feed 3"-16"; user adjustable platen; programmable tabs, forms length and line spacing; out of paper signal; self-test; interface options — RS-232C, Centronics parallel, Apple, S-100; and the list goes on . . .

## The Malibu Model 165

Find out if it's the easy solution to your hard copy needs — contact your local computer dealer or you can write or call us today for complete specifications and print samples — you won't be disappointed.

Versatility, Quality and Reliability: We build it in.



Dealers and OEM'S, call us about our new purchase programs with prices, terms and delivery to meet your needs too.

2301 Townsgate Road, Westlake Village, CA 91361 (805) 496-1990 a subsidiary of Detarmetrics Composition

#### **DYNACOMP**

Quality software for:

Apple II Plus TRS-80 (Level II)

North Star

All software is supplied with complete documentation which includes clear explanations and examples. Each program will run with standard terminals (32 characters or wider) and within 16K program memory space. Except where noted, all software is available on PET cassette, North Star diskette (North Star BASIC). TRS-80 cassette (Level II) and Apple cassette (Applesoft BASIC). These programs are also available on PAPER TAPE (Microsoft BASIC).

#### BRIDGE 2.0

Price: \$17.95 postpaid

An all-inclusive version of this most popular of card games. This program both BIDS and PLAYS either contract or duplicate bridge. Depending on the contract, your computer opponents will either play the offense OR defense. If you bid too high the computer will double your contract! BRIDGE 2.0 provides challenging entertainment for advanced players and is an excellent learning tool for the bridge novice.

#### HEARTS 1.5

Price: \$14 95 postpaid

An exciting and entertaining computer version of this popular card game. Hearts is a trick-oriented game in which the purpose is not to take any hearts or the queen of spades. Play against two computer opponents who are armed with hard-to-beat playing strategies.

#### **FLIGHT SIMULATOR**

Price: \$17.95 postpaid

(as described in SIMULATION, Volume II)
A realistic and extensive mathematical simulation of take-off, flight and landing. The program utilizes aerodynamic equations and the characteristics of a real airfoil. You practice instrument approaches and navigation using radials and compass headings. The more advanced flyer can also perform loops, half-rolls and similar

SIMULATION, Volume II (BYTE Publications): \$6.00

Price: \$14.95 postpaid

A simulation of supertanker navigation in the Prince William Sound and Valdez Narrows. The program uses an extensive 256X256 element radar map and employs physical models of ship response and tidal patterns. Chart your own course through ship and iceberg traffic. Any standard terminal may be used for display.

#### CHESS MASTER Price: \$19.95 postpaid (available for North Star and TRS-80 only)

This complete and very powerful program provides five levels of play. It includes castling, en passant captures, and the promotion of pawns. Additionally, the board may be preset before the start of play, permitting the examination of "book" plays. To max imize execution speed, the program is written in assembly language (by SOFTWARE SPECIALISTS of California). Full graphics are employed in the TRS-80 version, and two widths of alphanumeric display are provided to accommodate North Star users.

#### FOURIER ANALYZER

Price: \$14.95 postpaid

Use this program to examine the frequency spectra of limited duration signals. The program features automatic scaling and plotting of the input data and results. Practical applications include the analysis of complicated patterns in such fields as electronics, communications and business.

#### TEXT EDITOR I (Letter Writer)

Price: \$14.95 postpaid

An easy to use, line-oriented text editor which provides variable line widths and simple paragraph indexing. This text editor is ideally suited for composing letters and is quite capable of handling much larger jobs.

Price: \$19.95 postpaid (available for North Staronly)

This many-featured program now includes full alphabetic and zip code sorting as well as file merging. Entries can be retrieved by user-defined code, client name or Zip Code. The printout format allows the use of standard size address labels. Each diskette can store more than 1000 entries (single density; over 2000 with double density systems)!

This is the classic Startrek simulation, but with several new features. For example, the Klingons now shoot at the Enterprise without warning while also attacking starbases in other quadrants. The Klingons also attack with both light and heavy cruisers and move when shot at! The situation is hectic when the Enterprise is besieged by three heavy cruisers and a starbase S.O.S. is received! The Klingons get even!

#### **GAMES PACK I and GAMES PACK II**

GAMES PACK I contains BLACKJACK, LUNAR LANDER, CRAPS, HORSERACE, SWITCH and more.

GAMES PACK 11 contains CRAZY EIGHTS, JOTTO, ACEY-DUCEY, LIFE, WUMPUS and more.

Why pay \$5.95 or more per program when you can buy a DYNACOMP collection for just \$9.95?

All orders are processed within 48 hours. Please enclose payment with order, If paying by MASTER CHARGE or VISA, include all numbers on card. Foreign orders add 10% for shipping and handling.

Write for detailed descriptions of these and other programs available from DYNACOMP.

#### DYNACOMP, Inc.

VISA

6 Rippingale Rd. Pittsford, New York 14534 (716) 586-7579 York State residents please add 7% NYS sales tax.



manage inventories is of no interest to the average child. Babies brought up in IBM computer centers will be no better at mathematics than any others. They may even be worse (and their other lapses of culture might be more disturbing). In order for computers to play the role of mathland for a child, two conditions are necessary: the computer must understand a language a child can learn (and love to learn), and the computer must be able to do something for the child.

#### Euclidean Geometry → Cartesian Geometry → Computational Geometry

Turtle graphics is this kind of mathland. It was first developed in our laboratory as part of the programming language LOGO and then taken over by several other languages including Smalltalk and UCSD-Apple Pascal.

A lot of experience has taught us that computer graphics can be a great turn-on. People of all ages enjoy putting images on the screen, and when these images can be made to move and change color, they acquire a dimension completely lacking in conventional pencil-and-paper drawing. At the heart of the work on turtle graphics is the idea of developing a new kind of geometry—"turtle geometry"—which provides powerful and yet easily accessible means to manipulate shapes and motions. To put this in perspective, recall that you probably encountered at school at least two styles of doing geometry: Euclid's style (primarily logical in structure) and Descartes' style (primarily algebraic). Turtle geometry is a new style matched to the computer: it is a computational style of thinking about geometry. The difference in spirit is illustrated by how one thinks about a familiar geometric object in Cartesian and in turtle geometry. Descartes taught us to think of the circle as an equation such as:

$$x^2 + y^2 = R^2$$

In turtle geometry it is possible to use such equations, but the natural way to think about a circle is as a process. To do this, turtle geometry adopts as its fundamental concept an entity called a turtle whose properties include its position (as does the point in Euclidean and Cartesian geometry) and also its heading. At any particular time, it is at a position and is facing in a particular heading. The position and the heading are changed by commands that are built into a programming language. Among these are FORWARD < some number > which causes the turtle to move in the direction of its heading without changing the heading, and RIGHT < some number > which causes the turtle to change the heading while keeping the position fixed; ie: to pivot in place. Given these commands, a program in LOGO to draw a square of a certain fixed size takes the simple form:

> TO SOUARE FORWARD 100 RIGHT 90 FORWARD 100... etc

**INFLATION FIGHTER—ROUND # 2** 

**KO Inflation With Our Knock-Out Prices** 

#### MPI 88T Impact Matrix Printer

Quality, Full-Page 81/2x11 Printout For Your Computer

APPLE II ● TRS 80 ● PET ● ATARI

SUPERBRAIN ● EXIDY ● OHIO SCIENTIFIC

Unrivaled champion of the small business, educational, personal computing and professional user. Quality construction and continuous duty print head allow heavy usage. Attractive styling complements the most elegant of systems without sacrificing compact size.

• Type of Printing: Impact bidirectional 7x7 dot matrix ● Print Rate: 100 characters per second (maximum) ● Thruput: 80 characters per second (maximum) ● Character Set: Full upper and lower case 96 character ASCII set, software selectable single or double wide character fonts ● Character Height: 0.10 in. (0.25 cm) ● Print Format: 8.0 in. (20.3 cm) line length, 80 characters per line at 10 CPI, 96 characters per line at 12 CPI, 120 characters per line at 15 CPI, 132 characters per line at 16.5 CPI ● Paper Feed: 10 lines per second, stepper motor controlled. User selectable pressure roller or tractor feed ● Line Spacing: 6 or 8 lines per inch, user selectable ● Media: Roll paper: 8.5 in. (21.6 cm) wide by 5 in. (12.7 cm) diameter single ply or pressure sensitive multiple copy paper, 0.012 in. (3 mm) maximum thickness. Fan Fold paper: 1 in. (10.1 cm) to 9.5 in. (24.1 cm) sprocket (including sprocket margins), 0.012 inc. (3 mm) maximum thickness. Cut Sheet paper: Maximum width, 9.5 in. (24.1 cm) ● Ribbon: Continuous loop cartridge, 20 yds, 0.5 in. (1.27 cm) wide black ribbon. 5 million character line ● Input Power: 115/230 VAC. ± 10%, 50/60 HZ ● Data Input: Parallel: Centronics compatible 7-bit ASCII, TTL levels with strobe, acknowledge returned to indicate data was received. Serial: RS232C or 20 ma Current Loop with BUSY (RS232C only) handshake, 10 or 11 bits: 100, 150, 300,600, 1200 bad ● Data Buffer: Ik (2K optional) ● Forms Control: Top of Form (eight selectable forms lengths) Skip over perforation ● Physical Dimensions: 16.25 in. (4.1.3 cm) wide x 10.75 in. (27.3 cm) deep x 6.25 in. (15.9 cm) high. Dimensions exclude paper and paper holder. Weight: less than, 15 lbs. (6.75 Kg)



#### Other Contenders . . .

PRINTERS	
NEC 5510 RO w/tractor List \$2950	\$259
NEC 5520 KSR w/tractor List \$3270	\$295
Diablo 1650 RO w/tractor List \$3425	\$289
Diablo 1650 KSR w/tractor List \$3895	\$328
TI 810 Basic Serial List \$1895	\$164
TI 810 Basic Parallel List \$1940	\$169
TI 743 KSR u/c ASCII List \$1395	.\$89
Anadex DP9500 200 cps List \$1650	\$144
Centronics 702 RO 120 cps List \$2440	\$199
Centronics 703 RO 120 cps List \$3140	\$239
Centronics 704 RO 180 cps List \$2350	\$188
Sanders Media 12/7 50-200 cps List \$4100	\$326

## SUPER VALUE ANACOM 150 List \$1395 NOW \$1195 (equivalent to TI810)

\* 150 cps. bidirectional Logic Seeking \* 80. 132 or 136 columns \* 6 or 8 lines per inch \* 5.5 ips slew speed \* 9x9 Matrix upper and lower case with decenders \* 10 char/inch \* 5\* to 14 7/8" fan fold paper, tractor feed \* original plus 5 copies \* 6 million character life snap-in ribbon cartridge \* 120/240 VAC 50/60HZ power \* Size 23" x 14" x 8" (584 cm x 35.6 cm x 20.3 cm metric) weight 30 lbs., (38 lbs. shipping)

S100 BOARDS			
Xitan ZPU (Z80)			
SMB-21/0			
Z 16K Static	\$219		
D-16K Dynamic			
D-32K Dynamic	. \$329		
CCP 2032 32K Static List \$710			
CCP 2064 64K Dynamic List \$700			
CCP 2422 FD Controller List \$400	.\$349		
VIDEO DISPLAYS			
ADDS 25 List \$1095	. \$895		
ADDS 40 List \$1400	\$1.245		
TELEVIDED 912C List \$925	\$775		

TELEVIDEO 920C List \$995 \$895
Hazetine 1500 List \$1225\$995
Hazetine 1420 List \$995\$895
Hazetine 1410 List \$900
Microterm Mime   List \$895\$795
Microterm Mime II List \$945 \$845
Soroc IQ 120 List \$995
Soroc IQ 140 List \$1495\$1295 MONITORS
MONITORS
Leedex Video 100 List \$199\$139
Sanyo 9" List \$199
Sanyo 15" List \$299 \$259
MODEMS
UDS 103LP 300 Baud List \$195\$169
UDS 202 LP 1200 Baud List \$295\$259
Novation Cat 300 Baud Acoustic List \$200 \$169
DC Hayes Micromodem for Apple List \$379 .\$339
DC Hayes 80-103 List \$299\$239
SOFTWARE
CBasic-2 Disk Extended Basic
MICROSOFT Basic-80
Basic Compiler
Fortran-80
Cobol-80
Super-Sort II
Super-Sort III
Word-Star
Word-Star/Mail-Merge\$525
Word Master
Data-Star\$279
SPELL BINDER
The Super CP/M based word processing software!
ONLY \$379
Structured Systems Call for Price
Peachtree Call for Price
Graham Dorian Call for Price
All packages available in 8" CP/M and 5 1/4" CP/M
for North Star, Micropolis, Vector Graphic,
SuperBrain and others.

Super Basic Disk Basic	\$95	\$159
ZAPPLE Text Editor	\$35	
Z-Tel Text Editor	\$50	<b>\$</b> 69
Text Output Processor		\$69
Macro Assembler	<b>\$</b> 50	\$89
Z-BUG Micro Z-BUG		\$69
MICTO Z-BUG LINKER		\$69
Fortran IV		\$249
APPLE COMPUTER &	ACCESSORIE	S
Apple II 16K or Apple II+ . 16K Memory Add-On (for T		\$969
16K Memory Add-On (for T	RS-80, Exidy a	iso) \$69
Corvus 10 Megabyte Disk D	)rive	\$4650
Pascal Language System .		\$445
Graphics Input Tablet Disk II with Controller Card		\$675
Disk II with Controller Card		\$495
Disk II without controller .		
Apple Soft II Firmware Card		
Integer Firmware Card		
Parallel Interface Card		
Serial Interface Card		
Communications Card		
Sup-R-Mod FR TV Modulato		
Sup-R-Term 80 col. Card		
Dan Paymar Lower Case Kit		\$45
SVA 8" Disk Controller Card		\$349
CCS Arithmetic Processor C		
Clock/Calendar Card		<b>\$</b> 239
Super Talker Speech Synth	ısızer	\$259
Romplus Card w/Keybd. Fl		
ALF Music Synthisizer		\$245
Parallel Interface No. 7720	A	\$109
CCS GPID IEEE Interface .		\$269
Microsoff Z-80 Soft Card w.	/CP/M	\$349
ROMWRITER		\$159
CCS Programmable Timer N	∕lodule	\$159
Centronics Printer Int. Card		\$190
Silentype Printer w/INT. Ca	ard	\$529
APPLE SOFT	(WARE	

Pascal Language System.....\$445

\$50

Fortran Language Package The Controller Gen Bus System The Cashier Retail Mgt & Inv Appiepost Mailing List System Appiewriter Word Processor Visi-Calc Dow Jones Portfolio Evaluator Sub-Logic F5 I Flight Simulator Appiepost Graph & Plot System Desktop/Plan by Desktop Computers PRINT ELEMENTS (3 Minimum PRINT ELEMENTS (3 Minimum	\$529 \$209 \$45 \$69 \$125 \$45 \$85
NEC Thimbles	\$13.50 ea.
Plastic Daisy Wheels	\$8.50 ea.
Metal Daisy Wheels	\$39.50 ea.
RIBBONS (12 Minimum)	
NEC Fabric	. \$4.50ea.
NEC Multi-Strike	, \$4.50 ea.
Diablo Fabric	. \$4.25 ea.
Diablo Multi-Strike	. \$4.95 ea.
Qume Fabric	. \$4.25 ea.
Qume Multi-Strike	. \$4.95 ea.
S100 MAINFRAMES	
*(incl. power supply & mother bo Xitan 8 Slot* List \$359	ard)
Xitan 8 Slot* List \$359	\$239
Calif Comp 12Slot* List \$400	<b>\$</b> 359
NNC 100 19Slot* List \$610	, <b>\$</b> 540
NNC 80 8Slot* List \$825	\$729
Space For 2 Vertical 8" Floppy Drives	
NNC 80 with drives List \$2020	\$1819
(Silugal Coult)	
(Shugart 801R) NNC 90 Dual 8" F.D. List \$295	\$249
NNC 90 with drives List \$1495	\$249 \$1339
NNC 90 with drives List \$1495	\$249 \$1339
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS	\$1339
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS	\$1339
NNC 90 with drives List \$1495 (Shugart 801R)	\$1339
NNC 90 with drives List \$1495	\$1339
NNC 90 with drives List \$1495	\$1339 \$3695 orts
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS NNC System 80 List \$3995	\$1339 \$3695 orts
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS NNC System 80 List \$3995	\$1339 \$3695 orts
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS NNC System 80 List \$3995 Dual 801R Drives, 280. 2 Serial PC 2 Parallel Ports, 32K Static, DDFD Controller, CP/M WITH 64K Dynamic Memory List \$4195 WITH 64K Static Memory List \$4797 DISK DRIVES	\$1339 \$3695 orts \$3850 \$4395
NNC 90 with drives List \$1495 (Shugart 801R) S100 COMPUTERS NNC System 80 List \$3995	\$1339 \$3695 orts \$3850 \$4395

TERMS: Cash, check or money order, bank wire transfer, C.O.D. or credit cards, \$10.00 minimum, Charge orders must include expiration date, Purchase orders also accepted from recognized institutions. Include telephone number withall orders. Advertised prices are for prepaid orders. F.O.B. shipping point, Charge and credit orders add 2%, CODs required 25% deposit, California residents add 6% sales tax. For shipping in U.S. add (\$2.50 min.) 2% West U.S. 3% East of Mississippi, or therwise freight collect (air service where applicable). For explicable prices must be accompanied by payment in U.S. funds and include 10% for shipping. Quantities may be limited. Retail prices vary from mail order. All prices subject to change and all offers subject to withdrawal without notice. All equipment is new with manufacturers warranty unless otherwise indificated.

8K Basic



XITAN ZAPPLE Monitor

Call or Write For Free Catalog (714) 744-7314/744-9595

910 W. San Marcos Blvd. # 105. San Marcos. California 92069



Before you buy the programs that your company is going to depend on for its accounting, ask the following questions:

Do I get the source code?

Is it well documented?

Is it fully supported?

(Don't settle for less. You cannot make the smallest change without it.) (The Osborne documentation is the best.) (If not, why not? What are they afraid of?)

The Osborne system is the industry standard accounting package, with literally thousands of users. We offer an enhanced version of that package that will run on most systems without recompiling.

**CRT INDEPENDENCE.** The original programs were designed to run on a Hazeltine terminal. To use a different CRT, you had to modify and test two modules — and recompile every program! With the Vandata package, you simply pick your CRT from a menu and run.

**FILE/DRIVE MAP.** The original package had all data files on the same drive as the programs. Ours allows you to dynamically specify the drive assigned to each file. In fact, you can change the drive assignments whenever you wish, to accomodate expanded file sizes or new hardware — all without recompiling!

**INTEGRATION.** The original AR and AP systems had to be changed and recompiled to feed journal entries to GL. Our installation program eliminates this hassle. It simply asks you if you want the systems integrated, and what your special account numbers are.

**SPEED.** The original programs used a binary search to access the GL account file. We use an enhanced technique that greatly cuts down on disk accesses, thus speeding up account lookups significantly in the GL, AR and AP systems.

**BUGS.** We have corrected a number of bugs in the original programs. If you find a bug in our programs, we'll fix it — and send you a \$20 reward! Our users are sent bug fixes in source form.

**MORE!** We have made many minor enhancements, and fixed many minor problems. We are committed to the ongoing support of our package. Vandata has been an independent software supplier for over seven years. Quality and support are our way of doing business.

General Ledger with Cash Journal	\$95
Accounts Receivable	\$95
Accounts Payable	\$95
Payroll with Cost Accounting	\$95
All Four Packages (GL, AR, AP, PR)	.\$295
Integrated Inventory (MicroDaSys)	\$195
Integrated Order Entry (MicroDaSys)	\$195
Magic Wand (Super Word Processor!!)	\$345
Pearl Level III (best prog. tool available)	\$645
CBASIC-2	\$110
TRS-80 MOD II CP/M 2.2 (Pickles & Trout)	\$185
H89/Z89 CP/M 2.2 (Magnolia inc. h/w mod)	\$295

Formats: Std. 8", 5" NorthStar DD, TRS-80 MOD II tm, H89/Z89, Superbrain DD. Manuals for GL. ARIAP, and PR are not included in price — add \$20 per manual desired (ARIAP are in one manual). CPIM and CBASIC-2 reguired to run accounting software. Users must sign licensing agreement. Dealer inquiries invited.

To order call:

(206) 542-8370

or write:

VANDATA 17541 Stone Avenue North Seattle, WA 98133

VISA/MC Welcome - TRS-80 is a registered tm of Radio Shack. Inc

A slightly more sophisticated program to draw squares of varying size takes the form:

TO SQUARE SIZE REPEAT 4 [FORWARD :SIZE RIGHT 90]

Now we can think of a circle as generated by:

TO CIRCLE
REPEAT 360 [FORWARD 1 RIGHT 1]

More sophisticated programming leads to circles of variable diameter and even to letting the number of steps go to the limit, but the simple example will illustrate the main point I want to make here. Children can solve the problem of drawing a circle by using a very powerful heuristic principle: play turtle, walk out yourself what you want the turtle to do and describe what you did in turtle language. The children are practicing a lot of powerful ideas. They are exposed to the idea of using heuristic knowledge, they are learning to think of formal mathematics as rooted in (not opposed to) intuitive bodymathematics, and they are using mathematics as a language; moreover, they are learning to think about mathematics not as a ritual to be learned by rote but as an instrument to be used for personal ends.


Computer as Pencil

This image refers to the many uses of the pencil: it is used to scribble, to doodle, to draw, to write, to work sums, or to chew on. It is used for illicit notes as well as for official assignments. I see the computer in the life of the child as equally ubiquitous and equally versatile. I also see it as equally personal. Children own pencils, they are not intimidated by them. This should be equally true of the child's personal computer.

The metaphor of the pencil is a good way to summarize some of the ways the image of the computer I am building up here differs from the one that is becoming established in schools.

Suppose that the only access children had to pencils (which I take in a generic sense including pens, crayons, and the like) was at school, and even there "pencil time" had to be scheduled on the one or two pencils available to each classroom. This might (or might not) be better than having no pencils at all, but clearly under those conditions the pencil would not play the important role it now does in the intellectual development of children from infancy onwards. In my vision the computer will become as free a resource as the pencil now is.

Second, there is the question of the power of the computer to be used flexibly for many purposes. The microcomputers in schools today can barely be used flexibly by those few who have the inclination to become virtuoso programmers in BASIC. This is very different from the model of the pencil that can be picked up by everyone—even the one-year-old infant—and also used by the most sophisticated writer or artist. LOGO and Smalltalk are only first steps toward programming languages that will truly satisfy our slogan: "No threshold and no ceiling." A child of five or less should be able to write a program in the first few minutes of contact with the computer and a computer scientist should find the system congenial and rich.



#### More power, work, flexibility!

#### **JOEDOS™**

Jointly Operate Everything Disk Operating System

Switch from North Star BASIC to CP/M™ and back again with a simple command. Floating point and standard 8, 10, 12, and 14 digit precisions of North Star BASIC, as well as Digital Research's CP/M all on the same hard disk unit.

Designed to operate with the DISCUS M26™ 26.5 megabyte (formatted) Winchester-technology hard disk unit and North Star's Micro Disk System, JOEDOS brings you large mainframe performance at microcomputer cost and reliability. CP/M disk activity is amazingly quick through JOEDOS; access to North Star BASIC programs and files is unbelievable!

Speed and enormous storage capacity (as much as 106 megabytes) are only the beginning. Through JOEDOS, each hard disk unit may appear to be one drive or many different "drives" (as many as 147 double density 180K North Star 5¼" drive-size segments). As many as seven of these segmented "drives" may be addressed at any particular time. Segment size, file size and directory size are variable according to user's requirements. Maximum file size is 16 megabytes, while the maximum directory size for each segment is 8,160 entries.

JOEDOS — Micro Mike's hard disk operating system. Requires DISCUS M26 hard disk unit and controller and North Star Micro Disk System for operation. Includes CP/M.

JOEDOS

\$495

#### **JOESHARE™**

North Star Horizon™/DISCUS Hard Disk Timesharing System

Micro Mike's popular interrupt-driven, bank switching timesharing for North Star Horizon computer is now available with all the features of JOEDOS hard disk operating system. JOESHARE allows multiple users to access as many as four 26.5 megabyte hard disk units, simultaneously operating programs in North Star Basic or through CP/M.

JOESHARE — Micro Mike's North Star Horizon timesharing/DISCUS hard disk operating system. Requires North Star Horizon and DISCUS M26 hard disk unit for operation. Includes CP/M.

JOESHARE and manual

\$995

 ${\sf JOEDOS, JOESHARE, HDSHARE}$  and 5.2SHARE are registered trademarks of Micro Mike's. Incorporated

Horizon is a registered trademark of North Star Computers, Inc

DISCUS and M26 are registered trademarks of Morrow Designs, Inc.

CP/M is a registered trademark of Digital Research, Inc.

Circle 154 on inquiry card.

#### **HDSHARE**<sup>IM</sup>

North Star Horizon/North Star Hard Disk Timesharing System

Soon to be available, a version of JOESHARE with all of the features of JOEDOS using the North Star hard disk. HDSHARE allows multiple users to access as many as four 18 megabyte North Star hard disk units, simultaneously operating programs in North Star BASIC or through CP/M.

HDSHARE — Micro Mike's North Star Horizon timesharing/ North Star hard disk operating system. Requires North Star Horizon and North Star hard disk system for operation. Includes CP/M.

HDSHARE and manual

\$995

#### 5.2SHARE™

North Star Horizon/Floppy Disk Timesharing System

Micro Mike's floppy disk timesharing system has some new enhancements. 5.2SHARE now supports 8, 10, 12, and 14 digit floating point and standard North Star BASIC with as many as four DISCUS 8" drives, operating in conjunction with the Horizon's 5¼" drives to provide in excess of 5 megabytes of external storage.

5.2SHARE — Micro Mike's interrupt-driven, bank switching timesharing for the North Star Horizon computer. Includes 8" drive software interface. For double density or quad capacity systems only.

5.2SHARE and manual

\$395

DOSCHG — Micro Mike's 8" drive interface to North Star DOS and BASIC. Requires North Star Micro Disk System and DISCUS 8" drives and controller for operation.

DOSCHG and manual

\$150

Program operation manuals are available for preview before software purchase.

Program Operation Manuals for each program

\$25

237

Programs are available in double density/quad capacity format only. Prices are subject to change without notice.

Contact your North Star dealer or Micro Mike's



905 South Buchanan Amarillo, Texas 79101 USA Telephone: 806/372-3633

making technology uncomplicated...for People

### Why Your Next CRT Should **Come From MICROMAIL:**



#### SOROC

**IQ 120** 

- Displays 80 x 24, upper/lower case.
- Separate numeric keypad and cursor
- Protected fields displayed at reduced intensity. \$689.00



#### DEDIVEREN

912/920

- Insert/delete line, insert/delete character, line/page erase.
- Reverse video, blinking, underline, ½ intensity, protected field, blank security field.
- Uses 7 x 10 dot matrix for a high quality u/l case display with descenders.
- Standard typewriter or teletype keyboard; numeric keypad.
- Model 920 includes 17 dedicated keys for function and
- Block or character transmission, auxiliary printer port.
- Cursor up, down, left, right, return, home, load, read, tab and back tab.

Call for Low Price



#### SOROC

**IQ 140** 

- 117-key detachable keyboard with numeric cluster and cursor control.
- Insert/delete line, insert/delete character.
- Underline, blink, reverse, 1/2 intensity, protected and blank fields.
- Printer port with independent baud rate - prints line, partial or full \$1099.00



#### TEC

- Reverse video, blinking, underline, 1/2 intensity, protected fields, blank security field.
- Transmit character, line, partial page, page, or unprotected data.
- Cursor up, down, left, right, return, home, plus load and read

\$699.00

We Also Represent the Following Manufacturers:

DIABLO DEC TEXAS INSTRUMENTS ANADEX TELETYPE

Write or Call In for Our Free Catalogue!



(714) 731-4338

TO ORDER: Send check or money order to: MICROMAIL, P.O. Box 3297, Santa Ana, CA 92703. Personal or company checks require two weeks to clear. Terminals in stock are shipped the business day after receipt of certified funds. All equipment includes factory

SHIPPING: We ship freight collect by UPS when possible. Larger terminals are shipped by motor freight. Air and express delivery is available on all products.

HANDLING: All orders are subject to MICROMAIL's handling charges. Less than \$750.00, add 3%. \$750.00 to \$2,000.00, add 2%. Over \$2,000.00 add 1%.

Third, I mention the use of the pencil and of the computer as writing instruments. The computer is rapidly becoming the standard writing instrument. Most journalists use word processors, as do increasingly many offices. I am using one as I compose this article. But the schools are not offering children this facility, although one could argue that it is children who are in most need of writing aids. The reason is clearly linked to the ratio of computers to students. One or two computers per class simply does not give enough access for the computer to become the primary writing instrument. On the other hand, one computer per child, which is how I think we should be thinking about the future, could lead to massive changes in the way children develop writing skills. A well-designed text editor makes editingsubstitution and deletion of words, shifting of sentences or paragraphs, and so on—an easy and aesthetically acceptable process. Compare the situation of a child attempting such a task with paper and pencil: the mess of multiple erasures and labor of rewriting means that the first draft is almost always the final copy. I have seen children who hated writing become avid writers when they have a text editor at their disposal. Wide availability of computers with text-editing capabilities might lead to even more fundamental changes in children's relation to alphabetic representation of language. Consider the implications of the following story:

Recently I observed the first group of nursery-school children working with a computer called the Lamplighter Computer (a Texas Instruments 99/4 personal computer with additional memory to support an extended version of LOGO and a real-time text-editing system) developed over the past few years through a collaboration between our research group at MIT and Texas Instruments, A four-year-old girl (I shall call her Robin) was working with some dynamic graphics programs that allowed her to make shapes appear on the screen, move, change color, and stick together by pushing one or another of some fourteen keys on the keyboard. The plan was that when Robin was tired of using a program she would ask the teacher to set up a new program. And this is in fact what she did for the first few times. But then Robin took charge of the whole process and began typing the control characters necessary to interrupt a program she no longer wanted and typing the names of the programs she did want, even though this was at a measured rate of about two characters per minute. In breaking out of the role of dependence on adults, Robin symbolized the fact that computers will enable children to break out of many of the roles into which technological primitivity and social custom have cast them.

We should not pass too quickly over the significance of the simple fact that Robin could make things happen by typing words. It might well be the first time in her life that alphabetic language actually served a real and personal purpose. The spoken language and its precursors enter from the first year of life into a significant process of interaction with the world. Learning to speak empowers the child. But for most children the act of writing serves at most to gain the approval of adults. Could this be the reason children learn to talk so easily and so young

## MAKE YOUR SMART TERMINAL SMARTER.

Automatic Date/Time Entry. Simply install the SLC-1 Time Machine between your computer and terminal and it will automatically log the correct date and time of each transaction into your computer. The SLC-1 Time Machine will save you money, both in reduced operator time and the elimination of costly human errors.

The Time Machine contains a precision 24-hour clock and a 100-year self-correcting calendar that automatically adjust for leap years. Time and date functions include: hours, minutes, seconds, day, month and year.


But the SLC-1 is more than a clock. It

constantly monitors the output from any computer and provides instant responses to a number of user-defined key phrases. This makes it ideal for use with unattended process control or data acquisition systems. And since the Time Machine is a 6502 microprocessor system, it adds computing power to any terminal.

The Time Machine is easily installed without modification to your operating system. Both RS-232 and 20mA current loop serial link are provided. And because it's battery-supported, the time will always be correct, even after a power failure.

The single quantity price is only \$640. Ten-digit display option, \$190. For more information or literature on the SLC-1 Time Machine, contact Digital

Pathways, Inc., 1260 L'Avenida, Mountain View, California 94043, or phone (415) 969-7600.



**GET INTO THE TIME MACHINE.** 

## **DIGITAL PATHWAYS**

while they learn to write with so much difficulty so many years later? Watching Robin left me more firmly convinced than ever of a conjecture I have pursued for quite a few years. Children could learn to write as early and as easily as they learn to speak if the environment in which they lived gave as much support to the alphabetic language as ours does to the spoken language. I have no doubt that if Robin had her own computer and could use it whenever she wished, and if this computer gave her access to enough exciting things to do, she would within weeks have mastered the keyboard, the alphabet, and enough of spelling and syntax to put her firmly on the road to the kind of mastery of written language that usually comes, if at all, well into the school years.

#### Meaning Versus Ritual in Learning

The fundamental question for education is not how to improve schools but how to understand why schools are necessary. Why is some knowledge (like learning to talk) picked up so easily and naturally from the culture, while other kinds of knowledge seem to require deliberate, organized instruction? In *Mindstorms* I explore the many factors that make a difference. Here I have space only for one. Children learn to speak because it is a meaningful activity, a meaningful part of their lives. It is not surprising that children do not learn to write when writing serves no real purpose in their lives. I think the computer can change this. For Robin, alphabetic communication was beginning to become purposeful. As computers become increasingly available to children I would expect many children to share Robin's experience of writing as a meaningful activity. This shift—from meaningless ritual imposed from above to purposeful, self-directed activity—is also true of Mathland. No activity in school is experienced as more devoid of meaning than the parody of mathematics known as school math.

The harm done by making children learn ritualistically goes very deep. It develops the worst possible habits of learning. It undermines the individual's self-confidence as an independent intellectual agent: it infantilizes the child. A shift to more meaningful learning of fundamental subjects could have far deeper consequences than improved mastery of these subjects. It could mean that children become more effective learners with greater intellectual self-respect. And if this happens, not only the nature of children's learning but also the role of children in society may have changed.

I have hinted at a vision of profound, even revolutionary, change in how children learn. I think this might happen. We have the technology to make it possible. But there is nothing inevitable about it. Society has a very bad track record in making intelligent use of new technologies, and, in this case, many vested interests are threatened by the changes I envision. The "system" will react by defending its old ways. Already in schools we see computers being used to reinforce instead of displace the most ritualistic teaching methods. I believe that the most profound effects of computers on how children learn could occur outside of schools. In fact, I think that computers would tend to make schools as we know them obsolete. But most of my "official research" is concerned with how to use computers in schools. Research funds are easily available for the reformist goals of improving schools. I believe that the most profound effects of computers could be to develop a new respect for children as independent intellectual agents. But most people in our country like to think of children as intellectually dependent.

How will it all work out? It is futile for me to play prophet, but worthwhile to bear some ideas in mind when thinking about the future. I want to end by mentioning an idea that encouraged me to think positively. I can best introduce it by comparing the education market with markets for other products. Suppose you invent a new kind of kitchen machine. If you can prove that there is a market of a million people, you will easily find the capital to develop the idea and get it out into the world. But if you invent a new approach to learning mathematics, the fact that a million people want it may be of no avail—a million people across the nation may still be a tiny minority with no clout in every school district. But once there are a few million owners of home computers capable of carrying powerful learning methods, you will have access to a market of individuals ready to spend personal dollars for the good of their children. The importance of this fact is not that it will enable good ideas now collecting dust on shelves to get out into the world. It will encourage inventive and ambitious people to enter the field of educational innovation in unprecedented numbers. It will be part of the creation of a new class of professionals and of entrepreneurs and perhaps even of "stars" analogous to what happened in the course of the emergence of cinema as a culture. The history of cinema has been the history of that culture. The future of computers in education will be indissociable from the story of the people who will make the computer culture.


#### References

For more about Turtle Geometry see S Papert, *Mindstorms: Children, Computers and Powerful Ideas.* New York, Basic Books, 1980 (ISBN 0-465-04627-4, \$12.95). Also see H Abelson and A diSessa, *Turtle Geometry*, MIT Press, Cambridge MA (to appear 1981). For a bibliography of the LOGO group's internal publications, write to LOGO, c/o MIT Artificial Intelligence Laboratory, 545 Technology Sq, Cambridge MA 02139. (Please include \$1 for handling.)

Editor's note: A note in the introduction to the July 1980 BYTE editorial incorrectly states that Education Forum articles by Seymour Papert and James Garson were to appear in the August and September BYTEs, respectively. However, because of unavoidable scheduling considerations, Seymour Papert's article is appearing this month, and James Garson's article will appear in a future issue. We apologize for any inconvenience this change might have caused....CM

Education Forum is an occasional feature in BYTE intended to foster debate about the uses of personal computers in the schools and colleges. We encourage reader participation. Contributors should supply their full names and addresses for publication, along with their telephone numbers, which will not be published.

## Finally...Serious Expansion for the AIM-65



Introducing Memory-Mate\*, the AIM-65 expansion board that lets you spend your time on application solutions, not hardware hassles. Add Memory-Mate to your AIM-65 and make quick work of development and process control projects.

In its primary function, the Memory-Mate board provides 16-48K of RAM expansion assignable in 4K blocks anywhere in the system. Memory-Mate's parity check circuitry insures system RAM integrity (including AIM's 4K on-board RAM) for high reliability applications. The programmable write protect feature eases software development chores. This compact board, which fits directly **beneath** the AIM, also includes four programmable I/O ports, a tone generator for audible warnings, and sockets for 4K of PROM.

I/O intensive applications are accommodated with Memory-Mate's STD BUS interface option. Use off-the-shelf STD BUS cards to solve your biggest I/O problems.

The Memory-Mate with 16K RAM is priced at \$475, with 16K expansion chip sets (including parity chip) costing \$100 each. With 48-hour active burn-in and warranty for a full year, you won't have to worry about reliability either.

First of the complete AIM-Mate\* series, Memory-Mate will be joined shortly by the Video-Mate\*, Floppy-Mate\* and the AIM-Mate case. For further information on the entire AIM-Mate series, write 'Attn: AIM-Mate Series' at the address below.

\*TM Forethought Products

Forethought Products

87070 Dukhobar Rd., Eugene, OR 97402 (503) 485-8575 Introductory Special for BYTE Readers 16K Memory-Mate Board for \$399 thru Sept. 30! Call for details.

## Khachiyan's Algorithm, Part 2:

## Problems with the Algorithm

G C Berresford, A M Rockett, and J C Stevenson Dept of Mathematics C W Post Center, Long Island University Greenvale NY 11548

Numbering of figures, tables, listings, and equations is continued from Part 1.

A paper published by the Soviet mathematician Leonid Khachiyan received widespread publicity in late 1979 as a revolutionary new solution to linear programming problems. In Part 1 last month, we discussed the details of Khachiyan's algorithm and its corresponding geometric interpretation. This month in Part 2, we will look at the practical problems in using the algorithm and will examine a BASIC program that uses the algorithm.

A Linear Programming Example

The Whiz-Golly Computer Board Company makes two kinds of video boards: the Ohwow and the Hohum. Each board is handmade by Jim and then tested by Jack. Each Ohwow board takes Jim two days to complete, while he can make one Hohum board each day. Jack can test an Ohwow board in one day, but he needs two days for each Hohum. Like most basement entrepreneurs, Jim and Jack have many other things to do with their time. Jim will not make boards for more than four days a week; Jack will test them for no more than three days a week. If the profit is two dollars for each Ohwow board and three dollars for each Hohum, how many of each should they make per week to obtain the greatest profit?

This is a linear programming problem. It consists of a quantity to be maximized, the objective function, which is subject to a list of linear inequalities called constraints. If we let  $x_1$  denote the number of Ohwow boards made per week and x₂ the number of Hohums made per week, the problem then is to maximize  $P = 2x_1 + 3x_2$ , where P is the profit per week in dollars.

Since Jim cannot make a negative number of Hohums in a week, the first constraints we find are the nonnegativity conditions:  $x_1 \ge 0$  and  $x_2 \ge 0$ . In addition, we have the constraints imposed by the number of days that Jim and Jack work per week: for Jim, we have that  $2x_1 +$  $x_2 \le 4$ ; while, for Jack, we have that  $x_1 + 2x_2 \le 3$ .

This problem may now be written in matrix form as:

to maximize 
$$P = \begin{bmatrix} 2 & 3 \end{bmatrix} \cdot \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$$

subject to  $\begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix} \cdot \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} \le \begin{bmatrix} 4 \\ 3 \end{bmatrix}$ 

and  $\begin{bmatrix} x_1 \\ x_2 \end{bmatrix} \ge 0$ 

Of course, we could have combined the two constraint equation sets into one but, as most practical problems naturally include a nonnegativity condition, we will write it separately for emphasis.

#### The Dual Problem

By a standard maximum linear programming problem we mean any problem of the form:

to maximize 
$$P = c' \cdot x$$
  
subject to  $A \cdot x \le b$  (8)

where **A** is an m-by-n matrix, **b** is a column vector in  $\mathbb{R}^m$ , c is a column vector in  $\mathbb{R}^n$ , and x is a column vector in nunknowns.

Since Jim and Jack may wish to minimize their expenses, we will also encounter minimization problems. A standard minimum linear programming problem is any problem of the form:

to minimize 
$$C = b^{r_0}y$$
  
subject to  $A^{r_0}y \ge c$  (9)  
and  $y \ge 0$ 

where **A**, **b**, and **c** are as in (8) and **y** is a column vector in m unknowns.

The two problems given by (8) and (9) are called *dual problems*, and their solutions are closely connected. Suppose that x satisfies (8) and y satisfies (9). Then  $c'x \le (A'y)'x = y'Ax \le y'b = b'y$  and we see that  $c'x \le b'y$  for any x and y satisfying the respective constraint equations. Since we wish to maximize c'x and to minimize b'y, it follows that any pair of solutions, say  $\overline{x}$  and  $\overline{y}$ , must satisfy  $c'\overline{x} = b'\overline{y}$  and conversely.

To solve the pair of linear programming problems (8) and (9), we need only solve the following system of equations:

$$c'x = b'y$$
  
 $Ax \le b$   
 $A'y \ge c$   
 $x \ge 0$  and  $y \ge 0$  (10)

The equality c'x = b'y is equivalent to the two inequalities  $c'x - b'y \le 0$  and  $-c'x + b'y \le 0$ . The nonnegativity conditions  $x \ge 0$  and  $y \ge 0$  are equivalent to  $-I_m x \le 0$  and  $-I_m y \le 0$  where  $I_k$  denotes the k-by-k identity matrix. The condition  $A'y \ge c$  is equivalent to  $-A'y \le -c$ .

If we let **z** be the column vector in n+m unknowns formed by adjoining **y** to the end of **x** (that is,  $\mathbf{z}' = (x_1, ..., x_n, y_1, ..., y_m)$ ), we can rewrite our linear programming problems in one giant system of inequalities:

$$\begin{bmatrix} A \\ -I_{n} \\ 0_{(n, n)} \\ 0_{(m, n)} \\ c' \\ -c' \end{bmatrix} \begin{bmatrix} 0_{(m, m)} \\ 0_{(n, m)} \\ -A' \\ -I_{m} \\ -b' \\ b' \end{bmatrix} z \leq \begin{bmatrix} b \\ 0_{(n, 1)} \\ -c \\ 0_{(m, 1)} \\ 0 \\ 0 \end{bmatrix}$$
(11)

where  $O_{(j, k)}$  denotes a *j*-by-*k* matrix of zeros. If this system of inequalities is consistent, then the point that satisfies all the inequalities at once gives the solutions to both the maximum and the minimum problems.

For our problem (7) with Jim and Jack, we see that the system (11) becomes:

$$\begin{bmatrix} 2 & 1 & 0 & 0 \\ 1 & 2 & 0 & 0 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -2 & -1 \\ 0 & 0 & -1 & -2 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \\ -2 & 3 & -4 & -3 \\ -2 & -3 & 4 & 3 \end{bmatrix} \quad \begin{bmatrix} 4 \\ 3 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

The solution to this problem, as we will see later, is:


$$z = (1\frac{2}{3}, \frac{3}{3}, \frac{1}{3}, 1\frac{1}{3})$$

a solution that can be derived from the above matrix by use of Khachiyan's algorithm.

#### Some General Implementation Problems

As we mentioned in our discussion of Khachiyan's paper his achievement of obtaining a polynomial-time algorithm is attained only by paying the price of requir-

# The 2nd Generation... It's something we've been Pecking away at.



#### MEASUREMENT systems & controls

#### THE LOWEST

prices on this high-quality software. Buy direct and save 50% . Now, also available for CBASIC on CP/M and MBASIC on HEATH HDOS.

available for CBASIC on CP/M and MBASIC on HEATH HDOS.

Data base manager Mod-1 \$69 Mod-11 \$199

You can use it to maintain a data base & produce reports without any user programming. Define file parameters & report formats on-line. Key random access, fast multi-key sort, field arith., label, audit log. No time-consuming overlays. 500 happy users in a year. Mod-II version with over 50 enhancements.

A/R Mod-I \$69 Mod-II \$149 Invoices, statements, aging, sales analysis, credit checking, form input, order entry. As opposed to most other A/R, ours can be used by doctors, store managers, etc.

WORD PROCESSOR Mod-I \$49 Mod-I \$49 Center, justification, page numbering ... Used for letters, manuals, and reports. Mod-I version features upper/lower case without hardware change!

MAILING LIST
Mod-I \$59 Mod-II \$99
The best! Compare and be sclective. Form input, 5-digit selection code, zip code ext., sort any field, multiple labels. Who else offers a report writer?

INVENTORY Mod-I \$99 Mod-II \$149 Fast, key random access. Reports include order info, performance summary, E.O.Q., and user-specified reports. Many converted their inventory to ours!

PAYROLL, A/R, A/P, and GL available for the Mod-II DOS and CP/M. L216, a cassette package of 10 business programs for Level II 16k

L216. a cassette package of 10 business programs for Level II 16K systems, S59.

All programs are on-line, interactive, random access, virtually bug free, documented and delivered on disks. Mod-I programs require 32K TRSDOS, and credit is allowed when you upgrade to Mod-II. We challenge all software vendors to offer low cost manuals so you can compare and avoid those high-priced, undocumented, 'on-memory' programs. Manuals alone S5 for Mod-I, S10 for Mod-II. Don't let our low prices fool you!

Mod-II programs are extensively modified, guaranteed to run with 1 year newsletter and updates. 10% off for ordering more than 1 Mod-II program.

MICRO ARCHITECŤ, INC.,

96 Dothan St., Arlington, MA 02174

ing an incredible level of precision in all the calculations. Moreover, his initial circle of radius  $2^L$  can be replaced by a far smaller circle, as will be explained shortly. This does not matter to Khachiyan, since, at the initial stage of the algorithm, the precision problems are more important.

The main problem we have created for ourselves is in our transformation of dual linear programming problems into a system of linear inequalities. Our statement that  $\mathbf{c'x} = \mathbf{b'y}$  is equivalent to the inequalities  $\mathbf{c'x} - \mathbf{b'y} \le 0$  and  $-\mathbf{c'x} + \mathbf{b'y} \le 0$ , while true mathematically, is generally false from a computational viewpoint.

If we think of  $\mathbf{c'x} - \mathbf{b'y} \le 0$  and  $-\mathbf{c'x} + \mathbf{b'y} \le 0$  as "half-planes" in some n-dimensional Euclidean space (shown in figure 4 for n=2), then it is true that they will intersect along a "line," where  $\mathbf{c'x} - \mathbf{b'y} = 0$ . Unfortunately, our computer calculations of the common points will be rounded off to a finite number of decimal places, and we should not be surprised if we cannot correctly calculate a point that has zero difference between our calculated values of  $\mathbf{c'x}$  and  $\mathbf{b'y}$ .

Our solution to this difficulty is to choose a tolerance within which we will agree that our values for  $\mathbf{c'x}$  and  $\mathbf{b'y}$  are essentially the same. Let  $\epsilon > 0$  be this tolerance. If we require that  $\mathbf{c'x} - \mathbf{b'y} \le \epsilon$  and  $-\mathbf{c'x} + \mathbf{b'y} \le \epsilon$  then we have formed a "tube" around the line  $\mathbf{c'x} - \mathbf{b'y} = 0$  (shown for n = 2 in figure 5) with width  $\epsilon$  in the direction perpendicular to  $\mathbf{x}$ . The actual tolerance thus created will





Figure 4: Dissection of a plane into two half-planes by a line of the form c'x-b'y=0.



**Figure 5:** Dissection of a plane into two half-planes dictated by the limited accuracy of a computer. Because any computer has a limited accuracy, it is unlikely for it to compute the exact location of a point on the line  $\mathbf{c'x} - \mathbf{b'y} = \mathbf{0}$ . Instead, the line separating the two half-planes (as shown in figure 4) is replaced by a thin "tube" with a diameter less than or equal to  $2\epsilon$ . The variable  $\epsilon$  is chosen so that a given computer can compute the location of a point that is no more than  $\epsilon$  away from a point on the center line.

depend on the slope of the relation c'x - b'y = 0 relative to the x subspace.

Thus our system of inequalities is no longer (11) but rather:

$$\begin{bmatrix} A & 0_{(m, m)} \\ -I_{n} & 0_{(n, m)} \\ 0_{(m, n)} & -A' \\ 0_{(m, n)} & -I_{m} \\ c' & -b' \\ -c' & b' \end{bmatrix} z \leq \begin{bmatrix} b \\ 0_{(n, 1)} \\ -c \\ 0_{(m, 1)} \\ \epsilon \\ \epsilon \end{bmatrix}$$
(12)

Let us now turn to the problem of estimating an initial region that will contain all solutions of the system of linear inequalities (2), from Part 1. The solutions of the systems, if any exist, form a polyhedron determined by the vertices at which the linear inequalities intersect. We can take for our initial region any sphere about the origin containing all these vertices, since such a sphere must then include some solution points of the system.

The problem is then to estimate the distance to the vertex furthest from the origin. The system may be written as  $Ax \le b$  where A is an m-by-n matrix of integers and b is a column vector with m integer entries. We may suppose that  $m \ge n$  since we can otherwise add on n-m trivial inequalities that will not change the solutions of the original system and will add only 0s and 1s to the matrix A.

We can now compute all possible vertices of the region  $Ax \le b$  by examining n rows of the equation Ax = b at a time and applying Cramer's rule. For each subset of n equations, we will find  $x_i = \frac{b_i}{D}$ , for i = 1, ..., n, where D is the determinant of the n-by-n matrix of equation coefficients and  $D_i$  is the determinant of the same matrix, but with corresponding n entries of b replacing the ith column of the matrix.

Since we are dealing with integer coefficients, if  $D \neq 0$ , then  $|x_i| \leq |D_i|$ ; and, by Hadamard's inequality,  $|D_i|$  is no more than the product of the norms of the columns of the matrix in question. This now explains  $\mathbf{Q}_0 = 2^L \cdot \mathbf{I}_n$ , since  $2^L$  is greater than the product of the absolute values of all the coefficients in the system (2). We now see that an estimate better than  $2^L$  will result if we determine the greatest possible norm for the n-subsets of each column of  $\mathbf{A}$  and then combine the  $\mathbf{n}-1$  greatest such norms with the greatest n-subset norm from  $\mathbf{b}$ . For example, Khachiyan's estimate for the region of (7) is  $2^{44}$  while the above estimate based on Hadamard's inequality is  $2^9$ .

The problems caused by the precision needed in computing the values required at each step of the algorithm appear to be nearly insurmountable. We shall not pursue this subject further than to observe its central position in the list of difficulties that prevent Khachiyan's algorithm from immediately replacing the Simplex method as the preferred method for solving linear programming problems.

#### Khachiyan's Algorithm on the TRS-80

The program given in listing 1 represents a translation of the preceding discussion into a computer program. In writing this program, we have attempted to make the translation as literal as possible for two reasons. First, we wished to study how Khachiyan's algorithm actually pro-


# Take the mystery out of programming

with the latest from BYTE Books<sup>tm</sup>

#### The BYTE Book of Pascal

Edited by Blaise W. Liffick

Based on the growing popularity of Pascal as a programming language, numerous articles, language forums and letters from past issues of BYTE magazine have been compiled to provide this general introduction to Pascal. In addition, this book contains several important pieces of software



including two versions of a Pascal compiler - one written in BASIC and the other in 8080 assembly language; a p-code interpreter written in both Pascal and 8080 assembly languages; a chess playing program; and an APL interpreter written in Pascal. \$25.00 Hardcover pp. 342 ISBN 0-07-037823-1



#### YOU JUST BOUGHT A PERSONAL WHAT?

by Thomas Dwyer and Margot Critchfield

Whether you are a novice programmer or an experienced

computer user, this book is filled with practical ideas for using a personal computer at home or work. It will take you through the steps necessary to write your own computer programs, and then show you how to use structured design techniques to tackle a variety of larger projects. The book contains over 60 ready-to-use programs written in Microsoft and Level II BASIC in the areas of educational games, financial record keeping, business transactions, disk-based data file and word processing. \$11.95 pp. 256 ISBN 0-07-018492-5

## Beginners Guide for the UCSD Pascal System

by Kenneth Bowles

Written by the originator of the UCSD Pascal System, this highly informative book is designed as an orientation guide for learning to use the UCSD Pascal System. For the novice, this book steps through the System bringing the user to a sophisticated level of expertise. Once familiar with the System, you will find the guide an invaluable reference tool for creating advanced applications. This book features tutorial examples of programming tasks in the form of self-study quiz programs. The UCSD Pascal Software Systems, available from SofTech Microsystems Inc, 9494 Black Mountain Road, San Diego CA 92126, is a complete general purpose software package for users of microcomputers and minicomputers. The package offers several interesting features including:



- Programs which may be run without alteration on the General Automation or DEC PDP-11 minicomputers, or an an 8080, 8085, Z80, 6502, 6800, or 9900 based microcomputers.
- Ease of use on a small, singleuser computer with display screen and one or more floppy disk drives.
   \$11.95 ISBN 0-07-006745-7

These and other BYTE/McGraw-Hill books are available from BYTE Books or your local computer store.

Please	copies of copies of copies of		a Personal What? for the UCSD Pas	
Name		Title		Company
		City	State/Province	Code
	Bill Visa	l in the amount of ¶  ☐ Bill Master Char	ge	125
	BYTE BO	OOKS Division Peterborough,	• 70 Main Stre NH 03458	eet B9

ceeds for real examples. Second, once the program is running, it remains a challenge for each user to discover improvements and modifications. We invite you to experiment.

The program will accept two different kinds of problems. If you wish to study the consistency of a system of linear inequalities such as equation set 2 (given in Part 1 of this article, last month), the program will accept the equations in the form  $Ax \le b$ . If you wish to study a linear programming problem such as (8) or (9), the program will ask for A, b, c, and  $\epsilon$ . The program will then create the system given by (12). In either situation, you will have three choices for L: you may have Khachiyan's or Hadamard's values computed or you may specify your own choice.

Because of the limited precision available on the TRS-80 (far less than the  $2^{-37nL}$  required for the algorithm), our program cannot be used to decide the consistency or inconsistency of even the smallest systems of inequalities. Thus it becomes meaningless to terminate the algorithm after  $N = 16Ln^2$  steps, so our program does

not include a termination statement based on the number of steps executed.

If you enter the system of inequalities (1.1), you can watch the algorithm construct a solution point. It will take about thirty-eight steps to begin to find a reasonable estimate for x. When you try equation set 1.2 (an inconsistent system given in Part 1), you will be able to watch the algorithm attempt to find a solution (a reasonable compromise between the inequalities is (1.5, 1.5)) and then decide that it had better try again.

The actual solution of the linear programming problem given in (7) and its dual is  $(x_1,x_2)=(1\frac{1}{3},\frac{1}{3})$  and  $(y_1,y_2)=(\frac{1}{3},\frac{1}{3})$ . You should try various values for  $\epsilon$  and contrast the number of steps required for the algorithm to terminate at a solution.

#### Klee-Minty Example

As we noted earlier, the importance of Khachiyan's algorithm is that the number of steps required increases as a polynomial based on the size of the system of in-Text continued on page 255

Listing 1: A program using Khachiyan's algorithm, written for the Radio Shack TRS-80 Model I running Level II BASIC.

```
1
 'ж
2
                    KHACHIYAN'S ALGORITHM
 '*COPYRIGHT 1979 JC STEVENSON, AM ROCKETT, GC BERRESFORD*
3
 5 CLEAR 100
20 DATA 1,119,1,119,1,119,3,69,118,120,4,69,116,117,121,4,69,115,122,123,8,68,69
,70,95,114,123,124,125,8,67,71,95,112,113,125,126,127,11,64,65,66,72,73,74,94,96
,110,111,123,14,60,61,62,69,73,74,75,76,77,78,93,96,107,124,11,58,60,61,70,79,89
,91
30 DATA 98,99,105,124,10,57,71,72,80,81,87,95,100,101,102,10,56,73,77,81,82,85,9
6,103,104,125,11,56,73,77,78,81,82,85,97,100,103,104,10,56,72,77,81,82,86,97,102
×103×123×11×57×58×80×81×87×88×96×100×101×102×104×13×59×79×80×89×98×99×100×101×10
5,106,107,121,127
40 DATA 8,60,78,79,89,100,106,107,127,1,107
50 FOR I=0 TO 448 STEF 64 : FRINT@I,STRING$(64,191);:NEXT I
60 FOR I=448 TO 511 STEP 2 : PRINT@I, CHR$(131); CHR$(128); :NEXTI
70 PRINT@576,STRING$(4,128);TAB(51)STRING$(13,128);
80 FRINT@512, STRING$(64,128);
90 PRINT@651, "T H E K H A C H I Y A N A L G O R I T H M";
100 PRINT@843, "COPYRIGHT 1979"; : PRINT@907, "J.C. STEVENSON, A.M. ROCKETT & G.C. B
ERRESFORD * ;
110 \text{ FOR I} = 3 \text{ TO } 20
120 READ JJ
130 FOR J=1 TO JJ : READ J2 : RESET(J2,I) : NEXT J
140 NEXT I
150 FOR I=1 TO 1000 : NEXT I
160 FRINT@834, "DO YOU WISH TO READ THE INTRODUCTION?";
170 PRINT@898, TYPE 'Y' IF YOU DO, ELSE HIT 'ENTER' TO PRINT THE MENU, ";
180 C$=INKEY$ : IF C$="" THEN 180
190 IF C$="Y" THEN 200ELSE 230
200 PRINT@768, THIS PROGRAM HAS TWO OPTIONS.
                                            YOU MAY USE IT TO SOLVE A LINEAR P
ROGRAMING PROBLEM OR YOU MAY VERIFY THAT A SYSTEM OF INEQUALI- TIES IS CONSISTEN
   IF YOU CHOOSE TO SOLVE A PROBLEM, THERE ARE THREE
                                                     OFTIONS
                                                             FOR CHOOSING THE
 PARAMETER, L.*;
210 PRINT" SEE KHACHIYAN'S PAPER FOR NOTATION.
                                               FRESS 'ENTER' TO CONTINUE.";
220 Z$=INKEY$ : IF Z$="" THEN 220
230 CLS : PRINT@88,"T H E M E N U " : PRINT @266,"1) SOLVE AN L-P PROBLEM.":PRI
NT@394, 2) CHECK CONSISTENCY OF A SYSTEM. PRINT: PRINT: INPUT ENTER THE NUMBER OF
```

Listing 1 continued on page 248

THE OFTION YOU WISH"; C%



## Cromemco

**Tomorrow's Computers Today** 

Discover Savings and Service with

MAIL ORDER DIVISION

ORDER TOLL FREE

- WE ARE PROUD to be an AUTHORIZED CROMEMCO DEALER
- CROMEMCO stands for quality, reliability and obsolescence insurance
- CROMEMCO is widely recognized as a microcomputer industry leader
- CROMEMCO provides strong support for their dealers and end-users
- THE BOTTOM LINE it's what you buy AND where you buy it . . . WE CARE!

#### New. .

SYSTEM 2

**CROMEX IS HERE!** 

The exciting new multi-user, multitasking operating system with many added capabilities.

#### RPG II

Exclusive offering of this important business language by a microcomputer manufacturer

The language for Artificial Intelli-

gence research

#### New. · : SYSTEM ZERO!

The S-100 personal computer with Cromemco reliability.

16 FDC

Double density disk controller

#### N6M··· QUADART!

4 port serial I/O

INTELLIGENT I/O CONTROLLER! On board Z-80

Use these together for results you won't believe!

#### **BUSINESS** SYSTEMS SOFTWARE!

General Ledger **Accounts Payable** Accounts Receivable Inventory

An integrated turnkey system that requires no computer programming knowledge. Produced and supported by Cromemco, and designed to make full use of the advanced features found in Cromemco hardware.

#### SYSTEMS: Our Price List

3390

3190.

Dual double-sided mini floppy disk drives; 64K RAM

SYSTEM 3 7395. CALL

1 Mbyte of dual double-sided 8" floppy disk; 64K RAM

Z-2H 9995 CALL

11 Mbyte integral hard disk; 2 doublesided 5" floppy disks; 64K RAM

All Cromemco systems feature the S-100 industry standard bus, 4 MHZ Z-80 CPU, 64K RAM, and can be easily upgraded to multi-user, multitasking capability.

#### PERIPHALS:

3102 "SMART" TERMINAL 40 function keys; detachable keyboard

with 14-key numeric pad 3703 DOT-MATRIX PRINTER

180 CPS; 18-inch platen; 132 columns; bi-directional with double buffering

3355A FULL LETTER PRINTER 55 CPS; 15-inch platen; quality impression suited to camera copy

BOARDS:	List	Our Price
SG L. CARD COMP.	450.	380.
8K BYTESAVERII	245.	210.
32K BYTESAVER	295.	CALL
ZPU	395.	335.
4FDC	495.	420.
64KZ	1785.	1510.
TU-ART	295.	250.
SDI	595.	CALL
High resolution color	graphic	s interface

LANGUAGES:	List	Price
COBOL, now updated	95.	90.
FORTRAN IV	95.	90.
MACRO ASSEMBLER	95.	90.
16K BASIC	95.	90.
32K BASIC	295.	275.
DATA BASE MGMT.	95.	90.
WORD PROCESSING	95.	90.
RATFOR	195.	180.
TRACE	95.	90.

#### **EBS BUSINESS SOFTWARE:**

GENERAL LEDGER; ACCOUNTS PAY-ABLE; ACCOUNTS RECEIVABLE; PAY-(Calif.); INVENTORY; ORDER ROLL ENTRY

List Price \$995, each

Customization available

Call or write for our low mail orders prices on all CROMEMCO products . . . or on PERSCI disk drives, MEASUREMENT SYSTEMS boards, BASE 2, QUME, SOROC, ADDS, TVI, NEC SPINWRITER or other quality products.

#### EXECUTIVE RUSINESS SYSTEMS



20457 E. Valley Blvd., Walnut, CA 91789 (714) 594-5736

#### WE ALSO OFFER:

- Complete analysis of your system needs
   Installation, training, support & maintenance
- Custom applications software
- TOUR REGULAR CONSULTING RATES Phone inquiries welcome



Prices shown are for "Cash with Order"

COLLECT PHONE ORDERS WELCOME or Send check or M.O. (Personal or Co. checks require 2 wks. to clear) Please include phone number. Shipping charges will be added, Within Calif. add applicable sales tax. Factory warranty included. All prices subject to revision.

CDOS® Cromemco, Inc. CP/M ! Digital Research Compiler Systems 240 '

250 DEFDBL A, B, F, X, V, W, Q, L

260 CLS

270 '\*\*\*\*\* HOW TO USE THE PROGRAM \*\*\*\*\*\*\*

280 INPUT DO YOU WISH TO REVIEW THE FORMAT FOR ENTERING A PROBLEM (Y/N -- 'ENTER') 32\$

290 IF Z\$="N" THEN 400

295 IF C%=1 THEN 300 ELSE CLS:PRINT\*TO DECIDE THE CONSISTANCY OF A SYSTEM OF INE QUALITIES, WRITE THE SYSTEM IN THE FORM: ":PRINTTAB(23)" A\*X <= B\*:PRINT\*WHERE A IS A N BY N MATRIX AND B AN N-VECTOR. PRESS 'ENTER' TO BEGIN."

296 Z\$=INKEY\$:IFZ\$=""THEN 296 ELSE 400

300 CLS

310 PRINT'TO SOLVE A STANDARD LINEAR PROGRAMMING PROBLEM OR CHECK CONSISTANCY: ":PRINT:PRINT'1) WRITE THE PROBLEM IN THE FORM: MAXIMIZE (C,X)

SUBJECT TO THE CONSTRAINTS
320 FRINT\*

AND X => 0 \*

A\*X <= B\*

330 PRINT\* X AND C ARE COLUMN VECTORS OF DIMENSION N WHILE B
AN M-VECTOR. A IS AN M BY N MATRIX. THE NOTATION, (...., ....)

IS A STANDARD INNER PRODUCT.

340 PRINT:PRINT:PRINT:PRINT\*HIT 'ENTER' TO CONTINUE THE DIRECTIONS\*

350 Z\$=INKEY\$ : IF Z\$# " THEN 350

370 CLS:PRINT:PRINT\*2) THE COMPUTER SEEKS A SOLUTION OF THE EQUATION

(C,X) = (B,Y) WHERE Y IS A SOLUTION OF THE DUAL. IN GENERA
L THE MACHINE CANNOT ACHEIVE THIS, SO A TOLERANCE, EPSILON, MUST
BE GIVEN\*

380 PRINT:PRINT"3) PRESS 'ENTER' TO BEGIN THE ALGORITHM. THE COMPUTER WILL ASK YOU FOR EACH ITEM ABOVE."

390 Z\$=INKEY\$:IFZ\$="" THEN390

400 CLS: INPUT HOW MANY ROWS HAS THE MATRIX A"; M : INPUT HOW MANY COLUMNS IN THE MATRIX A"; N

Listing 1 continued on page 250

#### **FEATURES INCLUDE:**

- Uses Standard Typewriter Ribbon (Model 101B-80)
- Built-In Power Supply
- 5 x 7 Dot Matrix Character Generator or 10 x 7 or 10 x 14 Dot Matrix
- Standard 96 ASCII Character Font
- Upper and Lower Case Printing
- Up to 88 Characters Per Line
- Single Line Print Rate Is


  \*\*110/160 CPS
- Average Print Rate Is

\*\*55/60 CPS For Ten Lines

- Graphics Capability With Extended Character Modes
- Programmable With 32 System Level Software Commands
- Standard Parallel and Serial Interface
- Reset Interface
- Baudrate Select From 110 to 9600
- Manual Paper Advance (Model 101B-80)
- Manual Selftest
- Adjustable Tractor Width From 1 to 9½ Inches (Model 101B-80)

\*\*Model 101 A-40 & 101 B-80 Respectively

#### **80 COLUMN LOW COST IMPACT PRINTER**



\$495 Kit, 101B-80KE \$545 Assembled & Tested 101B-80E

COOSOL, INC. P.O. BOX 743, ANAHEIM, CA 92805 (714) 545-2216 7 Days a Week



# For those who want to test the water before jumping in.



## **picoFORTH**

If you're thinking of getting into polyFORTH and you'd like an introduction through hands-on experience, then picoFORTH is for you. picoFORTH has been designed by FORTH, Inc. to serve as your entry into a complete polyFORTH programming environment.

picoFORTH™ is a disk-based operating system and interactive high-

level language, complete with compiler, editor, and assembler. It's upgradable to full polyFORTH.™ And it's priced at only \$495.

So step forth and get your feet wet. The water's fine.

For information, call: **213/372-8493** 

FORTH, Inc.



2309 Pacific Coast Highway Hermosa Beach, California 90254 (213) 372-8493


TWX 910-344-6408 (FORTH INC HMBH)

```
410 IF C%=2 THEN N9=N : M9 =M : GOTO 430
420 \text{ N9=M+N} : \text{M9=2*(M+N+1)}
430 DIM A(N9,M9),E(M9),X1(N9),X0(N9),F(M9),Q1(N9,N9),Q0(N9,N9),V(N9,N9),W(N9,N9)
·81(M9)
440 CLS: <code>PRINT</code>*<code>PLEASE</code> <code>TYPE</code> IN THE ROWS OF THE <code>MATRIX</code> <code>A. PRESS</code> 'ENTER' <code>AFTER</code> <code>K</code>
EYING EACH NUMBER."
450 FOR J=1 TO M
460 FOR I=1 TO N : INPUT A(I,J) : NEXT I
470 NEXT J
480 CLS:FRINT*HERE IS THE MATRIX A.
                                       IF IT IS NOT CORRECT, NOTE THE INDICES OF T
HE MISKEYED ELEMENTS. PRESS 'C' TO MAKE CORRECTIONS, ELSE HIT 'ENTER'."
490 FOR J=1TOM : FOR I=1 TO N : PRINT A(I,J); " ";:NEXTI:PRINT:NEXTJ
500 Z$=INKEY$ : IF Z$ == " THEN 500
510 IF Z$="C" GOSUB 700ELSE 530
520 GOTO 480
530 CLS: PRINT"PLEASE TYPE IN THE ENTRIES OF THE VECTOR B, YOU NEED ";M;"NUMBERS
540 FOR I=1TOM : INFUT B(I) : NEXT I
550 CLS:PRINT HERE IS THE VECTOR B. : :FOR I=1 TO M : PRINT B(I) :NEXT I: INPUT I
S IT CORRECT (Y/N)"; Z$ : IF Z$="N" THEN 530
560 IF C%=2 THEN 730
570 CLS:PRINT WHAT ARE THE COEFFICIENTS OF THE OBJECTIVE FUNCTION? YOU MUST
                                                                                    S
UPPLY " ; N; " NUMBERS. "
580 FOR I=M+1 TO N9 : INPUT B(I) : B(I) = -B(I) : NEXT I
590 CLS: PRINT"THE COEFFICIENTS OF THE OBJECTIVE FUNCTION ARE:
600 FOR I = M+1 TO N9 : PRINT -B(I) : NEXT I
610 IF C%=2 THEN 730
620 INPUT IS THE OBJECTIVE FUNCTION CORRECT (Y/N)"; Z$ : IF Z$="N" THEN 590
630 CLS: INPUT"WHAT POSITIVE NUMBER DO YOU WANT FOR THE 'TOLERANCE', EFSILON
         ^{*};B(M9-1) : B(M9)=B(M9-1)
640 FOR I=1 TO N : FOR J = 1 TO M : A(N+J,M+I)=-A(I,J) : NEXT J : NEXT I
650 FOR I=M+N+1 TO M9-2 : A(I-M-N)I)=-1 : NEXT I
660 FOR J=1 TO N : A(J,M9-1)=-B(J+M) : A(J,M9)=B(J+M) : NEXT J
670 FOR J=N+1 TO N9 : A(J,M9-1)=-B(J-N) : A(J,M9)=B(J-N) : NEXT J
680 GOTO 730
690 STOP
700 CLS: INPUT TO CORRECT ENTRIES IN A, ENTER THE ROW AND COLUMN INDICES OF THE
ELEMENT TO BE CORRECTED $1,J: INPUT NOW ENTER THE CORRECT VALUE $4(J,I)
710 INPUT"CORRECTIONS COMPLETE (Y/N)";Z$ : IF Z$="N" THEN 700
720 RETURN
730 CLS
740 PRINT"INDICATE YOUR CHOICE FOR THE DETERMINATION OF L FROM THE LIST
                                                                              BELOW:
                               1) KHACHIYAN'S FORMULA": PRINT: PRINT"
                                                                                2) H
":FRINT:FRINT:FRINT"
ADAMARD'S INEQUALITY":FRINT:FRINT"
                                              3) YOUR OWN CHOICE.":INPUTIC%
750 ON IC% GOTO 770,2040,760
     INFUT "WHAT IS YOUR VALUE FOR L";LL:GOT0780
    LL=0 : FOR I=1 TO N9 : FOR J=1TO M9 : LL=LL+LOG(ABS(A(I,J))+1):NEXT J : NEX
T I : FOR I=1 TO M9: LL=LL+ LOG(ABS(B(I)) +1):NEXT I : LL= LL + LOG(N9*M9): LL=
INT(LL/LOG(2))+1
780 PRINT "THE VALUE OF L FOR THIS RUN IS: ";LL
790 INPUT DO YOU WISH TO CHANGE L (Y/N) ; Z$ : IF Z$="Y" THEN 730
800 FOR I=1 TO M9 : B1(I)=-B(I) : NEXT I
810 FOR I=1 TO N9
820 \ QO(I,I) = 2 \ L \ LL
830 NEXT I
840 GOSUB 1960: TO=MX
                END OF INITIALIZATION *****
850 '
         ****
860 '
870 \text{ K7} = 0
880 '
890 '
       *** BEGINNING OF MAIN ITERATION
                                           ***
900
910 K7=K7+1 : CLS : PRINT "COMPUTING STEP #";K7:PRINT"THE CURRENT DISCREPANCY IS
:";MX: FOR I=1 TO N9 : PRINT "X(";I;")=";X0(I) : NEXT I
```

#### **APPLE II® COMPATIBLE**

## **MUSIC SYNTHESIZER**

- Three simultaneous programmable voices and one programmable white noise generator
- Five octave range starting at 55 Hz (the A below bass clef) to 1760 Hz (the second A above the treble clef)
- On board amplifier capable of directly driving an eight ohm speaker
- Up to six synthesizers can be installed to create stereophonic, quadraphonic, and polyphonic operation



\$99.95

#### KIS MUSIC EDITOR







KIS stands for KEEP IT SIMPLE and we believe there is no existing software that remotely approaches the ease and convenience of this music editor. Some of the many features are as follows:

- Three part interactive program consisting of a play mode, a composition mode and an edit mode
- Plan mode displays low resolution color graphics of each voice while the song is playing
- Composition mode enables the user to hear and see, in high resolution graphics, each note as it is input
- Edit mode sounds and displays, in high resolution graphics, each note as the user single steps through the song. Notes can be inserted, deleted, and changed.

FREE (See Below)

# FLASH AND CRASH SOUND EFFECTS



- ---- AMERICAN MICRO PRODUCTS INC. ---SOUND SYNTHESIS
  CHOOSE FROM THE FOLLOWING

  STARRE MUSIC+2

  STORM THOUS SOUND GEVELOPMENT
  SOURCE PROPRIATE INSTRUCTIONS
  ANY OTHER KEY FOR PAGE 3
  YOUR SELECTION?
- AMP SOUND SYNTHESIZER
  ATTENUATION

  OFF WORSE SAME
  FREQUENCY

  128 WORSE SAME
  NOISE CEMERATOR SELECT

  MINITERIOR SOURCE

  MINITE

 Uses the channel of white noise to create a vast array of sounds.
 Some of these are as follows: explosions, steam engine, whistle, phasers, gun shot, race cars, sirens, chimes, and jet engines

- Detailed instructions illustrate how to generate sounds
- Modular so any one sound can easily be patched into an existing program.

#### ADVANCED MUSIC EDITOR







- Sixteen standard envelopes provided
- Custom envelopes can easily and quickly be developed
- All envelopes (including user created) are depicted in high resolution graphics and each can also be heard.
- Tempo, attenuation, and envelope can be selected and changed as many times as needed during the playing of the song.
- Musical subroutines can be called.
- The channel of white noise is used to produce a drums, chimes and other percussion effects.

# NOW INCLUDES: KIS MUSIC EDITOR ADVANCE MUSIC EDITOR MUSIC SYNTHESIZER

\$129.95

\$39.95





Distributed by: Hayden Publishing

```
Listing 1 continued from page 250:
920 FOR I = 1 TO N9
930 F(I)=0
940
         FOR J = 1 TO N9
950
         F(I)=F(I)-QO(J_yI)*A(J_yIO)
960
         NEXT J
970 NEXT I
980 GOSUE 1010
985 GOTO 1090
990 '
       **** FIND THE NORM OF F ****
1000 '
1010 NF=0
1020 FOR I=1 TO N9
1030
         NF = NF + F(I)*F(I)
1040 NEXT I
1050 \text{ NF} = SQR(NF)
1055 IF NF=0 PRINT WARNING!!!!! THE NORM OF F IS ZERO.
                                                           IF YOU WISH TO CONTINUE,
 TYPE 'CONT' FOLLOWED BY 'ENTER''
1060 RETURN
        **** STEP TO NEW X-ITERATE ***
1070
1080
1090 FOR I=1 TO N9
1100 X1(I)=0
1110
          FOR J= 1 TO N9
1120
          X1(I)=X1(I)+Q0(I,J)*F(J)
1130
          MEXT J
1135 IF NF=0 CLS:PRINT*THE NORM OF F IS TOO SMALL, PRODUCING A MACHINE ZERO.*:PR
INT"HERE IS THE VECTOR F:":FOR I = 1 TO N9 : PRINT"F(";I;")=";F(I): NEXT I : PRI
NT*PROGRAM HAS BEEN STOPPED*:STOP
1140 X1(I)=X0(I) + X1(I)/NF/(N9+1)
1150 NEXT I
1160 GOSUB 1590
1170
1180 '
        *** STEP TO THE NEXT Q-ITERATE ***
1190
1200 \text{ FOR I} = 1 \text{ TO N9}
          FOR J = 1 TO N9
1210
1220
             Q1(I,J)=0
1230
             FOR K= 1 TO N9
1240
                  Q1(I,J) = Q1(I,J) + Q0(I,K)*V(K,J)
1250
             NEXT K
1260
          IF J=1 LET Q1(I,J)=Q1(I,J)*N9/(N9+1)
   ELSE LET Q1(I,J)=Q1(I,J)*N9/SQR(N9*N9-1)
1270
          Q1(I_{J})=Q1(I_{J})*2E(1/(8*N9*N9))
1280
          NEXT J
1290 X0(I)=X1(I)
1300 NEXT I
1310 FOR I= 1 TO N9
1320
         FOR J = 1 TO N9
1330
         QO(I,J)=Q1(I,J)
1340
         NEXT J
1350 NEXT I
1360
1370
        *** COMPUTE THE NEW DEFECT
1380
1390 FOR I= 1 TO M9
1400
        B1(I)≔0
1410
         FOR J = 1 TO N9
1420
         B1(I)=B1(I) + A(J,I)*XO(J)
1430
         NEXT J
1440 B1(I)= B1(I)-B(I)
1450 NEXT I
1460 GOSUB1960
1470 IF TO>MX THEN TO=MX
1490 IF MX>0 THEN 910
```

Listing 1 continued on page 254

REM MERGE SORT USING LINK () FOR INDEX FUNCTION MERGE (I,J=INTEGER)=INTEGER VAR T,KM,M=INTEGER IF ARRAY (I) < ARRAY (J) THEN LINK(KM)=I I=LINK(I) END LINK(KM)=J END=T FUNCTION SORT(IS, JS=INTEGER)=INTEGER VAR KS,II,JJ=INTEGER IF IS=JS THEN BEGIN LINK(IS)=0 RETURNED VALUE=IS GOTO OEND END KS=IS+((JS-IS) 2) II=SORT(IS,KS) JJ=SORT(KS+1,JS) RETURNED. VALUE = MERGE(II, JJ) END=RETURNED VALUE



# Finally, a language to meet your needs

The new S-BASIC<sup>™</sup> language has more computing power than any other true compiler BASIC in the industry.

S-BASICTM is the ONLY CP/MTM compatible BASIC providing . . .

- Chainable .COM programs with parameter passing.
- Dynamically allocated arrays, sequential and random file buffers.
- Dynamically relocatable variables.
- Common, global, and local variables.
- A choice of: While-Do, Repeat-Until, Begin-End, If-Then-Else, and Case-Of Structures.
- Recursive, Multi-lined functions and procedures.
- Memory image disk storage (no conversions).
- CP/M 2 .xx enhancements usage as well as CP/M<sup>TM</sup> 1.4 x capable.
- 6 data types: Character, string, integer, single and double precision floating point, and packed BCD.

\*CP/M is a registered trademark of Digital Research

Besides all of these unique features, S-BASIC<sup>TM</sup> offers long variable names, digit/string line labels (when required), relocatable code output, multiple libraries, external .COM program execution, all of the flexibility of an enhanced BASIC, and a multitude of conveniences that make programming a pleasure.

As a software house always looking for that ideal, powerful, new language . . . we're excited about making S-BASIC<sup>TM</sup> available to the software community.

Order your copy now at an introductory price of \$250. from

#### MICRO AP, INC.

9807 Davona Drive San Ramon, CA 94583 **Telephone (415) 828-6697** 

MICRO AP

\*S-BASIC is a trademark of Topaz programming.

```
Listing 1 continued from page 252:
1500 CLS
1510 PRINT"THE PROCESS TERMINATED AFTER"; K7; "STEPS"
1520 FRINT
1530 PRINT THE SOLUTION IS"
1540 FOR I=1 TO N9
1550
         FRINT X(";I;") = ";XO(I)
1560 NEXT I
1570 END
1580 '
1590 ' **** SUBROUTINE ORT(F)
                                   ****
1600 '
1610 K=1
1620 IF F(K)<>0 THEN 1630ELSE K=K+1 : GOTO1620
1630 FOR I=2 TO N9
1640 FOR J=1 TO N9
1650 \text{ W(J,I)=0}
1660 IF J<K THEN I1=1 ELSE I1=0
1670 IF J=I-I1 AND J \le K LET W(J_*I)=1
1680 NEXT J: NEXT I
1690 WN == 0
1700 \text{ FOR J} = 1 \text{ TO N9} : WN=F(J)*F(J)+WN : NEXT
1710 WN=SQR(WN)
1720 FOR I=1 TO N9 : V(I,1)=F(I)/WN : W(I,1)=V(I,1) : NEXT
1730 FOR I=2 TO N9
1740 \text{ FOR I1} = 1 \text{ TO N9}
1750 V(I1,I)=W(I1,I)
1760 NEXT I1
1770 \text{ FOR J} = 1 \text{ TO I} - 1
1780 L=0
1790 FOR J1=1 TO N9
1800 L=L+V(J1,J)*W(J1,I)
1810 NEXT J1
1820 FOR I1=1 TO N9
1830 V(I1,I)=V(I1,I)-L*V(I1,J)
1840 NEXT I1
1850 NEXT J
1860 WN=0
1870 FOR I2=1 TO N9
1880 WN=WN+V(I2,I)*V(I2,I)
1890 NEXT 12
1900 WN=SQR(WN)
1910 FOR I2=1 TO N9: V(I2,I)=V(I2,I)/WN
1920 NEXTI2
1930 NEXT I
1940 RETURN
1950 '
1960 '
        **** FIND THE ELEMENT OF LARGEST ABSOLUTE VALUE
                                                           ***
1970 '
        **** IN THE ARRAY B1
                                                           ***
1980
1990 MX=(B1(1)) : I0=1
2000 FOR I= 2 TO M9
2010 IF B1(I) > MX LET MX=B1(I) : I0=I
2020 NEXT I
2030 RETURN
2040 '
          000000
                   THE HADAMARD INEQUALITY @@@@@@
2050 FN=1 : FOR KZ = 1 TO N9 : FOR J=1 TO M9 : F(J)=A(KZ,J):NEXT J:MT=M9 : GOSUB
2090 : GOSUB 1010 :B1(KZ)=NF:NEXT KZ
2060 FOR J=1 TO M9 : F(J)=B(J) : NEXT J : GOSUB 2090 : GOSUB 1010 : FOR J=1TO N9
-1 : F(J)=B1(J) : NEXT J :MT = N9 : GOSUB 2090
2070 FOR J = 1. TO N9 - 1 : FN = FN * F(J) : NEXT J : FN = FN * NF
2090 I=1 : T=F(I) : KT=0 : K=I
2100 K=K+1 : IF K>MT LET K=I+KT : I=I+1 : IF I > MT RETURN ELSE T=F(I) : IF K=>M
T RETURN ELSE 2100
2110 IF T=> F'(K) THEN 2100 ELSE T=F(K) : FOR J=K TO I+1 STEP -1 : F(J)=F(J-1) :
NEXT J : F(I)=T : KT=KT+1 : GOTO 2100
```

Text continued from page 246:

equalities and not exponentially, as in the Simplex method. An example showing this exponential growth of the number of steps in the Simplex algorithm was constructed in 1972 by Klee and Minty. It is interesting to see how our program reacts to this problem. We are indebted to Dr Philip Wolfe of IBM for showing us the following version of the Klee-Minty problem.

Let *n* be given. Let  $\mathbf{c}^t = (\hat{1}0^{n-1}, 10^{n-2}, ..., 10^1, 1), \mathbf{b}^t = (1, 10^{n-1}, 10^{n-2}, ..., 10^n, 1)$  $10^2$ ,  $10^4$ ,..., $10^{2(n-1)}$ ) and:

The Simplex method takes  $2^n-1$  steps to find the solution of the linear programming problem (8). Running our program for Khachiyan's algorithm gave the results shown in table 1.

n	Number of steps for Simplex method	Number of steps for Khachiyan's method
1	1	35 (with $\epsilon = .01$ )
2	3	525 (with $\epsilon = .01$ )
3	7	2849 (with $\epsilon = .01$ )

**Table 1:** A short comparison of the Simplex and Khachiyan algorithms. Although this comparison strongly favors the Simplex method, Khachiyan's algorithm would be consistently better, given problems of a sufficiently large size.


Although this data seems to reflect unfavorably on Khachiyan's method, it must be noted that this is only for small problems. Khachiyan's method would certainly require less steps than the Simplex method in some realworld situations, where a typical industrial problem may involve 10,000 inequalities and 50,000 variables. Far more experience with Khachiyan's method will be required to decide whether its theoretical advantage is of practical value.

We wish to thank the C W Post Research Committee for providing financial support for the preparation of this article.■

#### REFERENCES

- Asprall, B and R E Stone, "Khachiyan's Linear Programming Algorithm," Journal of Algorithms, March 1980.
- 2. Gács, P and L Lovász, "Khachiyan's Algorithm for Linear Programming," to appear.
- Khachiyan, L G, "A Polynomial Algorithm in Linear Programming," (in Russian), Doklady, the Proceedings of the Academy of Sciences of the USSR, volume 244 (1979), number 5, pages 1093 thru 1096.
- Kolata, G B, "Mathematicians Amazed by Russian's Discovery," Science, November 2, 1979, volume 206, number 4418, pages 545 thru 546.
- New York Times, November 7, 11, and 27, 1979.
- Steen, L A, "Linear Programming: Solid New Algorithm," Science News, October 6, 1979, volume 116, pages 234 thru

# The 2nd Generation... It's almost here!



# MEASUREMENT systems & controls

867 North Main Street Orange, Calif. 92668 (714) 633-4460

# Here's a better way to create/edit your North Star basic programs

N★BUS has a unique interactive GLOBAL LINE EDITOR, with powerful source preparation/editing features, unmatched anywhere at ANY PRICE!

- Interfaces with ANY release 4 or later BASIC by RUNning a supplied program.
- ✓ Co-resident with BASIC merely type the command "EDIT" without a line number.
- ✓ All N★BUS programs are assembly language fast!
- Line scrolling plus these exciting commands: EDIT MODE • INPUT MODE • BOTTOM • TOP • BASIC • BYE •
  APPEND • NEXT • PRINT • COPY (lines) • DELETE (lines) •
  SCALE • PROMPT • CHANGE • CHANGE (global) • ERASE
  COLUMNS • LOCATE • LOCATE (global) • TAB • TCHAR •
  WINDOW • WINDOW NEXT • WINDOW PREVIOUS • VIEW • INSERT •
  GO (to a line) • MOVE (lines) • DEVICE

N★BUS ALSO includes BPRT, a program print/variable cross-reference utility featuring an ultra-fast shell-Metzner sort, BPAK, a source program packer and RE, a file rename program. IF YOU USE NORTH STAR BASIC, you owe it to yourself to ORDER YOUR COPY OF N★BUS today!

AND ONLY

64 pg. manual, alone, \$9.75 ppd. (Creditable toward system purchase)

— plus \$1.50 postage Calif. Res. add 6% tax. No C.O.D.'s please. Send check or M.O. VISA or MASTER CHARGE accepted.

Dealer inquiries invited
COMPLETE BROCHURE AVAILABLE

1269 Rubio Vista Rd. · Altadena, Ca. 91001

# Clubs and Newsletters

#### Connecticut H-8 Users

Meet and exchange ideas with fellow Heath H-8. H-9 and H-89 users. Monthly meetings are held. For more information, contact Ron Lawson, 395 W Main St, Avon CT 06001.

#### Z-Users Group

The Z-Users Group is devoted to the Pascal/Z. compiler and Z80 and Z8000 software. The purpose of the group is to assist the public in using, improving, and exchanging software. A flyer is issued bimonthly with bug notes, fixes, and other features of interest. Public-domain programs are also being distributed. A disk full of software, running under

CP/M, single-sided, single density, is available free. There are no membership fees, but the flyer costs \$6 per year. Contact Z-Users Group, 7962 Center Pky, Sacramento CA 95823.

#### NICHE

The Northern Indiana Computer Hobbyist Exchange (NICHE) meets the last Monday of almost every month. Meetings are open to all computer enthusiasts. For more information, contact Eric Bean, 927 S 26th St. South Bend IN 46615.

#### Upstate New York **Apples**

The Upstate Apple Users Group meets on the third Thursday of the month at 7

PM at Upstate Computer Shop, 629 French Rd, Campus Plz, New Hartford NY 13413. The group is recognized by the International Apple Corps. The group's objectives are: to help newcomers solve hardware and software problems, aid in resources for education and hobbvists. and investigate the use of computers in the area of the handicapped. Contact Tony Violante at the store address above. On The Source, send mail to TCC788 Attn: Tony Violante.

#### Sol/Helios II Users

ASCII is a group for users of the Sol/Helios II system, which is utilized as a business system. A quarterly newsletter is published

dedicated to Sol support and operations. Contact J Brockway, Suite 308, 2909 Bay to Bay, Tampa FL 33609.

#### MP/M Users Group

Digiac Corporation has formed MAPS (Multiple Application Processing Systems), a national MP/M users group. Digiac will operate the users group with the purpose of disseminating and sharing MP/M data and operational programs with all business and professional users of MP/M. Contact the club at Digiac Corporation, 175 Engineers Rd, Smithtown NY 11787, (516) 273-8600.

#### Sell, Trade, and Buy

Sell and trade software through this club. Buy one \$6 tape or one \$9 floppy disk per month. Submit software and receive \$2 per program for each copy sold nationwide. Buy and sell used equipment. For further information, send stamped, self-addressed envelope to K Reynolds, 11815 SE 208, Kent WA 98031, (206) 630-0517.

#### Software Rental Club

The Goldcoast Computer Rental Club is now seeking members. They have a library of programs for rent. The programs are selected, tested, and reviewed by their staff. The library consists of over 3000 programs from sixteen categories for the Apple II and the TRS-80. The Goldcoast Newsheet contains programming tips, shortcuts, and other items. A \$10 yearly fee entitles members to a free disk of programs. For information, write Goldcoast Rental Club, POB 181, Bremen KY 42325.



# ONCOMO DE COMPUTING A MCGRAW-HILL PUBLICATION GUIDE TO PERSONAL I COMPUTING

# GETTING STATED What You Need And What It Will Cost

EQUIPMENT REVIEWS
TRS-80, Apple, Sorcerer and PET
Best-Selling Author
JERRY POURNELL
"Writing With a Microcomputer"

THE BINARY WORLD

Also...

A PERSONAL COMPUTER DIRECTORY COMPUTER CLUBS: WHO NEEDS THEM?

Plus much much more

# When will the Personal Computer Explosion touch YOU?

Are you prepared for the explosive transformation? Right in your own home? Electronic mail. Personalized investment analysis. Foreign language tutorial. Home energy management. Robots. Computer music. Secretarial service. Diet and menu planning. And more, more, more.

onComputing,™ the new McGraw-Hill quarterly, prepares you for the enormous changes coming during the



#######

1980's (Some are already here).

onComputing™ explains in nontechnical language what personal computers are, how they work, and how you can use them at home, for fun and profit.

Don't let the personal computer explosion catch you off guard. Know what's happening and help make it happen! Prepare now for the exciting future with a subscription to

onComputing TM!

Call Toll-Free 800-258-5485

Start your subscription today.

onCompating™ Subscription Dept. P.O. Box 307, Martinsville, NJ 08836

DOMESTIC subscription rate:

U.S. 1 yr. (4 issues) @ \$8.50 □ Canada & Mexico, 1 yr. (4 issues) @ \$10.00

FOREIGN (to expedite service, please remit in U.S. funds drawn on a U.S. bank.)

Europe (and all other countries, except above), 1 yr. @ \$12.00 — surface delivery.

Bill Visa □ Bill Master Charge □ Bill me (North America only)

Card Number Expiration

Signature Name (please print)

Street/Apartment Number

City State/Province/Country Code 7890

#### Forming SuperBrain Users Group

SuperBrain users who desire to exchange ideas and information should contact SuperBrain Users Group. Howard Van Jepmond, 420 French Ct, Menlo Park CA 9402.5

North Star Users Group Recognized by the Parent Company

The International North

Star Users Association (INSUA) is recognized by the North Star company to provide liaison, feedback. and fixes for users of North Star's computers or disk operating systems running on other computers. The association hopes to act as a link between local users groups, individual North Star computer users, and the Berkeley, California, company. The group's charter calls for it to act as a source of information for new and advanced North Star users:

to publish a quarterly newsletter for members, including application and programming techniques; to maintain and distribute a users public-domain software library; and to act as an independent representative to make users' needs known to North Star Computers Inc. The yearly dues are \$15, which includes a subscription to the newsletter as well as access to all the group's software and hardware distribution. INSUA can be contacted at


131 Highand Ave, Vacaville CA 95688, (707) 448-9055.

#### Southern Colorado Computer Club

The Southern Colorado Computer Club (SCCC) meets on the first and third Tuesdays of each month. Apple, Atari, Texas Instruments, and PET computers are among the systems represented. Classes and seminars will be scheduled for future meetings. Subjects will range from equipment hardware to programming and will include information on how to go about selecting the right computer for personal or business use. Write to the club at the Computer Shack, Gibson Shopping Center, 1635 S Prairie, Pueblo CO 81005, (303) 564-3545.

#### Evansville Computer Club

This group meets at Hutch and Sons on the second Wednesday of each month at 7 PM. Hutch and Sons is located on the corner of Franklin and N Main streets in Evansville, Indiana. Sol, Bally, Altair, IMSAI, Heath, Elf, and TRS-80 are some of the systems used by members. Send a stamped, selfaddressed envelope to Bob Heerdink, Evansville Computer Club, C/O National Sharedata Corporation, POB 3895, Evansville IN **47737.** ■



## MM-103 MODEMS

With our unbeatable quality, low cost, one-year warranty and 24 hour a day Test Center, you won't find a better S-100 bus modem than the MM-103!

> Call or write for brochure and price information:



#### POTOMAC MICRO-MAGIC, INC.

5201 Leesburg Pike, Suite 604 Falls Church, VA 22041 (703)379-9660 (VOICE) (703)379-0303 (MODEM: 300 BAUD)

**MEETS IEEE S-100 STANDARDS** 



#### And then there were none.

The list of already extinct animals grows . . . the great auk, the Texas gray wolf, the Badlands bighorn, the sea mink, the passenger pigeon . . . What happens if civilization continues to slowly choke out wildlife species by species?

Man cannot live on a planet unfit for a species of the species of the season of the species of the season of the sea

animals.
Join an organization that's doing something about preserving our endangered species. Get involved. Write the National Wildlife Federation, Department 105, 1412 16th Street, NW. Washington, 25, 20026. DC 20036. It's not too late

# More from Osborne/McGraw-Hill

#### Osborne/McGraw-Hill means documented software



#### NOW AVAILABLE

OSBORNE/McGraw-Hill's popular business software series in CBASIC-2!

Thoroughly tested, reliable programs with complete source listings, our Payroll with Cost Accounting, Accounts Payable and Accounts Receivable and General Ledger tell you how to begin; how to make changes; how to turn your computer into a productive part of your business. Printed in a loose-leaf format, easily inserted into your own binder, you can add to the book as you add to the programs.

**DEALERS:** The source listings from each book are available on disk for just \$250 with no licensing agreements. Call or write for our dealer information package.

The books are also available in Wang BASIC. (Wang users must supply KFAM.)

Z80 · 6800 · 8080A/8085 · 6502 · Z8000 · 6809

## Assembly Language



Programming Primers for the most popular Microcomputers

New! Available Now Z8000 6809

These Assembly Language Programming books view assembly language as a means of programming a microcomputer system. Each book explains assembly language programming, describes the functions of assemblers and assembly instructions, and discusses basic software development concepts. A special section on structured programming rounds out the discussion of programming examples, which range from simple memory load loops to complete rudimentary design projects. Each book includes comprehensive coverage of the particular assembly language, and presents a large number of fully debugged, practical programming examples written in the language of interest.

### The 8086 Book New!

A handbook for all 8086 users, The 8086 Book includes basic 8086 programming instructions, a thorough analysis of the 8086 instruction set, and detailed hardware and interfacing guides that reveal the full power of the 8086 multiprocessing capabilities.

#### **Order Form**

Title	Quantity	Price	Amount
8080A/8085 ALP		\$12.50	
Z80 ALP		\$12.50	
6800 ALP		\$12.50	
6502 ALP		\$12.50	
Payroll with Cost Accounting CBASIC		\$20.00	
Accounts Payable/Receivable - CBASIC		\$20.00	
General Ledger - CBASIC		\$20.00	
Z8000		\$12.50	
6809 ALP		\$12.50	
8086		\$15.00	

Tax - Calif residents only 6%/6%% BART

Please send me business software information package for:

□ end user □ dealer

Shipping TOTAL

Shipping: (Shipping for large orders to be arranged)

- All foreign order \$4.00 per book for airmail
- \$0.75 per book 4th class in the U.S. (allow 3-4 weeks) \$1.25 per book UPS in the U.S. (allow 10 days)
- \$2.50 per book special rush shipment by air in the U.S. For faster shipment or credit card, phone (415) 548-2805

Address: \_ City: State:



630 Bancroft Way, Dept. B8 Berkeley, California 94710 (415) 548-2805 TWX 910-366-7277



# Event Oueue

#### September 1980

September-October Computer Sales Workshops. Datasearch is offering oneday workshops throughout the nation covering sales techniques for managers and salespeople. For details, call or write Datasearch Inc. 4954 William Arnold Rd. Memphis TN 38117, (901) 761-9090.

September-November Thinking Small—Using Small Computers to Increase Business Productivity. These conferences will feature leading authorities and small-business computer users in a program designed to explore the opportunities presented by small computers for the improvement of productivity in the smallbusiness situation. For a

schedule of times and places, contact The Information Exchange, 1730 N Lynn St, Suite 400, Arlington VA 22209, (703) 521-6209.

September-January

Twenty-nine Seminars from DPMA Education Foundation. The DPMA (Data Processing Management Association) is sponsoring a series of two-day, computeroriented seminars. Data processing, software configuration management, computeraided design and manufacturing, computers and data communications, data base, integrated circuits, and software engineering are some of the topics that will be covered. For details on site locations and times, contact DPMA Education Foundation Coordinator, 5959 W Century Blvd, Los Angeles CA 90045, (213) 670-2975.

September 8-10 Government Micrographics Conference and Exposition, Sheraton Washington Hotel, Washington DC. This event will feature over thirty sessions and a major exhibition. Conference topics range from micrographics to general management. Write or call National Trade Productions Inc. 9301 Annapolis Rd, Suite 206, Lanham MD 20801, (301) 459-1815.

September 9-10

The Thirteenth International Symposium and Exhibition on Minicomputer and Microcomputer Applications, MIMI'80, Montreal, Canada. This symposium will cover communications, signal processing, data acquisition, control, robotics, education, hardware, languages, networks, and

other topics. It is being held in conjunction with the first IASTED International Symposium and Exhibition on Office Automation, For more information, contact Professor M H Hamza, Dept of Electrical Engineering, The University of Calgary, Calgary, Alberta, Canada I2N 1N4.

September 11-13 Internepcon Semiconductor International Exposition and Conference, Republic of Singapore. Featuring an exhibition of production machinery, tools, hardware, materials, and test instruments, the show includes conferences keyed to the needs of engineering. manufacturing, and support personnel of Southeast Asia. It is open to all persons engaged in electronics and semiconductor manufacturing. Contact Industrial & Scientific Conference Management Inc, 222 W Adams St, Chicago IL 60606, (312) 263-4866.

September 16-18 Euromicro '80, London, England. Euromicro '80 will consist of scientific, shortnotes, and industrial sessions. This annual international event is highlighted by read papers and discussions. In addition, microprocessor-controlled robot mice will race against time or will show off their prowess in an "open world" environment when the European finals of the Amazing Micromouse Maze contest are held. For information, contact Lionel R Thompson, HSDE, Hatfield AL 109LP, England.

September 16-18 Wescon/80, Anaheim Convention Center, Anaheim CA. This year's show will include a large exhibition and a variety of talks covering communications, computers and microprocessors, consumer electronics, energy, office automation

### **FREE** your keyboard — interact directly with the screen. Why waste time typing? Use a 3-G Light Pen.

- In his business, Al Zenker of Zenker Dental labs in Penndel, Pennsylvania uses our pens for data entry. Harry Lee of Pittsfield, Massachusetts uses the pen to select telephone numbers to be dialed by his computer. Thorwald Esbensen of Micro-Ed, Inc. in Min-neapolis. Minnesota writes education software for the 3-G Light Pen. Swiss Air Dispatch at Kennedy Airport in New York uses our pens to speed up its business operations, Dr. Richard Kerns of East Carolina University incopor-ates our pen in a demonstration with a voice synthesizer to teach his students how to use computers. In Holland, Johan Smilde uses a 3-G Light Pen to experiment with graphics.
- These people have discovered the benefits of using a 3-G Light Pen. Wouldn't a 3-G Light Pen make your system more versatile and more functional? Yes, of course it would!
- Don't Wait order your pen today and

  - receive:
    1) 3-G Light Pen
    2) Demonstration cassettes (with Professional TRS-80, PET and Apple)
    Sample program listing

    - Complete documentation and instructions
       Other Light Pen software and games available.
- NO ASSEMBLY NECESSARY. READY TO PLUG IN AND USE.
- Complete documentation so you can write your own program in BASIC. No machine language coding necessary
- All 3-G Professional models plug into machine ports. Economy model plugs into cassette and batteries are included

	_
<b> = _ = M</b> ail Coupon or Call Today for Immediate I	Delivery = = = = = = = =
Rt. 3, Box 28A, Gaston, OR 97119	er, 3-G offers a 30-day ditionat Money back GUARANTEE
TRS-80 Economy   TRS-80 Professional   1PET Professional   S19.95   S34.95   S31.95	Apple Prolessional \$32.95
Yes, I want to make my computer more versatile. Rush me Pens. (Add \$1.50 for mailing and handling — \$6.00 foreign.)	3-G Light
Enclosed is: _ check or money order _ Master Charge	Uisa WX
Card No	Exp. date
NAME	
ADDRESS	
CITY STATE	ZIP
POINT PEN TO CORRECT ANSWER WHERE IS MT. ST. HELENS? OREGON ID WASHINGTON ID MONTANA ID	G LIGHT PENS FOR APPLE PET TRS-80

# **CP/M**\* compatible software

#### SYSTEM MAINTENANCE-

DIAGNOSTICS 1: Easily the most comprehensive set of CP/M compatible system check-out programs ever assembled. Finds hardware errors in your system, confirms suspicions, or just gives your system a clean bill of health. Tests

Memory

CPU (8080/8085/Z80)

Terminal

 Disk Printer

To our knowledge the CPU test is the first of its kind anywhere. Diagnostics I can help you find problems before they become serious. A good set of diagnostic routines are a must in any program library.

Minimal requirements: 24K CP/M. Supplied with complete user manual:

Manual alone: \$15.00.

#### ACCOUNTING-

ACCOUNTS PAYABLE/RECEIVABLE: A complete, user oriented package which features:

automatic postings to general ledger (optional)

accounts payable:

· check printing with invoice · invoice aging

accounts receivable:

 progress billing · customer statements partial invoice payments

· invoice aging

The entire package is menu driven and easy to learn and use. It incorporates error checking and excellent user displays. This package can be used stand alone or with the General Ledger below.

Supplied with extensive user manual: \$200.00.

GENERAL LEDGER: A complete, user oriented package which features:

Accepts postings from external programs (i.e. AP/AR above)

Accepts directly entered postings

Maintains account balances for current month, quarter, and year and previous

Financial reports: trial balance, income statement balance sheet, and more. Completely menu driven and easy to learn and use. Excellent displays and error checking for trouble free operation. Can be used stand alone or with Accounts Payable/Receivable above.

Supplied with extensive user manual: \$200.00.

Both require 48K CP/M, terminal with cursor positioning, home and clear home, one 8" disk or Two 5" disks. CBASIC2 required.

#### TEXT PROCESSING-

TFS—Text Formatting System: An extremely powerful formatter. More than 50 commands. Supports all major features including:

left & right margin justification

· dynamic insertion from disk file

user defined macros
 underlining and backspace

TFS lets you make multiple copies of any text. For example: Personalized form letters complete with name & address & other insertions from a disk file. Text is not limited to the size of RAM making TFS perfect for reports or any big job

Text is entered using CP/M standard editor or most any CP/M compatible editor. TFS will link completely with Super-M-List making personalized form letters easy.

Requires: 24K CP/M.

Supplied with extensive user manual: \$85.00. Source to TFS in 8080 assembler (can be assembled using standard CP/M

Manual alone: \$20.00,

assembler) plus user manual: \$250.00.

#### MAILING LIST

SUPER-M-LIST: A complete, easy to use mailing list program package, Allows for two names, two address, city, state, zip and a three digit code field for added flexibility. Super-M-List can sort on any field and produce mailing labels direct to printer or disk file for later printing or use by other programs. Super-M-List is the perfect companion to TFS. Handles 1981 Zip Codes!

Requires: 48K CP/M.

Supplied with complete user manual: \$75,00.

Manual alone: \$10.00

#### UTILITIES

Utility pack #1: A collection of programs that you will find useful and maybe even necessary in your daily work (we did!). Includes:

Compare two files for equality.

ARCHIVER: Compacts many files into one, useful when you run out of directory

SORT: In core sort of variable length records.

Extended, alphabetical directory listing with groupings by common extension

PRIN1: Formatted listings to printer.

Lists files to CRT a page at a time PG:

plus more . .

Requires: 24K CP/M Supplied with instructions on discette \$50.00

#### PROGRAMMING LANGUAGES

FORTH: a full, extended FORTH interpreter/compiler produces COMPACT. ROMABLE code. As fast as compiled FORTRAN, as easy to use as interactive

SELF COMPILING: Includes every line of source code necessary to recompile

**EXTENSIBLE:** Adds functions at will. Z80 & 8080 ASSEMBLERS included Single license, OEM licensing available Please specify CPU type: Z80 or 8080

Supplied with extensive user manual and tutorial: \$150.00

Documentation alone: \$25.00

ENHANCED 'TINY' PASCAL: We still call it 'Tiny' but it's bigger and better than ever! This is the Famous Chung/Yuen 'Tiny' Pascal with more features added. Features include:

 $\hbox{ • recursive procedures/functions • integer arithmetic } \hskip10pt \hbox{ • CASE} \\$ 

• FOR (loop) • sequential disk I/O • one dimensional arrays

• IF ... THEN ... EL SE

· 'PEAK' & 'POKE • WHILE

 READ & WRITE •REPEAT ... UNTIL • more

'Tiny' Pascal is fast. Programs execute up to ten times faster than similar BASIC

SOURCE TOO! We still distribute source, in 'Tiny' Pascal, on each discette sold. You can even recompile the compiler, add features or just gain insight into

'Tiny' Pascal is perfect for writing text processors, real time control systems. virtually any application which requires high speed. Requires: 36K CP/M. Supplied with complete user manual and source on discette: \$85.00.

Manual alone: \$10.00.

#### SOFTWARE SECURITY

ENCODE/DECODE: A complete software security system for CP/M. Encode/ Decode is a sophisticated coding program package which transforms data stored on disk into coded text which is completely unrecognizable. Encode/Decode supports multiple security levels and passwords. A user defined combination (One billion possible) is used to code and decode a file. Uses are unlimited. Below are a few examples:

data bases

general ledger

inventory

· payroll files

correspondence

· accounts pay/rec · mailing lists

 tax records programs

Encode/Decode is available in two versions: Encode/Decode I provides a level of security suitable for normal use. Encode/Decode II provides enhanced security for the most demanding needs. Both versions come supplied on discette and with a complete user manual.

Encode/Decode I: \$50.00

Encode/Decode II: \$100.00

Manual alone: \$15.00

#### INTERCOMPUTER COMMUNICATIONS

TERM: a complete intercommunications package for linking your computer to other computers. Link either to other CP/M computers or to large timesharing systems. TERM is comparable to other systems but costs less, delivers more and source is provided on discette!

With TERM you can send and receive ASCII and Hex files (COM too, with included convertion program) with any other CP/M computer which has TERM or compatible package. Allows real time communication between users on separate systems as well as acting as timesharing terminal.

Engage/disengage printer

· error checking and auto retry

• terminal mode for timesharing between systems • conversational mode · send files

receive files

Requires: 32K CP/M.

Supplied with user manual and 8080 source code: \$110.00 Manual alone: \$15.00.

CP/M Formats: 8" soft sectored, 5" Northstar, 5" Micropolis Mod II. Vector MZ

All Orders and General Information: SUPERSOFT ASSOCIATES P.O. BOX 1628

CHAMPAIGN, IL 61820 (217) 359-2112

Technical Hot Line: (217) 359-2691

(answered only when technician is available)

\*CP/M REGISTERED TRADEMARK DIGITAL RESEARCH

SuperSoft (answered only when corrections of tware Technology

VISA"

naster charg

and semiconductor technology, and more. Contact Wescon, 999 N Sepulveda Blvd, El Segundo CA 90245, (213) 772-2965.

September 17-19

ACM Small/Personal Computer Conference, Rickey's Hyatt House, Palo Alto CA. This symposium will blend contributed papers, panel, and informal discussions. Hardware and software topics involving theory, design, construction, marketing, and application will be included. Discussions will cover microcomputer applications in business, industry, education, and the home. Details are available from Conference Chairman, Philippe Lehot, PLA, 976 Longridge Rd, Oakland CA 94610.

September 18-21

Mid-Atlantic Business and Home-Computer Show, DC Armory/Starplex, Washington DC. This is an end-user exposition featuring small- and medium-sized

business systems, scientific and engineering computers, microcomputers, and electrotechnology. Contact Northeast Expositions Inc, POB 678, Brookline Village MA 02147, (617) 739-2000.

September 22-25

Software INFO. Hvatt Regency, Chicago IL. This is the first national conference and exhibit on packaged software held in the US. For more information, or to reserve space, call (312) 263-3131 or write Software INFO. Suite 545, 222 W Adams St, Chicago IL 60606.

September 23-25

Compcon '80 Fall, Capital Hilton Hotel, Washington DC. Sponsored by the IEEE (Institute of Electrical and Electronics Engineers), this show is concerned with distributed computing and related topics. Discussions will cover interfaces, standards, and protocols; data communications and networking; computer systems; data bases; security; office systems; and more. Details from Compcon '80 Fall, POB 639, Silver Spring MD 20901, (617) 879-2960.

September 24-27

The Tenth Annual Conference of the Society for Computer Medicine, San Diego Hilton, San Diego CA. This conference has been planned for physicians, attorneys, administrators, computer professionals, comptrollers, engineers, nurses, and anyone interested in the use of computers for patient care. Sessions on medical subjects, technical subjects and contributed papers on new research in computer medicine will be offered. For information, contact Society for Computer Medicine, 1901 N Ft Myer Dr, Suite 602, Arlington VA 22209, (703) 525-0098.

September 25-28

Mid-Atlantic Personal and Business Computer Show. Philadelphia Civic Center,

Philadelphia PA. General admission for adults is \$5. The show is being produced by National Computer Shows, POB 678, Brookline Village MA 02147, (617) 739-2000.

September 25-29

The Third World Computer Chess Championship, Brucknerhaus, Linz, Austria. This tournament will be a four- or five-round Swissstyle competition with participants restricted to computer chess programs. The current world and North American champion, CHESS 4.9 of Northwestern University, will return to defend its title. Also expected to participate are the former world champion, KAISSA, from the Moscow Institute of System Studies; MASTER, the current European champion; BELLE, CHAOS, DUCHESS, and other programs from Europe, the US, and Canada. For information in the US, contact Professor M M Newborn. School of Computer Science, McGill University, Montreal, Quebec H3A 2K6 Canada. In Europe, contact Frederic Friedel, Hauptstrasse 28B, 2114 Hollenstedt, West Germany (BRD).

September 26-27

Classroom Applications of Computers in Grades K thru 12, Independence High School, San Jose CA. Tutorials, workshops, exhibits, and a trip to "Silicon Valley" will highlight this conference. The emphasis will be to inform teachers about the possible uses of computers in all areas of education. Contact Computer-Using Educators, c/o Ŵ Don McKell, Independence High School, 1776 Educational Park Dr, San Jose CA 95133.

September 30-October 2 Computer Crime: Investigation and Prosecution, San Francisco CA. This workshop is designed for security and law enforcement investigators, prosecutors, attorneys, and computer specialists who have

The Miniframe is here and MicroDaSys has it! Now you can own a complete minicomputer featuring the incredible power of the 6800® processor in a versatile turn-key system – all at micro prices! The 68000 processor offers a 16 bit external and 32 bit internal data path, and has many architectural features previously found only in mainframe computers. The MD68K single board computer offers the user all of the power of the 68000 in a complete minicomputer, combining mass memory, double density disk/Winchester controller, interrupt architecture, and multiuser I/O. The MD68K may easily be interfaced to a variety of bus adapters, allowing the use of external peripherals, and RAM expansion to 16 Megabytes. The Miniframe houses the MD68K, power supplies, I/O connectors and dual eight inch drives. Whether you are looking for the most advanced single board computer, or an amazing turn-key system, the MD68K and Miniframe are for you!



#### Hardware:

256K Bytes RAM Parity Checking Memory Management Sophisticated Firmware 8 Parallel Ports 8 RS-232 Serial Ports **Double Density Controller**  Winchester Controller Dual 8" Floppies Multi-User, Multi-Tasking Winchester Option **Bus Adapters Available:** 

**IEEE 488 SS50** Intel

S-100

DEC etc. Software:

DOS Resident Assembler **Cross Assembler** Linker Debugger Pascal **BASIC** 

#### MD68K Single Board Computer \$2395 MiniFrame with Dual Drives \$3995


How To Order:

**MicroDaSys** 

By Phone: Call (213) 731-0876 for VISA, MC and COD.

By Mall: Send check or money order.

P.O.Box 36275 , Los Angeles , CA 90036 TWX: 910-321-2378



# CompuServe's information service.

A world of information available.
Right now.

If you have a personal computer—or a computer terminal — CompuServe can bring a world of information into your home or small business.

#### CompuServe

CompuServe is a major computer services company that has been serving top industrial and governmental clients for more than a decade. Now we're also applying our extensive computing capacity to the delivery of information services to your personal computer.

#### The Information Service

This exciting service is available in more than 250 cities between 6 p.m. and 5 a.m. weekdays, all day weekends and most holidays. Cost? Only \$5.00 per hour billed in minutes. All you need is a 300 baud modem, and our complete information service is only a local phone call away.

Welcome to CompuServe's information service.

- News. Weather. Sports. Major regional newspapers. Plus international news services.
- Finance. MicroQuote. Updates and historical information on stocks, bonds and commodities.
- Entertainment. Theatre, book, movie and restaurant reviews. Plus opera, symphony, ballet, dance, museums, galleries...
- *Electronic Mail*. Create, edit, send and receive messages from any other CompuServe user... nationwide.

- Home & Educational Reference Service. Anything you want to know...from encyclopedia information to household tips.
- CompuServe User Information. In case you need technical help ... and information on new services as they become available.
- *MicroNET*. For the computer hobbyist. Software Exchange, line printer art gallery, challenging games, programming languages, word processing, business & educational programs ... and much, much more.

And this is just the beginning. CompuServe is continually adding to its list of available services. The world of electronic information isn't coming tomorrow. It's here today.

## CompuServe is Available at Radio Shack® Stores

Your local Radio Shack® Store Sells CompuServe's information service. There are more than 6,000 Radio Shack® Stores and Dealers nationwide. Check with the outlet nearest you.

Radio Shack is a division of Tandy Corporation.

# **CompuServe**

Information Service Division 5000 Arlington Centre Blvd. Columbus, Ohio 43220 (614) 457-8600 had training or experience in investigating financial or computer crimes. The fee is \$575. For more information, contact Paul Shaw, Assets Protection Journal, 500 Sutter St, Suite 503, San Francisco CA 94102, (415) 392-2955.

October 1980

October 1-2
Choosing and Using
Microprocessor Development Systems, London Press

Centre, London, England. This seminar will present information and practical experience on which to base the selection and use of microprocessor-development systems. It will provide guidelines to answer questions on the definition of microprocessor-development systems, what features should be looked for, how to analyze particular requirements, and what systems are commercially available. The program is intended for senior engineers and engineering managers

who have some knowledge of microprocessors. Contact the Conference and Courses Unit, Sira Institute Ltd, South Hill, Chislehurst, Kent BR7 5EH, England.

October 1-3

The Tenth International Symposium on Fault-Tolerant Computing, Kyoto, Japan. This meeting is devoted to the theory and practice of reliable computing and will cover design of fault-tolerant circuits and systems, analysis of system performance and reliability; applications of coding techniques, software reliability and testing, and more. For information and traveling arrangements, contact Secretary of FTCS-10, Dept of Applied Mathematics and Physics, Faculty of Engineering, Kyoto University, Kyoto 606 Japan.

October 6-8

APL Users Meeting, Toronto, Canada. This conference is aimed at APL users as well as those considering the use of APL in their systems. Speakers will present papers which discuss the practical use of APL. Managing APL resources, teaching APL, and APL programming techniques will also be covered. The registration fee is \$180 (in Canadian funds), which includes a copy of the proceedings. For a brochure and registration material, contact Rosanne Wild, I P Sharp Associates Ltd, 145 King St W, Toronto, Ontario, M5H 1J8, Canada.

October 8-10 Circulation Computer Systems Symposium, Chicago Marriott Hotel, Chicago IL. More than 425 newspaper publishers, general managers, circulation directors, controllers, and data-processing managers are expected to attend this symposium. Workshop sessions will be held for participants who already have or who are considering automated circulation systems. For more information, contact American Newspaper Publishers Association, The Newspaper Center, POB 17407, Dulles Airport, Washington DC 20041, (703) 620-9500.

October 14-16
Minicomputer and
Microcomputer Conference
and Exposition, Brooks
Hall/Civic Auditorium, San
Francisco CA. Contact
Managing Director,
Mini/Micro Conference and
Exposition, 32302 Camino
Capistrano, Suite 202, San
Juan Capistrano CA 92675,
(714) 661-3301.



There's only one originate/answer modem that gives you the performance and reliability of a direct connect modem with the portability and price of an acoustic. Novation's new D-Cat.

D-Cat is the only direct modem that's FCC approved for handset jack connection with any modular phone. Use it at home or at work on a 50-pin, six line business phone. Talk to D-Cats, Cats, or any other Bell 103 compatible modem.

D-Cat also has all the features you want: full duplex capability, voice/data

monitor, up to 20 dB performance improvement over acoustic, hold function, privacy button, self-test, and a remarkable price. Only \$199.

But best of all, it's from Novation. The recognized world leader in personal communications.

# D-Cat.by **Novation**

Call for details

(800) 423-5410 In California (213) 996-5060

Available at Avnet Electronics, Hamilton Electro, Hamilton Avnet, Kierulff Electronics, Byte Shops, Computerland, and your local computer store.

Novation, Inc., 18664 Oxnard Street, Tarzana, California 91356

#### StackWork's



A full, extended FORTH interpreter/compiler produces COMPACT, ROMABLE code. As fast as compiled FORTRAN, as easy to use as interactive BASIC.

#### **SELF COMPILING**

Includes every line of source code necessary to recompile itself.

#### **EXTENSIBLE**

**CP/M\* COMPATIBLE** 

Add functions at will.

#### Z80 & 8080 ASSEMBLERS included

Single license

Supplied with extensive user manual and tutorial:

\$150.00

Documentation alone: \$25.00

OEM's, we have a deal for you!

CP/M Formats: 8" soft sectored, 5" Northstar, 5" Micropolis Mod II.

Please specify CPU type Z8O or 8080

All Orders and General Information: SUPERSOFT ASSOCIATES P.O. BOX 1628 CHAMPAIGN, IL 61820 (217) 359-2112

Technical Hot Line: (217) 359-2691

(answered only when technician is available)







\*CP/M registered trademark Digital Research



# DISC/3 MART, INC.

DO IT YOURSELF

**ANADEX** PRINTER, DP-8000 . . . . . . . . . . 825.00 **ANADEX** PRINTER, DP-9500 . . . . . . . 1,425.00 BASE II Printer (complete with options) 645.00

CENTRONICS 737 Matrix Printer . . . . . . . . 825.00 HAZELTINE 1520. **NEC** Spinwriter 5510 (RO) . . . . . . . . 2,643.00 SOROC IQ 120 ..... 745.00 SOROC IQ 140 Assembled ..... 1.225.00 **TI 810** Basic (upper & lower case) . . . . . 1,669.00 TI 994 Personal Computer ..... 925.00 LA 34 DEC Writer Teleprinter . . . . . . . . . 1,195.00

CARTRIDGES • DISKETTES • MAG TAPE • ACCESSORIES ADDS, CENTRONICS, HAZELTINE, IMSAI, LEAR SIEGLER, TÉCHTRAN, TI, VECTOR GRAPHICS AND OTHERS

STORE HOURS: 9 A.M. - 5:30 P.M. Mon. through Fri. Call or write for quotes or information.

MART, INC.

Circle 129 on inquiry card.

1840 LINCOLN BLVD., SANTA MONICA, CA 90404 (213) 450-5911

Marymac Industries Inc

**AUTHORIZED SALES CENTER Save 10% 15%** 

**OR MORE** 

DELIVERED TO YOUR DOOR

Owned and operated by Marymac Industries Inc. Houstons only independent Radio Shack® dealer. Warranties will be honored by all company owned Radio Shack® stores and most franchise and dealer authorized sales centers. Store open Mon. Sat. 10-7. We pay freight and insurance. Save state sales tax. Texas residents add only 5% sales tax. Brand new in factory sealed cartons. Reference: Katy National Bank. Call us for a customer reference near your city. Offered exclusively by Radio Shack® Authorized Sales Center 21969 katy Fwy., Katy (Houston) Texas 77450

Telephone 1-713-392-0747

#### **TRS-80**









We are located just 5 hours from the giant Tandy Com-puterware House in Ft. Worth, Texas.

we've above a bigger, inc., powerful "brother" to the TRS-80 family, It's TRS-80 Model II — a completely new microcomputer for business applications.

We've added a biocer

Joe McManus Today CHARGE IT



Radio

October 27-30 The Fifth International Con-

October 16-19 Midwest Personal and Business Computer Show. For more information on this exposition, contact National Computer Shows, POB 678, Brookline Village MA 02147, (617) 739-2000.

October 26-28

The Eleventh ACM North **American Computer Chess** Championship, Opryland Hotel, Nashville TN. This is a four-round Swiss-style tournament with participants restricted to computers. All of the best chess programs in North America are expected to participate. A maximum of twelve teams will participate. The deadline for entries is September 8, 1980. Contact Monty Newborn, School of Computer Science, McGill University, 805 Sherbrooke St W, Montreal, PQ, H3A 2K6, Canada, (514) 392-8274.

October 26-29

International Data-Processing Conference and Business Exposition, Philadelphia Sheraton Hotel, Philadelphia PA. This conference is being sponsored by the Data Processing Management Association. Contact the Conference Coordinator, DPMA International Headquarters, 505 Busse Hwy, Park Ridge IL 60068, (312) 825-8124.

October 27-29

ACM Annual Conference—Previewing the Computer Age, Opryland Hotel, Nashville TN. This conference will focus on the computer technology, products, and services that will come into general use during the 1980s. The technical program will be organized around the Association for Computing Machinery's (ACM) Special Interest Groups, with additional sessions for papers of general interest. Contact Dr Gordon Sherman, Technical Program Chairman, ACM '80, University of Tennessee Computer Center, Knoxville TN 37916, (615) 974-6758.

munications, Peachtree Plaza Hotel, Atlanta GA. The theme for ICCC/80 is "Computer Communications: Increasing Benefits for Society." More than one hundred speakers will present papers on applications and technical developments of computer communication and assess their worldwide implications for the 1980s. Fees are \$175 for preregistration and \$200 at the conference. Contact ICCC/80, POB 280, Basking Ridge NJ 07920, (201) 221-8800.

ference on Computer Com-

October 28-30

The Fourth Annual Interface West, Los Angeles Convention Center, Los Angeles CA. More than one hundred fifty computer-related companies will exhibit their wares. The conference will offer programs on office automation and smallsystems procedures for businessmen, plus data communications, distributeddata processing, and networking for technically oriented managers. Many speakers will be featured. For further information. contact The Interface Group, 160 Speen St, Framingham MA 01701, (617) 879-4502 or call toll free, (800) 225-4620.


October 30-November 1 National Small-Computer Show, New York Coliseum, New York NY. Hourly lectures on data-processing and word-processing applications for small computers, exhibitions of hardware and software, and seminars on various aspects of computerrelated news will be featured. A lecture schedule and basic information are available from the National Small Computer Show, 110 Charlotte Pl, Englewood Cliffs NJ 07632, (201) 569-8542.

NOVEMBER 1980

November 8-9

The 1980 Personal Computer Fair, Pacific Science

# Here's The Second Half . . . . .



\$1595 (soft cover)

Written by the author of your Level II Users Manual, LEARNING LEVEL II picks right up where the Level I Manual leaves off. It even supplies the changes needed to make the Level I Manual compatible with your Level II TRS-80.

LEARNING LEVEL II covers all Level II BASIC beyond Level I, plus much more. It shows you how to use the Editor, explains what the many error messages are really saying, and leads you thru conversions of Level I programs to Level II.

Dual cassettes, the Expansion Interface with Real Time Clock, use of printers and other features are explained in the same easy-to-learn style that made the Level I Manual famous. LEARNING LEVEL II was created specifically for your Level II TRS-80!

#### VISA

## Yes, I want to LEARN Level II!



COMPUSOFT™ PUBLISHING • 1050 E B Pioneer Way • El Cajon, CA 92020 (714) 588-0996


Please send	copies of LEARNING LEVEI
II. My check for \$15.95	each + \$1.45 P&H is enclosed
(CA addresses add 6%	sales tax).

I understand my order will be shipped promptly and there is a  $30\,\mathrm{day}$  money-back guarantee.

NAME	
ADDRESS	
CITY	
STATE	
ZIP CODE	

#### Start Small and Grow Big

with our expandable multi-processor, multi-user system



#### S100 Bus and CP/M 2.2® Compatible

- Each user has its own complete system consisting of CPU, memory, console & local printer
- Unlike MP/M\* system there is no console speed degradation as you add users.
- All users share common disk storage and host printer Users can select either host or local printer
- Up to 128 user terminals can be connected
- -100 Bus compatible. 7. Each user has a hardware CPU reset button.
  If any of the users "crash" he can reset his CPU
- Interfaces to IBM3101 and other terminals

#### Software Feature:

- Use of CP/M 2.2 allows any CP/M compatible softwares to be used.
- DPOS/2 multi-user supervisor executive.
  2 file protect modes (in addition to CP/M's) prevent "fatal embrace" and "interleaved update
- Automatic host printer spooling.
- 5. Messages can be passed among users

OSM Computer Corporation 2364 Walsh Ave. Santa Clara, CA 95051 (408) 496-6910

Center, Seattle WA. The theme of this year's fair is "Hands On." The booths and exhibits will reflect this idea, and the public will have access to as many computers and terminals as possible. Contact the Northwest Computer Society, POB 4193, Seattle WA 98119, (206) 284-6109.

November 10-14

The Fourth Annual Data-Entry Management Conference, Orlando FL. This conference will cover data entry, distributed processing, and word processing with emphasis on data entry, including humanmachine interface. Contact Data Entry Management Association, POB 3231, Stamford CT 06905, (203) 322-1166.

November 18-20

The Third Industrial Revolution, McCormick Place, Chicago IL. This exposition and conference is devoted to development by manufacturing companies of systems for information management. Information may be obtained from Banner & Grief Ltd. 110 E 42nd St. New York NY 10017, (212) 687-7730.

November 19-21 Comdex '80, Las Vegas Convention Center, Las Vegas NV. Comdex is a conference and exposition for independent sellers of smallcomputer and wordprocessing systems, peripherals, media, and supplies. Address inquiries to the Interface Group, 160 Speen St, Framingham MA 01701, (800) 225-4620, in Massachusetts call (617) 879-4502.

November20-21

Western Educational Computing Conference, San Diego CA. This seminar will feature papers and seminars on the use of computing in higher education for instruction, administration, and research. Contact Ron Langley, Director, Computer Center, California State

University, Long Beach, 1250 Bellflower Blvd. Long Beach CA 90840, (213) 498-5459.

November 20-23

Northeast Personal and Business Computer Show, Hynes Auditorium, Boston MA. This is an annual exposition open to the general public. The admission will be \$5. Contact National Computer Shows, POB 678, Brookline Village MA 02147, (617) 739-2000.

Monomber 21-23

National Home Entertainment Show. New York Coliseum. New York NY. Exhibits will cover video, photography, audio, games, and home computers. Seminars and demonstrations will be featured in this show. Contact United Business Publications Inc. 475 Park Ave South, NewYork NY 10016, (212) 725-2300. **■** 

# MARK GORDON

DIVISION OF MARK GORDON ASSOCIATES, INC.

15 KENWOOD ST., CAMBRIDGE, MASSACHUSETTS 02139 (617) 242-2749 (617) 491-7505

#### **SD SYSTEMS COMPUTER KITS**

L EVDANDODAM I (Nia DAMC)

$\star$	EXPANDORAM I (NO RAMS)	109.00
*	VERSAFLOPPY CONTROLLER I	189.00
*	SBC-100 Single Board Kit	<b>239.00</b>
+	780 Starter	269 00

#### **OTHER SPECIALS**

★ 16K Memory Kit	. 59.00
★ CAT Modem	159.00
★ Leedex Monitor	109.00
★ Atari 400	499.00
★ Atari 800	779.00
★ Hazeltine 1410	699.00

#### CALL COLLECT TO ORDER

#### ORDERING INFORMATION

We accept Visa and Mastercharge. We will ship C.O.D. certified check or money order only. All orders must include 4 percent for shipping and handling. Massachusetts residents add 5 percent

The Company cannot be liable for pictorial or typographical inaccuracies.

# BYTE's Bugs

#### An Error in Fifteen

I enjoyed seeing my article "Fifteen: A Game of Strategy" appear in the June 1980 BYTE (page 230). Unfortunately a bug crept into the program (listing 1), and it will not run as listed. The problem is in line 720. which should read:

"IF T2>0 THEN 750"

rather than "IF T2>0 THEN 270". With this change it runs as it should.

If the EXIT statements are dropped and the PRINT statements changed, then the program runs very nicely on a TRS-80 under Level II BASIC.

John Rheinstein 10 Gould Rd Lexington MA 02173■

160 00

### ATTENTION COMMODORE DISK OWNERS

#### Never sort another disk file!

With Creative Software's ISAM file handling routine, your files are always maintained in sorted order. 2K bytes of assembly language subroutines allow you to:

- CREATE a new ISAM file
- · OPEN an existing file
- READ key and data from file
- WRITE key and data to file
- READNEXT key and data from file
- DELETE key and data from file
- · CLOSE file
- SUPPORTS up to 5 open ISAM files simultaneously

Available for 16K or 32K CBM computers and 2040 disk units

\$99.95 + \$2.50 shipping

Soon to be available for CBM 8016 and 8032 computers with 8050 disk drive. Manual available separately for \$15.00

# Creative Software

P.O. BOX 4030, MOUNTAIN VIEW, CA 94040

# \*\*\*\*\*\*\*\*\*\*\*

#### "SELECTRIC" TYPEWRITER TERMINA

Just imagine; an IBM Model 725 "SELECTRIC" typewriter built into a complete table-top RS-232 terminal! These surplus terminals were formerly on lease and appear to be in good condition (we test 'em to make sure the printer is functional!) These fantastic BCD-Coded terminals feature:

- •15" CARRIAGE
- •725 'SELECTRIC'
- •RS-232 I/O
- •132 COLUMNS
- •Sim. to IBM 2741
- Std. Typewriter Kbd.
- MAX: 15 CPS RATE
- •10 Chars./Inch

shipping on delivery.

- Removeable Type Sphere
- •6 Bit BCD CODE Attractive Case • Upper/Lower SHIFT

•134.5 BAUD I/O

•88 Character Set

ONLY \$**469**00!

While we will check out each unit, we MUST offer these unique bargains "AS-IS": Meaning they may need some service but are basically operational. Add \$20.00 for packing crate, you pay

 $\begin{tabular}{ll} \textbf{ALSO INCLUDES}: Type ball, I/O circuit boards, power supply \& some data. Sorry, no power cord included. \\ \end{tabular}$ 

#### -SPECIAL OFFER!!-

Buy 2, take 20% Off the Full Price-2 for \$75000

#### "SELECTRIC"\* PRINTER MAINTAINANCE MANUAL

"SELECTRIC" is an IBM Trademark



Associates, Inc.

MAIL ADDRESS:



## **Control Your Life!**

Now have full computer control of up to 256 lights, appliances and even wall switches without special wiring. The SciTronics REMOTE CONTROLLER permits direct control of the inexpensive BSR remote line-carrier switches sold by Sears, Radio Shack and many others.

- Controls all 256 BSR remote switches not just 16!
- Hardware driven—requires minimum software
- No ultrasonic link—prevents erractic operation
- No BSR command module necessary
- Real time, crystal controlled clock available

The controller comes complete with full documentation, sample software and is designed to work with most of the popular computers including any S-100 based system, TRS-80-1, Apple II, Heath H8 and others.

Real time clocks are available for all of the above computer systems. When used with the controller, true time scheduling is realized. All clocks are crystal controlled and have battery backup for accurate and reliable operation. Interrupts allow Foreground/Background operation of two programs simultaneously. Clock data includes year, month, date, day of week, hour, minute, and second.

#### Applications:

- Make your entire home or apartment computer controlled
- Save energy by controlling lights & appliances
- · Control security systems & alarms



Remote switches not included

S-100 CONTROLLER BOARD	<b>\$159.</b>
S-100 REAL TIME CLOCK BOARD	<b>\$139.</b>
ENCASED CONTROLLER (TRS-80, Apple etc.)	<b>\$184.</b>
ENCASED CONTROLLER &	
REAL TIME CLOCK (TRS-80, Apple etc.)	<b>\$269.</b>
APPLE CLOCK BOARD ONLY	<b>\$</b> 109.

Send check or

#### SciTronics Inc.

money order to: 523 S. Clewell St., P.O. Box 5344 Bethlehem, PA 18015 (215) 868-7220

Please list system with which you plan to use controller. Master Charge and Visa accepted. PA residents add sales tax. COD's accepted.

269

# **Exploring Ballistics with** Your Computer

Robert W Ienks **POB 962** Islamorada FL 33036

Many sports are intricately involved with the properties of objects lofted into the air and thereby committed to the inevitable effects of gravity. Both players and fans relish golf's hole-in-one, the long bomb to the wide receiver in football, and the home run in baseball. In the case of target shooting, the path of the projectile is of particular interest. How the bullet gets to the target is the province of physics, but where it lands resides solely in the skill of the shooter. BALISTIC is a program to calculate just where a bullet will go.

#### **Ballistics**

Ballistics is the study of the behavior of projectiles at various ranges. Of interest to shooters are the velocity, time of flight, drop, and drift at evenly incremented ranges of 50 or 100 yards. Also of interest is the maximum height attained by the bullet above a horizontal line from the bore to a bull's-eye, the trajectory above and below a line of sight at various ranges, and the energy of the bullet.

A variety of factors influence the path of a bullet as it leaves the muzzle; most important are muzzle velocity, gravity, and air resistance. Muzzle velocity is determined by internal ballistics and factors such as bullet weight and bore diameter, barrel length, powder weight and burning rates, and maximum pressures.

The calculation of these factors is beyond the scope of this article. Muzzle velocity depends upon the direction of the bore relative to the horizontal, since a velocity is formally a vector quantity. As it leaves the muzzle, though, the speed of the bullet can be most easily measured with an instrument called a chronograph. Bore elevations at reasonable ranges are typically less than a quarter of a degree, and therefore are of negligible influence. The acceleration of gravity is dependent on latitude and altitude (and thus on the distance to the center of the Earth), and upon local rock density and underlying mass. This, too, tends to minor deviations: only 0.5% from the equator to the poles, only 0.15% from sea level to 15,000 feet. The acceleration of gravity can be regarded as a constant 32.1725 feet per second per second in English system units.

Air resistance is the most complicated factor, and its effect is dependent on the density of the air, temperature (and thus the speed of sound), wind velocity, and the properties of the bullet—specifically, speed, sectional density (proportional to the ratio of mass to frontal area), and shape. Whereas gravity pulls the bullet toward the center of the Earth. air resistance acts as a drag opposite to its direction of motion at any instant. This effect of air resistance, independent of gravity (under usual conditions), determines the time of flight to any range and the remaining velocity. The effect of gravity combined with the influence of air resistance determines bullet drop at any range. Therefore, the calculations of the effects of the air naturally come first.

#### Air Resistance

The effect of the atmosphere is to push against the moving bullet. Because a force acting on a mass results in an acceleration or deceleration, depending upon the force's direction, a bullet is decelerated at a rate proportional to the ratio of the drag force to the mass. For a standard projectile, this retardation R is related to a constant A times a power m of the velocity at any instant: thus  $R = AV^{m}$ . It has been deduced that the retardation or drag (call it r) for any other projectile differing from the standard only in scale of size is directly proportional to a ratio of the standard projectile's deceleration to a factor known as the ballistic coefficient: thus r = R/C. The ballistic coefficient C for a bullet differing in varying degrees of shape from the standard is, in turn, proportional to the ratio of the sectional density to a quality called the form factor (commonly known as i): thus  $C = (w/d^2)/i$ 

The form factor is usually disagreeably hard to calculate from

## NEVADA

Powerful subset of ANSI-74

Order now! All the elegant simplicity of COBOL is now affordable!

DISKETTE MANUAL

REQUIRES only 16K RAM. Available on 8" CP/M standard single density or 51/4" diskettes for North Star, TRS-80 Mod I and Superbrain. Other formats too! Manual alone \$24.95.

These nowerful, easy to use **COBOL APPLICATION PACKAGES** are also available

#### **BUDGETPLAN REPORT GENERATOR**

Fantastic time saver and planning aid for beginning or established

#### 2 PERSONAL FINANCIAL REPORTING

Eye-opening insights of personal spending.

LABELS for mailing lists.

PRECOBOL (a preprocessor).

#### ALL 4 in one BOOK!

73 pages with complete COBOL source code listings and super documentation.

**WE ACCEPT** 



Ellis Computing 1480 17th Avenue San Francisco, CA 94122 (415) 664-1534



GO FOR IT!

In CA add sales tax. CP/M trade mark of Digital Research. TRS-80 trade mark of Tandy Corp

#### 16 BIT S100 PROCESSOR

The LDP88 single board computer is the first 16 bit processor to put the power of a 16 bit processor on the 8 bit S100 bus. The LDP88 is IEEE S100 bus compatible ensuring that the user has a large number of compatible board products to choose from. The LDP88 uses the Intel 8088 processor which is fully compatible with the 8086 instruction set.

#### FLOPPY DISK CONTROLLER

The LDP72 is an advanced floppy disk controller which relieves the processor of the time consuming disk control functions. The LDP72 is also IEEE S100 bus compatible and offers the following advanced features:

- Software selectable single or double density
- Mix minifloppies with standard floppies
- Phase locked loop data separation for data reliability
- Controls up to 4 floppy disks

Partial Kit Full Kit Assembled & Tested

LDP88 \$199.95 \$349.99 \$399.99

LDP72 129.95 219.95 274.95

Coming Soon: A disk operating system for the LDP88, LDP72 combination.

MasterCharge and Visa accepted (Visa add 4%) (Mass. residents add 5% sales tax)

#### Lomas Data Products

11 Cross Street Westborough, MA 01581 Telephone: (617) 366-4335



At Cover Craft we've manufactured the highest quality Dust Covers for the electronics industry for more than six years. We've been selected by major equipment manufacturers to make covers for their products. Our covers are in use in every state and in more than 50 countries. We know what it takes!

So visit your dealer or contact Cover Craft for our latest catalog and list of over 200 dealers.



geometric properties alone, and is therefore inferred from the results of ballistic experimentation. But for ogival pointed bullets (ie: a bullet with a point shape defined by a circular arc meeting parallel straight sides at a tangent, or spitzer)  $i = \sqrt{(16n-4)/7n^2}$ ,  $n = L^2 + 0.25$ , n equals the ratio of arc radius to bullet diameter. L equals the ratio of bullethead length to diameter (see reference 1). Most bullets are ogival in shape, but serious changes in the form factor are caused by even small flats on the nose (such as hollow points or dents in soft-nose jacketed bullets), and no

further use of this mathematical relation will be made.

Since the velocity of a bullet at any time is dependent upon the deceleration, which in turn is dependent on the instantaneous velocity, a differential equation is involved. Since a change in velocity is dependent on the integral of acceleration, the use of the calculus is formidably indicated. Whereas given an initial muzzle velocity one might attempt to tabulate range and velocity for suitably small increments of time, it is easier to tabulate changes in range and time for suitably small decrements in ve-

locity, and avoid the calculus entirely. Summations of these increments of time and range give the total time of flight to a given distance. To do this the values of the constants A and m in the equation  $R = AV^m$  must be determined

Values for the constants A and m were determined by Russian Colonel Mayevski based on data compiled by the German firm of Krupp Armorers in 1881. These figures were converted into English units by Colonel James M Ingalls of the United States Army in the form of a famous tabulation known as the Ingalls Ballistics Tables.

The standard projectile used in the Krupp firings was a spitzer-pointed projectile of 2-caliber radius, flat base, and an overall length of 3 caliber. The shape of small-arms bullets today is similar enough to this standard projectile to allow the Ingalls tables to closely predict their performance. It was found that the factors A and m varied with velocity, but could be taken as constants within suitable limits of velocity and still give accurate results. Thus eight ranges of velocity from 5000 feet per second (fps) to 0 fps, each with its own constants A and m, cover the range of small-arms bullets. The factors A and M in listing 1 are these constants. Also available in the program are the constants to reconstruct the British Ballistic Tables of 1909: these seem to more closely agree with hand-loading data such as is in the Sierra Bullets Reloading Manual (for the reloading of cartridges by the shooter).

To reconstruct the Ingalls or British tables, a standard projectile is assumed, with a Krupp-shaped nose, weighing 1 pound, 1 inch in diameter, and with an assigned standard ballistic coefficient of 1 and a form factor of 1 (since  $w/d^2=1/1^2=1$ ). For a small change in velocity v = U - W $(U=initial\ velocity,\ W=final\ veloc$ ity over a small change in velocities), and average velocity V = (U+W)/2, the time for the projectile to decelerate from U to W is  $t=v/AV^m$ , and the distance over which it travels  $s = v/AV^{(m-1)}$ . The total time to slow from a given muzzle velocity to any velocity W equals the sum of all these increments of time  $(T=\Sigma t)$  and the total distance  $S = \Sigma s$ .

The computer solves these summations for any bullet, given either its ballistic coefficient or form factor

## No typing skills required

It's easier and more accurate to enter alphanumeric data with a BIT PAD than a keyboard. Now anyone can....

- Enter whole lines of characters with a single stroke.
   Enter data directly from business forms by simply
- Enter data directly from business forms by simply checking a box.
- Enter variable alphanumeric data from a menu keyboard.

Take a printed form—price list, order form, loan or insurance application, laboratory request—lay it on the BIT PAD tablet and touch the pertinent items with the pen. The information is entered directly into your data processing system.


Plus, the BIT PAD does even more.

Try to describe a fluctuating business trend to your computer through a keyboard. With BIT PAD you simply trace the trend with the pen. Special keyboard menus can be created by the user to enter high level languages, foreign languages or special symbols.

Before you order any kind of data entry equipment, ask Summagraphics to give you the full story on the BIT PAD ONE.

Summagraphics Corporation, 35 Brentwood Avenue, Fairfield, Connecticut 06430; or call Marketing Department, Peripheral Products (203) 384-1344.





**Listing 1:** BALISTIC, a North Star BASIC ballistic program. The workings of this program and the peculiarities of North Star BASIC are described in the text.

```
REM ** "BALISTIC" BY R W JENKS 1979 MOD 9/10/70 **
GOSUB 1540\REM (OUTPUT TO TERMINAL)
LINE 79
20
30
        DIM C$(50),T(10,2)
40
50 C1=1\ A4=1\ V=5\ R3=500

60 ! CHR$(27),CHR$(42)

70 REM ** INPUT PARAMETERS **

80 INPUT *CALCULATE BALLISTIC COEFFICIENT (YES/NO)? *,I$
T3=59+1*F1
130
         P1=29.53+.47*F1
     INPUT1 'WIND SPEED:',WI\ ! " Miles Per Hour"
INFUT1 'CROSS WIND ANGLE:',AI\ ! " Degrees From Broadside'
140
150
         W2=W1*COS(2*3.1415927*A1/360)*88/60
170 IF I$="W" THEN 460
180 INPUT "CARTRIDGE:",C$
190 INPUT1 "WEIGHT:",W\ !
     W=W/7000
INPUT1 "CALIBER: ",D\ ! " Inch"
IF F THEN 290
200
210
220
230 INPUT 'BALLISTIC COEFFICIENT:',C
     IF C<>0 THEN 260
INPUT "FORM FACTOR:",I
250
         IF C=0 THEN C=(W/D^2)/I
IF I=0 THEN I=(W/D^2)/C
260
280 C1=C
290 INPUT *NON STANDARD CONDITIONS (YES/NO) ?*,1$
        IF I$<>"YES" THEN 460
REM ** NON STANDARD A
300
               ** NON STANDARD ATMOSPHERIC CONDITIONS **
320 INPUT1 'TEMPERATURE:',T3\ ! " Degrees Fahrenheit"
330 INPUT1 'PRESSURE:',F1\ ! ' Inches Mercury'
340 INPUT1 'ALTITUDE:',A2\ ! " Feet"
          T4=59-(3.566E-3)*A2+1*F1
360
         P2=29.53-(8.581E-4)*A2+(8.602E-9)*A2^2+.47*F1
          A3=1+(3.073E-5)*A2+(6.371E-10)*A2^2
370
          A4=A3*(2-F1/F2)*(T3+459.4)/(T4+459.4)
380
390
          C=C1*A4
          IF F THEN 430
400
           *MODIFIED C:*,%5F3,C\!
410
         GOTO 440
430
          T3=59+1*F1\ P1=29.53+.47*F1\ A2=0
         I=(W/D^2)/C
REM -- END OF ROUTINE ---
440
450
        REM
     IF NOT F THEN INPUT "TO 500 OR 1000 YARDS? ",R3
460
470 R3=R3/500
480 INPUT1 *MUZZLE VELOCITY: ',V1\ ! * Feet Per Second*
         V2=V1+V\R2=0
IF NOT F THEN 560
490
500
510 INPUT1 "RANGE:",R1\ ! " Yards"
520
         R1=R1*3
REM ** FRINT DATA **
550
         · •,C$,
560
570
      ! " ",C$,
! TAB(50),INT(W*7000+.5)," Grains ",%*5F3,D," Caliber"
! TAB(25), BALLISTIC COEFFICIENT: ",C," FORM FACTOR:
! TAB(30), Based on ",
IF F1 THEN! "INGALLS",\ IF NOT F1 THEN! "BRITISH 1909",
580
                                                                  FORM FACTOR: ",I,%#
590
600

    Ballistic Tables

610
        WIND ',%#5F1,W1,' MPH FROM ',A1,' Degrees C
'TEMPERATURE ',T3,' Degrees F PRESSURE ',%5F2,P1,
'Inches Hg ALTITUDE ',%#,INT(A2),' Feet'
620
                                                                                CROSSWIND ",W2," FPS"
630
640
650
660
         *RANGE VELOCITY ENERGY MAX HEIGHT DROP
                                                                     DRIFT
                                                                                 TIME"
        "YARDS
                                                                         IN.
670
                    FT/SEC
                                FT-LBS
                                                  TN.
                                                               IN.
                                                                                   SEC.
680
               ** BEGIN TIME AND DISTANCE CALCULATIONS **
700
          K=2*V*C
710
         U2=U2-2*U
          IF F1 THEN GOSUB 1350 ELSE GOSUB 1190
720
730
          S1=S\ S=S+K/(A*V2^(M-1))
         T1=T\ T=T\K/(A*V2^M)

IF F AND V2<V4 THEN 790

IF NOT F AND S>=R2 THEN 870
740
750
760
770
780
          GOTO 710
        REM ** RESULTS OF BC/FF CALCULATION ** S=S1+(S-S1)*(V2+V-V4)/(2*V)
790
800
          C=(R1/S)/A4
810
          I = (W/D^2)/C
820
830
         *BALLISTIC COEFFICIENT: *,%#5F3,C
         "FORM FACTOR:",1,%#
C1=C\F=0\ GOTO 1090
840
850
              ** PRINT A ROW OF BALLISTIC DATA **
860
870
880
         V3=(V2+V)-2*V*(R2-S1)/(S-S1)
E=V3^2*W/32.1725/2
          T2=T1+(T-T1)*(R2-S1)/(S-S1)
900
910
          T(R2/(150*R3),0)=R2/3
D1=(110,3+82,7*V3/V1)*T2^2
920
          T(R2/(150*R3),1)=D1
          W3=12*W2*(T2-R2/V1)
```

Listing 1 continued on page 274

# Software Development Tools

## PASCAL/M<sup>TM</sup>

The CP/M<sup>™</sup> compatible language for 8" 8080/Z80 CPU's, NorthStar 2D, Cromemco CDOS & TRS-80 Mod II.

- Random access files
- Runtime debug support
- Over 45 extensions to Standard Pascal
- 9511A math chip version available

\$175. Manual alone - \$10.

#### $ACT^{T\lambda}$

NEW! CP/M compatible macro assembler for Z80, 8080/85, 6502, & 6800.

FINALLY, one assembler that supports all major 8 bit micros and runs under CP/M. ACT is available now in 8" soft sectored & NorthStar CP/M formats.

COMING SOON: ACT FOR 8086/88 & 6809.

\$125. Manual alone · \$15.

#### PEARL<sup>TM</sup>

The application software generator.

Pearl asks questions that a programmer would have to answer to code the system. You answer the questions and Pearl uses built-in logic to construct both subroutines and mainline programs. The system then complies and executes your program code.

- Level 1: For Personal Computing
   \$130.
- Level 2: The Business Assistant
   \$350.
- Level 3: Advanced Software Development - \$650.

CBASIC2<sup>™</sup> required. Manuals alone - \$25. each

#### CBASIC2

Latest release 2.06, CP/M2-MP/M<sup>TM</sup>, or TRS-80 Mod I. Specify CP/M version & format (8" soft-sectored, NorthStar, Micropolis, TRS-80, etc.)

\$95. Manual alone - \$15.

#### DIGITAL MARKETING

2670 Cherry Lane Walnut Creek, CA 94596 (415) 938-2880

Pascal/M & ACT are trademarks of Sorcim CP/M & MP/M are trademarks of Digital Research Pearl is a trademark of Computer Pathways CBASIC is a trademark of Compiler Systems TRS-80 is a trademark of Radio Shack Outside USA add \$10. for postage & handling

# Buy By Mail and Save!

#### **COMPUTERS**



INTERTEC SuperBrain®       32K. \$2495         64K RAM, List \$3345
NORTH STAR Horizon I®
16K D. D. Kit
32K D. D. Kit
32K Assembled, List \$2695 \$2149
Horizon 2 32K DD, Assm., \$3095 \$2439
32K QD, Assm., List \$3595 \$2859



<b>CROMEMCO Z-2</b> , List \$995	\$ 829
System 2, 64K, List \$3990	\$3179
System 3, 64K, List \$6990	\$5479
<b>ATARI</b> <sup>®</sup> <b>400</b> , List \$630	\$ 489
800, List \$1080	\$ 839
TI-99/4, List \$1150	\$ 985

#### DISK SYSTEMS

THINKER TOYS® Discus 2D.	\$ 939
Dual Discus 2D	\$1559
Discus 2 + 2, List \$1549	\$1288

PRINTERS & TERMINALS
PAPER TIGER IDS-440 \$ 849
with Graphics Option \$ 949
CENTRONICS 730-1, List \$995 . \$ 639
737, List \$995 \$ <b>849</b>
T.I. 810 \$1575
INTERTUBE II, List \$995 \$ 729 PERKIN-ELMER Bantam 550 \$ 789
TELEVIDEO 912C \$779
920C
<b>HAZELTINE 1420</b> \$ <b>839</b> 1500 \$ <b>879</b>
SOROC 120 \$ 745

#### **FLOPPY DISKS SPECIAL**

5 ¼ " Box of 10 ONLY \$29.95

(specify TRS-80, North Star, SuperBrain, etc.)

Most items in stock for immediate delivery. Factory sealed cartons w/full factory warranty. NYS residents add appropriate sales tax. Prices do not include shipping. VISA and Master Charge add 3% C.O.D. orders require 25% deposit. Prices subject to change without patien.

# Computers Wholesale

P.O. Box 144 Camillus, NY 13031

V/SA (31:

(315) 472-2582

#### Listing 1 continued:

```
%51,INT(R2/3+.5),%101,INT(V3+.5),%81,INT(E+.5),
950 ! %10F1,48*T2^2,%8F1,D1,%7F1,W3,* *,%6F3,T2
         R2=R2+150*R3
IF NOT(NOT F AND R2>1500*R3) THEN 710
960
970
980 REM ** TRAJECTORY TABLE **
990 INPUT1 *SIGHT ON AT: *, R4\ J *
1000 INPUT1 *SIGHT HEIGHT: *, H\ ! *
                                                Yards
                                                 Inches*
          FOR X=0 TO 10
1010
           T(X,2)=T(R4/(50*R3),1)*T(X,0)/R4-T(X,1)-H*(R4-T(X,0))/R4
1030
           NEXT
          1040 1
1050
1060 !
1070
          REM ** RESET FOR ITERATION. W=NEW WIND INFO, A=NEW AIR INFO,
1080
         REM
                    F=FRINTER, T=TERMINAL **
          S=0\ T=0
1090
1100 INFUT I$
          FUT 15
IF 15="W" THEN 140
IF 15="A" THEN 320
IF 15="T" THEN GOSUB 1540
IF 15="F" THEN GOSUB 1550
IF 15="F" THEN 1100\ IF 15="T" THEN 1100
1110
1120
1130
1140
1150
           GOTO 460
1160
         REM ***** DATA *****
REM ** BRITISH 1909 BALLISTIC CONSTANTS **
1170
1180
1190 IF V2>2600 THEN 1330
1200 IF V2>2000 THEN 1320
1210 IF V2>1460 THEN 1310
1220 IF V2>1190 THEN 1300
1230 IF V2>1040 THEN 1290
1240 IF V2>840 THEN 1280
1250 IF V2>0 THEN 1270
1260 END
1270 A=74422E-8\ M=1.6\ RETURN
1280 A=59939E-12\ M=3\ RETURN
1290 A=23385E-22\ M=6.45\ RETURN
1300 A=95408E-12\ M=3\ RETURN
1310 A=59814E-8\ M=1.8\ RETURN
1320 A=58495E-7\ M=1.5\ RETURN
1330 A=15366E-7\ M=1.67\ RETURN
1340
                ** INGALLS BALLISTIC CONSTANTS **
1350 IF V2>3600 THEN 1510
1360 IF V2>2600 THEN 1500
1370 IF V2>1800 THEN 1490
1380 IF V2>1370 THEN 1480 1390 IF V2>1230 THEN 1470
1400 IF V2>970 THEN 1460
1410 IF V2>770 THEN 1480
1410 IF V2>790 THEN 1450
1420 IF V2>0 THEN 1440
1430 END
1440 A=4.6761777E-05\ M=2\ RETURN
1450 A=5.9353046E-08\ M=3\ RETURN
1460 A=6.3368148E-14\ M≕5\ RETURN
1470 A=9.5697809E-08\ M=3\ RETURN
1480 A=1.3160125E-04\ M=2\ RETURN
1490 A=1.2479524E-03\ M=1.7\ RETURN
1500 A=4.0648825E-03\ M=1.55\ RETURN 1510 A=4.05E-03\ M=1.551\ RETURN
         REM ** TERMINAL/PRINTER OUTPUT ROUTINES
1530
         REM
                   FOR USE WITH NORTH STAR DOS 3.2 **
1540 FILL 10559,3\ FILL 10567,2\ RETURN 1550 FILL 10559,5\ FILL 10567,4\ RETURN
1560 GOSUB 1550\ END
```

over a suitably small change in velocity of v=10 feet per second, or the program solves for the ballistic coefficient and form factor given muzzle velocity and remaining velocity at any range by calculating the performance of the standard projectile and comparing it with the actual performance of the bullet under consideration. The answers are interpolated for maximum accuracy.

These calculations are relevant for conditions of standard atmospheric density. Other conditions of air temperature, pressure, and water-vapor content may give a density different from standard. Changes in altitude will influence all three factors. These conditions have the effect of modifying the form factor. The

factor for a temperature different from standard equals the ratio of the absolute value of the observed temperature to the absolute value of the standard temperature at the desired altitude. (In the English system of units, absolute temperature is measured in degrees Rankine. Degrees Rankine equals 459.4 + degrees Fahrenheit,  $t_1^{\circ}R = 459.4 + t_2^{\circ}F$ .) The factor for a difference in pressure equals 2 minus the ratio of the observed barometric pressure to the standard barometric pressure (again, as would be found at the altitude). The altitude factor is inferred from experimentation, and for this I have used the same factor as in the Sierra Bullets Reloading Manual (reference 2). Deviations from standard humidi-

- Ballistic proportional part constant
- A1 Crosswind angle
- A2 Altitude above sea level
- A3 Altitude factor
- A4 Combined atmospheric factor
- Current ballistic coefficient
- C1 Standard ballistic coefficient
- Bullet diameter (caliber)
- D1 Drop
- Energy
  Flag to indicate calculation of ballistic
- F1 Flag to indicate choice of constants
- H Sight height above bore
- Form factor
- Simplified term for calculations
- M Ballistic exponent constant
- P1 Atmospheric pressure
- P2 Pressure factor
- R1 Final range
- R2 Incremental range for tables
- R3 Maximum range (in units of 500 yards) R4 Range at which sights are on
- S Distance
- S1 Previous distance
- Time
- T1 Previous time
- T2 Interpolated time
- T3 Temperature
- T4 Temperature factor
- V Incremental velocity
- V1 Muzzle velocity
- V2 Average interval velocity
- V3 Interpolated velocity
- V4 Final velocity
- W Bullet weight
- W1Wind speed in mph
- W2Crosswind in fps
- W3Wind drift
- X Loop variable T() Trajectory table array C\$ Cartridge identifier
- I\$ Response to input request

Table 1: Table of variables used in the BALISTIC program.

ty are best ignored. And, indeed, few shooters are likely to hazard whirling a sling psychrometer on the range anyway.

Standard conditions at sea level used for the Ingalls Tables are 30 inches of mercury, 60° F, and air 66% saturated with moisture. This compares with the standard conditions for the tables in the Sierra Bullets Reloading Manual of 29.53 inches of mercury, 59° F and 78% relative humidity. The product of these factors with the ballistic coefficient gives an amended ballistic coefficient.

#### **Bullet Path**

The trajectory of a bullet is conventionally taken to be the path traversed by the bullet in a vertical plane. This path, in turn, can be measured from various datum lines. When it is measured from the line of the bore and the bore is horizontal, the path is referred to as bullet drop. Now for TRS-80 Model II, Sorcerer, H8 / H89

# VEDIT CP/M **Visual Editor**

You Customize The Most Valuable **Development Tool A Programmer Can Have.** 

#### Features:

Screen oriented editor with status line. In visual mode the screen continuously displays the region of the file being edited and a cursor. Changes are made by moving the cursor to any place in the file and typing in new text or hitting a function key. These changes are immediately reflected on the screen and become the changes to the file.

Full array of cursor movements with single key movement to begin and end of lines, tab positions.

Function keys for character delete, line delete and allowing line splitting and concatenating.

Very easy to use text move in visual mode with a text register.

Flexible command mode allows global search and substitute, repetitive editing operations, text move.

Blocks of text are readily copied from one file to another. Files may be merged on input, split on output and other extensive file handling.

Keeps up with the fastest typists! Extensive manual with sections for both the beginning and experienced user. (Our users say it is the clearest, best manual available).

**Special Features:** 

Disk buffering can automatically perform Read/Write for files larger than available main memory.

Tabs settable to any positions. Tab key inserts tab character or spaces to next tab position.

Display of clearly marked continuation lines for text lines longer than a screen line.

Convert assembler code fields and not comments to upper case.

#### You Customize It:

To Your screen size (even 40 or 70 lines), screen address and keyboard layout of function keys.

Cursor - blinking, reverse video. Default Tab positions, special characters and various parameters. Scrolling methods.

It is ideal for diverse hardware, keyboards and applications. For OEMs too.

Compatible: Memory mapped displays, including VDM, POLY, SSM, VIO. CRT terminals, H19, Hazeltine, ADM, etc. Also for Sorcerer, TRS-80 Model II, H8 / H89, SuperBrain, Cromemco and others.

CP/M is a trademark of Digital Research Corp TRS-80 is a trademark of Tandy Corporation

#### The Changes You Make on the Screen Become the Changes to the File.

Compare with the other screen oriented editors. Some have most of VEDIT's features, fewer have the special features, but none are customizable like VEDIT. And don't be misled by our lower price! It's many features make it the fastest and easiest to use editor available for program development. It is well suited to Word Processing too. (Even users with other screen oriented editors and word processors tell us they prefer VEDIT.)

Ordering: Specify your video board, CRT terminal type or microcomputer, the 8080/Z80 or Z80 code version and disk format desired.

#### Need a Fast and Reliable 24 X 80 Video Board

Then you want the S-100 PIICEON V-100. It's I/O mapped, doesn't take up memory space, yet runs at full processor speed. Full character set with lower case descenders. Fully assembled and tested by PIICEON, the company known by OEMs for reliability. It's the ideal companion to VEDIT.

Standard Package: For CRTs, Sorcerer, Model II, PIICEON \$110
Memory Mapped Package: For Memory mapped displays \$100
Manual: Price refunded with software purchase
PIICEON V-100: 24 X 80 Video display board, 1 Year Warranty \$445
PICKLES & TROUT CP/M: Super CP/M 2.2 for the TRS-80 MOD II \$185


VISA and MASTER CHARGE Welcome. Attractive dealer terms.

# CompuView Products Inc.

1531 JONES DRIVE ANN ARBOR, MICHIGAN 48105 CALL ANYTIME: (313) 996-1299

# NTREPRENEURS MORE THAN EVER IN THE MICRO-

shortage of knowledgeable dealers/distributors is the #1 manufacturers. Over 300 new systems houses will go into business this year, but the number falls short of the 1200 needed. It is estimated that the nationwide shortage of consultants will be over 3000 by 1981. The HOW TO manuals by Essex Publishing are your best guide to start participating in the continued microcomputer boom.



HOW TO START YOUR OWN SYSTEMS HOUSE 6th edition, March 1980

Written by the founder of a successful systems house, this factfilled 220-page manual covers virtually all aspects of starting and operating a small systems company. It is abundant with useful, real-life samples: contracts, proposals, agreements and a complete business plan are included in full, and may be used immediately by the reader.

COMPUTER INDUSTRY.

Proven, field-tested solutions to the many problems facing the small systems house are presented.

From the contents:

 New Generation of Systems Houses
 The SBC Marketplace Marketing Strategies • Vertical Markets & IAPs • Competetive Position / Plans of Major Vendors • Market Segment Selection & Evaluation • Selection of Equipment & Manufacturer • Make or Buy Decision • Becoming a Distributor • Getting Your Advertising Dollar's Worth • Your Salesmen: Where to Find Them • Product Pricing • The Selling Cycle • Handling the 12 Most Frequent Objections Raised by Prospects • Financing for the Customer • Leasing Questions You Will Have to Answer Before the Prospect Buys

Producing the System 

Installation, Accaptance, Collection Documentation • Solutions to the Service Problem • Protecting Your Product • Should You Start Raising Capital How to Write a Good Business Plan



HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT by Leslie Nelson, May 1980

Independent consultants are becoming a vitally important factor in the microcomputer field, filling the gap between the computer vendors and commercial/industrial users. The rewards of the consultant can be high: freedom, more satisfying work and doubled or tripled income. HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT provides comprehensive background information and step-by-step directions for those interested to explore this lucrative field:

Established consulting markets
 How toget started
 Itemized start-up costs
 Are you qualified?
 Beginning on a part-time basis
 The Marketing Kit
 Should you advertise?
 Five marketing tips

• Getting free publicity• How much to charge• When do you need a contract? • Sample proposals • Which jobs should be declined • Future markets • The way to real big money • Avoiding the legal pitfalls • How consultants' associations can help you • The National Register of Computer Con-How others did it: real-life sample cases • and much more.



3rd edition, June 1980 FREE-LANCE SOFTWARE MARKETING

Writing and selling computer programs as an independent is a business where • you can get started quickly, with little capital investment • you can do it full time or part time • the potential profits are almost limitless. Since the demand for computer software of all kinds is growing at an explosive rate, the conditions for the small entrepreneur are outstanding.

This manual will show you how to sell your own computer programs using these proven techniques: • direct to industries • through consulting firms • through manufacturers of computer hardware • in book form • mail order • through computer stores. It will show you how to profitably sell and license all types of software ranging from sophisticated analytical programs selling for thousands of dollars, down to simple accounting routines and games for personal computers.

The book will guide you step by step through the process of No. 32 marketing, advertising, negotiating a contract, installing software, training users and providing maintenance and support. It also contains sample software contracts that have been used in actual software transactions. Also included are tips on how to negotiate with a large corporation, ways of avoiding personal liability, techniques for obtaining free computer time

285 Bloomfield	BLISHING CO Avenue • Calo	lwell, N.J. 07006		VISA
Order books Publisher pay Canada, \$5.0	by number. Sen s 4th class ship in Europe, \$8.0	d check, money ping. For Air Mail 0 elsewhere. N.J.	order (U.S.\$), VISA shipping add \$2.50 residents add 5% s	or Master Charge #. per book in USA and ales tax.
			<ul> <li>Check enclose</li> </ul>	
Name				
Address				
City			State	Zip
Card #				Exp
For faster shi	pment on credit o	ard orders call (20	1) 783-6940 between	9 and 5 Eastern time.

and hints on how to run a free-lance software business while holding a full-time job.

In common parlance, the term "trajectory" is assumed to be referenced to the line of sight. This takes into account the offset and angular difference between the line of sight and the bore. As the crosswind effect usually has little or no component affecting the path of the bullet in the vertical plane, it can be treated separately. The combination of the motions of the bullet in the vertical and horizontal planes intersecting at the datum line fully describes its performance along the datum.

If a rifle could be fired on the Earth surrounded by a vacuum, the bullet would begin to fall, and over a time, the distance it falls would exactly equal one-half the gravitational constant times the square of the time of flight. The effect of the atmosphere is to restrict the fall of a bullet. This does not imply that shooting through an atmosphere gives better performance than shooting in a vacuum, because, though the bullet drops less for a given time of flight, it takes longer to reach a given range, and thus the total drop for a given range is greater. A bullet fired in a vacuum would retain its muzzle velocity, as the absence of air implies an absence of anything to impede its progress.

The British Textbook of Small Arms, 1929, likens the effect of the air to a simulation of a gravitational constant that decreases with range. Thereby the vacuum equation may be used, but using a different constant f instead of g. This is approximated by the equation f = g - 0.429g(M-W)/M, where W equals the velocity at the given range, and M equals the velocity the bullet would have at the same range had it been fired in a vacuum; for all ranges M would be equal to the muzzle velocity. This equation is only a correlation with the facts and is not meant to actually explain the mechanism of bullet drop under the influence of air. But it is acceptably accurate down to velocities where W>M/3 (see reference 1).

To determine an actual trajectory, the curve of the bullet path versus range is tilted up just enough so that the curve crosses a horizontal line (from the muzzle) at the given range where the gun is to shoot on target. This is effectively accomplished for small angles of elevation by subtracting from the drop, at the range, an amount proportional to the product of the bullet drop at the targeted

\$30

range times the ratio of any range to the targeted range (o=d-Dr/R, where o = modified ordinate relative to the horizontal, d=drop at any range, D = drop at targeted range, r=any range, R=targeted range). A table of discrepancies between the path of the bullet and the horizontal is modified for the difference between the angle of the line of sight and the horizontal (crossing at the targeted range). Thus O = o - h(R - r)/R, where O= the ordinate from the line of sight, and h = the separation of sight and bore; h usually varies from 0.75 to 2 inches.

For any given target range, the maximum height reached by the bullet above the horizontal while traveling to that range is  $H=48T^2$  inches. Maximum height and midrange trajectory are nearly identical over the limits of practical shooting distances.

#### Crosswind

Though the effect of air resistance on bullet drop is somewhat odd, the effect of a crosswind is downright confusing. One would think that a bullet in a crosswind might do one of three things: it might quickly begin drifting with the wind if it were light relative to its lengthwise sectioned area, or it might resist the wind tenaciously if it were massive relative to this area, or, most likely, it should do a little of both; drifting to the extent that it is light and resisting to the extent that it is massive. In any case its crosspath acceleration should appear to be smooth as its sideways speed approaches that of the wind.

In truth, though, a bullet will drift an amount equal to the product of the component of the wind perpendicular to the axis of the bullet multiplied by the difference between the time the bullet takes to reach any range and the time it would take to reach that range were it fired in a vacuum. This time of travel in a vacuum equals the range divided by the muzzle velocity. It is hard to believe that both a slowmoving bullet and a fast-moving bullet (ie: bullets moving slower or faster than the speed of sound) drift less for the same ranges than bullets moving more nearly at the speed of sound, even though the fast-moving bullet gets to the target sooner and the slow-moving bullet gets there later. A bullet fired at a speed faster than the speed of sound at first accelerates sideways moderately, then accelerates considerably in drift while

#### ARTIFICIAL INTELLIGENCE

For Your

# C/PM®

"SHIVA®" is a highly-sophisticated VIRTUAL-PERSONALITY® multi-level multiuser multi-tasking executive (operating system) for S-100 based systems. It provides your microcomputer system immediately with power comparable to that of largeframe maxi-computers for a remarkably small price, yet SHIVA® requires surprisingly little R.A.M. area, and is conversational!!! SHIVA's® English-like input/output is interactive, dynamic, and may be reconfigured or expanded by the user. And SHIVA® gives you the freedom to expand indefinitely... with tremendous hardware and software choice: SHIVA® supports hard disks and floppies... R.A.M. addressing beyond 64 kilobytes . . . time-sharing . . . multi-level user-reconfigurable password protection . . . and features shell-commands similar to UNIX® in structure!! SHIVA® is compatible with C/PM® and C/DOS® for easy implementation and near universal software support!!! SHIVA® is available for 8080, 8085, MC6800, 6502, and Z80®-based systems.

Versions are in development for ZILOG Z8000® 16-BIT, INTEL 8086® and INTEL 88002® 32-BIT PROCESSORS . . .

And Omega Research® is dedicated to non-obsolescence and system superiority in software choice . . . . SHIVA® supports BASIC, FORTRAN, COBOL, a MACRO-ASSEMBLER, DATA BASE MANAGEMENT, ALGOL-60, PASCAL . . . interfaces in development for UNIX®, C, LISP, PL/I, APL, and RT-ll®.

And needless to say, SHIVA® is very fast . . .

SHIVA® . . . . \$350 --- Available on 8" I.B.M. Soft-Sectored Disks and 5" C/DOS® (Cromemco) Diskettes. Includes complete Documentation. . M.C. & Visa orders accepted

"SHIVA\*," "VIRTUAL-PERSONALITY\*," and "OMEGA RESEARCH\*" are trademarks of OMEGA RESEARCH.

"RT:1!\*" is a trademark of DIGITAL EQUIPMENT CORPORATION.

"UNIX\*" is a trademark of BELL LABORATORIES

"CP/M\*" is a trademark of DIGITAL RESEARCH OF CALIFORNIA

"C/DOS\*" is a trademark of CROMEMCO, Inc.

"Z-80\*" and "Z-8000" are trademarks of ZILOG, Inc.

"INTEL\*" is a trademark of INTEL CORPORATION

No shipments prior to return of signed software license agreement. For detailed information on "SHIVA®," send \$1.00 postage and handling to:



CALIFORNIA RESIDENTS ADD 6% SALES TAX

OMEGA RESEARCH

P.O. Box 479 Linden, Ca. 95236 (209) 334-6666

9am to 5pm Mon.-Fri.




Meet our new, improved Pascal/Z.™ The true Z-80 compiler that's 5-10 times faster than P-code, and produces ROMable re-entrant code for true multi-tasking capability.

Our new compiler adds features like variant records, strings and random access. Also included are an improved macro-assembler that generates Microsoftcompatible relocatable object modules; a linker/loader and source on the full library. All six programs on a CP/M®-compatible disk, \$395. (Other formats and OEM licenses available.) For more information, call or write.

Ithaca Intersystems. Inc., 1650 Hanshaw Road/P.O. Box 91, Ithaca, NY 14850 • 607-257-0190/TWX: 510 255 4346

© 1980, Ithaca Intersystems Inc. CP/M registered trademark of Digital Research



#### FOR QUALITY... RUN WITH HAYDEN

#### New! DR. DOBB'S JOURNAL OF COMPUTER **CALISTHENICS & ORTHODONTIA Vols. 1, 2 & 3**

(The People's Computer Company Series) Vol. 1 reflects the changes that took place in personal computing in 1976. Vol. 2 (1977) chronicles the emergence of the small computer as a useful tool. Vol. 3 (1978) looks at the growing interest in programming languages, along with articles on specialized applications and utilities. Vol. 1, #5475-0; Vol. 2, #5484-X; Vol. 3, #5490-4; each \$18.95

#### **New! BASIC COMPUTER** PROGRAMS IN SCIENCE AND **ENGINEERING** (Gilder)

114 ready-to-run BASIC programs for the hobbyist and engineer. Programs include designing filters, attenuators. matching networks, and histogram programs. Other programs do standard deviation averages, means, and much more. #0761-2, \$8.95

#### **New! PROGRAMMABLE POCKET CALCULATORS**

(Mullish & Kochan) An examination of scientific calculators pointing out special features, architecture, and programming techniques. Calculators covered are the: Novus Mathematician PR. Sinclair Scientific Programmable, HP-25, HP-55, HP-67, and more. #5175-1, \$8.95

#### Available at your local computer store!

Or Call TOLL FREE, 24 hours a day, (1-800-827-3777, ext. 302)\* TO CHARGE YOUR ORDER TO Master Charge or Visal Minimum order is \$10.00: customer pays postage or handling. \*From Missouri. call (1-800-892-7655. ext. 302)

#### Hayden Book Company, Inc.

50 Essex Street. Rochelle Park. NJ 07662

Price subject to change without notice.

Listing 2: This is a sample run of BALISTIC producing a calculation of bullet parameters. Note that the Sierra Handbook (reference 2) also gives the ballistic coefficient as 0.285. Compare the velocities for standard conditions.

RANGE	0	100	200	300	400	500
UFLOCITY	3800	3405	3045	2713	2405	2117

READY RUN50

CALCULATE BALLISTIC COEFFICIENT (YES/NO)? YES INGALLS OR BRITISH 1909 TABLES? BRITISH WIND SPEED:8 Miles Per Hour CROSS WIND ANGLE:32 Degrees From Broadside CARTRIDGE:.22/250
WEIGHT:55 Grains
CALIBER:.224 Inch
NON STANDARD CONDITIONS (YES/NO) ?YES TEMPERATURE: 68 Degrees Fahrenheit PRESSURE: 29.00 Inches Mercury ALTITUDE: 2150 Feet MUZZLE VELOCITY: 3800 Feet Per Second RANGE: 400 Yards FINAL VELOCITY: 2460 Feet Per Second

BALLISTIC COEFFICIENT: .285 FORM FACTOR: .550

TO 500 OR 1000 YARDS? 500 MUZZLE VELOCITY:3800 Feet Per Second .22/250

55 Grains .224 Caliber BALLISTIC COEFFICIENT: .285 FORM FACTOR: .550 Based on BRITISH 1909 Ballistic Tables

8.0 MPH FROM 32.0 Degrees CROSSWIND TEMPERATURE 59.0 Degrees F PRESSURE 29.53 Inches Hs ALTITUDE O Feet

KHITUL	VELUCIII	LITEROI	HHY HEIDHI	וטאוים	DIVIT	LILLE
YARDS	FT/SEC	FTLBS	IN.	IN.	IN.	SEC.
0	3800	1763	• 0	• 0	• 0	.000
50	3601	1583	. 1	• 3	. 1	.041
100	3409	1419	• 3	1.3	• 5	.083
150	3224	1270	•8	3.0	1.2	.129
200	3046	1133	1.5	5.5	2.2	.176
250	2875	1009	2.5	8.9	3.6	.227
300	2710	897	3.8	13.4	5.3	.281
350	2552	795	5.5	18.9	7.4	.338
400	2399	703	7.6	25.8	9.9	.399
450	2250	618	10.3	34.2	12.9	.463
500	2107	542	13.6	44.2	16.4	.532
SIGHT	DN AT:200	Yards	SIGHT HEIG	HT:1.5	Inches	
DANCE	V	^	E0 10	. 15	.0 20/	) 25

RANGE UFLOCITY ENERGY MAX HEIGHT DROP DRIFT

350 250 300 400 RANGE Yards 150 200 TRAJECTORY In. .8 -.0 -1.7 -13.3 -4.4 -8.2

TEMPERATURE: 68 Degrees Fahrenheit PRESSURE:29.00 Inc ALTITUDE:2150 Feet Inches Mercury

MODIFIED C .300 TO 500 OR 1000 YARDS? 500 MUZZLE VELOCITY:3800 Feet Per Second

.22/250 55 Grains .224 Caliber FORM FACTOR: BALLISTIC COEFFICIENT: .300

BALLISTIC CUEFFICIENI: .300 FURM FACTU Based on BRITISH 1909 Ballistic Tables FROM 32.0 Degrees CROSSWIND 10.0 FPS 8.0 MPH

TEMPERATURE 68.0 Degrees F PRESSURE 29.00 Inches Hs ALTITUDE 2150 Feet DECE

RANGE YARDS	VELOCITY FT/SEC	ENERGY FT-LBS	MAX HEIGHT IN.	DROP IN.	DRIFT IN.	TIME SEC.		
0	3800	1763	• 0	٠0	• 0	.000		
50	3611	1592	.1	• 3	. 1	.040		
100	3428	1435	• 3	1.3	•5	.083		
150	3252	1291	• 8	3.0	1.2	.128		
200	3082	1160	1.5	5.5	2.1	.175		
250	2918	1039	2.4	8.8	3.4	.225		
300	2760	930	3.7	13.2	5.0	.278		
350	2607	830	5.4	18.7	6.9	.334		
400	2460	739	7.4	25.4	9.3	.393		
450	2317	656	10.0	33.5	12.1	• 456		
500	2178	579	13.1	43.2	15.3	•523		
SIGHT	ON AT:200	Yards	SIGHT HEIG	HT:1.5	Inches	5		
RANGE	Yards	0	50 10	0 15	50 20	0 250	300	350
TRAJEC	TORY In.	-1.5	1 .	7	.8	0 -1.6	-4.3	-8.0

400

7 T

transiting the speed of sound (slowing down in its motion toward the target), and then settles back to drifting at small incremental velocities from there on.

The logic behind the observations is that the amount of deceleration affecting a bullet traveling close to the speed of sound is large (as a measure) due to turbulence. At both higher and lower speeds, the combined effects of base drag, skin friction, and nose drag are changing less over a given range, and so the bullet travels this distance nearer to the time it would take were it able to maintain its initial velocity. Were the bullet able to arrive at a given range in the time it would take if it could maintain its muzzle velocity, this would imply an absence of air resistance, an absence of wind, and thus no drift. This supports the dependence on the time difference.

Also affecting the horizontal path of a bullet is a gyroscopic effect causing the bullet to point away from its initial line of flight. As the bullet falls, additional air resistance appears on the bottom of the bullet. This leads to asymmetrical torques around the center of mass which cause the bullet to attempt to tilt around a horizontal lateral axis, but because the bullet is spinning, the gyroscopic effect resists the turning moment and redirects it by 90°, thus causing the bullet to vaw and veer away from the line of the bore. The effect is minor and only amounts to 6.7 inches at 1000 yards for a 150-grain, full-jacket 30-06 bullet.

The Program

BALISTIC, listing 1, is written in North Star BASIC for use on a North Star Horizon computer and may need modification for use with other BASICs. An exclamation point (!) is North Star BASIC shorthand for PRINT. The backslash (\) is the multiple-statement-per-line separator; commas separate print items. Line 60 of the program sends the clear-screen command for a Soroc IQ-120 terminal, an Escape-asterisk (ESC-\*) sequence. Lines 1540 and 1550 modify the North Star BASIC disk operating system output routine so as to reconfigure output to either the standard serial port (terminal) or secondary serial port (printer), and thus doing away with the need for device designation parameters in all





NFC

SPINWRITER

\* (DENOTES ITEMS SHIPPED F.O.B. NYC)

5510 - \$2795

5520 - \$2990

TEXAS

Send Certified Check (Personal or Company Checks require 2 weeks to clear.) We pay all shipping and insurance charges except items marked with asterisk, VISA, MasterCharge add 5% N.Y.S. Residents add appropriate sales tax.

MAIL ORDER ONLY

99/4 - \$995

**INSTRUMENTS** 

Micro Computer Discount Co 60 E. 42nd St., Suite 411, New York, N.Y. 10017

\*XEROX

1740 RO - \$2619

1740 SR - \$2995

1750 RO - \$2795

1730 - \$2195

PHONE (212) 986-7690

1750 KSR - \$3170

PRINT statements. Lines 1540 and 1550 should be replaced with appropriate routines or just RETURNs on all computers where such execution might cause havoc. BALISTIC runs in 5300 bytes, but can be shortened by deleting spaces and remarks, and by merging statements onto fewer lines. BALISTIC may also be shortened by excising the routine for the constants of one or the other ballistic tables.

Operation

The program is self-prompting for the most part, as shown in listing 2. It operates in two major modes: simulating bullet performance based on parametric input or calculating normalized ballistic parameters based on experimental data (after which it returns to the simulation mode). Units are English, and terminology is characteristic of the shooting sports (7000 grains per pound). Pertinent information is repetitively printed so that it is not lost in the shuffle. A suitably placed GOTO statement bypassing these lines saves paper when you are compiling records such as handloading information.

When the computer prompts for the caliber, the bore diameter plus the depth of one groove is expected: the diameter of the bullet is a suitable alternate. If the ballistic coefficient. C, is not known, but the form factor, i, is known, entering 0 for C allows the computer to prompt for i. When the computer prompts for the maximum range to which to calculate. any range may be entered, not just 500 or 1000 yards. But when the program asks for the "SIGHT ON RANGE," a range listed in the table must be used (other than 0). The question mark following the trajectory table prompts for an "A", "P", "T", "W", or a carriage return—for new atmospheric data, printer or terminal output, new wind data, or reiterate.

#### Conclusions

I hope all the major factors that affect bullet performance have been included, so that accurate results are possible. The greatest, though unquantized, limitation is that the ballistic coefficient changes with velocity for projectiles differing from 1 in form factor. The farther from stan-

dard this deviation, the less accurately will the calculated results match the real bullet performance, since the standard projectile will be less of a model for the actual bullet. Even so. the calculations tend to match actual performance within 1% for velocity and 2% for bullet path out to 500 vards or more, and compare nicely with published cartridge manufacturers' information and reloading guide data. Do not expect especially accurate results for blunt-nosed bullets or slow-moving boattails, though. But the accuracy is probably consistent with random variations in the actual physical conditions such as spatial variations in wind speed and direction, air temperature and humidity, bullet imperfections and variations in weights, etc. Reduction of published data might indicate a mathematical relationship between bullet geometry and the way the ballistic coefficient changes with velocity, and thus the equations in the program might be modified for more universal simulations.

See the references for other sources and additional information. Hatcher's Notebook is extremely interesting reading on a variety of shooting subjects. Other reloading guides are also valuable.

So go ahead, load BALISTIC, and take your computer to the range.

# Programming? A Best Seller That Speaks for Itself



# THE ART OF COMPUTER PROGRAMMING By Donald E. Knuth

Praised by many critics as the best books in their field. The Art of Computer Programming, Volumes I, II and III, are part of a projected seven volume omnibus survey of computer science now being completed by Donald E. Knuth.

A hypothetical assembly language called MIX has been developed by the author to illustrate programming examples throughout the series. MIX is easily convertible to other assembly languages. Prof. Knuth writes with style and wit (among many memorable quotes is one from McCall's Cookbook)! This classic work belongs on the reference shelf of everyone seriously interested in computer science.

Please Check:

□VOLUME I, FUNDAMENTAL ALGORITHMS 634pp. Hardcover #007-090 □VOLUME II, SEMINOMERICAL ALGORITHMS

624pp. Hardcover #008-090

VOLUME III, SEARCHING AND SORTING

**VOLUME III, SEARCHING AND SORTING** 722pp. Hardcover #009-090

BITS, Inc. Books to erase the impossible P.O. Box 482 Peterborough, N.H. 03458

Postage and handling \$1.75 per book

Please check:

\$23.50

\$23.50

\$23.50

□ VISA □ MasterCharge□ Check or money order

Call 24 hours a day: 800-258-5477 N.H. Residents 924-3355

#### References

- Hatcher, Maj Gen Ret Julian S, Hatcher's Notebook, Third Edition, The Telegraph Press, Harrisburg PA, 1966, Library of Congress number 62-12654.
- Sierra Bullets Reloading Manual, First Edition, 1971, Sierra Bullets, 10532 S Painter Ave, Santa Fe Springs CA 90670.
- Walters, Kenneth L, "Crosswind Deflections: a Cast Bullet Anomaly," Gun Digest, Thirty-third edition, 1979, DBI Books Inc Northfield IL.

# Give to the college of your choice.



Council for Financial Aid to Education. Inc. 680Fifth Avenue. New York. N.Y. 10019

A Public Service of This Magazine & The Advertising Council.

## CTACULAR **Introductory Offers**

BASF "FLEXYDISK" Superior quality data storage medium. certified and guaranteed 100% error free.

5%" Diskettes \* 10 @ \$24.00 8" Disks \* 10 @ \$24.00 Vinyl storage pages

10 @ \$ 5.00 8" or 51/4" Write for quantity discounts \*Single Sided / Single Density



SFD CASSETTES 'Super Ferro Dynamic" Using the finest Apta PF 611 tage in a professional quality housing.

C-10 Cassette Sonic welded

10 @ \$7.00 housing 5 Screw housing 10 @ \$8.00 Cassette album page \$1.89 Write for quantity discounts



LIBRARY CASE 3 ring storage album. Protects your valuable programs on disks or cassettes. Fully enclosed and protected on all sides similar to Kas-sette storage box.

Library 3 ring binder 54" Mini Kas-sette/10 8" Kas-sette/10 Write for quantity discounts

\$6.50 \$2.49 \$2.99

PMC Power Consoles UL listed. 15 Amp circuit breaker. 3 prong outlets. Main AC switch and indicator lamp. Optional surge suppression and RFI # I - 5 outlets each with own AC switch and indicator lamp. \$43.50 #10 - Same as above, but with AC line surge suppression. \$69.50 #23 — Same features as #10 but with 3 individually filtered (RFI) outlets, and shielded AC cord. \$145.00 Other models starting @ \$28.50



ABM PRODUCTS 631 "B" St. San Diego, CA 92101

VISA . MASTERCHARGE . MONEY ORDER . CERTIFIED CHECKS • FOR PERSONAL CHECKS ALLOW 2 WEEKS • C.O.D. REQUIRES A 10% DEPOSIT . CAL. RES. ADD 6% SALES TAX . \$2.00 SHIPPING AND HANDLING PER ORDER MIN. ORDER \$10.00 • SATISFACTION GUARANTEED OR FULL REFUND.

## September, October Super Special Apple II 16K

\$950

reg. \$1095

reg. 1295

\$950.00

INTEGRAL DATA SYSTEMS

440G: Paper Tiger with Graphics:

2K Buffer

\$1099 460: Word Processing Quality

\$1199 460G: IDS 460 w/Graphics reg. 1395

Centronics 737 High Quality Dot Matrix

Apple Silentype Includes interface and graphic capabilities

Apple Parallel Int.

Centronics Parallel Int.

\$160 reg. \$180 **\$175** reg. \$195 \$185

reg. \$225

\$895

\$535

reg. 595.00

reg. 995.00

**DOUBLE VISION** 

DISK II with controller without controller

MICROMODEM PASCAL = LEEDEX MONITOR

KG-12C Green Phosphor 12" Screen w/Glare Cover 18 MHz bandwidth

\$295.00 16K RAMS for

Apple Serial Int.

\$525.00 \$445.00 \$325.00

\$425.00

\$140.00

\$275.00

APPLE II **TRS-80** 

VERBATIM DISKS 10 for

The Computer Stop 16919 Hawthorne Blvd Lawndale, CA 90260 (213) 371-4010

MON. - SAT. 10-6

# FANTASTIC MAIL ORDER DISCOUN



APPLE II 32K \$1040 APPLE II 48K51100

#### **APPLE II ACCESSORIES**

CORVUS 10 MEGABYTEDISK DRIVE\$4650	SUPER
PASCAL LANGUAGE SYSTEM445	ROMPI
GRAPHICS INPUT TABLET 675	. NOMIFE
DISK II with CONTROLLER CARD 495	. REUNIS
DISK II without controller	DOMA
APPLE SOFT II FIRMWARE CARD 155	. ALI IIII
INTEGER FIRMWARE CARD155	
PARALLEL INTERFACE CARD	
SERIAL INTERFACE CARD	
COMMUNICATIONS CARD190	MICRO
SUP-R-MOD RF TV MODULATOR	MICRO
SUP-R-TERM 80 col. CARD	ROMW
DAN PAYMAR Lowercase kit45	
SVA 8" DISK CONTROLLER CARD 349	SIMILE
CCS ARITHMETIC PROCESSOR CARD 349	CCSPI
CLOCK/CALENDAR CARD 239	
INTROL Y-10 SYSTEM 230	

ER TALKER SPEECH SYNTHISIZER
PLUS CARD W/ KEYBD, FLTR.
ISTICS SPEECHLINK 2000
AVISSIC SPEECHLINK 2000
AVISSIC SPEECHLINK 2000
AVISSIC SPEECHLINK 2000
AVISSIC SPEECHLINK 2000
AVIS SPEECHLINK 2000
AVI

#### SOFTWARE

THE CONTROLLER GEN. BUS. SYSTEM 529 VIS THE CASHIER RETAIL MGT. & INV 209 SA	PLEWRITER WORD PROCESSOR
---	--------------------------

WE WILL GLADLY PERFORM WARRANTY REPAIR ON ALL APPLE COMPUTER PRODUCTS.

#### MONITORS **LEEDEX VIDEO 100** 12" BLACK & WHITE MONITOR

 VIDEO BANDWIDTH 12 MHz±3db COMPOSITE VIDEO INPUT

SOROC IQ 120 \$739 SOROC IQ 140 \$1295



SANYO 9" B/W Monitor \$169 • SANYO 15" B/W Monitor \$259 • ZENITH 13" Color Monitor \$429

PRINTERS PAPER TIGER ITS 440, w/graphics, \$1 050	NEC SPINWRITER
TRENDCOM T-200559	AXIOM EX-801
CENTRONICS 737	AXIOM EX-820
CENTRONICS 700-9 1149	COMPRINT 912S
ANADEX DP-8000 OR AP	COMPRINT 912P
MPI 88-T	TRENDCOM T-100

THE AMAZING SORCERER 1 16K

The SDRCERER is a 280 CPU based micro-computer internally expands to 48K. 4K ROM resident months: 10 connection for S-100 expansion Parallel and serial interface. Dual classette 10. Graphic resolution of 240 s 151. 30 lense of 64 characters, 8. 8 d oft matrix Pull ASCII set (140 per and lower case), plus standard graphic symbols. User may define up to 128 characters. Keyboard 6 3-549 data processing type. Buts a 16

S-100 EXPANSION UNIT \$399
WORD PROCESSOR PAC 199
DEVELOPMENT PAC 99
WE ALSO SELL "QUALITY SOFTWARE" FOR SORCERER AT 101 OF FLIST



**ATARI** ....  $\{1\}[1][1]$ 

\$799 an an

\*10K Basic in ROM
 \*8K user RAM expandable
 \*57 key full strokekeyboard

BASAL IBALL
SUPER BREAKDUI
MUSIC COMPOSER
COMPUTERCHESS
30 TIC TACTOE
STARRADERS
PERSONALFIMANCE
Built in RFTV m High speed serial I/O port
 Includes ATARI 410 program

• TO ORDER •

Phone orders invited, using credit cards. Or send cashiers check or money order that draws on a U.S. bank. Please add 3% (\$5.00 Minimum) for handling, shipping (air service) and insurance, or equipment will be shipped freight collect. California residents add 6% sales tax. All equipment is in factory cartons with the manufacturers warranty. Equipment is subject to price change and availability without notice.





COMPUTER SPECIALTIES

6363 EL CAJON BLVD., SUITE 205, SAN DIEGO, CA. 92115 • (714) 579-0330

# An Interrupt-Driven Real-Time Clock for the TMS 9900

Thomas G Morris Jr 861 St Mary Ave San Leandro CA 94577

One of the first things many computer enthusiasts feel the need for is a real-time clock for their personal computers.

With many different methods available for the computer to maintain the time of day, I decided that any real-time clock should have a reasonably low software overhead and simple hardware approach.

#### Processor Overview

One of the 16-bit microprocessors now readily available to computer users is the Texas Instruments TMS 9900.

The TMS 9900 is a 16-bit processor using a memory-to-memory architecture that allows multiple register files (known as workspaces) to reside in memory. A workspace is defined as

sixteen contiguous words of memory, addressable as registers R0 thru R15. This method increases programming flexibility and produces a faster interrupt-response time than other processors have; a context switch may be performed without the use of a stack.

#### Registers

The processor contains three hardware registers. They are:

- program counter (PC)
- status register (ST)
- workspace pointer (WP)

The program counter contains the address of the instruction following the currently executing instruction.

The status register contains the current state of the processor (ie: flags and interrupts). The workspace pointer register points to the first word of the current workspace.

#### Addressing

The TMS 9900 has both word and byte addressing capability. The byteaddressing mode is internal to the processor and references the leftmost byte of a workspace register. There are seven main addressing modes. These are given along with the assembler mnemonics in table 1.

Interrupts

The TMS 9900 utilizes sixteen vectored interrupts. The interrupt vectors are contained in hexadecimal memory locations 00 thru 3C and consist of the interrupt workspace pointer and a pointer to the interrupt code. When an interrupt has been

#### About the Author

Thomas G Morris Jr works for General Electric as a minicomputer systems software analyst. His personal computer is a Technico Super Starter system with 32 K bytes of programmable memory, 2 K bytes of programmable read-only memory, and 2 K bytes of read-only memory containing a monitor and disk handler. Peripherals include an 8-inch floppy disk, paper tape reader, a Southwest Technical Products AC-30 cassette unit, and a Texas Instruments 733KSR terminal.

- 1. Register
- 2. Register Indirect
- 3. Register Indirect with Auto-Increment
- Direct (Symbolic)
- 5. Indexed
- **Immediate**

(MOV R0,R1) (MOV \*R0,R1) (MOV \*R0 + ,R1)

(MOV R0, @ Label) (MOV R0, @ Label(R1)) (LI R0, > FFFF) (JMP \$ + 3)

**Table 1:** The 7 main addressing modes of the Texas Instruments TMS 9900 16-bit processor, given with assembler- mnemonic representation. Additional addressing modes can be simulated by subroutines called through extended-operation (XOP) instructions.

### **SORCERER SOFTWARE**

SYSTEM 2 by Richard Swannell, loads into the top of available RAM and becomes an integral part of the BASIC language. All commands are single keystoke. SYSTEM 2 is written in 280 and provides the following features:

I SCREEN EDITOR. Use the editor to insert, replace, delete or rubout characters in your BASIC program. Watch the line change on the screen? Gone are the days of typing in a whole line to change one character!

FUNCTION KEYS. SYSTEM 2 allows 12 keys to be programmed to represent one or more characters or up to

- several lines of text each! After a keyts programmed, by simply hitting key, all the text is sent to the processor just as if you typed it in on the keyboard! Function keys may be used in all modes of operation, including the editor. This feature is handly for lengthy and for other used commands and may include multiple statements.

  3. RENUMBERING ROUTINE. With a single keystroke your program is renumbered. Starting line number and
- increment may be changed.
  4. BASIC BUFFER PROTECTOR, SYSTEM 2 sends a ICR) when the BASIC BUFFER is full. This prevents BASIC from

- crashing

  5. PRINTER DRIVER. Simply hit CTAL P to direct output to Centronics printer.

  6. RIVIVAL ROUTINE. II NEW or CLOAD are typed, or RESET is hit by mistake, your program may be recovered. This OTHER FEATURES

- THER FEATURES

  RUNSTOP Stops execution until any other key is hit.

  CLEAR cleans screen then sends a CRD. HIT CLEAR to start on "new page"

  CTRL characters such as ESC, If and CLEAR don't return "SN ERROR.

  RUB doesn't require the SHIF! key to be depressed. This quickens editing.

  Includes a Real Time Random Number Generator.

  Returns automatically to BASIC after TAPE CRC ERROR while CLOADing.

  Suppresses premature CRLF. Normally, if RUB is used extensively while typing in a BASIC line, the cursor will drop down to the next line before reaching the end of the current line. SYSTEM 2 prevents this.

  SYSTEM 2 requires 2K of memory and is available in 8, 16, 32 & 48K versions.

  \$35.50

RS232 PRINTER DRIVER. Requires 250 bytes of memory and is relocatable. Suitable for MONITOR, STANDARD BASIC, WORD PROCESSOR PAC & DEVELOPMENT PAC. Stores each character in a buffer then sends the whole line at once, which solves timing problems.

COMBINED SYSTEM 2 & RS232 PRINTER DRIVER, SYSTEM 2 with the RS232 printer driver instead of Centronics

LUNA LANDER. Written in Z80 and Basic and requiring 16K, LUNA LANDER uses graphics to the full. Land you craft on the moon in real time. But be careful to land softly, otherwise you will see your LANDER crumple before your very eyes!



#### SYSTEM SOFTWARE

1 Kent Street, Bicton, 6157 Australia

Program comes on cassette and includes full documentation. Specify size of RAM. Prices in Australian Dollars, Add \$2 for overseas airmail. SORCERER is a trade mark of EXIDY INC.

#### STED VICES

MAURO PROAC MP-250 PLOTTER with L2D Plot package \$795 with L2D & L3P packages \$950

PROAC

MAURO PLOTTER — Uses 11° by 8-1/2° or any length paper. Resolution is 200 steps per inch. 0.005° tracking error. Mauro X-Y vector software with pen control is available for 8080/280, 6502, & 6800 micro-processors. Requires 5 bits of a parolial autput port. APPLE, TRS-80, and RS232 interfaces are available as I/O Options.

LEAPAC SOFTWARE — Supports complete 2D & perspective plot-ing, including ASCII and curve generation. Available as relative linking libraries (L80) for MICROSOFT compatible software products, FORTRAN-80, COBOL-80, COMPILER BASIC, and MECRO-80 in CP/M compatible files on 8' IBM-3'4C disks or 5-1/4' NORTHSTAR formatted disks.

L2D - X-Y slut package. Centains over 20 entries, including CALCOMP competible calls such as PLOT and

L3P - Perspective plot pockage. Contains over 70 entries. Capable of ZOOMING, FLY-BYS, ANIMATION and much more. (See self partrait above).

PAC SERVICES (916) 381—1717 MEDITERRANEAN WAY SACRAMENTO OF 95826 DEALER INQUIRTES ARE INVITED


CP/M is a registered trade mark of Digital Research, Inc. MIGROSOFT is a trade mark of MIGROSOFT, Inc.CR CRECOMP is a trade mark of California Computer Products, Inc.


### BUILD YOUR COMPUTER BREADBOARDS & INTERFACES FASTER AND EASIER WITH NEW VECTOR PLUGBORDS

**EASY TO USE!** 

COST EFFECTIVE!

CLEAN HOLES!





4610 Series - For STD-BUS-WW, solderable and unpatterned models

4608 Series - For Intel/ National SBC/BLC 80-WW/ solderable, or unpatterned

8804 Series - For S100 -5 models available

4607 - For DEC LSI 11/ PDP8-11, Heath H-11

4609 - For Apple II, SuperKim, Pet Commodore with Expandamem

4350 - For TI 980 Computer



Vector Electronic Company INCORPORATED

12460 Gladstone Ave., Sylmar, CA 91342 (213) 365-9661 TWX (910) 496-1539

Available through Distributors or Factory Direct if not available locally.

74801




Figure 1: Schematic diagram of the circuit for the real-time clock, with enable, reset, and disable states shown. IC1 (a 7490) is wired in a divide-by-6 configuration.

detected, all lower-priority interrupts are inhibited until the current interrupt has been dismissed. The only exception to this is the reset function (which has a priority level of 0).

When an interrupt has been detected, a context switch is performed by fetching the new workspace pointer and program counter values from the appropriate interrupt vector locations. During this same time period, the old workspace pointer, program counter and status registers are saved in the new workspace registers R13, R14, and R15 respectively. When the interrupt has been dismissed by the interrupt subroutine, the processor is returned to its preinterrupt state by issuing a return (RTWP) instruction.

#### Input/Output

The TMS 9900 employs a direct input/output (I/O) interface method which is designated the communication register unit (CRU). The communication register unit provides for a maximum of 4096 bits of I/O capa-


bility. From 1 to 16 bits may be set or reset at a time; additionally, single bits may be tested for their value.

#### Clock Hardware

The heart of the clock assembly is a crystal-controlled, 60 Hz time-base generator sold by many electronic firms. The time-base generator produces an accurate square wave with a 50% duty cycle, which is fed through IC3, a 7404 inverter (see figure 1). This buffered signal is then directed to IC1 (7490), which is set up as a divide-by-6 counter. The resulting 10 Hz signal is then divided by IC2, producing the final 1 Hz frequency.

The 10 Hz and 1 Hz frequencies are buffered by IC3 and made available for use as the minimum interrupt rate. One of the three rates is then directed to the clock input of IC4, which produces the necessary latched output. IC4 (7474 dual-D flip-flop) is needed to guarantee that an interrupt will not be missed, regardless of the level chosen. The exception: if a higher-priority interrupt monopolizes

Number	Туре	+5 V	GND
IC1	7490	5	10
IC2	7490	5	10
IC3	7404	14	7
IC4	7474	14	7



**Figure 2:** Flowcharts of routines to operate interval timer.

the processor for longer than the basic interrupt rate, the low-priority interrupt may suffer.

#### Hardware Interface

The clock interface to the computer consists of a simple 2-wire hookup. One wire from the communication register unit port is connected to pin 1 of IC4, clear (CLR), via two sections of the 7404 inverter IC3. This connection provides both the reset and the

#### FOR SERIOUS USERS OF 8080, 8085, OR Z80 COMPUTERS

PRINTER WIZARD — Now add powerful capabilities to your printer. Free your computer for use while simultaneously printing backlogged output on a first-in-first-out basis. Transparent operation without noticable slowing of the computer. Allows continuous computer and printer operation on programs having sporadic output. Will backlog up to 100 pages when used with a disk system. Adds optional automatic paging with numbers, adjustable margins on 4 sides, indented overflow lines. Occupies less than 21/2 K.

Documentation only

EX80M103

EX80M103D \$ 7.50

DISASSEMBLER - Disassemble machine code into standard source language. Modify or relocate existing programs such as DOS or BASIC using your existing assembler (not included). Disassembles any 8080, 8085, or Z80 code, including embedded data blocks and "trick" codes. Generates symbol and label tables.

Documentation only

EX80M217 EX80M217D

\$12.50

ALL EXCOM products are fully supported and warranted indefinitely against original defects. Available on single or double density NORTHSTAR 5%" diskettes, 300 or 1200 baud cassettes (specify). Washington residents add




P.O. Box 1802 Bellevue, Washington 98009 U.S.A. Telephone (206) 641-6577

# DEC LSI-11 Components

Dependable service at discount prices

**Domestic** and Export



Mini

Computer Suppliers, Inc.

25 Chatham Rd., Summit, N.J. 07901 Since 1973

Telex 13-6476 (201) 277-6150

©Mini Computer Suppliers. Inc

#### PROFESSIONAL

HALF A MILLION TAX RETURNS CAN'T BE WRONG! (OR THEY HAD BETTER NOT BE)



## INCOME TAX SYST FOR TRS-80\* MODEL I OR II

Our system, which prepared 500,000 1979 returns, features the following:

- 1. Full interactive user control, in tax-form language only, line by line.
- 2. Screen display of full 1040 and all schedules, prior to printout.
- 3. Change of a single amount item automatically changes and re-computes entire return.
- 4. All printout formats IRS and state approved.
- 5. Stores Preparer's Identification for automatic printing at bottom of page 2.
- 6. Built-in Validation Check tests entire system, hardware and software.
- 7. Special Printer Adjustment routines, Line Length,
- 8. Selection of closed or open output formats-for standard Form 1040 or open name-box types.

- 9. Software control of text position on page. Makes forms-alignment simple. Permits use with nonadjustable printers.
- 10. Fills in pre-printed Forms or you can use overlays. Your choice.
- 11. Automatically computes: Tax SDI Overpayment -Wages Total from W-2's - Earned Income Credit - Income Averaging - Maximum/Minimum Tax - Least Tax Method - All Percentage of Income Limitations -All Fixed Limitations - many, many more.
- 12. Full support through the tax season—no charge.
- 13. Inexpensive yearly updates in accordance with taxlaw changes.
- 14. Modular construction—lets you order only the type and size system you need.

PRICING STARTS AT \$189.95 (1040 & SCHEDULE A) 25-Page Descriptive Manual \$7.50 (Refunded on Order) Minimum System Required: Model 1, 32K, 1 Disk Drive



706 SOUTH EUCLID • ANAHEIM, CA 92802 • TELEPHONE (714) 635-4055

\* \* \* \* 20 Years of Service \* \* \* \*





# APPLE II OR APPLE II PLUS



# Shipped direct to you!

(Plus Shipping)

We have orchard fresh Apple products ready to ship. Immediate delivery. Send cash or cashiers check for quick shipment. Orders with personal checks shipped after bank clearance.

16K UNITS.....\$899 32K UNITS.....\$999 48K UNITS.....\$1099 Apple Disk Drive \$550 Pascal Language Card \$450

Above plus \$20 shipping charge. IMPORTANT—No shipments made within the state of Illinois.

#### MIGHTY MICROS P.O. BOX 11375 CHICAGO, IL 60611

ORDER	FORM
Enclosed \$	
For	Via U.P.S.
Ship to:	
Name	
Address(No P.O. Boxes-	-Street Address Only)
City	

disable signal to IC4. By momentarily bringing this line low, the current interrupt is dismissed, and further interrupts are enabled. However, if this line is held low, all clock interrupts are inhibited until pin 1 of IC4 is once again a logic 1. The other connection is made between pin 6 of IC4 ( $\overline{Q}$ ) and one of the interrupt inputs of the

computer, line 1 in this case. This line signals the processor that an interrupt has been requested by an external device, and is active low.

#### Software

The software necessary to drive the real-time clock is shown in listing 1. To set the time of day and enable the




Figure 3: Flowchart of procedure that sets the clock.

State

## INTRODUCING INTRODUCING

MULTIPLE APPLICATION PROCESSING SYSTEMS

#### MP/M™USERS GROUP

Digiac Corporation, a major manufacturer and supplier of automated Educational Training Systems, is proud to announce the formation of MAPS, a National MP/M Users Group which will provide all MP/M users with a vehicle to exploit MP/M's benefits.

#### MP/M SUPPORT PRODUCTS

Digiac is supporting MP/M with a series of exclusive S100 products:

- Universal MP/M Support Module
- MP/M XIOS Configurations for popular Disk Systems
- MP/M Multibank Memory Module
- CT-80 Multi-Workstation System

For Additional Information: Contact Lorraine Keckeisen MAPS

Commercial Products Div. DIGIAC CORPORATION 175 Engineers Road Smithtown, New York 11787 Phone (516) 273-8600



MP/M is a trademark of the Digital Research Corporation



DIGITAL GROUP products are available through AEON Electronics in Denver, Colorado. We carry the complete line of cabinets, printers (Spinwriter & B-Printers), Disks (Shugart), Single & Double Density Controller Cards, Memory Cards, Z-80ACPU 2.5/6Mhz, Communications Card (for terminals & Modems), and Peripheral Boards. All items are from stock.

Bare Communications Card	Comm 4 Pcc	\$65.00
32k Static Mem. Board/Sockets,	Mem 320	\$85.00
Decoding IC's		
I/O Card/4 Port in & out	10-F	\$50.00
Double Density Bare Card & Doc	BDD	\$95.00
D.G. Dress Mainframe Cabinet/metal	only CB	\$85.00
D.G. Dress Cabinet/metal plus		
Electronic Hardware	CB-CPU	\$185.00
D.G. Disk Cabinet/In Stock!!	DSSCB-2	\$165.00

AEON Manufacture of Digital Group Computers 1855 S. Pearl Denver, Colorado 80210 Phone Orders 303-777-AEON

## THE CONFIGURABLE BUSINESS SYSTEM<sup>TM</sup>

#### THE ONLY COMPLETE APPLICATION DEVELOPMENT SYSTEM

- No Programming Experience Necessary
- User Definable Records Up To 2K Bytes
- Powerful Report Generating Capabilities
- Built-in, Self-reorganizing ISAM File Structure
- Interactive and Batch Information Processing
- Packed Fields For Efficient Disk Utilization
- System Completely Menu Driven
- Fast Execution All Programs in 8080/Z80 Machine Code
- Easily Configured to Your CRT
- Field Proven
- Comprehensive Users Guide
- Supplied On 2-8" CP/M\* Compatible Disks

**Dealer Inquiries Invited** 

\*CP/M is a Trademark of Digital Research Corp.





Phone Orders Accepted N.Y. Residents Add 7% Sales Tax

DISKS AND MANUAL \$295.00 MANUAL ALONE ... \$ 40.00

DYNAMIC

MICROPROCESSOR

**A**SSOCIATES

36 Pinewood Drive Commack, N.Y. 11725 (516) 543-6006

287



Make America smarter. Give to the college of your choice.

## You can now order article article reprints from this publication

University Microfilms International, in cooperation with publishers of this journal, offers a highly convenient Article Reprint Service. Single articles or complete issues can now be obtained in their original size (up to 8½ x 11 inches). For more information please complete and mail the coupon below.

#### ARTICLE REPRINT SERVICE

University Microfilms International

YES! I would like to know more about the Article Reprint

Name		_ Title
Institution/Com	pany	
Department		
Address		
City	State_	Zip

Mail to: University Microfilms International
Article Reprint Service

Article Reprint Service 300 North Zeeb Road Ann Arbor, Michigan 48106

clock hardware, a call is made to the entry point STIM. This call instruction is followed in memory by the address of the memory location where the time of day may be found. This address pointer is placed into register R0 and the return address set by the first line of STIM code. The value to be used for hours is then compared to the maximum value allowed (eg: 24 for a 24-hour clock). The same sequence of events occurs for both the minutes and seconds values. If the number to be used is greater than the maximum allowed or is negative, no further testing is done. Instead, the clock is cleared, the hardware is enabled, and a return is made to the calling routine. The calling routine must then set the interrupt mask to allow interrupts at the chosen level.

To obtain the time of day, a call to the GTIM routine is made. The call instruction is followed by the address of the memory location where the time will be stored.

To access the interval timer, the entry points of STCLK and RDCLK are used. STCLK will reset the timer to 0, and RDCLK will place the current value of the interval timer into

GTIM

GET ADDRESS OF WHERE TO STORE

TIME INCREMENT

RETURN ADDRESS

MOVE HOURS

ADDRESS RO


MOVE MINUTES INCREMENT ADDRESS RO

MOVE SECONDS


RETURN

the caller's R0.

When the clock hardware generates an interrupt, control is transferred to



**Figure 4:** Flowchart of routine that reads the clock.



#### 64K MEMORY

FOR THE

## HEATHKIT H8\* COMPUTER

Assembled	Kit	
\$750	\$650	64K (56K)
615	525	48K
480	400	32K
345	275	16K

Memory Expansion Kit - 16K \$125 PC Board Only - With Documentation \$50

Phone for Free Brochure 714/830-2092

\*HEATHKIT and H8 are Registered Trademarks of the Heath Co.



#### — TRIONYX ELECTRONICS

BOX 5131-C, SANTA ANA, CA 92704

## DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!





Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. \*ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets: integral Surge/Spike Suppression; 1875 W Maximum load, \*ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank . . . . . . . \$56.95 \*SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression . . . . \$85.95 \*ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets . . . . \$96.95 \*ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total . . . \$79.95 \*CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00 \*CKT BRKR/SWITCH/PILOT any model (-CBS)

9.4×10×10×10×10

PHONE ORDERS 1-617-655-1532



Electronic Specialists, Inc.

171 South Main Street, Natick, Mass. 01760

Dept.BI

A REFURBISHED "SELECTRIC" ASCII TERMINAL FOR THE SMALL BUSINESSMAN OR SERIOUS HOBBYIST.

# The AJ 841 I/O terminal. Now available from dealers nationwide.

Demand for our AJ 841 I/O computer terminal has been great. And now it's getting even greater. So call your local computer shop dealer right away. Supply is limited! You may never have another opportunity like this one to buy your own *professional* terminal.



#### The AJ 841 features:

- · Choice of serial RS 232 or parallel interface
- ASCII code
- 14.9 cps printout
- · High quality Selectric printing
- Heavy-duty Selectric mechanism
- Off-line use as typewriter
- Documentation included
- 30-day warranty on parts and labor (details available on request)

#### Call toll-free now

For location of your nearest AJ dealer, call toll-free:

#### 800/538-9721

California residents call 408/263-8520.



the entry point CKINT. The interrupt is then reset, and further clock interrupts are inhibited by holding the clock line of the communication register unit low. Next, the interval timer is incremented, as is the rate counter. The rate counter is then compared to the basic clock frequency. If the result of the comparison is

less then 0, interrupts are reenabled and the interrupted program resumed. If the result is greater than or equal to 0, the rate counter is reset to 0 and the seconds counter is incremented. The same process that was used for the rate counter is then applied to the seconds, minutes, and hours counters. Lastly, interrupts are

reenabled and the interrupted program resumed.

#### Conclusion

The method presented in this article will allow users a flexible and inexpensive way to maintain the time of day on their personal computer with low software overhead.

Listing 1: Routines that keep time using the real-time clock, written in assembler for the 9900 microprocessor.

```
••••••
                  THIS IS A REAL TIME CLOCK DRIVER PROGRAM FOR THE
                  TEXAS INSTRUMENTS TMS9900 MICROPROCESSOR.
                  WRITTEN BY: TOM 6. MORRIS
                              861 ST. MARY AVE
                              SAN LEANDRO, CA 94577
                  TO ESTABLISH THE CORRECT TIME OF DAY, ISSUE
                  A CALL TO STIM. E.G.
                                             SSTIM
                                        BL
                                        DATA TOD
                  WHERE TOD POINTS TO AN OUTLINE LIST THAT
                  CONTAINS THE TIME OF DAY IN THE FORMAT
                          HOURS
                  TOD
                  TOD+1
                          MINUTES
                  TDD+2
                          SECONDS
                  IF ANY OF THE VALUES ARE INVALID, THE TIME IS
                  SET TO MIDNIGHT (00:00:00).
                  TO OBTAIN THE CORRECT TIME OF DAY, ISSUE
                  A CALL TO GTIM. E.G.
                                        ΒL
                                             ∌6TIM
                                        DATA TOD
                  WHERE TOD POINTS TO AN OUTLINE LIST WHERE THE
                  CORRECT TIME OF DAY WILL BE STORED. SEE ABOVE.
                  ALSO AVAILABLE TO THE USER IS AN INTERVAL TIMER
                  THAT INCREMENTS AT THE INTERRUPT RATE, AND
                  IS RESET BY A CALL TO STOLK. E.G.
                                                     BL @STOLK
                  TO READ THE INTERVAL TIMER, ISSUE A CALL TO
                  RDCLK. E.G.
                               BL @RDCLK
                  THE CURRENT VALUE OF THE TIMER WILL BE RETURNED
                  IN THE USERS RO.
                   TITL "REAL TIME CLOCK DRIVER"
0000
               RTC
                      IDT
                  DEFINE INTERRUPT VECTORS
0004
                      ADR6 > 0004
                                           ;WORKSPACE POINTER
0004 0000
                      DATA RICWS
                                           ; INTERRUPT HANDLER
0006 0074
                      DATA CKINT
                  DEFINE LINKING & REGISTERS
0000
                      RORG +
0000
                      DREG
                                                            Listing 1 continued on page 292
```

# Reliable Business Bookkeeping Software

#### **ORDER ENTRY**

MICROSOFT CP/M<sub>R</sub>, PET, APPLE II, MICROPOLIS: \$350/ea.

## GL, A/P, A/R, INVENTORY, PAYROLL

TRS•80 MOD I: \$100/ea. CBASIC-CP/M<sub>R</sub>: \$200/ea. ATARI, PET, APPLE II, TRS•80 MOD II, MICROPOLIS, VECTOR, EXIDY, DYNABYTE, CROMEMCO, MICROSOFT CP/M<sub>R</sub>: \$140/ea.

They all work together!

Buy simple, effective programs designed specifically for your machine. Call us once for same week delivery on a product you can use the day you receive it, and two years from now when your company is twice as big.

Order today by U.P.S. COD. We'll pay postage and handling on Am.Ex., Visa, Mastercharge, or prepaid orders.

#### COMPUMAX

467 HAMILTON AVE. PALO ALTO, CA. 94301

## **TRS-80\***

FOLIPMENT

#### 16K MEMORY KITS \$49.95

4116's 6 MONTH WARRANTY INSTRUCTIONS INCLUDED

#### **DISK DRIVES**

40 TRACK — \$325 2-DRIVE CABLE 77 TRACK — \$475 24.95

#### **PRINTERS**

MICROTEK MT80P BI-DIRECTIONAL 125 CPS UPPER & LOWER CASE 1 YEAR WARRANTY

\$695

**CABLE** — 24.95

#### **DISKETTES**

MEMOREX OR BASF 10/ 26.50
YOUR SATISFACTION GUARANTEED OR FULL REFUND

## MICROCOMPUTER SERVICES CORPORATION

7314 MATTHEWS-MINT HILL RD. CHARLOTTE NC 28212

704-545-0826

\*TRADEMARK TANDY/RADIO SHACK CORP

# JERSEY PERSONAL COMPUTER SHOW AND FLEAMARKET — 80

Saturday, Sept. 27 9:00 AM — 6:00 PM

- & Sunday, Sept. 28, 1980 10:00 AM — 4:00 PM
- COMMERCIAL EXHIBITS OUTDOOR FLEAMARKET USER FORUMS RAIN OR SHINE

**HOLIDAY INN (North) CONVENTION CENTER** 

at Newark International Airport

(Exit 14 NJ Turnpike—Take Service Road)

ADMISSION \$4.00 in advance—\$5.00 at Door



FOR REGISTRATION, EXHIBITOR OR FLEAMARKET INFORMATION CONTACT.

N.J.P.C.S. Kengore Corporation 9 James Avenue Kendall Park, NJ 08824



291

```
DEFINE ENTRY POINTS
                        DEF
                              STOLK, RDOLK, STIM
                        TIFF
                             ISTIM: CKINT
                    THE FOLLOWING PARAMETERS WILL BE MAINTAINED
                    IN THE RTC WORKSPACE AREA (DEDICATED)
                                                ;RTC WORKSPACE (NEXT 32 LOCS)
0000
                 RICWS
                        BSS
                                                FINTERNAL TIMER
                 RATE
                        BSS
                              2
0004
                 SECS
                        BSS
                              2
                                                :SECONDS
0006
                              2
                                                ; MINUTES
0008
                 MINS
                        BSS:
                 HRS.
                        BSS
                              2
                                                ≰HDURS
000A
                        BSS
                              2
                                                ; INTERVAL TIMER
0000
                 TIMER
                        DATA 60
                                                ;MINUTES/SECONDS CHECK
000E 003C
                 SIXTY
                                                ;HOURS CHECK
0010 0018
                 TFOUR
                        DATA 24
                                                SET TO INT. RATE (1,10,60)
                        DATA 1
0012 0001
                 HERTZ
                                                $R10-R11
0014
                        BSS
                                                ;R12 CRU BASE
                        DATA 0
0018 0000
                        BSS
                                                ;R13-R15
001A
                    THE FOLLOWING EQUIVALENCES ARE USED
                    SINCE THE INTERRUPT HANDLING WORKSPACE
                    OVERLAYS THE VARIABLE STORAGE AREA
9002
                 XRATE
                        EQU
                              R2
                                                ; INTERNAL TIMER
0003
                 XSECS
                        EQU
                              R3
                                                ;SECONDS
0004
                 RMINS
                        EQU
                              R4
                                                #MINUTES
0005
                 XHRS
                        EQU.
                              R5
                                                ; HOURS
                 XTIMER EQU
                                                ; INTERVAL TIMER
0006
                              R6
                 XSIXTY EQU
                              R7
                                                CLOCK CONSTANTS
0007
0008
                 XT FOUR EQU
                             R8
                 XHERTZ EQU
                              R9
                                                ; INTERRUPT FREQUENCY
0009
000F
                 CLOCK EQUI
                                                ;CLOCK ORU OFFSET
                              15
                    STOLK: RESET THE INTERVAL TIMER TO ZERO
                 STOLK
                        EQU
                              1
0020
0020 04E0 000C
                        CLR
                              STIMER
                                                CLEAR TIMER
0024 045B
                        Е
                              ◆R11
                                                FRETURN TO CALLER
                    RDCLK: RETURN TIMER VALUE TO CALLER IN RO
0026
                 RDOLK
                        EQU
                              4
0026 0020 0000
                        MOV
                              OTIMER, RO
                                                FPLACE TIMER INTO RO
002A 045B
                        В
                              ◆R11
                                                FRETURN TO CALLER
                    GTIM: GET THE TIME OF DAY
0020
                 GTIM
                        EQU
                              Ŧ
0020 C03B
                                                GGET ADDR PNTRARETURN ADDR
                        MDV
                              ◆R11+•R0
002E CC20 000A
                        MOV
                              @HRS,◆RO+
                                                ;STORE HOURS
0032 0020 0008
                        MDV
                              ƏMINS,♦RO+
                                                STORE MINUTES
0036 C420 0006
                        MDM
                              ∂SECS•◆R0
                                                STORE SECONDS
003A 045B
                        F
                              ◆R11
                                                FRETURN TO CALLER
                    STIM: SET THE TIME OF DAY
                           ALSO, ENABLE THE REAL
                                                                   Listing 1 continued on page 294
```



## **MYCHESS**



#### Winner of 5th West Coast Computer Faire Micro-Chess Tournament

MYCHESS	31/2
Atari	21/2
Atari	2
Boris/Sargon 2.5	11/2
Voice Challenger	1

USCF rating 1568 (June Supplement) from over 60 rated games - highest ever any micro-program.

- Z80 Assembly program
- •Will display best line of play
- ullet Searches on opponent's time
- ●Over 850 opening moves
- •Tournament time control
- Will print game out when over
- Will save game on disk for later play
- •Set up any position
- •9 levels of play Will solve any mate-in-5 problem

Available for CP/M<sup>®</sup>, CDOS<sup>®</sup>, North Star<sup>®</sup>, (CP/M<sup>®</sup>, DOS<sup>®</sup>)

\$50.00

Computer Services 2431 Lyvona Anchorage, AK 99502

# APPLE-TIME \$150 7

For Your **APPLE**... The Ultimate **CLOCK/CALENDAR** Board

#### MORE FEATURES FOR LESS

- 12 or 24 HR Format
- Perpetual Calendar MM DD YY
- Crystal Controlled Time Base
- Ultra Fast Time/Date Setting
- 4 Interrupts Available
- Months Of On-Board Battery
   Backup
   Set it & forget it.

#### MANY MORE FEATURES

TSR80 & S100 MODELS AVAILABLE

TSR80 is a Trademark of Radio Shack a Div. of Tandy Corp. Apple is a Trademark of Apple Computer Inc.



Dealer Inquires.

Huntington Beach. Ca. 92646 (714) 536-5000

## Makers Of Quality Low Cost Microcomputer Components

#### CP/M<sup>®1</sup> – based Business Software for TRS-80<sup>®2</sup> computers on . . . . . . . . . the fastest Mod-II CP/M with the most features!!!

- Over 610.000 bytes/disk
- Downloading package included
- 1,200 baud operation of serial printers without data loss
- Single drive backup

MOD-II CP/M ..... \$250.00

- Mixed single/double density on any of 4 drives (even a 1-drive system)
- Ultra-fast disk operation
- Emulation of cursor addressing for any of several "dumb" CRTs
- MOD-I CP/M ..... \$150.00
- Auto-LF printer support & ASCII top-of-form software (LPIII)
- Supplemental document describing our implementation
- User-settable function keys
- CBASIC2®3 (Mod I or II) ......\$110.00

The following software for Mod-II CP/M only unless otherwise stated (\*-requires CBASIC2):

RM/COBOL®4 - Only COBOL for CP/M with alternate keys (multi-key ISAM), CRT screen handling, interactive debug, Z80 code, and the most useful Level 2 features. Compatible with Tandy's COBOL-but runs faster! \$495.00 PMS (Property Management System) - Interactive, menu-driven system includes full G/L, budgeting, cash journal, delinquency list, tenant activity/rent roll, complete audit trail and reports on vacancies, lost rent, and vendors \$650.00\* demo disk & manual 75.00\*

APH (Automated Patient History) - General-purpose questionasking, answer-printing system furnished as self-administered review-of-systems general patient history (Mod-I also) ... \$175.00\* worksheet \$300.00\*
demo disk & manual \$35.00\*

RBC (Rent/Buy Comparison) - Sales or investment tool to compare renting and savings account investment vs. purchasing a particular property \$250.00\*
demo disk & manual \$35.00\*

Osborne & Assoc. CBASIC source programs (Mod-l also):

 Payroll w/Cost Accounting
 \$250.00\*
 General Ledger w/Cash Journal
 \$250.00\*

 Accts. Payable/Accts. Receivable
 \$250.00\*
 0&A CBASIC Books (ea.)
 \$20.00

Verbatim<sup>®6</sup> media: (Qty. 100 prices)

 5¼" single density
 \$2.50 ea.
 8" single density
 \$ 3.00 ea.

 8" certified double density
 \$4.00 ea.
 450' tape cartridges
 \$20.00 ea.



8041 Newman Ave., Suite 208 C Huntington Beach, CA 92647 (714) 848-1922 Registered trademark of:

- ®1Digital Research
- <sup>©2</sup>Tandy Corp.
- •3Compiler Systems, Inc.
- <sup>©4</sup>Ryan-McFarland Corp.
- •5Small Business Applications, Inc.
- <sup>®6</sup>Verbatim Corp.

Distributed in U.K. by:
Microcomputer Applications Ltd.
11, Riverside Court,
Caversham, Reading, England

```
TIME CLOCK.
                         EQU
0030
                 STIM
                              4
                                                 ∜GET ADDR PNTR∙RETURN ADDR
                              ◆R11+•R0
                         MOV
003C C03B
                                                 CHECK HOURS
                         C
                              ◆RO•@TFOUR
003E 8810 0010
                                                 ;INVALID, CLEAR CLOCK
                         JHE
                              CLEAR
0042 1411
                              ♦RO+,ƏHRS
                                                 SET THE HOURS
                         MDV
0044 C830 000A
                                                 ;CHECK MINUTES
                              ♦RO,QSIXTY
                         F:
0048 8810 000E
                         JHE
                                                 ;INVALID, CLEAR CLOCK
0040 1400
                              CLEAR
004E C830 0008
                                                 SET THE MINUTES
                         MOV
                              ◆R O+ → @MINS
                                                 ;CHECK SECONDS
                         Ō.
                              ◆R0•@SIXTY
0052 8810 000E
                                                 ;INVALID, CLEAR CLOCK
                         JHE
                              CLEAR
0056 1407
                                                 SET THE SECONDS
0058 C810 0006
                         MDV
                              ◆R0,@SECS
                 RTRN
                         EQU
0.050
                                                 PRESET ORU BASE
0050
    0400
                         OLE:
                              R12
                                                 ; INITIALIZE RATE
005E 04E0 0004
                         CLR
                              PRATE
                                                 ;ENABLE REAL TIME CLOCK
                         SBD
                              CLBCK
0062 1D0F
0064 045B
                                                 FRETURN TO CALLER
                         E
                              ◆R11
0066
                 CLEAR
                         EQU
                         CLR
                              SHRS
                                                 ;CLEAR DUT THE CLOCK
0066 04E0 000A
006A 04E0 0008
                         CLR
                              SMING
006E 04E0 0006
                         CLR
                              ₽SECS
0072 10F4
                         .Jh1F1
                              RTRN
                                                 ;ENABLE CLOCK, RETURN
                    THIS IS THE MAIN INTERRUPT HANDLING SECTION.
                    HERE THE TIME OF DAY IS KEPT, ALONG WITH THE
                    INTERVAL TIMER.
0074
                 CKINT
                         EQU
                         SBZ
                                                 ;DISABLE/RESET
0074 1E0F
                              CLBCK
                         INC
                                                 SUPDATE TIMER
0076 - 0586
                              XTIMER
                         INC
0078 0582
                              XRATE
                                                 ; INCREMENT INTERVAL
007A 8242
                              XRATE, XHERTZ
                                                 ;CHECK AGAINST FREQ.
                         C
007C 110D
                         JLT
                              DISMS
                                                 ;DISMISS INT
                                                 FRESET RATE
007E 0402
                         CUR
                              XRATE
0080 0583
                         INC
                              XSECS
                                                 ;SECONDS COUNT
0082 8103
                              XSECS,XSIXTY
                         0
0084 1109
                         JLT.
                              DISMS
0086 0403
                         CLR
                              XSECS
                                                 ;RESET SECONDS
                         INC
                                                 ;MINUTES COUNT
0088 0584
                              MMIMS
                              XMINS, XSIXTY
008A 81C4
                         C
                         JLT
                              DISMS
008C 1105
008E 04C4
                         CLR
                              XMINS
                                                 RESET MINUTES
0090 0585
                         INC
                              XHRS
                                                 ;HOURS: COUNT
0092 8205
                         Ū.
                              XHRS,XTFOUR
0094 1101
                         JLT
                              DISMS
0096 0405
                         CLR
                              XHRS
                                                 RESET HOURS
0098
                 DISMS
                         EQU
                              Ŧ
0098 1D0F
                         SBD
                                                 ;ENABLE INTERRUPTS
                              CLDCK
009A 0380
                         RIMP
                                                 FRETURN TO INT. LOC.
0090
                         END
 0074 CKINT
               0066 CLEAR
                             000F CLDCK
                                           0098 DISMS
                                                        ◆0020 GTIM
◆0012 HERTZ
               000A HRS
                             0008 MINS
                                           0000 R0
                                                         ◆00001 R1
◆000A R10
               000B R11
                             0000 R12
                                          +0000D R13
                                                         ◆000E R14
                             0003 R3
                                           0004 R4
◆000F R15
               0002 R2
                                                          0005 R5
 0006 R6
               0007 R7
                             0008 R8
                                           0009 R9
                                                          0004 RATE
                                                          0006 SECS
◆0026 RDCLK
              ◆00000 RTC
                             0000 RTCWS
                                           005C RTRN
              ◆0020 STCLK
                            ◆003C STIM
                                                          0000 TIMER
 000E SIXTY
                                           0010 TFOUR
 0009 XHERTZ
               0005 XHRS
                             0004 XMINS
                                           0002 XRATE
                                                          0003 XSECS
                             0006 XTIMER
 0007 XSIXTY
               0008 XTFOUR
```

DUTPUT READY?



#### WE CAN'T WAIT FOR EVERYONE ELSE TO CATCH UP!

While other software dealers only promise TAX SOFTWARE in the future - CPAids has it NOW! And we've even added more schedules!



#### MASTER TAX PACKAGE:

Schedules - A, B, C, D, E, F, G, R/RP, SE, TC, ES. Forms - 2106, 2119, 2210, 3468, 3903, 2441, 4625, 4726, 4797, 4792, 5695, 6521.

Available on North Star and most CP/M compatable 8" soft sector computers.

Trust CPAids, the people who started it all. Like you, we just couldn't wait any longer.

> Call Toll Free 800-321-2430



1640 Franklin Ave. • Kent, Ohio 44240



# TWARE CONCES



#### NEW CONCEPT IN APPLE 11\* SOFTWARE

Finally, a company specializing in software for the APPLE I or I Plus and only APPLES! All your software shopping can now be done under ONE ROOF at TREMENDOUS SAVINGS! Because we sell software and only software, we receive discounts from **ALL** major Suppliers, such as:

HAYDEN **PROGRAMMA**  CREATIVE COMPUTING **MICROSOFT** 

PERSONAL SOFTWARE and MANY OTHERS

#### and WE CAN PASS THESE SAVINGS ONTO YOU. the APPLE USER!

If you are tired of page thumbing looking for APPLE programs, and want the best prices on ALL programs written for the APPLE, send for our FREE 40-page catalog and a \$1 coupon good towards your first order or call us for our price on any APPLE program written and order by phone. M/C, VISA, BankAmericard ac-

IF WE HAVEN'T GOT IT, IT HASN'T BEEN WRITTEN!!

\*Trademark of APPLE Computers Inc.

#### Software Concepts Hours:

948 Danvers Ave., Westerville, OH 43081 (614) 882-8007

10AM-9PM Weekdays 12Noon-5PM Saturdays **Closed Sundays** 

#### **NEW PRODUCTS**

Lo-Res Graphics Pads Verbatim 5" Diskettes CASTLE ADVENTURE! \$ 1.75/ea. \$ 2.65/ea.(Quan 1) \$17.95/disk

#### Listing 1 continued:

```
A000090004C0000C0074A000EB003CB0018B0001A0018B0000A00207F1F6F
00000RTC
B04E0C000CB045BBC020C000CB045BBC03BBCC20C000ABCC20C0008BC420C00067F170F
B045BBC03BB8810C0010B1411BC830C000AB8810C000EB140CBC830C0008B88107F1ABF
C000EB1407BC810C0006B04CCB04E0C0004B1D0FB045BB04E0C000AB04E0C00087F18FF
B04E0C0006B10F4B1E0FB0586B0582B8242B110DB04C2B0583B81C3B1109B04C37F193F
B0584B81C4B1105B04C4B0585B8205B1101B04C5B1D0FB038050074CKINT 5002CGTIM 7EFD8F
7F610F
:
```

#### EDITZASMZLOAD?

**Listing 2:** A program to demonstrate the use of the real-time clock.

```
DEMONSTRATION PROGRAM FOR THE
                     TIME OF DAY CLOCK ROUTINE
                     WRITTEN BY: TOM G. MORRIS
                                   861 ST. MARY AVE
                                   SAN LEANDRO, CA 94577
                     DEMONSTRATES THE USAGE
                     OF THE RTC SOFTWARE
                          TITL YRTC DEMONSTRATION/
0000
                  EXIDT
                          IDT
                     DEFINE LINKING. & REGISTERS
0000
                          RDRG ◆
0000
                          DREG
                     DEFINE EXTERNALS & ENTRY
                          REF
                               STOLK, RDOLK
                               STIM: GTIM
                          REF
                               RTC, DIO
                          REF
                          IIEF
                               EXMPL
2048
                  II II
                          DXOP 5
                                                   ;DECIMAL INPUT
2088
                 DOUT
                         DXOP 6
                                                   ;DECIMAL DUTPUT
                     STORAGE FOR TIME OF DAY
0000
                 HRS
                          BSS:
                               2
                                                   ;HOURS
0002
                 MINS
                          \mathbb{B} \subseteq \mathbb{S}
                               2
                                                  #MINUTES
0004
                  SECS
                         BSS
                               2
                                                   ;SECONDS
0006
                  TICKS
                         BSS
                                                  ; INTERVAL TIMER
                     TEXT STORAGE
                 CRLF
0008 ODOA 00
                         BYTE > 0D, > 0A, 0
ODOB ODOA
                 MESSO.
                         BYTE > OD, > OA
000D 454E 5445
                          TEXT (ENTER TIME OF DAY (HH:MM:SS) ?/
0011 5220 5449
0015 4D45 204F
0019 4620 4441
001D 5920 2848
0021 483A 4D4D
```

#### Announcing:

#### NEW!

FLOPPY DISK FACTOR

ACTORY DIRECT FLOPPY DISK FACTORY DIRECT

#### MICROSTAT

A complete statistics package for business, scientific, education and research work. No other package has the features of MICROSTAT. For example:

- File oriented with COMPLETE editing
- A Data Management Subsystem for editing, sorting, ranking, lagging, data file transfers PLUS 11 data transformations (e.g., linear, reciprocal, exponential, etc.) • Frequency distributions • Simple and multiple regression • Time series (including exponential smoothing) • 11 Non-parametric tests • Crosstabs/Chi-square
- Factorials (up to 1,000,000!), permutations, combinations
- 8 Probability distributions Scatterplots
- Hypothesis test (Mean, proportion)
   ANOVA (one and two-way) • Correlation • Plus many other unique features

Users manual: \$1 0.00 (credited towards purchase) and includes sample data and printouts. Uses NORTH STAR BASIC 32K of memory, one or two disk drives (2 recommended). Printer optional. Price: \$200.00



#### **ECOSOFT**

P.O. Box 68602 Indianapolis, IN 46268 Phone orders:

(317) 253-6828

#### FLOPPY DISK FACTORY DIRECT FLOPPY DISK FACTO

- Buy factory direct from the manufacturer of floppy disks sold exclusively under other well-known brand names.
- Save distribution costs on reversible 5.25" floppy disks, which are 100% certified for 40 track, dual side, double density and all other standard applications.
- 50% savings on 5.25" floppy disks with new factory-direct 2.2 megabyte capacity "Diskit".
- Factory-direct "Diskit", includes twelve floppy disks and accessories, plus a head cleaner disk and solution packaged in a bookcase binder for easy access, handling and storage. "Diskit" complete for the introductory price of only \$49.50 plus \$2.50 freight and handling. Normal price \$59.50. Order now and save \$10.00 (CA posidosts 46.516/1), called tool. (CA residents add 61/20/o sales tax).
- Available in hard and soft sector configurations; when ordering indicate number of sectors -
- Send check or money order to:

#### **Factory Direct**

P.O. Box 60759 Sunnyvale, CA 94088

For VISA or MasterCard call toll-free

(800) 824-7888

In Calif. (800) 852-7777 In Alaska & Hawaii (800) 824-7919

Ask for Operator 98

RY DIRECT FLOPPY DISK FACTORY DIRECT FLOPPY DISK FACTORY DIRE CT FLOPPY DISK FACTORY DIRECT FLOPPY DISK F

## **Omikron's Mapper + NEWDOS/80** 8" Drives for the TRS-80

NEWDOS/80 is Apparat's latest upgrade to NEWDOS. Features include variable length records, chaining, and drivers specifically configured for Omikron's MAPPER II. \$150.

MAPPER II adapts the TRS-80 to run both 5" and 8" drives. With NEWDOS/80, storage is increased to 300K per 8" drive. \$99 plus \$10 per cable connector.

MAPPER I adapts the TRS-80 to run the vast. library of CP/M software as well as the TRS-80 software. All Lifeboat Software may be ordered for the MAPPER I. All MAPPER I CP/M software is compatible with the CP/M for the Model II. With MAPPER II and 8" drives, the Model I becomes disk compatible with the Model II. Standard features include lower case support, serial and parallel printer drivers, and an addressable cursor. MAPPER I is supplied with complete utilities including a memory test, a disk test, a copy program, and a proprietary program for converting TRS-DOS files to CP/M files. \$199.

WORD PROCESSING—MAPPER I supports professional word processors like the Magic Wand and Word Star (see reviews in June 80 Kilobaud). Omikron's implementation includes a blinking cursor, auto repeat, shift lock, debouncing, and an input buffer that eliminates missed characters. Magic Wand super discount price \$299.

FIELD PROVEN DESIGNS - After one year of MAPPER production, Omikron has established an impeccable reputation for reliability, integrity, and user support. Omikron's customers include the US Government, major corporations, universities, medical doctors, and professionals in all fields.

**SYSTEMS** - Omikron sells complete systems featuring Model II compatible Shugart disk drives. Call for prices and delivery.

FOREIGN ORDERS must include full payment in US funds plus \$25 for air shipping and handling.

See review in July 80 BYTE By Jerry Pournelle.

JE

OMIKRON Products that set Precedents.
1127 Hearst St. Berkeley, CA 94702 (415) 845-8013

```
Listing 2 continued:
```

```
00<mark>25 3A53 5329</mark>
0029 203F
                         BYTE 0
002B 00
                 MESS1
                         BYTE > 0D • > 0A
0020
    0D0A
                         TEXT /THE NUMBER OF TICKS ELAPSED IS: /
002E 5448 4520
0032 4E55 4D42
0036 4552 204F
003A 4620 5449
003E 434B 5320
0042 4540 4150
0046 5345 4420
004A 4953 3A20
004E 00
                         BYTE 0
004F 2041 4E44
                 MESS2
                         TEXT / AND THE CORRECT TIME IS: /
0053 2054 4845
0057 2043 4F52
005B 5245 4354
005F 2054 494D
0063,4520,4953
0067 3A20
0069 00
                         BYTE 0
                 COLON EQU
                             %-3
0067
                    PROGRAM BEGINS HERE
006A
                         EVEN
                 EXMPL
                         EQU
0.06A
                              Ŧ
006A 0300 0000
                         LIMI 0
                                                 ; INHIBIT INTERRUPTS
                         LWPI MYWS
                                                 ;GET A WORKSPACE
006E 02E0 00D6
                              QTYPE
0072 06A0 00CA
                         BL
0076 000B
                         DATA MESSO
                                                 GGET TIME OF DAY
0078 2D60 0000
                         MIG
                              @HRS
                                                 ;HOURS
                                                 ; MINUTES
007C 2D60 0002
                         MIG
                              SMING
                                                 ;SECONDS
0080 2D60 0004
                         MIC
                              #SECS
                              JIYPE
0084 06A0 00CA
                         F:L
                                                 ; ISSUE NEW LINE
0088 0008
                         DATA CRUE
                              PSTIM
                                                 ;SET THE TIME OF DAY
008A 06A0 0000
                         ΒL
008E 0000
                         DATA HRS
0090 06A0 0000
                         Ε:L
                              aSTOLK
                                                 ;ZERO THE INTERVAL TIMER
                                                 ;ALLOW LEVEL 1 INTERRUPTS
0094 0300 0001
                         LIMI 1
                 WAIT
                         EQU
0098
                              $.
                              R0
                                                 ; WAIT FOR INPUT
0098 2040
                         ΙΝ
                                                 FREAD THE
                                                            TIMER
009A 06A0 0000
                         BL
                              GRIDCLK
                                                 ;SAVE THE VALUE
009E 0140
                         MOV
                              R0, R5
                              ⊋6TIM
00A0 06A0 0000
                         BL
                         DATA HRS
                                                 FREAD THE CLOCK
00A4 0000
                              GTYPE
00A6 06A0 00CA
                         EL
                                                 FPRINT THE NUMBER OF TICKS...T
000AA 002C
                         DATA MESS1
                         DOUT RS
00AC 2D85
00AE 06AO 00CA
                         BL
                              @TYPE
00B2 004F
                                                 PRINT YAND THE CORRECT...Y
                         DATA MESS2
00B4 2DA0 0000
                                                 FPRINT HOURS
                         DOUT PHRS
0018 2CAO 0067
                         PICLUM
00BC 2DA0 0002
                         DOUT
                              SMING
                                                 FPRINT MINUTES
0000 20A0 0067
                         DUT
                              PCOLON
                                                 ; PRINT SECONDS
0004 2DAO 0004
                         DOUT
                              ∂SECS
                         JMP
                              WAIT
0008 10E7
                    TYPE THE MESSAGE POINTED
                    TO BY THE RETURN ADDRESS
                         EQU
00CA
                 TYPE
                              Ŧ
                                                                    Listing 2 continued on page 300
```

# What TECO\* does for minis, TED will do for your micro.

Like TECO\*, TED is a character-oriented editor that gives you everything you'd expect. Plus, you get many things you wouldn't expect.

TED and user manual \$90

Coupon furnished with

manuals purchased

towards purchase

separately worth \$20

\$20

Manual alone

- ▶ 36 command/text buffers
- ▶ 32-entry push-down stack
- ▶ Sophisticated macros
- Conditional & iterative command execution
- Conditional & absolute branching
- ► Multiple open files

You'll also find some elegant enhancements among TED's 90-plus commands.

TED's compatible with Z-80\*-based systems supporting standard CP/M\*. We recommend at least 24K bytes RAM. TED's supplied on CP/M\*-compatible 8-inch disks.

SEND FOR FREE COMMAND SUMMARY

#### small system design

P.O. BOX 4546 MANCHESTER, NEW HAMPSHIRE 03108 TELEPHONE: 603-432-7929

\*TECO® Digital Equipment Corp.: Z-80® Zilog Inc.: CP/M® Digital Research Inc.

#### CATCH THE S-100 INC. BUS!



	LIST PRICE	OUR Special Cash Price
Integral Data — ''Paper Tiger'' ** 440-G Printer u/Ic w/Graphics	1195.00	950.00
S.D. Systems PROM 100 Programmer — Kit	200.00	*171.00
S.D. Systems Z-80 Starter Kit	340.00	*275.00
Godbout, Econoram X-32 "Unkit"	599.00	512.00
Godbout 3P&S Interfacer "Unkit"	199.00	170.00

\*Included free with every S.D. Systems board is an additional \$25.00 manufacturer's rebate coupon.

Subject to Available Quantities • Prices Quoted Include Cash Discounts.
Shipping & Insurance Extra.

We carry all major lines such as S.D. Systems, Cromemco, Ithaca Intersystems, North Star, Sanyo, ECT, TEI, Godbout, Thinker Toys, Hazeltine, IMC For a special cash price, telephone us.

Hours: Mon.-Fri. 10 A.M.-6 P.M. Bus ...... **S-/DD, inc.** Address ..... **7 White Place** 

Clark, N.J. 07066
Interface .... 201-382-1318

#### MAKE YOUR BASIC BETTER FOR BUSINESS

Developing business applications without keyed file support is like producing a play without the right cast — you can expend needless time and money, and end up giving an inadequate performance.

#### Enter MAGSAM™

MAGSAM picks up where your BASIC leaves off by providing it with a powerful Keyed File Management System that's quick and easy to use. The result is applications that do exactly what you want them to — instead of only what BASIC allows you to.

#### Supporting Cast

MAGSAM's advanced features and capabilities include:

- Random, sequential, and generic access by key
- Secondary indexing with any number of keys
- Key and record deletes with automatic space reclamation
- Dynamic file allocation and extension
- Complete compatibility with BASIC files
- Interactive tutorial program
- One year update service

The versatile MAGSAM file management is now available in two major versions. MAGSAM IV, the new high performance assembler version, is ideal for business applications in which response time is critical. Complete with an interface for CBASIC, MAGSAM IV is \$295. MAGSAM III is the standardversion and is in use world wide. Written in BASIC, it is available for CBASIC, Microsoft BASIC, or Micropolis BASIC for \$145. The MAGSAM manual alone is \$25.

#### You're the Star

MAGSAM is available immediately —off the shelf. So you can begin saving time and money now while providing your customers and clients with applications that truly meet their needs. Send for a free brochure telling the full story on MAGSAM, or see a demonstration at your computer dealer today.

#### Another Business Solution from:

MAG

MICRO APPLICATIONS GROUP

7300 Caldus Avenue, Van Nuys, CA 91606

#### **COMING SOON:**



The Complete Information Management System For Business

Another Business Solution From:



MICRO APPLICATIONS GROUP

7300 CALDUS AVENUE VAN NUYS, CA 91406 ◆0007 R7

0004 SECS

0000 TYPE1

#### ◆0006 TICKS DUTPUT READY?

0090 RDCLK

◆0006 R6

◆0000 RTC

00CA TYPE

0005 R5


A0000A0008B0D0AB000DB0A45B4E54B4552B2054B494DB4520B4F467F0FBF 00000EXIDT B2044B4159B2028B4848B3A4DB4D3AB5353B2920B3F00B0D0AB5448B4520B4E557F178F B4D42B4552B204FB4620B5449B434BB5320B454CB4150B5345B4420B4953B3A207F1ACF B0020B414EB4420B5448B4520B434FB5252B4543B5420B5449B4D45B2049B533A7F1B9F B2000B0300B0000B02E0C00D6B06A0C00CAC000BB2D60C0000B2D60C0002B2D607F1D1F C0004B06A0C00CAC0008B06A0B0000C0000B06A0B0000B0300B0001B2C40B06A07F202F B0000BC140B06A0B0000C0000B06A0C00CAC002CB2D85B06A0C00CAC004FB2DA07F18CF

+0008 R8

0092 STCLK

00D2 TYPE2

Listing 2 continued on page 302



#### TRS-80\* PROGRAMS

◆0009 R9

0080 STIM

0098 WAIT

32K 2 Disk Drive Min

#### MATRIX MANIPULATOR ....

All information can be manipulated by columns and rows; adding, subtracting, multiplying and dividing columns by other columns and putting the results in a third column with statistical analysis.

BUILDER JOB COST ........\$29.95 Complete job cost analysis package for home builder. 189 user-defined cost categories. Automatic invoice control to actual cost of the home under construction. User input for estimated costs of home. Computer generated cost-to-cost comparisons. Up to 47 homes under construction per data diskette.

#### WORD WIZARD I & MAIL LIST COMBINATION \$29.95

Word Wizard I as above with 500 mail listings per diskette. Computer personalizes letters to selected recipients of letters, forms, etc. using variable select codes.

Please allow 2-4 weeks for delivery on Disks only Send \$1.00 for full catalog of Hardware & Software

Computer Programming Unlimited 6712 Langston Drive Austin, Texas 78723 (512) 928-2626

MasterCard and VISA Accepted \*TRS-80 is a Registered Trademark of Tandy Corp.

#### **OSBORNE COMPATABLE**

#### READY to RUN

#### BUSINESS SOFTWARE

in CBASIC2 or 16K BASIC

- Four Complete Packages---
  - General Ledger
  - Accounts Receivable
  - Accounts Payable
  - Payroll with Cost Accounting
- Strong support from Osborne Manuals CBASIC2 runs under CP/M or under CDOS
- version 1.07 on Cromemco computers
- 16K BASIC runs on Cromemco computers
- Cursor addressing routines for Hazeltine. Lear Siegler and Cromemco (Beehive) Terminals
- SourceCodes and Installation Instructions provided along with disks
- Automatic Command Start-up
- Easy to apply to all of your business and systems needs
- OSBORNE READY to RUN BUSINESS SOFTWARE
- SRIOS(CP/M for
- X-IOS(MP/M for Cromemco Computers)
- EXPAND(Run Cromemco Software on CP/M)
- DUP 3(Disk Util-itles for Cromemo DUP 4(Double sided
- MICROPLOT(Versatile Printer Graphics)
- DRIVE(Customized

\* hardware required \*

CRT with cursor addressing

\$14500

per package

D ORDER Add \$51 orshipping Cabt aid 6-1/24 Sales Tax CREDIT CARDS ACCEPTED

Osborne Manuals \$25 each

• DEALER INQUIRIES INVITED •

132-Column Printer

One or more 8" or 5" Floppy \*

- Call or Write for Free Catalogue and More Information •
- ★ We will Customize any of our programs at our Standard Consulting Rates ★

#11 orders usually shipped 8"
For 5" disks add #20.00 for downloading


MICAH BOX 4982 WALNUT CREEK CALIE. 945% ph. 415/9.33-2783

MICro Applications and Hardware

. CONSULTANTS and SOFTWARE DEVELOPERS .

#### S-100 MULTI-FUNCTION I/O BOARD

Has two serial Sync/Async ports (RS-232, current loop or TTL) with individual Xtal controlled programmable baudrate genera-



tors. Four 8-bit Parallel ports; one latched input port and other three can be programmed in combinations of input, output or bidirectional. Also, has three 16-bit Programmable Timers and an 8-level Programmable Interrupt Controller w/Auto restart (8080 / Z80). Other features include; on-board clock divisor for timers, completely socketed, wire wrap posts for easy port configuration

A & T w/user's Manual . . . . . . . . . . (P/N 52748-100) \$375.00\*

#### S-100 "SMART" **PROTOTYPING**

Provides flexibility with our Bus Bar matrixed power distribution. Our "SMART" Prototyping

Board allows building your circuit(s) with ease and saves you hours of power busing layout time. Ideal for Memory, CPU, I/O, A/D, D/A, Disk Controller, etc. Accepts all standard .300" and .600" row spacing I/Cs or sockets. Top row on .100" center spacing allows mounting of standard Header Connectors.

Kit-includes two Bus Bars with Power Supply (+5V, ±12V) components (as shown on photo) . . . . . . (P/N 52748-400) \$49.95\* Board only . . . . . . . . . . . . . . . . . (P/N 52748-4XX) \$29.95\*

\*Calif. Residents Add 6% Sales Tax. U.S. Domestic Price. Price Subject To Change Without Notice. I/O TECHNOLOGY

FOR MORE INFORMATION CALL OR WRITE:

P.O. Box 2119 Canyon Country, CA 91351 Phone (805) 252-7666

Combine accurate flight characteristics with the best in animation graphics and you'll have SubLOGIC's

## **T80-FS1 Flight Simulator**

for the TRS-80

SubLOGIC's T80-FS1 is the smooth, realistic simulator that gives you a real-time, 3-D, out-of-the-cockpit view of flight.

Thanks to fast animation and accurate representation of flight, the non-pilot can now learn basic flight control, including take-offs and landings! And experienced pilots will recognize how thoroughly they can explore the aircraft's characteristics.

Once you've acquired flight proficiency, you can engage in the exciting British Ace 3-D Aerial Battle Game included in the package. Destroy the enemy's fuel depot while evading enemy fighters.

Computer and aviation experts call the T80-FS1 a marvel of modern technology. You'll simply call it fantastic!

**Special Features:** 

- 3 frame-per-second flicker free animation
- Maximum transfer keyboard input
- Constant feedback cassette loader

Hardware Requirements:

- Radio Shack TRS-80, Level 1 or 2
- 16K memory
- Nothing else!

See your dealer or order direct. For direct order, include \$1.25 and specify UPS or first class mail. Illinois residents add 5% sales tax. Visa and Mastercard accepted.



Distribution Corp. Box V. Savov. IL 61874 (217) 359-8482

301



CP M is a registered trademark of Digital Research Corp TRS-80 is a registered trademark of Radio Shack.

#### FROM THE ORIGINATOR OF THE TRS-80 PROJECT

FMG Corporation — for HIGH LEVEL LANGUAGES

FORTRAN · BASIC · PASCAL · COBOL

Microcomputer software for business applications, engineers, consumers, hobbyists and others who have a serious interest in computers.



SEND FOR

*SOFTWARE CATALOG* 

- · CP/M Industry Standard Operating System · USCD PASCAL PACKAGE

  - GENERAL LEDGER; PAYROLL; ACCOUNTS RECEIVABLE and ACCOUNTS PAYABLE
  - FORTRAN-80 PACKAGE New Capabilities for TRS-80 Users FMG's MICRO COBOL For TRS-80 and TRS-80 Model II CP/M Z80 Macro Assembler

  - ZSID Symbolic Debugger
  - Custom Programming, Service, Installation and Training are Available at Additional Cost

FMG Corporation is an Independent Software Company — from the ORIGI-NATOR OF THE TRS-80 PROJECT and THE AUTHOR OF THE FIRST CP/M FOR THE TRS-80. M-452

Listing 2 continued:

C0000B2CA0C0067B2DA0C0002B2CA0C0067B2DA0C0004B10E7BC03BBD070B16017F188F 5006AEXMPL 300A2GTIM: B045BB2C81B10FB40000DID -3009CRBCLK 40000RTC 7F02CF 7F893F 30092STCLK 3008CSTIM 000F6

EDITZASMZLOAD?

**Listing 3:** Execution of the demonstration program of listing 2.

ENTER TIME OF DAY (HH: MM: SS) 720:49:40

THE NUMBER OF TICKS ELAPSED IS: 2 AND THE CORRECT TIME IS: 20:49:42 TICKS ELAPSED IS: NUMBER OF 16 AND THE CORRECT TIME IS: 20:49:56 THE TICKS ELAPSED IS: 26 AND THE CORRECT TIME IS: 20:50:6 MUMBER OF THE NUMBER OF TICKS ELAPSED IS: 430 AND THE CORRECT TIME IS: 20:56:50 THE NUMBER OF TICKS ELAPSED IS: 444 AND THE CORRECT TIME IS: 20:57:4

ENTER TIME OF DAY (HH:MM:SS) 723:59:30

THE NUMBER OF TICKS ELAPSED IS: 5 AND THE CORRECT TIME IS: 23:59:35 NUMBER OF TICKS ELAPSED IS: 17 AND THE CORRECT TIME IS: 23:59:47 THE CORRECT TIME TICKS ELAPSED IS: IS: NUMBER OF 26 AND 23:59:56 TICKS ELAPSED IS: THE NUMBER OF 38 AND THE CORRECT TIME IS: 0:0:8 76406A

ENTER TIME OF DAY (HH:MM:SS) 723:61:23

THE NUMBER OF TICKS ELAPSED IS: 2 AND THE CORRECT TIME IS: 0:0:2 THE NUMBER OF TICKS ELAPSED IS: 9 AND THE CORRECT TIME IS:

?I54 06A

#### S-100

Real Time \$850 Video Digitizer & Display 8086 CP(I \$450 W/vectored interrupts

RAM \$395 8Kx16/16Kx8 8086 \$495

PROM-I/O Serial and \$350

Parallel I/O Parallel I/O \$350 & Timer

Reg. Trademark of Tandy Corp.

#### **TRS-80**

12 Bit

High Speed

8 Ch.Differential

16 Ch.Single-ended Each A/D Module \$495

S-100

KIM

D/A

12 Bit ◀ High Speed

4 Channel

Each D/A Module \$395

TRS-80, PET, or KIM requires an interface board providing expansion for 4 modules. Expansion Board + Power Supply + Enclosure • \$200.



TECMAR, INC. (216) 382-7599

23414 Greenlawn • Cleveland, OH 44122

#### S-100 SYSTEMS

Data Acquisition Microcomputer \$6,950


Video Microcomputer \$6,950

Computer Portrait System \$4,950

Custom Configurations Ávailable

<sup>2</sup>Reg. Trademark of Commodore

## VICTOR ... Number 1 in Impact Matrix Printing!



- 80 column, bi-directional printing
- Upper & lower case font
- Full graphics 480 columns per line
- Top of form & horizontal tabs
- True 100 cps throughput
- · Bi-directional friction and sprocket paper feed
- · Large 360 character buffer
- Four interfaces standard parallel & RS232 & TTY & (IEEE-488)
- · Baud rate switch selectable
- Self-test
- UL/CSA approved
- Intelligent shortest path head return


The Model 5080, shown above, is a heavy-duty printing terminal offered for sale at most competitive prices. Only \$995 in single quantity! This printer has been designed to conform to the most stringent computer specifications, including software on/off control, status feedback signals and a busy signal should you fill our extra large buffer. Don't delay, order now to insure early delivery!

Victor has delivered more than 700,000 industrial, quality matrix printers. These are terminals, mechanisms, and heads designed to solve your problems. Products that are backed by a strong application engineering staff, worldwide service and 50 years of Victor pride in product.

Subsidiary of Walter Kidde & Company, Inc.

3900 North Rockwell Street, Chicago, Illinois 60618 Telephone: 312-539-8200

#### A Complete Line of Impact Matrix Printers



Model 80



Model 129

GREAT BRITAIN — DATAPLUS, 0242-30030 GERMANY — BDT. (07 41) 8041 ITALY — C.A.I., 23.63.851 SPAIN — CETA, 254 6607 SWITZERLAND — ERNI, 01 833 33 33 CANADA — MUNRO. (416)676-1042 FRANCE — METROLOGIE, (1) 791 44 44 SOUTH AFRICA — EAGLE, 45-1421 SINGAPORE — OG. 917788 or 918592 HONG KONG — GILMAN. 3-427144

## **Book Reviews**

#### Microcomputers and Physiological Simulation

James E Randall Addison-Wesley Reading MA, 1980 234 pages, hardcover \$14.50

The observation of living systems is often a complex and difficult task; for those amateur or professional scientists who spend their time investigating the life signs and physiological responses of man and other animals, the use of laboratory computers in the data-gathering phase of their research has become a necessity. In most cases, the invasion of computers into the laboratory environment started with the advent of

minicomputers such as the LINC (Laboratory Instrument Computer) and later. the Digital Equipment Corporation PDP-12. The relatively low-cost and single-user nature of these systems made them especially attractive to the scientist willing to learn computer science. A typical installation would be optimized for data acquisition and formatting, and sophisticated data analysis, simulation, and modeling would generally be done on large, centralized mainframes such as the IBM 360-91. Time on these large machines was not cheap, and the budgets required to support extensive simulation studies were often prohibitive. For these reasons,

the study of biological systems by simulation has tended to be restricted and specialized in nature.

With the arrival of microprocessor hardware and software systems at much lower cost than minicomputers, and with the development of specialpurpose, high-speed arithmetic-processing units, creative and generalized simulation studies may now be performed with a rather modest expenditure of money; of course, inexpensive computing tools do not necessarily reduce the total cost of developing the correct system for a particular application. Here is where Dr Randall's book is invaluable: the background

information on microprocessors, combined with specific examples of biological data simulated with various hardware and software configurations, should allow any life-science experimenter to progress rapidly from the initial idea to a working simulation model.

The first chapters of the book describe the basic realities of the microcomputer world in a clear and comprehensive fashion; the various evolutionary trends in hardware and software design which gave rise to some of the more popular present-day microprocessor systems are explained in a cogent and enlightening manner that should orient

RACET SORTS — RACET UTILITIES — RACET COMPUTES — RACET SORTS — RACET UTILITIES — RACET COMPUTES — RACET SORTS — RACET COMPUTES — RACET COMPUTES — RACET SORTS — RACET SORTS — RACET COMPUTES — RACET SORTS — RACET SORTS — RACET SORTS — RACET SORTS — RACET COMPUTES — RACET SORTS — RACET

#### INFINITE BASIC \$49.95 (Mod I Tape or Disk)

Extends Level II BASIC with complete MATRIX functions and 50 more string functions. Includes RACET machine language sorts! Sort 1000 elements in 9 seconds!! Select only functions you want to optimize memory usage.

#### INFINITE BUSINESS \$29.95 (Requires Infinite BASIC)

Complete printer pagination controls - auto headers, footers, page numbers. Packed decimal arithmetic - 127 digit accuracy +, -, \*, /. Binary search of sorted and unsorted arrays. Hash codes.

#### COMPROC \$19.95 (Mod I - Disk only)

Command Processor. Auto your disk to perform any sequence of instructions that you can give from the keyboard. DIR, FREE, pause, wait for user input, BASIC, No. of FILES and MEM SIZE, RUN program, respond to input statements, BREAK, return to DOS, etc. Includes lowercase driver software, debounce and screenprint!

**GSF \$24.95 Mod I, \$50.00 Mod II.** (Mod I Tape or Disk - Specify Memory Size)

Generalized Subroutine Facilities. The STANDARD against which all other sorts are compared! Machine language - fast and powerful! Multi-key multi-variable and multi-key character string. Zero and move arrays. Mod II includes USR PEEKS and POKES. Includes sample programs.

**DOSORT \$34.95** (Mod I Min 32K 2-drive system. Specify Memory Size) Sequential file disk sort merge. Includes GSF.

**DSM \$75.00 Mod I, \$150.00 Mod II.** (Mod I Min 32K 2-drive system. Mod II 64K 1-drive)

Disk Sort/Merge for RANDOM files. All machine language stand-alone package for sorting speed. Establish sort specification I in simple BASIC command file. Execute from DOS. Only operator action to sort is to change diskettes when requested! Handles multiple diskette files! Super fast sort times - improved disk I/O times make this the fastest Disk Sort/Merge available on Mod I or Mod II.

#### UTILITY PACKAGE \$150.00 (Mod II 64K)

Important enhancements to the Mod II. The file recovery capabilities alone will pay for the package in even one application!
Fully documented in 124 page manual! XHIT, XGAT, XCOPY and
SUPERZAP are used to reconstruct or recover data from back
diskettes! XCOPY provides multi-file copies, 'wild-card' mask
select, absolute sector mode and other features. SUPERZAP
allows examine/change any sector on diskette include track-0,
and absolute disk backup/copy with I/O recovery. DCS builds
consolidated directories from multiple diskettes into a single I
display or listing sorted by disk name or file name plus more.
Change Disk ID with DISKID. XCREATE preallocates files and sets
'LOF' to end to speed disk accesses. DEBUGII adds single step,
trace, subroutine calling, program looping, dynamic disassembly
and more!!

#### BASIC CROSS REFERENCE UTILITY \$50.00 (Mod II 64K)

SEEK and FIND functions for Variables, Line Numbers, Strings, Reywords. 'All' options available for line numbers and variables. Load from BASIC - Call with 'CTRL'R. Output to screen or printer!

#### DEVELOPMENT PACKAGE \$125.00 (Mod II 64K)

Includes RACET machine language SUPERZAP, Apparat Disassembler, and Model II interface to the Microsoft 'Editor' Assembler Plus' software package including uploading services and patches for Disk I/O. Purchase price includes complete copy of Editor Assembler + and documentation for Mod I. Assemble directly into memory, MACRO facility, save all or portions of source to disk, dynamic debug facility (ZBUG), extended editor commands.

\*TRS-80 is a registered trademark of the Tandy Corporation.

**DEALER INQUIRIES INVITED** 

WHEN ORDERING PLEASE ADVISE PUBLICATION SOURCE

CHECK, VISA, M/C, C.O.D.
Calif. Residents add 6%
Telephone Orders Accepted (714) 637-5016

RACET COMPUTES = 702 Palmdale, Orange CA 92665

RACET SORTS - RACET UTILITIES - RACET COMPUTES - RACET SORTS - RACET UTILITIES - RAC

the neophyte user amidst the growing maze of specifications and performance figures that seem to characterize the technical aspects of microprocessing. Thus, several years of practical experience have been condensed into what will soon be an indispensable reference for anyone considering the mathematical study of physiology.

In addition to people doing research, Microcomputers and Physiological Simulation should help those who would like to use interactive modeling as a teaching or demonstration device. All too often, an actual experiment may not turn out as expected, or the number of people observing the demonstration is so large that no one learns very much. Given these circumstances, a simulation approach for showing the dynamic realities of various physiological functions is both a clever and necessary approach. For example, in the study of cardiac output and central arterial pressure, a student could make a number of "experimental" manipulations of the circulatory system which would, on one hand, help to clarify what really goes on in an intact organism, but which, on the other hand, would be difficult to do within the confines of an experimental preparation. In addition, the time required to load a software model of the heart is much less than that needed to set up a live experiment (and, of course, the overall cost of simulation is likely to be much less than the real thing). So, given the desire to provide better instruction and reduce the time and money needed to give students first-hand experience in physiology, a teacher in the life sciences should consider carefully the interesting and useful techniques developed in this book.

Several of the examples in this book are extensions of topics that have been the subjects of articles in BYTE; the electrocardiogram (ECG) receives considerable attention, as does the nature of the neuronal axon potential and membrane conductances following various stimulation examples. In addition, the section on digital filtering and waveform distortion is relevant to a wide range of engineering and computer-science applications outside the life sciences. If you already have an Apple II, an S-100-based system, or a TRS-80 system, several BASIC language programs are provided so that you can get up and running

immediately; acquisition of the appropriate arithmeticprocessing option for your microprocessor will allow you to run more sophisticated and more dynamic simulation studies in a reasonable amount of time.

In a larger context,
Microcomputers and
Physiological Simulation is
one more contribution to
the field of personal, interactive microprocessor-based
teaching tools which in
specific circumstances offer

numerous advantages over conventional methods; the creativity and breadth of investigation allowed by flexible and well-conceived software and hardware systems are in many ways much greater, and certainly achieved with less effort, than our present experimental and pedagogical methods support. Of course, for undergraduate or graduate education and research, having a group of students organize and implement one of the simulations described



in this text will not only provide them with an interesting tool within their specific field of study, but will also allow them to know in some depth the basics of the microprocessor environment which has become an essential substrate of almost all avenues of scientific and laboratory undertaking. Judging by the possibilities offered in Dr Randall's present work, the contribution of the microprocessor to laboratory science and technical education will be

enormous. Comprehensive guides of this sort serve to allow everyone easy access to a much more evolved set of teaching and experimental tools than has been available before.

Nicholas Bedworth Microtex 45 Trowbridge St Cambridge MA 02138

Microcomputer-Analog Converter Software and Hardware Interfacing Titus, Titus, Rony, and Larsen Blacksburg Continuing Education Series Howard W Sams, 1978 286 pages, softcover \$9.50

Microcomputer-Analog Converter Software and Hardware Interfacing is a textbook intended for either class use or self-study. It includes learning goals for each chapter, a chapter of experiments, and a large number of hardware and software illustrations. All software in the book is for the 8080 microprocessor; conversion to other 8-bit microprocessors would range from trivial to moderately difficult.

The topics covered are: analog-to-digital (A/D) and digital-to-analog (D/A) conversion, interfacing digital panel meters, sample-and-hold and multiplexer circuits, and miscellaneous conversion techniques. Appendices include data sheets and applications notes for a wide range of D/A and A/D devices ranging in cost from a few dollars to a few hundred dollars.

The reader of the book is assumed to be familiar with analog circuitry, with digital circuitry, and with 8080 programming. The level of familiarity required for analog devices is about the same as any radio amateur above the Novice class would have. The digital and computer familiarity are at about the same level; anyone who knows what a three-state buffer is and what the difference is between polled and interruptdriven I/O (input/output) should have no trouble with the text. Both polled and interrupt-driven systems are discussed, by the way, along with point graphics and measurement systems.

All in all, this is a good introduction to digital-to-analog interfacing, and a good reference book. The utility as the latter would be increased if there were a good descriptive index of the devices discussed. As with many of the books in this series, there are no blank pages in front or at the back for notes; most readers will probably want several pages of notes, so this is irritating.

John A Lehman 716 Hutchins #2 Ann Arbor MI 48103

Engineer's Notebook: A Handbook of Integrated Circuit Applications

Forrest M Mims III Radio Shack Technical Publications



#### Our Newest Data Base Management System

Introducing CONDOR SERIES 20/DBMS, the relational data base management system for users who want powerful performance at reasonable prices.

For the special introductory offer of \$695, discover how easy it is to develop business or personal information systems with SERIES 20/DBMS.

- •Create a Data Base in Minutes
- •Full CRT Screen Management
- •Use English-like commands. Host language not required.
- Computational, Statistical, and Sorting Capabilities

CONDOR SERIES 20/DBMS is compatible with many Z-80 microcomputers with at least 48K RAM running under CP/M® operating systems.

CP/M is a registered trademark of Digital Research, Inc.

CON	DOR SERIES 20/DBMS	•
	ul(\$35, plus tax)Additional SERIES 20 package (\$695, plus tax)	
Name	Position	
Company	Address	
City	StateZ	IP
Phone ( )	ComputerCF	RT
3989 R	R COMPUTER CORPORATION STATE CORPORATION STATE CORPORATION (313) 769-398 (2009)	

128 pages, softcover \$1.99

Engineer's Notebook is a collection of hundreds of simple circuits using integrated circuits, each one neatly hand-drawn and labeled, with all of the details (resistor and capacitor values, transistor numbers, etc) filled in. The devices used are primarily TTL (transistor-transistor logic), CMOS (complementary metal-oxide semiconductor), and linear function

As a programmer, I keep a file of useful subroutines for each machine and language with which I work. As the file grows, programming gets easier because more chunks of new programs come straight out of the file. *Engineer's Notebook* is the start of my circuit file. Since I am a novice to electronics, I simply cannot say whether an experienced circuit designer will find this collection useful. I tend to doubt it; the book is not written for him. For beginners, however, the circuits are a real help. Not necessarily because they will fit right into the next project you build, but because of the help they provide in learning how to use integrated circuits.

After a very brief (fourpage) introduction to basic electronics (where you are told what resistors, capacitors, and semiconductors are for), the book launches into CMOS circuits. In about forty pages it presents various circuits, starting with the use of simple gates and moving through switches and decoders, flipflops and counters, memory devices, and a variety of music- and noise-generating devices including the SN76488N complex sound generator. The TTL section covers simple gate circuits (including a couple of very informative pages on the use of Schmitt triggers), oscillators, selectors and decoders, then counters and dividers. The linear circuits include pages and pages of

op-amp applications, LED (light-emitting diode) bar displays, tone decoders, and uses for voltage-controlled oscillators.


If you do not know much about electronics and if you want to learn how to use integrated circuits, I suggest you buy one of Don Lancaster's "cookbooks" (or some other introductory text), and Engineer's Notebook. Use it as a workbook for the text: think of the circuits as answers to questions the text did not

pose. Go through them using the text and figure out why they work. Answer the question: Why use this value resistor (capacitor, transistor)? Before very long, you will know what you need to know.

I bought the book primarily to learn about TTL. However, because of the variety of circuits presented, I find myself more interested in CMOS and somewhat intrigued by linear circuits. I'm studying all three now. The book is

well worth its two-dollar price no matter what use vou make of it. ■

Richard Fritzson 25 Callodine Ave Amherst NY 14226



#### Avoid the hassle by upgrading your LA36 for 1200 baud operation with a DS120 Terminal Controller.

The Datasouth DS120 gives your DECwriter® II the high speed printing and versatile performance features of the DECwriter® III at only a fraction of the cost. The DS120 is a plug compatible replacement for your LA36 logic board which can be installed in minutes. Standard features include:


- •165 cps bidirectional printing
- Horizontal & Vertical Tabs
   Page Length Selection
   110-4800 baud operation
- •1000 character print buffer
- •X-on, X-off protocol

- •RS232 interface •20 mA Current Loop interface
- •Top of Form
- •Adjustable Margins
- Double wide characters Parity selection
- Optional APL character set


Over 4000 DS120 units are now being used by customers ranging from the Fortune 500 to personal computing enthusiasts. In numerous installations, entire networks of terminals have been upgraded to take advantage of to-

day's higher speed data communications services. LSI microprocessor electronics and strict quality control ensure dependable performance for years to When service is come. required, we will respond promptly and effectively. Best of all, we can deliver immediately through our nationwide network of distributors. Just give us a

call for all the details.



#### DATASOUTH COMPUTER CORPORATION 4740 Dwight Evans Road . Charlotte, North Carolina 28210 . 704/523-8500



## **HEATHKIT®**

computer products and Zenith Data Systems get even better when you subscribe to Buss: The Independent Newsletter of Heath Co. Computers. Buss spreads the latest news of compatible hardware and software from many vendors. The newsletter is not affiliated with any of these and does not depend on income from ads. So Buss has to please only its subscribers—over 2900 of them.

Readers' candid reports of their discoveries save other subscribers headaches—and money. Innovations published in  $\underline{\text{Buss}}$  have included hardware modifications and software fixes. And, since it is not a company-controlled publication,  $\underline{\text{Buss}}$  can deal with both the weaknesses and strengths of  $\overline{\text{Heath}}$  Co. Computer products.

Buss is a proven newsletter that keeps getting better—it's been published since April 1977. If you subscribe this month you'll receive a free directory of over 50 suppliers of hardware and software for Heathkit® computers and Zenith Data Systems. You have the choice of starting your Buss subscription with the latest issue or available back issues (about 14). All this information will be mailed first class (by air mail overseas). Full refund guaranteed if you're not satisfied. Payment must be in U.S. dollars payable on a U.S. bank or by Master Charge or Visa.

Issues: 12 18 24

U.S. & Canada \$17.98 \$24.75 \$29.95

Overseas 25.00 30.00 35.00

Buss, 325-B Pennsylvania Ave., S.E., Washington, DC 20003

#### **Book Reviews**

Microcomputer Interfacing with the 8255 PPI Chip

Paul F Goldsbrough and Peter R Rony Blacksburg Continuing Education Series Howard W Sams, 1979 224 pages, softcover \$8.95

Those who remember the integrated circuits available a year or two ago may wonder how an entire book could be devoted to a single nonmicroprocessor device. The traditional documentation for such a component is "U25 on the System Monitor Board is a Motorola or equivalent 6820 PIA that contains two parallel I/O ports....In order to use it however, it must be set up with the proper software" (TDL System Monitor Board Manual). The 217 pages in this book are devoted to showing how the software and hardware for the Intel 8255 PPI (programmable peripheral interface) are set up. The general description (although not the details) is applicable to similar devices such as the above-mentioned 6820 (now 6821) or the Texas Instruments 6011.

The 8255 is a parallel interface device which allows software configuration of up to twenty-four I/O (input/output) lines. It has three basic modes: simple, handshaking I/O, and bidirectional. Up to three different ports may be used (depending on the mode), for input, output, or both. All of this makes the 8255 very flexible; it also makes it complicated.

The book discusses I/O schemes in general, and each of the 8255 modes in particular. Experiments are given for both port- and memory-mapped I/O. All hardware and software illustrated are for an 8080-based system, but the effort required to translate to another microprocessor is minor. Both polled-device

and interrupt-driven I/O are treated, and the book ends with an excellent discussion of the hardware and software requirements for master/slave processors. This section alone is worth the price of the book.

There are, as usual, a few minor faults. On page 63, the diagram of the hex inverter is not labeled; it is a 74xx04. Numbers in the book are sometimes given in octal and sometimes in decimal radix; unfortunately the author often neglects to mention which base he is using. I suppose ideally he ought to give everything in octal, decimal, and hexadecimal, but this convenience is probably not needed by the relatively sophisticated audience at whom this book is aimed.

Personally, I find it hard to read an assembler output such as that in the text which runs the op codes and the operands together. PUSH PSW is much easier to read then PUSHPSW. Finally, I would like a bookwide index of the experiments; it would make the book more useful as a reference.


But all of this is quibbling; the book is more than worth the price if you fall into one of three groups of readers. The first group is made up of people who have an elementary knowledge of digital logic (perhaps gained from some of the other Blacksburg books) and who want to learn how to use programmable interfaces in general and the 8255 in particular. The second group is made up of those who would like a more readable reference to the 8255 than is provided by the data sheet, and who want to see sample hardware and software interfaces. Last, anyone putting together multiple-processor systems would do well to look at the last section of the book for a quick and dirty, but fairly simple, way to do it. Let's see, how many channels should I put on my Z80...?■

John A Lehman 716 Hutchins #2 Ann Arbor MI 48103 **NOBODY CAN MATCH OUR DOLLAR/QUALITY RATIO!** 

MS-204 PRINTER

**INTRODUCTORY PRICE:** 

**CABLE:** \$34.50



#### Compatible with TRS-80, Apple, Pet or any other Centronics-type system

#### **Features**

- 132/80 Columns, 63 LPM, Bi-Directional, Nominal Thruput
- 100% Heavy Duty Cycle High Reliability, 100 Million Character Print Head Life
- Sprocket Feed; Variable Forms Width, 2.5" 9.5"
- Double Width Characters: 40,66 Characters per line
- 9 x 7 Dot Matrix Character Font
- · 6-Channel Electronic Vertical Format Unit
- Documentation Included

#### Ask about our 8-inch Drives & Software



18444 S. Broadway Gardena, CA 90248 (213) 327-1010

© 1980 Matchless Systems & MarketPlan

#### ATTENTION GOVERNMENT D P **USERS AND PURCHASERS**

We represent many fine micro products and manufacturers on the GSA Schedule, including

> Apple, Cromemco, North Star and Vector Graphic

Purchasing from the Schedule will save you the time consumed by the bid process. Products shipped throughout the United States and world-wide. Visit or write any of our stores for more information or to receive our catalogue of products represented.



257 West Street, Annapolis, MD 21401 (301) 268-6505 13A Allegheny Avenue, Towson, MD 21204 (301) 296-0520 9330 Georgia Avenue, Silver Spring, MD 20910 (301) 588-3748 Or Call (301) 268-5801

Career Opportunities Available \*An Equal Opportunity Employer

## **Book Reviews**

#### Thrice Upon a Time

James P Hogan Ballantine Books, New York NY, 1980 311 pages, softcover \$2.25

Technical books and journals are useful for reference facts. Magazine articles and "construction" books supply the latest in the microcomputing art to sharpen our faculties. But these all address the issue of "how." and nourish the intellect with data. Books such as James P Hogan's latest novel, Thrice Upon a Time, answer a far more primal need. When the soul is anguished by a floppy disk's stubborn recalcitrance; when the heart is discouraged by that elusive last bug in the

sorting routine; when the mind is depressed by the manufacturer's twelfth postponement of his shipping date, the solace from this book's visions is a soothing balm that carries one through to try again tomorrow.

To be sure. Mr Hogan's intricate plot far transcends mere home computing. In his story, which is concerned with some natural disasters and some achievements of mankind, he intertwines causes and effects so that each nourishes the other in an exciting race to enjoy the benefits of achievement without having to bear the extreme price the consequences of the advances seem to engender. Exploring this theme, plus presenting it in a bolero of variations, is a most complex plot concer-

ning a time communications machine. As distinct from the mysteriously operating transporting telephone booths of the H G Wells or Dr WHO variety, Hogan presents a rather welldocumented, even plausible, invention that takes advantage of the Tau wave effect. Now I am sure that Tau waves are not familiar phenomena to many readers. Mr Hogan also is cognizant of this deficiency in the physics background of most of us, and so he presents an explanation of this effect, its discovery and usefulness, with such clarity and vividness that one would no more deny Tau wave existence than one would deny gravity, black holes, or positronic brains. Though I leave the details to Mr Hogan's characters, suffice it for the moment that

Sir Charles has invented a means to send messages back in time.

Now imagine, if you will, that the world is faced with a problem; a big one. Say we notice by June, when we are already steeped to our knees in the problem (figuratively), that if we had known to do some "X" back in January, most of this trouble would be nonexistent. Say we do send a warning back. Would that mean that we are no longer troubled, or that we no longer are, at all? Then why, or who, would have sent the message?

Yes, this paradox has been explored before. But a marvelous craftsman and clear thinker such as James Hogan deserves his platform, and he exploits it with the quintessential detail and plausibility so reminiscent of the John W Campbell era.

So, you may concede, it's a gripping story. But where does my Altair or Apple come in? The answer is on just about every page. It is assumed in the story that at that time, 30 years from now, most people have a working knowledge of highlevel languages. The elderly Sir Charles has a small computer in his home, and it is not a remarkable occurrence. When he needs extra computing power or common data, he doesn't think twice about linking into the national data grid, which offers such services, as any other utility would offer its resources to home users today. What is so all-fired exciting about this story is that Sir Charles, with a setup not too different from what is available right now to us in our computer rooms, has sat down and used that computer to make a time machine. Sure he has access to a Tau wave generator, which most of us still would have trouble acquiring. But if Sir Charles can move such mountains with his setup,



surely we can at least move a few molehills with ours.

The book is top-notch. As a story, it's exciting and involving. As an inspiration, well I don't want to write any longer. My microcomputer awaits.

Jay P Lucas 3409 Saylor Pl Alexandria VA 22304

#### Noise Reduction Techniques in Electronic Systems

Henry W Ott John Wiley & Sons New York NY, 1976 294 pages, hardcover \$24.50

Although frequently unrecognized, electrical noise is a serious problem in the microcomputing environment. The home microcomputer is a recognized source of electromagnetic interference (EMI) or radio-frequency interference (RFI). The sound effects of computer games produced on a nearby radio are the mark of clever programming and poor electromagnetic shielding. Further, many prototype or even final versions of digital and analog projects fail completely or suffer occasional untraceable glitches because of improper attention to noise sources. Additionally, the rush to marry the continuous, frequently low-level, analog signals to fast-switching, noisy digital microcomputers promises many tremendous EMI problems. Intolerably, from tens to hundreds of millivolts of digital noise may appear in analog signals that never exceed 10 V and are frequently in the 0.1 V to 1 V range.

The above problems can be solved by the application of information about noise—preferably done systematically in the initial design rather than as a patchwork correction after the fact. Ott's extremely

well-written book contains this information and is one of the finest books on electrical noise, its sources, propagation, reception, and suppression. This book is an outgrowth of lectures at Bell Laboratories, and is directed at a technician-level two-year college program.

Chapter 1 is a lucid discussion of noise sources, their coupling into your system, and a summary of the elimination methods: shielding, grounding, balancing, filtering, isolation, separation and orientation, circuit impedance control, cable design, and cancellation. The remainder of the book expands on these points.

Chapter 2 discusses the theory of shielding conductors, and why it does not always work. The distinction between capacitive and inductive coupling is carefully made. Grounding schemes for cables are clearly shown along with their relative merits.

Chapter 3 discusses pro-

cedures for minimizing ground loops, low-frequency and high-frequency grounding (they are different), and grounding shields properly. Especially important, and carefully treated, is the elimination of ground loops. Chapter 4, "Other Noise

Chapter 4, "Other Noise Reduction Techniques," discusses balancing, power-supply decoupling, the much misunderstood transmission impedance of a power distribution system and its effect on system performance, high-frequency decoupling filters and digital circuits. Chapter 5, "Passive Components," shows how these poorly appreciated components can dramatically affect system performance

Chapter 6 is "Shielding Effectiveness of Metallic Shields" and is full of pleasant and unpleasant surprises about shielding properly. Ott discusses in detail how to really prevent EMI generation or reception.

Chapter 7 is on "Contact Protection" in switches and

relays. This unlikely sounding chapter in a book on noise suppression is quite logical. Switches and relays are notorious sources of EMI, and contact protectors yield improved life and performance and also have the beneficial effect of reducing EMI.

Chapters 8 and 9 are about intrinsic noise sources and active-device noise. These two chapters are of greatest value for low-level analog measurements rather than for microcomputer uses.

This book is not easy to read, as it assumes familiarity with DC circuit theory as well as with capacitors, inductors, and the complex impedance treatment of AC circuits. This level of expertise is not required for the book to be exceedingly valuable, however. It is clearly written with a lot of examples and good problems with their solutions.

Like a good novel, it was difficult for me to put this book down. The physical



significance of an equation is discussed clearly and at length; abundant graphs demonstrate concepts and provide valuable later reference. Finally, Ott is exceedingly practical. He has obviously spent long hours up to his elbows in wire and soldering irons tracing down and eliminating noise bugs, and he tells you his secrets.

The book is full of useful and interesting facts. For example, the switching of a single transistor-transistor logic (TTL) gate connected to a power supply through 10 inches of 22 gauge wire causes the ground connection of the integrated circuit to jump by 0.4 V. The synchronous switching of five gates could cause the ground to rise to 2 VI Since 2 V is the logic threshold for transistor-transistor logic, proper operation would be unlikely. This particular problem, a common cause of malfunctions in breadboarded circuits, is partially solved by bypass capacitors.

Do you know how a power-distribution bus strip

works? Why a double-sided printed-circuit board can give far better performance than point-to-point wiring, even with very heavy wire, or even a single-sided printed-circuit board? How much ground area do you need on a printed-circuit board? Do you know what a ferrite bead is, and how it suppresses noise? Do you know what the best type of filter capacitor for filtering an input line is? (The answer is not ceramic disc.) Why is copper a better magnetic shield than steel at high frequencies? How do you seal a cabinet door to EMI? Why, in a cabinet, does a series of ventilating holes with a total area of 1 square inch leak far less EMI than a single crack in the door with an area of 0.1 square inches? Ott explains this plus much

The book has a few shortcomings. The author does not always tie separately presented concepts together, and the reader must perform this synthesis. I would also like to have seen more information on power-line EMI filters. The book was not written with computers in mind so there are no explicit references to them. The information on digital circuits is very brief. Counterbalancing these problems is the fact that the book does not deal with obsolete technologies, but handles fundamental principles which will always be a proper starting point for attacking a new area.

In summary, this is an excellent book. It should be read by every serious analog/digital designer. A careful reading and application of Ott's principles will save great pain, hours of labor, money, and in some cases even entire projects.

J N Demas Department of Chemistry University of Virginia Charlottesville VA 22901

## BYTE's Bits

#### Tracking Down the Modem Filters

Since my article "An Answer/Originate Modem" was published in the June 1980 BYTE (page 24), I have found that the company which makes the CH1262 and CH1267 filters has moved. The current address and telephone number are:

Cermetek Microelectronics 1308 Borregas Ave Sunnyvale CA 94086 (408) 734-8150

The filters are available as "miniModem" building blocks from this firm.

Ronald G Parsons 9001 Laurel Grove Dr Austin TX 78758

#### The Source and Tymshare Sign Operations Agreement

Source Telecomputing Corporation and Tymshare Inc have entered into a development and pilot operation agreement under which Tymshare, a computer service company, will provide a variety of facilities and services to increase the user capacity of The Source, an information utility. Tymshare's subsidiary, Tymnet Inc, which operates the TYMNET public packetcommunications network serving 200 cities, will be utilized in The Source's expansion program. The number of Source users, now approaching 5000, has increased beyond the system's present capabilities. Utilizing TYMNET's equipment and expertise will better serve existing users and permit The Source to accommodate thousands

Through The Source, owners of home computers, computer terminals, and word-processing equipment are able to access a variety



#### THE AQUARIAN CONSPIRACY BY MARILYN FERGUSON

great shuddering, irrevocable shift is overtaking us. It is not a new political, religious or economic system. It is a new mind, a turn-about

BITS, Inc. Books to crase the impossible P.O. Box 42B Peterborough, N.H. 03458 in consciousness in critical numbers of individuals, a network powerful enough to bring about radical change

in our culture.

Please send \_\_\_\_\_\_ copies at \$15.00 each. Postage and handling included. SHIPPED DIRECT FROM PUBLISHER Please check:

□ VISA □ MasterCharge
□ Check or money order
Call 24 hours a day:
800-258-5477
N.H. residents 924-3355

of data bases and programs by telephone connection to computers of The Source network. For details, contact The Source, Source Telecomputing Corporation, 1616 Anderson Rd, McLean VA 22102, (703) 821-6660.

#### Heath Offers Source Code to Its Customers

Heath Company, Dept 350-390, Benton Harbor MI 49022, (616) 982-3210, is offering to its microcomputer customers source code for the company's internally developed system software and hardware. Source code to be released include those for Heath's cassette assembler, debugger, editor, and BASIC, and the source code for HDOS, Heath's disk operating system. Also being offered are the firmware for the H-17 and H-89 disk controllers and the firmware for the H-19 video terminal. The source code listings are \$25 each except for HDOS, which is \$195. The H-19 code will also include source on a Heath HDOS floppy disk and the character generator ROM (read-only memory) code. HDOS source code is available on floppy disk and includes the disk Assembler, Editor, BASIC, and DBUG, as well as PIP and other utilities. All products remain copyrighted, and even though source code is available, it is not being placed in the public domain. Heath welcomes licensing discussions for HDOS from other manufacturers.

#### Computer Bulletin Board for Radio Amateurs

A free access program, called HAMNET, was established by Donald Stoner, W6TNS, and The Peripheral People, POB 524, Mercer Island WA 98040, (206) 232-4505. HAMNET utilizes the extensive MicroNet communications network, which allows access through almost two hundred local telephone numbers. Checking into HAMNET permits users to

post and retrieve messages for help wanted, equipment for sale, network news, schedules, and so on. Other features planned are propagation forecasts, Federal Communications Commission (FCC) news, new product announcements, and more. Public-domain programs are also available. HAMGAB is a ham "frequency" for two users to communicate or transfer programs. While the system is primarily oriented towards amateur radio buffs, it is open to all MicroNet customers. A subscription to MicroNet is \$9 and \$5 per connect hour. Customers are given a 128 K-byte block for storage of files. Information is available from Personal Computing Division, CompuServe Inc, 5000 Arlington Centre Blvd, Columbus OH 43220

New TRS-80 Keyboards

Radio Shack has announced an important

change in its TRS-80 Model I microcomputer. The new keyboard that uses a capacitive-contact system to eliminate the well-known keyboard debounce problem does not have removable key caps, which were on the older TRS-80 models. Any attempt to clean the keyboard by removing the key caps will result in damage to only those TRS-80s that have the new keyboard. TRS-80s with the new keyboard are distinguished by a dull (as opposed to a shiny) finish on the keys and a curved (as opposed to a straight) slope of the keyboard tops when viewed from the side.

#### Educational Software for the Apple

The Department of Natural Science at Eastern Kentucky University, Memorial Science 220, Richmond KY 40475 (606) 622-3735, has completed a search for educational courseware written for microcomputers. They have compiled a catalog of educational software for the Apple II computer. Schools may obtain a copy of this catalog by writing to Professor John Wernegreen at the above address.

## BYTE's Bugs

#### Catching the Khachiyan Bug

In Part 1 of "Khachiyan's Algorithm" by Berresford, Rockett, and Stevenson (August 1980 BYTE), a typographical error occurred in an Editor's Note by Gregg Williams (GW) at the bottom of the first column on page 202. The error at the end of line 7 of the italicized paragraph is in the equation

 $t = K_n^p$ The correction is  $t = Kn^p. \blacksquare$ 

# THERE'S A BIG MARKET FOR APPLES IN ROCKEFELLER CENTER.

We're selling a lot of Apples in the heart of New York City. Our business in Dynabytes and Hewlett-Packards is booming too. The truth is a lot of people are finding Datel's approach to selling micro hardware, software, peripherals and the training and service that go with them just what the doctor ordered. If you find yourself in our neighborhood stop in and look over our selection, and have a chat. We'll show you the right system up front. And if you buy it, we'll stand behind it.

1211 Avenue of the Americas, New York, N.Y. 10036/(212) 921-0110

#### TARGET HOST - TARGET HOST - TARGET HOST

#### CROSS COMPILE FORTH!

TARGET

A

TARGET HOST ➤ TARGET HOST

A

CROSS COMPILING IS THE MOST CONVENIENT WAY TO IMPLEMENT AND EXTEND FORTH. NOW YOU CAN CROSS COMPILE AN ENTIRE FORTH SYSTEM WITH ALL FORWARD REFERENCES RESOLVED IN A SINGLE PASS TO PRODUCE AN EXCUTABLE IMAGE IN MEM-ORY OR ON DISK AND A LOAD MAP OF ALL DEFINED SYMBOLS. THE CROSS COMPILER IS WRITTEN IN HIGH LEVEL FORTH INTEREST GROUP (FIG) FORTH. A COMPLETE DESCRIPTION OF EACH WORD IN THE CROSS COMPILER IS GIVEN WITH STEP BY STEP STACK CONTENTS. FORTH INTERNALS (NEXT. BUILD, DOES. CREATE. ETC.) ARE ALSO COMPLETLY DE-SCRIBED. A CROSS COMPILABLE VERSION OF THE FIG MODEL 1.0 IS PROVIDED FOR THE 8080 WITH AN ASSEMBLER / DISASSEMBLER THIS MAY BE EASILY CONVERTED TO ANY MACHINE. A DETAILED DE-SCRIPTION IS GIVEN FOR FIRST TIME IMPLEMENTA-TIONS. THE ENTIRE PACKAGE IS AVAILABLE FOR \$70. FROM:

> Nautilis Systems P.O. Box 1098 Santa Cruz, CA, 95061

FOR THE SERIOUS FORTH USER

TARGET HOST ► TARGET HOST ► TARGET HOST

#### IS THERE A

IN YOUR LIFE



General Accounting Package. Fantastic double entry accounting system with user definable accounts. The account numbers are made up of 7 4-digit fields allowing 7 levels of account classifications. With the use of the Operator Report Selector Generator (OSRG), you can generate any type of report you desire, or use report programs in GAP-GL, GAP-AP, and GAP-AR.

GAP-GL

Includes all basic GAP functions, plus entry of General Ledger transactions, prints General Journal, General Ledger summary and detail, Balance Sheet, Profit and Loss.

Price \$124.95

GAP-AR

Requires GAP-GL to run, allows adding A/R invoices, printing Sales Journal, detail A/R report, Account Aging, add/update Cash Receipts with register, Cash Receipts Journal, and A/R Billing.

Price \$99.95

GAP-AP

Requires GAP-GL to run, allows adding of A/P invoices, printing Purchase Journal, detail A/P report, Aging of Accounts, Check Writing, Check Printing, Cash Disbursements Journal.

Price \$99.95

System requirements are 32KCP/M - CP/M is registered trudemark of Digital Research

#### **PROFESSIONAL DATA SYSTEMS**



318 E 18 st. BAKERSFIELD CA. 93305 (805) 323-0891

## Technical Forum

## A \$5.25 Interface to the BSR X-10 Home Control System

Alan R Trimble, Tracon Corporation, 6615 Kentland Ave, Canoga Park CA 91307

The availability and reasonable cost of the BSR X-10 Home Control System, coupled with the ease of interfacing the system to a home computer, will undoubtedly spawn a revolution in home automation. (See Steve Ciarcia's article "Computerize a Home," January 1980 BYTE, page 28.) Already I have seen advertisements in BYTE and other computer magazines for interface equipment in the \$100 to \$200 range, offered by at least three different manufacturers. Eager to get my home under computer control, but not too eager to shell out \$114.90 for the S-100 MicroMint system described in Steve's article, I was motivated to implement the system in software.

All that is needed is an ultrasonic transducer and a single bit from a parallel output port. The transducer is simply connected directly across the output port line (transistor-transistor logic [TTL] levels are sufficient to drive the capacitive transducer load) while the computer is used to generate the 40 kHz bursts that make up the coded message to be transmitted to the BSR X-10 command module.

The output port was easy to come by—I had a spare one—but even a single line from a dedicated port could be used, such as a bit from a parallel printer-interface port, provided that the printer is not strobed when data is output to the port. Finding a 40 kHz ultrasonic transducer did not seem quite as simple. After calling a few local electronic stores, however, I was able to locate one for \$5.25 (Calectro catalog number J4-815).

All tools in hand, I set out to emulate Steve's command generator in software on my 4 MHz Z80-based S-100-bus system. The calling sequence was set up so that the routine could be called using Cromemco's FORTRAN, but it is a simple matter to modify this as required.

At the heart of the program are two subroutines: FORTY, which generates a 40 kHz signal of specific duration, and DLY, which provides a programmable delay. These make careful use of instruction execution times to provide accurate timing. As written, they will work only with Z80/8085 systems running at a basic clock rate of at least 4 MHz.

FORTY and DLY are used in subroutines SND1, SND0, and TERM, which generate the transmission codes for a logic 1, a logic 0, and the code-termination sequence, respectively.

These, in turn, are utilized by the main routine XMIT,

which builds the message to be transmitted from the single-byte code passed as an argument. The code passed is exactly as described in table 1 of Steve's article.

Admittedly, the software required to drive the transducer is neither processor nor speed independent, but the concept is simple enough to be used on virtually any system.

Listing 1: This software, called from Cromemco FORTRAN, is used to drive an ultrasonic transducer directly from a parallel output port. Output frequencies and timing are based on the 4 MHz clock rate of the author's Z80 system.

CROMEMCO CDOS 280 ASSEMBLER version 02.15 XMIT: TRANSMIT COMMAND TO HOME CONTROL SYSTEM

XMIT: TRANSMIT	COMMAND TO HOM	E CONTRO	L SYSTEM				
	0002 ; XMIT: 0003 ;		TRANSMIT COMMAN	D TO HOME CONTRO	DL SYSTEM		
	0004 ; PURPO 0005 ;	SE:	TO GENERATE THE	SIGNALS REQUIRE	D TO DRIVE AN	ULTRASONIC	
	0006 ; 0007 ;		HOME CONTROL SY	STEM	J TO THE BUN A-	10 (ON BEANS	
	0008 ; USAGE		CALL XMIT				
	0009 ; 0010 ; WHERE	:	HL CONTAINS THE	ADDRESS OF THE	COMMAND DYTE		
	0011 ; 0012 ;	COMMAND	BYTE (DECIMAL):				
	0013 ; 0014 ;	ALL OFF LIGHTS	= 1	CH1 = 12 CH2 = 28	CH7 = 10 CH8 = 26	CH13 = 0 CH14 = 16	
	0015 ; 0016 ;	ON OFF	= 5 = 7	CH3 = 4 CH4 = 20	CH10 = 14 CH10 = 30	CH15 = 8 CH16 = 24	
	0017 ;	DIM BRIGHT	= 9 = 11	CH5 = 2 CH6 = 18	CH11 = 6 CH12 = 22	CIII0 - 24	
	0019 ; 0020	ENTRY		C110 = 10	CH12 - 22		
	0021 ;		XMIT				
0000' F5	0022 XMIT: 0023	PUSH	AF; BC	SAVE REGISTERS			
0002' D5 0003' E5 0004' 7E	0024 0025	PUSH	DE HL				
0005' 07	0026 0027	LD RLCA;	A, (HL);	GET THE CODE WO	ORD ODE WORD		
0006 ° 07 0007 ° 07	0028 0029	RLCA RLCA					
0008, 35	0030 0031	CPL LD	E, 11;	SAVE THE COMPLE	PMPNT POD IATED	ner	
0009' 5F 000A' 2F	0032 0033 ;	CPL	27.,	SAVE THE CONFEE	SHERT TOK ENTER	032	
000B' CD2F00'	0034 0035	CALL	SND1;	TRANSMIT THE ST SETUP TO TRANSM	ART BIT	n.m.c	
	0036 XLP1:	LD RLCA;	D,5;	SHIFT BIT TO BE SEND A ONE IF	TRANSMITTED I	NTO CARRY	
0011' DC2F00'	0037 0038	CALL	C,SND1; NC,SND0;	SEND A ONE IF C	CARRY IS SET CARRY IS CLEAR		
0010' 07 0011' DC2F00' 0014' D43D00' 0017' 15 0018' 20F6	0039 0040	DEC JR	D NZ,XLP1;	LOOP UNTIL 5 BI	TS HAVE BEEN S	ENT.	
001A' 1605 001C' 7B	0041 ; 0042	LD	D,5;	SETUP TO TRANSP	MIT ANOTHER 5 B	ITS	
001C' 7B 001D' 07 001E' DC2F00'	0043 0044 XLP2:	LD RLCA;	A,E;	GET THE COMPLEM SHIFT BIT TO BE SEND A ONE IF (	TRANSMITTED I	NTO CARRY	
001E' DC2F00'	0045 0046	CALL	C,SND1; NC,SND0;	SEND A ONE IF O	CARRY IS S.T	aro cinar	
0021' D43D00' 0024' 15 0025' 20F6	0047 0048	DEC JR	D	LOOP UNTIL, 5 BI		E N/M	
	0049 ; 0050	CALL	NZ,XLP2; TERM;	TRANSMIT THE TE			
0027' CD4B00' 002A' E1 002B' D1 002C' C1 002D' F1	0051	POP	HL;	RESTORE THE REC	SISTERS	ENCE	
002C' C1	0052 0053	POP POP	DE BC				
002D' F1	0054 0055	POP RET	AF				
	0055 0057 ; SND1: 0058 ; 0059 SND1:		SEND (TRANSMIT)				
002F' F5 0030' 06A0	0059 SND1: 0060	PUSH LD	AF; B,160;	SAVE ACCUM 4MS OF 40KHZ			
0032' CD5C00' 0035' 21D703	0061 0062	CALL	FORTY;	GENERATE 40KH2	BURST		
0038' CD7100' 003B' F1 003C' C9	0063 0064	CALL	HL,03D7H; DLY; AF;	DELAY FACTOR DELAY REMAINING RESTORE ACCUM	BIT TIME		
003C' C9	0065 0066 :	RET	,	NEGTONO NECCO			
	0067 ; 0068 ; SND0:		SEND (TRANSMIT)	A #FBO			
00301.00	0069 ; 0070 SND0:	PUSH	AF;				
003D' F5 003E' 0630 0040' CD5C00'	0071	LD	B,48;	1.2MS OF 40KHZ GENERATE 40KHZ			
	0072 0073	CALL LD	FORTY; IIL,0695H;	DELAY FACTOR			
0046' CD7100' 0049' F1 004A' C9	0074 0075	POP	DLY; AF;	DELAY REMAINING RESTORE ACCUM	BIT TIME		
004A' C9	0076 0077 ;	RET					
	0078 ; 0079 ; TERM:		TRANSMIT TERMIN	A'PION SEQUENCE			
004B' 1604	0080 ; 0081 TERM:	LD	D,4;	SEND 4 4MS BURS SETUP FOR 4MS	STS OF 40KH2		
004D' 3EA0 004F' CD5C00'	0082 TLP1: 0083	LD	A,160; FORTY;	SETUP FOR 4MS TRANSMIT 40KHZ			
0052' 15 0053' 20F8	0084 0085	DEC JR	D NZ.TLP1;	LOOP FOR 16MS			
	0086 ; 0087	LD	HL,175CH;	DELAY FACTOR			
0055' 215C17 0058' CD7100' 005B' C9	0088 0089	CALL	DLY;	DELAY 24MS			
0035 C3	0091 ; FORTY 0092 ;		GENERATE 40KHZ				
	0093 : USAGE	:	I.D B, V/\LUE				
	0094 ; 0095 ;		CALL FORTY				
	0096 ; WHERE 0097 ;		B CONTAINS DURA				
	0098 ; NOTE: 0099 ;		URATION = ( 10 ( INCLUDES LD 6	O * B + 33 ) * 0 CALL INSTRUCTION	).25US ON TIMES }		
	0100 ; 0101 ; MODIF	IED:	A, B, C, H, L				
	0102 ; 0103 ;						
(0000) (0004)	0104 DG: 0105 D1:	EQU EQU	0; OUTPUT 4; OUTPUT	DATA FOR ZERO DATA FOR ONE			
(0018)	0106 PORT: 0107 ;	EQU	18H; OUTPUT	PORT			
005C' 3E04	0108 ; 0109 FORTY:	LD	A.Dl				
005E' D318 0060' 0E02	0110 0111	OUT LD	(PORT),A; C,2; C	OUTPUT A HIGH DELAY COUNT			
005C' 3E04 005E' D318 0060' 0E02 0062' 0D 0063' 20FD	0112 FLP1: 0113	DEC JR	C NZ,FLP1;	DELAY BETWEEN C	OUTPUTS IS 12 5	ns.	
0065' 3800	0114 ; 0115	LD	A.D0:	DATA FOR LOW OU		0.0	
0067' D318	0116	OUT	(PORT).A:	OUTPUT THE DATA			
0065' 3E00 0067' D318 0069' 0E00 006B' 0E00 006D' 05 006E' 20EC	0117 0118	LD DEC	C,0; C,0;	DELAY DELAY			
006E' 20EC	0119 0120	JR	B NZ,FORTY;	END OF CYCLE			
0070' C9	0121 0122 #	RET					
	0123 ; 0124 ; DLY: 0125 ;		PROGRAMMED DELA	Y			
	0126 # USAGE:		LD HL, VALUE				
	0127 ; 0128 ;		CALL DLY				
	0129 ; WHERE:		HL CONTAINS DEL	AY FACTOR	. 1	246	

Listing 1 continued on page 316

## CONTRACT PROGRAMMERS \$15 to \$30 per Hour

Our clients have immediate short-and long-term assignments available for experienced programmers in either field -- mini/mainframe. Paid weekly; full benefits available.

- Software Tech. Writers
- Software/Hardware Engineers (INTEL 8085)
- Programmer/Analyst (COBOL, IBM, or DEC 10)
- Systems Programmer (Mini/ Micro Assembly, FORTRAN, & BASIC plus)



#### digital arts group CONTRACT SERVICES

For immediate consideration, contact: Jim Barry, Suite 101.

Nine Bedford Street Burlington, MA 01803 (617) 273-2780

#### **CP/M' SOFTWARE**

#### **ADAPT 2.00**

Runs Cromemco Software Under CP/M 1.4 or 2.2 . . . . . . . . . \$75

Get Cromemco software to run on your CP/M Version 1.4 or 2.2 system. ADAPT interfaces most of those powerful Cromemco packages to any 2.80 based CP/M system without patching. ADAPT works without changes for any memory size.

#### **RATFOR-80**

Fast RATFOR Language (RATional FORtran).....\$95

RATFOR-80 lets you write structured code that translates to Microsoft or Cromemco FORTRAN. TSW's RATFOR-80 [RATional FORtran] precompiler runs at more than 1000 statements per minute. Price includes extensive subroutine library. Documentation includes "Software Tools" book by Kernighan and Plauger. [ADAPT and RATFOR packages combined \$150]

#### **FMT**

FMT Word Processing Text Formatter for CP/M . . . . . . . . . . . . \$75

FMT works with any CP/M editor to give you automatic page headings and footings, page numbering, centering, underscoring, external file merging, and in-line console input. FMT works with any video, CRT, or

merging, and in-line console input. FMT works with any video, CRT, or hardcopy terminal and printer combination. With daisy-wheel printers, FMT provides superscripting, subscripting, and half-line spacing.



THE SOFTWARE WORKS 8369 Vickers San Diego, CA 92111

VISA and MasterCharge accepted.
' CP/M is a trademark of Digital Research

(714) 569-1721

#### **INTRODUCING MICROFLEX 65**

## Rockwell takes AIM to infinity

Expand the capabilities of your AIM with Rockwell's new Microflex 65 product line.

CompuMart carries single & multiple add on modules made by Rockwell for your Rockwell AIM.

Write for CompuMart's complete brochure on Microflex 65.

Write CompuMart, 270 Third Street Dept. 129 P.O. Box 568 Cambridge, Mass. 02139



## **Z**S-SYSTEMS ZOBEX

Complete computer on 3 S-100 boards with 32K RAM for Under \$1000.00\* Runs M/PM and C/PM

64K RAM
4 MHz
No WAIT States
\_\_\_\_IEEE Std. \_\_\_\_\_

Z80 CPU 2-4 MHZ IEEE Std.

8" and 5"
DRIVES

CARD CAGE

Low power,
DMA operation,
Bank select in 16K sections
Can be disabled in 4K increments

2 or 4 serial ports, 3 parallel, one 4K EPROM, Vectored interrupts, real time clock, Software controlled baud rates, Drives daisy wheel printer directly

All digital design for stable and reliable performance. No oneshots or analog circuitry. BIOS for C/PM available.

6 slot shielded motherboard for good cooling and low noise.

#### SEND FOR FREE INFORMATIONS

6 months warranty on our boards with normal use

#### Z<sub>S</sub>-SYSTEMS / ZOBEX

5333 Mission Center Rd., San Diego, Ca. 92108
 P.O. Box 1847, San Diego, Ca. 92112
 (714) 447-3997

\*introductory offer for limited time only

Listing 1 continued:

```
0130 ;
0131 ; NOTE:
0131 ; NOTE:
0131 ; NOTE:
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0132 ;
0332 ;
0332 ;
0332 ;
0332 ;
0333 ;
033 ;
033 ;
033 ;
033 ;
034 ;
035 ;
037 ;
037 ;
037 ;
037 ;
037 ;
037 ;
037 ;
037 ;
037 ;
047 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
057 ;
```

CROSS REFERENCE LISTING

Program Length 887A (192)

D0	0104	0115				
D1	0105	0109				
DLP	0136	0137	0139			
DLY	0134	0063	0074	0088		
FLPl	0112	0113				
FORTY	0109	0061	0072	0083	0120	
PORT	0106	0110	0116			
SND0	0070	0038	0046			
SND1	0059	0034	0037	0045		
TERM	0081	0050				
TLP1	0082	0085				
XLP1	0036	0040				
XLP2	0044	0048			1	
XNIT	0020	₹0022				

#### Steve Ciarcia's Comments

My compliments to Alan Trimble on his ingenuity. An ultrasonic transducer tied directly to one line of an output port is a very viable approach. In fact, the first control circuit I designed employed an NE555 timer, used as a tone-burst generator, and an ultrasonic transducer attached as you describe. This additional \$0.50 component (the NE555) further reduces the software overhead while maintaining minimum system cost.

When I wrote the article, I made a tough decision. Either I could present a \$6 interface designed for use with a computer that has existing output ports, a particular system clock rate, and a particular processor, or I could make the hardware smarter (and more expensive) and yet usable on virtually any computer. With the first alternative, I would have gotten about 200 letters asking how to design a parallel output port; the second was the better way to proceed under the circumstances.

There are often many approaches to the design of an interface. My philosophy is to try to tender the one that has the greatest potential for being implemented by BYTE readers. I'd rather not be remembered for my great theoretical presentations. I depend on intelligent people like Mr Trimble to read between the lines and customize my interfaces to meet their individual system requirements.

Regarding the expense of buying the equipment, I am familiar with only the MicroMint unit (the Busy Box). For the purchase price, you get a unit that is assembled and tested; it includes a case, power supply, and instructions; and it comes with the cables required to plug it in and use it.

Anyone wishing to build Mr Trimble's design for a control interface can get the 40 kHz transducer (part number MM 1002) for \$6 postpaid from:

The MicroMint Inc 917 Midway Woodmere NY 11598 (516) 374-6793

My thanks to Mr Trimble for pointing out this approach to interface design.... Steve Ciarcia

# Power AND Flexibility for the HEATH H8

D-G Electronic Developments Co. introduces NEW Hardware, Firmware, and Software support for the H8. Combined with the already popular DG-80 CPU, our products provide an ever increasing line of complimentary support devices to enhance the power and flexibility of the H8 Computer.

#### INTRODUCING: the **DG-64D**

- ✓ Up to 64K bytes capacity Dynamic RAM
- ✓ Hardware bank selectable in 8K increments
- ✓ Software bank selectable in 16K increments through I/O port
- On-board bank select/CPU ROM disable port, addressable to any 256 I/O addresses
- ✓ Up to 8 boards controllable through one I/O port (allows page mode operation)
- On-board transparent refresh for 8080 or Z80 microprocessor backed up by asynchronous refresh upon loss of normal program execution
- 4 MHz operation with no wait states required
- ✓ Low power consumption
- Assembled, tested, & burned-in—90 day warranty

Prices:

64	K	<				5	2	9.00	
48K		•	ı.	•	•			480.00	
32K			•					431.00	
16K					*			382.00	
du								222.04	

Documentation only (DG-64D)

## STATE OF THE ART CPU FOR TH

DG-80 Z80°CPU—249.00 (Assembled & Tested)
Documentation only: \$25.00

#### NEW—SUPPORT for the DG-80 the DG-FP8 the DG-ADP4

Monitor/Utility package for use with the DG-80 CPU which provides functions of PAM-8 as well as the following:

- Z80 monitor features such as display alternate register sets, display index registers, etc.
- "Shorthand" modes for display of memory contents pointed to by
- general purpose registers
  Supports STANDARD CP/M provided by D-G Electronic Developments Co. as well as HDOS
- Provides firmware support for DG-ADP4, 4MHz hardware

Plug-in hardware modification to allow operation of the Heath H17 disk system with the DG-80 at 4 MHz. Requires the use of the DG-FP8 firmware package.

#### STANDARD CP/M<sup>®</sup>Ver. 2.2

16K CHIP SETS (8-4116 Type Dynamic RAMS) for DG-32D, Apple\*, TRS-80\*, H88/89\* and PET\* (Tested) ... \$49.00

NEW PRICING ON OUR POPULAR DG-32D (32K Dynamic RAM for Heath H8) 32K . . . 339.00 . . . . 235.00

 $16K(\frac{1}{2} \text{ populated})$ . . 280.00 Documentation only

CP/M is a registered trademark of Digital Research of Pacific Grove. California. Heath, HDOS, HB, HB8/89 & PAMB are registered trademarks of the Heath Company. Z80 is a registered trademark of Zlog Corp. PET is a registered trademark of Commodore. Apple is a registered trademark of ANDY Corp.



Circle 357 on inquiry card. 317 BYTE September 1980

## IEEE-488 BUS SYSTEM BUILDING BLOCKS

For Commodore PET/CBM and other computers...



TNW-1000 TNW-2000 TNW-232D TNW-103 SOFTWARE

Serial Interface: \$129

1 channel output only

Serial Interface: \$229

1 channel input and output

**Dual Serial Interface: \$369** 

2 channels input and output plus RS-232 control lines

Telephone Modem: \$389

Auto answer/auto dial. Use with DAA

PTERM: A program that turns your PET into a terminal (Use with TNW-2000, TNW-2020, TNW 103) SWAP: Allows storage of up to 8 programs in PET memory at once. Run them in any order. PAN: A sophisticated electronic mail program (use with TNW-103)



Write or call for information today:

TNW Corporation 3351 Hancock Street San Diego CA 92110

(714) 225-1040



#### A Message to our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers promotional material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding

information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to BYTE Publications Inc, Attn: Circulation Department, 70 Main St, Peterborough NH 03458. Thank you.

## Technical Forum

### More on Skip Chains

Mark S Williamsen, 3114 Central St, Evanston IL 60201

In regards to Geoffrey Gass's Technical Forum "Mining the Skip Chain" (February 1980 BYTE, page 148), I would like to add an alternative which has several advantages: a lookup table. A skip chain in its simplest form (testing a single byte to access routines located within a single page [256 bytes] of memory) uses a minimum of 4 bytes of 6800-microprocessor code per test. If the skip chain is to call routines outside of that one page, then 7 bytes are required for each comparison. (See listings 1 and 2.)

On the other hand, a lookup table needs a search routine (as in listing 3) of about 25 bytes and 3 additional bytes for each entry in the table if extended addressing is used. The break-even point is about 6 comparisons. Beyond that, the lookup table scheme uses less memory. It has the additional advantage that the program does not have to be reassembled to add new entries. In fact, if an end-of-table trap is used, as in listing 3, new entries can be written into a programmable read-only memory (PROM) without changing or erasing any previous data. This is ideal for use in a PROM monitor because new commands and routines can be added at any time if blank space is left following the table.

Listin	g 1						
00001 00002 00003				TO ON	IE OF		IN ROUTINE L ROUTINES
00004 00005 00006			*CONTE	ENTS O LLIAMS ITON C	F ACC SEN 1/3 OF DUN	31/'80 MMY LAE	BELS TO
00007 00008 00009 00010		FF00 0000 0000 0000	INCH C1 C2 C3	EQU EQU EQU EQU	IVIDEE.	\$FF00 0 0 0	
00011 00012 00013 00014	0000	0000 0000 0000 BDFF00	R1 R2 R3 START	EQU EQU EQU JSR		0 0 0 INCH	GET
00015 00016	0003 0005	C100 27 F9	FIRST	CMP BEQ	В	#Cl Rl	CHARACTER IN ACC. B B=CODE 1? IF YES, GO TO
00017 00018	0007 0009	C100 27 F5	SEC	CMP BEQ	В	#C2 R2	ROUTINE 1 B=CODE 2? IF YES, GO TO ROUTINE 2
00019 00020	000B 000D	Cl 00 27 Fl	THIRD	CMP BEQ	В	#C2 R3	B = CODE 3? IF YES, GO TO ROUTINE 3
00021 00022 00023 00024					MPAR	ISONS A	S
00025 00026 00027			NECESS	SARY	Listin	g 1 cont	inued on page 319

		20 EF		BRA	START	GET NEW INPUT
00029				END		IF CODE NOT FOUND
TOTAI	L ERRC	RS 00000				
Listin	g 2					
00001 00002			*SKIP C		SKIPEX TINE WITH	I EXTENDED
00003			*GOES		F SEVERAL	. ROUTINES
00004 00005 00006			*CONT. *M, WII *DEFIN	ENTS OF ACLLIAMSEN ITON OF DI Y ASSEMBL	1/31/′80 UMMY LAE	BELS TO
00007 00008 00009 00010 00011 00012		FF00 0000 0000 0000 0000 0000	INCH Cl C2 C3 CN R1	EQU EQU EQU EQU EQU EQU	\$FF00 0 0 0 0 0	
00013 00014 00015 00016	0000	0000 0000 0000 BDFF00	R2 R3 RN START	EQU EQU EQU JSR	0 0 0 0 INCH	GET
						CHARACTER IN ACC. B
00017 00018 00019	0003 0005 0007	C1 00 26 03 7E 0000	FIRST	CMP B BNE JMP	#C1 SEC R1	B = CODE 1? CONTINUE 1F NO GO TO ROUTINE 1 IF YES
00020 00021 00022	000A 000C 000E	Cl 00 26 03 7E 0000	SEC	CMP B BNE JMP	#C2 THIRD R2	B = CODE 2? CONTINUE IF NO GO TO ROUTINE 2 IF YES
00023 00024 00025	0011 0013 0015	C1 00 26 03 7 E 0000	THIRD	CMP B BNE JMP	#C2 NTH R3	B = CODE 3? CONTINUE IF NO GO TO ROUTINE
00026 00027			:			3 IF YES
00027 00028 00029			* *FURTH NECESS	IER COMP <i>i</i> Sary	ARISONS A	S
00030 00031			:			
00032 00033 00034	0018 001A	Cl 00 26 E4	NTH	CMP B BNE	#CN Start	B = CODE N? GET NEW INPUT IF NO
00035	001C	7 E 0000		JMP	RN	GO TO ROUTINE N IF YES
00036				END		N II ILS
TOTAI	L ERRO	RS 00000				
Listin	g 3					
00001 00002				NAM IAND DECC	LOOKU Dder with	
00003					F SEVERAL	. ROUTINES
00004			*CONT	DING ON ENTS OF A		
00005 00006			*DEFIN	LLIAMSEN ITON OF DI	UMMY LAE	BELS TO
00007 00008 00009		FF00 0000 0000	SATISF INCH C1 C2	Y ASSEMBL EQU EQU EQU	.ER; \$FF00 0 0	
00010		0000	C3 CN	EQU	0	

Listing 1 continued:

00011

00012

00013

00014

00015

00016

0000

00017 0003 CE 0018

CN

Rl

R2

RЗ

RN

FF00 START

0000

0000

0000

0000

0000

ВD

EQU

EQU

EQU

EQU

EQU

ISR

I.DX

0

0

0

INCH

#TABLE INITIALIZE Listing 3 continued on page 320

GET

ACC. B

POINTER.

CHARACTER IN

#### STOP PLAYING GAMES

#### TRS-80 (Level II) APPLE OTHERS

■ Calculate odds on HORSE RACES with ANY COMPU-TER using BASIC. ■ SCIENTIFICALLY DERIVED SYSTEM really works. TV Station WLKY of Louisville, Kentucky used this sytem to predict the odds of the 1980 Kentucky Derby. See the Wall Street Journal (June 6, 1980) article on



Horse-Handicapping. This system was written and used by computer experts and is now being made available to home computer owners. This method is based on storing data from a large number of races on a high speed, large scale computer, 23 factors taken from the "Daily Racing Form" were then analyzed by the computer to see how they influenced race results. From these 23 factors, ten were found to be the most vital in determining winners. NUMERICAL PROBABILITIES of each of these 10 factors were then computed and this forms the basis of this REVOLUTIONARY NEW PROGRAM.

SIMPLE TO USE: Obtain "Daily Racing Form" the day before the races and answer the 10 questions about each horse. Run the program and your computer will print out the odds for all horses in each race. COMPUTER POWER gives you the advantage!

• YOU GET: 1) TRS-80 (Level II) or Apple Cassette

2) Listing of BASIC program for use with any computer.
3) Instructions on how to get the needed data from the "Daily Racing Form"

4) Tips on using the odds generated by the program.
5) Sample form to simplify entering data for each race

-MAIL COUPON OR CALL TODAY 3G COMPANY, INC. DEPT. BT (503) 357-9889 RT. 3, BOX 28A, GASTON, OR 97119 Yes. I want to use my computer for FUN and PROFIT. Please send me programs I need a TRS-80 Cassette or Apple Cassette Enclosed is: check or money order Master Charge Visa

Card No Exp. date NAME

ADDRESS

#### START USING YOUR COMPUTER FOR FUN and PROFI

#### A Selection of the Computer Professionals Book Club

#### MICROCOMPUTER INTERFACING

Principles and Practices G. Jack Lipovski,

University of Texas

"A wide range of interfacing and use topics are treated in depth, and the book acquaints the reader with relevant technical terminology." - Terry Ritter, Motorola Semiconductor

Products, Inc. 448pp. ISBN0-669-03619-6 \$24.95

MICROPROCESSORS AND **MICROCOMPUTER SYSTEMS** 

Dwight H. Sawin III 288pp. ISBN0-669-00564-9 \$21.00 **REAL-TIME PROGRAMMING** WITH MICROCOMPUTERS Ronald C. Turner,

American Sign and Indicator Corporation

192pp. ISBN 0-669-01666-7 \$17.95

#### **BASIC COMPUTER LOGIC** John Scott.

Cossor Electronics Limited ISBN 0-669-03706-0 Spring 1981

## Lexington Books



LexingtonBooks, D. C. Heath and Company 125 Spring Street, Lexington, MA 02173 (617) 862-6650 (212) 924-6460

Call our toll-free number, 800 428-8071

## GENERAL LEDGER PAYROLL ACCOUNTS RECEIVABLE & PAYABLE

Flexible and sophisticated business software that is among the highest quality on the market. Originally developed by OSBORNE & ASSOCIATES and rapidly becoming a standard. Our service is support. We will send you these programs with the proper I/O and CRT specific subroutines for your hardware configuration. Get back to business and leave the programming to us. Include hardware description with order.

Accounts Receivable and Payable
Payroll (California)
Non California state tax calculations
(please inquire)
• General Ledger
Multiple profit center option for G/L
Manuals (each)

All programs in CBASIC under CP/M (includes source)

These programs are up and running on the following computer systems: Altos, TRS-80 MOD II (under CP/M), Northstar, Vector Graphics, Intertec Super Brain, Cromemco, and others.

#### **Synergetic Computer Products**

508 University Ave • Palo Alto, CA 94301 (415) 328-5391

Visa • Mastercharge • COD • Certified Check CP/M is a trademark of Digital Research

## BYTE

#### **Back Issues for sale**



The following issues are available:
1976: July and November
1977: March, May thru December
1979: January thru October, December
1979: January thru December except March
1980: January to current issue except February
Cover price for each issue through August 1977 is \$1.75
Domestic; \$2.75 Canada and Mexico; \$3.75 Foreign.
September 1977 through October 1979 issues are \$2.50
Domestic; \$3.25 Canada and Mexico; \$4.00 Foreign.
November 1979 to current is \$3.00 Domestic; \$3.75 Canada
and Mexico; \$4.50 Foreign.
Send requests with payment to:

BYTE Magazine

70 Main St, Peterborough NH 03458
Attn: Back Issues

Listing 3 continued:						
00018	0006	A600	GCl	LDA A	X	GET CODE FROM TABLE.
00019	8000	08		INX		INCREMENT
00020 00021 00022	0009 000B 000D	81 FF 27 F3 11		CMP A BEQ CBA	#\$FF START	POINTER. IF END OF TABLE GET NEW INPUT. DOES ACC,
00023	000E	27 04		BEQ	FOUND	B = CODE? IF YES, GO TO
00024	0010	08	NEXT	INX		ROUTINE. Increment
00025	0011	08		INX		POINTER TO NEXT CODE IN TABLE
00026 00027	0012 0014	20 F2 EE 00	FOUND	BRA LDX	GC1 X	IF NO. Load Pointer
00028	0016	6E 00"		JMP	Х	FROM TABLE AND GO TO
00029	ROUTINE, 20029 *LOOKUP TABLE STARTS HERE:					
00030 00031	0018 0019	0000	TABLE	FDB	C1 R1	CODE 1 ADDRESS OF ROUTINE 1
00032 00033	001B 001C	00 0000		FCB FDB	C2 R2	CODE 2 Address of
00034 00035	001E 001F	00 0000		FCB FDB	C3 R3	ROUTINE 2 CODE 3 ADDRESS OF ROUTINE 3
00036 00037 00038 00039				ER TABLE EN	NTRIES A	
00040 00041 00042 00043 00044	002l 0022	<b>0</b> 0 0000	NECESS	FCB FDB	CN RN	CODE N ADDRESS OF
00045				END		ROUTINE N

TOTAL ERRORS 00000

#### Beware of Interrupts

Dave Feldman, 1856 Viking Way, La Jolla CA 92037

I have read with interest Michael McQuade's article "A Fast, Multibyte Binary to Binary-Coded-Decimal Conversion Routine" (February 1980 BYTE, page 106).

I wish to make the following comment regarding the program presented in listing 1, on page 110.

If the program is run in an environment in which interrupts exist, the user may experience difficulty in obtaining correct results should an interrupt occur when execution is just before RLOOP or just after LAB17 (in the area of the DCX SP instructions). The data on the stack (which is "recovered" by use of the two DCX SP instructions) will be overwritten by the return address saved when execution is transferred to the interrupt service routine. To prevent this problem, replace each occurrence of DCX SP DCX SP with a PUSH H or keep interrupts off while the subroutine is executing. I recommend the former.

Technical Forum is a feature intended as an interactive dialog on the technology of personal computing. The subject matter is open-ended, and the intent is to foster discussion and communication among readers of BYTE. We ask that all correspondents supply their full names and addresses to be printed with their commentaries. We also ask that correspondents supply their telephone numbers, which will not be printed.

## Technical Forum

## Bending BASIC in a Recursive Form

Colin Newell, Newcastle, Australia

I read Stanley Swizer's "The Towers of Hanoi: Solution Using BASIC Recursion" ("Programming Quickies," March 1980 BYTE, page 240) with interest. He has shown us how to solve this problem in BASIC; however, my BASIC does not incorporate a stack. So here is my way of solving this problem (listing 1).

#### Listing 1

```
10 INPUT "NO OF DISKS ";N
20 LETI = 1
30 LET J = 3
40 GOSUB 100
50 GOTO 300
100 IF N = 0 THEN RETURN
110 LET N = N - 1
120 LET J = 6 - I - J
130 GOSUB 100
140 LET J = 6 - I - J
150 PRINT "MOVE TOP DISK ON TOWER ";I;" TO TOWER "; J
160 \text{ LET I} = 6 - \text{I} - \text{I}
170 GOSUB 100
180 LET I = 6 - I - I
190 LET N = N + 1
200 RETURN
300 END
```

#### READY

RUN
NO OF DISKS? 3
MOVE TOP DISK ON TOWER 1 TO TOWER 3
MOVE TOP DISK ON TOWER 1 TO TOWER 2
MOVE TOP DISK ON TOWER 3 TO TOWER 2
MOVE TOP DISK ON TOWER 1 TO TOWER 3
MOVE TOP DISK ON TOWER 2 TO TOWER 1
MOVE TOP DISK ON TOWER 2 TO TOWER 3
MOVE TOP DISK ON TOWER 1 TO TOWER 3

## Programming in the Dark


Jeffrey Sainio, 143 N Moreland #106, Waukesha WI 53186

Robert Glaser's article on programming 2708-type read-only memories ("Program Those 2708s," April 1980 BYTE, page 198) is a boon to those of us who are interested in programmer boards with three-figure price tags. Having built a similar board, let me offer some pointers I have learned:

- 2708s program faster in the dark. This holds true for the devices manufactured by Intel, Texas Instruments, and Motorola that I have used. The speed difference between total darkness and bright incandescent light is over ten to one. The devices also read 0s more easily in the dark (ie: a marginally programmed bit may read correctly in the dark, but not in the light).
- Programming can be done interactively. By pulling the +26 V and CS (chip select) lines low, a byte of information can be read through an input port. If a logical exclusive-OR of the original data and the read data yields all 0s the byte does not need programming. The result of the exclusive-OR may be inverted and ORed with the desired data, then tested. If the result is anything other than hexadecimal FF, the device should be erased. If a programming pulse is to be applied, remember to set CS at +12 V before applying the +12 V; and remember that +26 V must be turned off before reading the device.

By using these techniques, I can program a 2708 in three to fifteen seconds. After an entire programming loop has been executed with no false bits indicated, I shine a high-intensity lamp through the device's window to catch any marginal bits. This ensures that all bits are programmed solidly.

Having used this programming technique on devices rated at 450 ns installed in a Z80 system (running at 4 MHz with no WAIT states), I can say that the method may not seem "kosher," but it is fast and error-free.



#### Boards for S-100 BUS from S.C. Digital

"INTERFACE: 1"
Serial, Parallel, ROM, RAM,
Cassette Interface Board
Assembled & Tested
\$229 Introductory Price

Features: MODEL - 3SPC

- 3-Serial with hardware UARTS, RS232-C or 20ma Current loops
- 1- Parallel I/O with full handshakes, polarity is SW selectable
   Built in 4K ROM, 4K RAM Capability with SW disables (for 2708's, 2114's, ROM, RAM not supplied)
- Built in Kansas City cassette interface usable to 1200 BAUD
- Interrupts built in on all 4 inputs
- On board BAUO rate osc generates
- 19.2K, 9.6K, 4.8K, 1.2K, 300, 110 or 134.5 BAUD
- Switch selectable address, ports and BAUO rates



"UNISELECT"

#### 16K Static RAM Board

Assembled & Tested \$255 with 200nsec Low Power Memory Chips

Features: MODEL - 16K US

- Fully static, uses 2114L'S 16K Block Addressing & Bank Select
- Univeral Bank Select by port and bits, compatable with CROMEMCO, ALPHA MICRO, NORTH STAR, MARINCHIPS, etc.
   Address, Port, Bits, all SW Settable

All boards meet IEEE-S100 standards

Fully socketed, solder masks, gold contacts, and guaranteed for one full year. **Delivery**: from stock to 72 hours. **Ordering**: You may call for M.C., Visa or C.O.D. orders. (Add S4.00 for C.O.D.) Personal checks o.k., but M.O. speeds shipment. Takes 7 to 15 days to clear personal checks before shipping.

Undamaged boards can be returned within 10 days for full refunds. Illinois residents add 5¼% sales tax.

O.E.M. PRICING AVAILABLE, DEALER INQUIRY INVITED

S.C. Digital P.O. Box 906 Phone: Aurora, IL 60507 (312) 897-7749

## **Programming Ovickies**


#### 6502 Loop Control

Gordon Campbell, 36 Doubletree Rd, Willowdale, Ontario, Canada

For clarity, the best way to loop through a field is to start at the beginning and stop at the end. It is important to be able to change the content or length of the field without having to change the code that handles it. Some people use a *marker byte* such as hexadecimal 00 to stop the loop; however, if you make your assembler work for you, this is unnecessary.

Listing 1 is an example of how to make your assembler perform this task. The X register is used to index through a field. The code is set up so that when the register hits zero, execution is terminated. Thus, begin by loading the register with 256 minus the length of the field. Then work through the field from start to end by loading the accumulator with the byte stored at the end of the message minus 256, plus the contents of the X register. The result is that when the X register hits zero, you are done.

The code shown has been used with two assemblers:



## P&T-488 + S-100 computer = Intelligence for your Instrumentation System

The P&T-488 permits an S-100 computer to operate as a talker, listener, or controller on the IEEE-488 instrumentation bus for less than half the cost of calculator-based systems. Software packages which give access to the 488 bus from high level languages such as BASIC are available for CP/M, North Star DOS /BASIC, and Cromemco CDOS. Or "roll your own" system with the custom system package of assembly language drivers.

P&T-488, assembled and tested, + any software package: \$450 (domestic USA)



**PICKLES & TROUT** P.O. BOX 1206, GOLETA. CA 93017, (805) 967-9563

Carl Moser's ASSM/TED, and Dan Fylstra's 6502 Assembler in BASIC, published by Personal Software. Fylstra's assembler generates an error message on the first pass if MSG and MSGEND follow the code that uses them, but then produces correct object code. Of greater concern is the fact that both assemblers do not notice if MSG is greater than 256 bytes long. This should be an error condition that raises a diagnostic. In both cases the only result is that incorrect code is produced.

```
0010
                                   .BA $7000
                   0020
                                   .OS
                   0030
                                   .LS
                          ** HOW TO SCAN A FIELD **
                   0040;
                    0050; (MAKE YOUR ASSEMBLER WORK)
                   0060;
                    0070;
                          THE OPTIMUM METHOD OF LOOP
                   0080;
                          CONTROL ON A 6502. MAXIMUM
                   0090;
                          OF 256 BYTES OF DATA.
                   0100 :
                   0110;
                   0120;
                   0130
                   0140;
7000 - A2 F1
7002 - BD 1B 6F
                                   LDX #MSG + 256 - MSGEND
                   0150
                   0160 PRLOOP
                                   LDA MSGEND - 256,X
7005 - 20 D2 FF
                                   JSR PRINT
                   0170
7008 - E8
                    0180
                                   INX
7009~ D0 F7
                    0190
                                   BNE PRLOOP
                   0200;
                   0210;
                   0220:
700B - 00
                    0230
                                   BRK
                   0240 :
700C- 50 4C 45
                    0250 MSG
                                   .BY 'PLEASE PRINT ME'
700F - 41 53 45
7012 - 20 50 52
7015- 49 4E 54
7018- 20 4D 45
                    0260 MSGEND
                   0270
                    0280 PRINT
                                   .DE $FFD2
                   0290
LABEL FILE: [ / = EXTERNAL ]
PRLOOP = 7002
                         MSG = 700C
                                          MSGEND = 701B
```

#### Sorting With a Catch

/PRINT = FFD2

//0000,701B,701B

Paul T Brady, 91 Marcshire Dr, Middletown NJ 07748

So much has been said concerning various sorting algorithms that it hardly seems possible to be able to contribute to this topic; and yet, in a small business (a nature center, to be precise), we have developed a sorting routine that handles accounting entries, mailing list entries, etc, at a speed that leaves fancy algorithms in the dust. The special beauty of this technique is that it is very simple, and involves only a slight modification of the usually terribly inefficient brute-force bubble technique.

The routine has another advantage—it will not disturb the order of ties. For example, if one orders by zip code, it will not rearrange entries having the same zip code. This is an advantage if the list were previously alphabetized and you wanted to retain alphabetization within zip codes.

There is a catch. This routine is absolutely terrible for ordering a true random list. The routine is designed to handle a list that already is nearly in order, and you want to add a few extra items. But this is exactly the case in a mailing list, in which you add 20 names to a 1500-name list, or in accounting, in which you add 15 transactions to a 60-item list.

The Algorithm

The algorithm works as follows: assume that you have an array of L items, A(I), I = 1 to L. In the standard bubble sort, you compare A(1) with A(2). Assume that you want the list ordered from smallest to largest entry. Then, if A(1) < = A(2), leave them alone, but if A(1) > A(2), reverse them and proceed pairwise down the list. The last comparison made is between A(L-1) and A(L), reversing them if A(L-1) > A(L). You have just made L-1 pairwise comparisons.

For those unfamiliar with this method, a moment's thought should demonstrate that in this first pass you have guaranteed that the largest entry has sunk to the bottom. That is, A(L) now is the largest entry. In subsequent passes, it is no longer necessary to test anything against A(L). So, the second pass ends by comparing A(L-2) with A(L-1). But now, you have guaranteed that the second biggest entry is in the L-1 slot, so each successive pass requires one less comparison.

Even with the shortcut of cutting each pass to be one shorter than the previous pass, this method still takes a long time. But now consider the following. Suppose, during the first pass of L-1 comparisons, we check to see just how well ordered the list already is. We will set up a window in which W equals the first pair that was ordered, and X equals the last pair. Suppose the list contains 85 items, but after the first pass, W = 26 and X =34. This means that everything beyond 34 is already ordered. Items earlier than 26 may not be completely in order when considering later items, but the very next pass can compare entry twenty-five with entry twenty-six; ie: at W-1. So, we have a window that will ascend to the top of the list. Further, on each successive pass we will reevaluate W and X. As soon as  $X \le 1$ , we can stop. (Note: X can equal zero in the special case that the entire list was already in order before you invoked the routine.)

The Program

This idea is so simple that it cannot be new; yet, I have not seen it mentioned, and even if it is published elsewhere, it is worth repeating. The code in listing 1 is for North Star BASIC, in which the semicolon separates statements on the same line. W and X have already been defined. T, T1, and T2 are temporary variables. I is an index variable, and A(I) is the array. The A(I) could also be pointers to string variables; the technique is clearly not limited to ordering numbers.

A final comment. This routine is at its very best if the list is already completely ordered before calling it; it makes one pass through the list, discovers that the list is already ordered (X=0) in statement 135), and quits. This is not at all a ridiculous situation. We have several programs that require ordered data in files, and call the sort routine whenever a "write" is called for, even if nothing was done to disturb the order. In such instances, the sort is only a momentary delay.

**Listing 1**: A bubble sort with a window. This routine is designed specifically to sort lists with only a few entries out of order. It can even be used to check a list quickly to ensure that all entries are ordered. The main attraction, though, is its simplicity; the actual North Star BASIC code is only eight lines long.

- 100 W = 2; X = L; REM W = UPPER WINDOW BOUND, X = LOWER
- 105 FOR I = 1 TO L
- 110 T1 = X;X = 0;IF W < 2 THEN W = 2;T2 = W 1;W = 0
- 115 FOR J=T2TOT1-1; REM BEGIN AT T2. STMT 110 ASSURES T2 > = 1.
- 120 IF A(I) < = A(I+1) THEN 135
- 125 T = A(I); A(I) = A(I+1): A(I+1) = T; REM. OUT OF ORDER,REVERSE.
- 130 X = J:IF W = 0 THEN W = J: REM W = 0 IMPLIES FIRST REVERSAL.
- 135 NEXT; IF X <= 1 THEN EXIT 145; NEXT
- 140 STOP; REM FOR COMMENT ONLY WILL NEVER BE REACHED
- 141 REM WILL NEVER FINISH SECOND "NEXT" OF 135
- 145 REM ROUTINE ENDS HERE, LIST IS ORDERED.

### **DATADISK** SYSTEMS

CP/M\* FOR NORTH STAR SYSTEMS

CPVM 2.2 — The Industry standard "software bus" specially tailored for the North Star (fisk systems and 8080, 8085, 2.80 microcomputers Fully supports all standard North Star I/O and single, double or quad capacity das drives. A minimum of 224 of continuous rain memory stanish of lacchia zero is required. The Idohomy Biplial Research (rol') and Daladok Systems (old) programs are included on your CPVM. adviselte the Lockia zero is required. The Idohom Biplial Research (rol') and Daladok Systems (old) programs are included on your CPVM. adviselted to Lockia zero is required. The Idohom Biplial Research (rol') and Daladok Systems (old) programs are included on your CPVM.

ED (dr) — Text Editor. Used to write pro-grams in most languages and modity any ASCII disk ble. Delete, substitute, searchon char/string/line number/relative position, block move, global change, macro com-mands. ED is your window to CP/M com-

ASM Idr) — 8080 Assembler Uses stan-dard 8080 mnemonics and pseudo-ops Conditional assembly, HEX file generation, assemble listings, multi-disk lite transfer

PIP (dr) — Perpheral Interchange Program. File Iranster between disk and logical devices. Software file rouling, concatination, pagination, teal extraction, casc conversion, line numbering and much more. SUBMIT (dr) - Batch ED. PIP. DDT. ASM

processes:

DDT (dr) — Dynamic Debugging Tool. 8080 assembly language run-lime monitor. Real time between break points, tracing, full internal register display and alteration at any step, single step, disassembly, assembly, the list goes on and on. If you write device

 $\begin{array}{ll} \text{STAT (dr)} \leftarrow \text{Status/alteration ol logical-to-physical devices, disk drive parameters,} \\ \text{slorage space, life size.} \end{array}$ 

 $\begin{array}{l} \text{LOAD (dr)} \sim \text{Convert 8080 'HEX' files (output of ASM) into machine executable code} \\ \text{Programs are then executed by typing the program name.} \end{array}$ 

MOVCPM (dr) — Reconfigure your system to another memory size

SYSGEN (dr) — Create new system diskette

DSTAT (dd) — Multi-purpose Disk Status routine Logically assign disk drives to operate with any combination of single density, oduble density, single side, double side assigned as shadard or sequential risk sections. An optional selection allows last slepping and optimal sectioning to significantly reduce disk-intensive program execution time. An additional selection program execution time. An additional selection significantly deficies of the significant of the significant selection time. An additional selection time display owners to upgrade with no additional selection time.

#### FOLLOWING SOFTWARE AVAILABLE IN MOST 5.25 AND 8 INCH FORMATS

Symbol lable, an arrayol output options \$85/\$15	Symb
DESPOOL - Simultaneousfile print and use operation ~~ \$45/\$5	STRU
TEX — Text formatter. Quality hard copy	GEN
SID — Symbolic instruction debugger Multiple pass points, back track, histogram, source code labels	ACC ACC PAY
ZSIO - Same as SID for the Z80 instruction set \$95/\$15	ANA LET OS
COMPILER SYSTEMS CBASIC-2 rel 2 06 Compiler extended disk BASIC Self documenting, source code protection, linenumbersnot required \$95/\$15	NA

Speciny single, double of gold apparity
Additional formals availables oon.
Structured Systems Groupprograms require CP/M and CBASIC-2
\*CP/M is a registered trademark of Digital Research.

MT microSYSTEMS PASCAL/MT. — requires 32K mi

SHUGART HARD DISK 6 mg. warranty, direct connection to North Star \$4595 \$4995

LINE PRINTER — mulli-lont, mulli-language, up to 132 col, self test, boldlace, 125cps, muchmore \$795 VERBATIM mini-disks (IoIs of 10) S24.95

DATADISK SYSTEMS, P.O. BOX 195, POWAY, CA 92064, (714) 578-3831

#### APPLE II COMPUTERS

16K APPLE II	959.00
32K APPLE II	1024.00
48K APPLE II	1089.00
DISK W CONTROLLER	520.00
DISK ONLY	450.00
APPLESOFT CARD	159.00
INTEGER CARD	159.00
PASCALSYSTEM	440.00
SILENTYPE PRINTER	525.00



#### **RAM MEMORY**

FOR TRS-80 APPLE II 16K SET 4116's

65.00

#### **NORTH STAR COMPUTERS**




HRZ-1D-32K-KIT 1545.00 HRZ-1D-32K ASM 2045.00 1895.00 HRZ-2D-32K KIT HRZ-2D-32K-ASM 2360.00

### VERBATIM DISKETTES

BOX OF 10 5¼′ BOX OF 10 8″ 29.50 39.50

#### FREDERICK COMPUTER PRODUCTS

MUNICIPAL AIRPORT FREDERICK, MD. 21701 (301) 694-8884



# Programming Ovickies

# Notes on Absolute Location Interfaces to Apple Pascal

Daniel D Sokol, 211 Fall Creek Dr, Felton CA 95018

After seeing the March 1980 BYTE Editorial ("Hunting the Computerized Eclipse," page 6), I realized that many other users of Apple Pascal have encountered the same problem I have: the difficulty in accessing memory locations directly. I have written two programs that help to minimize this problem.

Listing 1: A UCSD Pascal compilation unit called PEEKPOKE which provides the modules PEEK and POKE that allow access to arbitrary memory locations. Care should be exercised in using this routine, because data vital to the operating system may be inadvertently modified.

```
(*SS+.1 PRINTER-*)
(*********
                                                                              This program has been designed to be added to the Pascal SYSTEM.LIBRARY. See section 4.2 in the reference manual for info on the Librarian.
               PEEK and POKE
          Dan Sokol 3 Dec 79
unit PEEKPOKE: intrinsic code 26;
                                                                               (* I used segment 26 *)
procedure POKE (var ADDR, DATA: integer);
function PEEK (var ADDR: integer): integer;
                                                                                    Both addr and data
must be INTEGER variables
(not constants)
                                                                                   To use in a program you must follow the program
                                                                                    name with :
USES PEEKPOKE;
implementation
(* this defines a variant *)
(* record which will map *)
(* to an absolute hardware *)
(* address in the Apple. *)
var CHEAT: MAGIC:
procedure TEST(var DATA:integer): forward:
procedure POKE;
     egin
TEST (DATA);
     CHEAT.INT:=ADDR;
CHEAT.PTR^[0]:=DATA;
    begin
CHEAT.INT:=ADDR;
PEEK:=CHEAT.PTR^[0];
procedure TEST;
begin
DATA:=abs(DATA mod 256);
                                                                               (* This procedure assures *)
(* only valid data wil) *)
(* get poked *)
 (* MAIN PROGRAM *)
begin
(* DUMMY PROGRAM *)
end.
```

The first program, entitled UNIT.PEEK.TEXT (shown in listing 1), is a library intrinsic that performs the same functions as PEEK and POKE in BASIC. It uses the variant-record technique to access arbitrary addresses in memory.

The second program is called CALL.ASSY.TEXT (shown in listing 2). It is an assembly-language linkage which allows the user to call, from a Pascal routine, an external (non-Pascal) assembly-language program at an arbitrary address in memory. It is, of course, possible to call an assembly-language module that is linked into a Pascal program, such as this module itself, but the linker has no provision for fixing an absolute address of the called routine. Thus this routine is required as an escape to routines found at locations fixed by hardware, such as the read-only memory regions of the typical Apple input/output (I/O) cards.

Listing 2: CALL, a UCSD Pascal system assembly-language program for a 6502 processor. This routine will call an arbitrary absolute address, such as an address associated with a read-only memory routine in an interface card, which is not normally accessible from Pascal. As in listing 1, care should be exercised in using this routine.

```
PROGRAM TO CREATE A CALL FUNCTION FOR PASCAL IN THE APPLE;
Use this assembly languae program to call programs that are not normally accessable from Pascal.
To use: ASSEMBLE this program and save the code file.

Define a PROCEDURE in your program as follows -

PROCEDURE CALL(addr); EXTERNAL;

addr must be an integer variable.
            Compile your program and then run the linker.
When asked for the LIB.name type the name of the save code file.
WARNING: ANY PROGRAM THAT CHANGES MEMORY LOCATIONS MAY INTERFERE WITH THE PASCAL OPERATING SYSTEM.
          .TITLE: " CALL SUBR - 15 FEB 80 - DAN SOKOL"
           MACRO POP
         PLA
STA
PLA
          STA
                     %1+1
          .ENDM
          .MACRO PUSH
          PHA
          LDA
PHA
          .ENDM
           PROC CALL, 1
          procedure CALL(ADDR:integer); external;
                      RETURN ; SAVE PASCAL RETURN ADDR:
           SIL
           PLA
           POP
PLA
STA
                                   ; SAVE OUR CALLING ADDR ;
           PLA
                       MYCALL+1
           PUSH
LDA
PHA
LDA
                       RETURN
RETURN+1
                                   ; PUT BACK ON STACK:
           PHA
                      9MYCALL : JUMP TO USER PROGRAM
           END
```

COMPUTER ENTHUSIASTS, CLUBS



Discover the power to inform, surprise, humor, protest or identify. Badge-A-Minit gives you that power and more! This is the system that started a badge and button making revolution. With the patented, BUT-N-LOK dies, sturdy hand die press and badge parts (that cost just pennies each), you create pinback badges. Use any slogan, emblem or photo-it's quick it's easy, it's inexpensive. Make one or one hundred, any time, any place. LOWEST PRICE EVER. Here's a complete badgemaking system at a new, but price is that kit is included by the product of the product low price. Starter kit includes steel and Lexan die press; precision mold-ed, color-coded dies; quality, virgin metal badge parts; and illustrated instructions. Everthing you need for \$17.95. FREE CATALOG. Send this coupon today. Receive the new 64-page, all

color Badge-A-Minit catalog, free. See how your Badge-A-Minit creates keychains, mirrors, magnetic and adhesive badges. Includes many products useful for your office, club or home.


NEW LOW PRICE only  $^{\$}17^{95}$ 

### BADGE-A-MINIT, Ltd., Dept. BY980 Box 618, Civic Industrial Park, LaSalle, IL 61301 YES, RUSH ME the Badge-A-Minit starter kit for only \$17.95 plus \$1.75 shipping. (III. res. add \$.90 tax) $\square$ Personal check or m.o. enclosed $\square$ Use charge card below: □ VISA □ Mastercharge ☐ SEND ME FREE, the all color Badge-A-Minit catalog. ☐ Am. Express ☐ Diners Club Credit Card # Interbank # (MC)\_

#### What you need is a good system to system talk!!

UNCONDITIONAL MONEY BACK GUARANTEE





"TeleCom" is a modem-control software package designed to allow the user of any CP/M\* (version 1.4 or earlier) or Cromemco CDOS\*(version 2.17) equipped microcomputer remote operation

over standard telephone lines. These are some of TeleCom's features:

- 1. Dial and connect to any Bell 103A compatible computer system;
- 2. Transfer any ASCII text file or data between systems;
- 3. Remote operation of the TeleCom equipped system through standard telephone lines;
- 4. Automatic dialing of three user-defined telephone numbers by a single-key

TeleCom can also be used as the basis for other user programs which require connection to a remote system. The user can run other computer programs on his system while still remaining connected to the remote system. For example this can be a program to send daily cash sales or customer records.

Hardware Requirements:

TeleCom can operate on any 8080, 8085, or Z80 based computer system equipped with CP/M\* or any CP/M\* derivative (IMDOS, COOS\*, etc.). TeleCom uses 2K of memory space above CP/M. A D.C. Hayes Micromodem-100\* or 80-103A\* board is also required.

Why don't you or your computer give us a call, we'll be glad to tell either of you all about the TeleCom package.

> ComputerLand of Niles, Ltd. 9511 N. Milwaukee Avenue Niles, IL 60648 (312) 967-1714



\*COOS. Micromodem-100, 80-130A. CP/M are registered trademarks of Cromemco, D.C. Hayes, and Digital Research respectively

# Technical Forum

# A Lowercase-to-Uppercase Converter

Roger L Degler Motorola Inc Mail Drop M2 90 2200 W Broadway Mesa AZ 85202

Many ASCII-encoded keyboards are capable of generating both uppercase and lowercase codes. Many of these contain a jumper option that will disable the lowercase characters, and generate their uppercase counterparts. But some keyboards do not offer this option, and trying to use an uppercase/lowercase keyboard on a system that requires only uppercase characters becomes very frustrating. Of course, the uppercase codes may be generated singly by pressing the shift key.

The problem with this is trying to

remember to press the shift key every time you want to enter an uppercase letter and to leave it unpressed when you want to enter a number or lowercase symbol. Mistakes are inevitable. However, there are two possible solutions: convert the lowercase characters to uppercase with additional software in the character input routine; or perform the conversion with a hardware circuit between the keyboard and the computer.

The software approach is the better alternative. The software, shown in listing 1, is extremely simple and can be as versatile as the user desires it to be. For example, by setting or clearing a software-flag location, the lowercase characters may be enabled or disabled. This assumes that the user has access to the computer's character-input routine and that the routine can be modified.

The hardware conversion method. on the other hand, is somewhat less versatile and requires more effort to implement. Versatility is lost because alternation between the two modes, that is, allowing and disallowing lowercase, requires the physical act of

Listing 1: Software routine to convert from lowercase to uppercase ASCII (American Standard Code for Information Interchange). This routine is relocatable to any address in memory. It assumes that the character to be converted resides in the accumulator; the result is left in the accumulator. The routine is written for the 6800 microprocessor and requires only 13 bytes.

Address	Hexadecimal Code	Label	Mnemonic	Operand	Commentary
0100 0102 0104 0106 0108 010A 010C	84 7F 81 61 2D 06 81 7A 2E 02 8A 5F 39	CNVT	ANDA CMPA BLT CMPA BGT ANDA RTS	#\$7F #\$61 NOCNVT #\$7A NOCNVT #\$5F	Mask to 7 bits. Check for lowercase. Do not convert if not. Do not convert special characters at end of ASCII code table. Convert to uppercase. Return.

# UCSD Pascal\* for the INTERTEC SUPERBRAIN™

Certified by Softech Microsystems

Our package includes:

- operating system
- compiler screen editor
- filer library
- Z80 assembler
- user manual
- Jensen & Wirth Pascal Reference Manual
- Bowles' Beginners Guide to UCSD Pascal

NOESIS COMPUTING COMPANY

615 Third Street, San Francisco, CA 94107

Telephone: (415) 495-7440



•Trademark of the Regents of the University of California ™ Frademark of Intertec Data Systems





Figure 1: Schematic diagram for the lowercase/uppercase hardware interface. This circuit assumes that there is a parallel interface between the keyboard and the microcomputer. All integrated circuits are complementary metal-oxide semiconductor (CMOS) types for low power consumption. IC1 and IC2 are 4-bit comparators. Switch SW1 transfers the keyboard between an uppercase-only mode and a mixed uppercase-and-lowercase mode. These two modes are achieved with SW1 closed and opened, respectively.



**Figure 2:** ASCII code table. When converting from lowercase to uppercase, by either hardware or software, only hexadecimal codes 61 thru 7A should be changed. The change to uppercase is made by setting bit B5 to 0 or, equivalently, by subtracting hexadecimal 20 from the code. All other codes should be left intact.

flipping a switch. Thus, a program calling for large quantities of both uppercase and lowercase input will be inconvenient to run. But this should be no more trouble than shifting on a regular typewriter. In any case, hardware design should be kept as simple as possible.

The circuit in figure 1 meets these desirable requirements. Once constructed, it is connected between the keyboard and the computer. It will convert the lowercase letters "a" through "z" into their uppercase equivalents if switch SW1 is closed. If SW1 is open, all codes, whether uppercase or lowercase, are passed directly to the interface. Construction is noncritical, and very little power is needed due to the use of CMOS integrated circuits. ■

# A BASIC Floppy-Disk Accounting System

```
10 DIMB(19), I(2,19,11), T$(440), D$(33)
20T$( 1, 55)="CASH
30T$( 56,110)="PLANT
40T$(111,165)="PAYABLES
                                    SECURITIES RECEIVABLESINVENTORY
                                   MACHINERY
                                                  EQUIPMENT
                                                                 RAW STOCK
                                                                                DEBENTURES .
                                                  LOANS PAY, OTHER PAY,
                                    TAXS PAY.
50T$(166,220)="LT LOANS
                                                  OTHER LT
                                                                 STOCK $1PARR. EARNINGS*
60T$(221,275)= SERV. FEES ROYALTIES
                                                  ASSETS SOLDSOFTWARE
70T$(276,330)= INVENTORY
                                   ASSETS SOLDDEPRECIAT, OTHER
                                                                                OTHER
80T$ (331,385) = "RENT
                                   FLECTRIC
                                                  GAS
                                                                 TELEPHONE
                                                                                PUBLICATION'
90T$(386:440)=*SUPFLIES
                                                  TRANSPORT, SALARIES
                                   POSTAGE
                                                                                OTHER
100 1 BALANCE SHEET ACCOUNTS == INCOME STATEMENT ACCOUNTS
120 FORA=OTO19\B=A+20\T1=A\GOSUB1200\T2=T1\T1=B\GOSUB1200
130 !251,A,' ',T$(T2-10,T2)," == ',Z51,B,' ',T$(T1-10,
140 INPUT' O TO END OR 1 TO ERASE A FILE ? ',A\IFA=OTHENEND
150 GOSUB1000\GOSUB1300\!f$, ' HAS BEEN ERASED'\END
1000 INPUT'FILE : ',F$\OPEN$0,F$\RETURN
1100 FORA=OTO19\READ$0,B(A)\NEXT
                                                                   *,T$(T1-10,T1)\NEXT
1110 FORA=OTO2\FORB=OTO19\FORC=OTO11
1120 READ#0,1(A,B,C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN
1200 T1=(T1+1)*11\RETURN
1300 FORA=OTO19\WRITE#O.R(A)\NEXT
1310 FORA=OTO2\FORB=OTO19\FORC=OTO11
1320 WRITE#0,I(A,B,C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN
```

Listing 1: LIST1, a program designed to display the codes used in the author's floppy disk based accounting system. The program also allows the user to erase all data from a given file name. LIST1 is used in the article example to keep track of the business transactions of the JJR Company, a fictitious organization.

```
BALANCE SHEET ACCOUNTS == INCOME STATEMENT ACCOUNTS
              _____
                                    SERV. FEES
       CASH
    0
                         100.00
       SECURITIES
                                    ROYALTIES
       RECEIVABLES
                                    ASSETS SOLD
                                23
24
       INVENTORY
                         --
                                    SOFTWARE
                                    OTHER SALES
       OTHER
                         ===
                                25
                                    INVENTORY
    5
       FLANT
                         ==
                                    ASSETS SOLD
       MACHINERY
       ECRU I F'MENT
                                    DEFRECIAT.
       RAW STOCK
                         -
                                28
                                    OTHER
                                29
       OTHER
                         -
                                    OTHER
   10
       PAYABLES
                         ==
                                30
                                    RENT
       TAXS PAY
                                    ELECTRIC
       LOANS PAY.
                                    GAS
TELEPHONE
   12
13
                         ==
                                33
                         -
       DEBENTURES
   15
       LT LOANS
                         ===
                                35
                                    SUPPLIES
                                    POSTAGE
   16
       NOTES
                         ==
                                36
                                    TRANSPORT.
       OTHER LT
   18
       STOCK $1PAR
                                38
                                    SALARIES
       R. EARNINGS
                                39
                                    OTHER
   19
 O TO END OR 1 TO ERASE A FILE ? BUD INFUT ERROR-RETYPE
   TO END OR 1 TO ERASE A FILE ? 1
FILE : BUD
BUD HAS BEEN ERASED
READY
```

Listing 2: A sample run of LIST1, showing codes used for the balance sheet accounts and income statement accounts.

Joseph J Roehrig
JJR Data Research
POB 74
Middle Village NY 11379

The purpose of this article is to present a complete accounting system for a microprocessor equipped with a floppy disk or another storage device. This article gives complete listings for all programs and focuses on the operation rather than on the design of the system. The programs are written in North Star BASIC on an IMSAI 8080 system with 24 K of programmable memory.

As a model we use a fictitious company (JJR) that used the Micro Accounting System in 1976. During this period the journal entry, balance sheet, budget input and general list programs are introduced. Income statement and budget programs are examined later in the article. The magnitude of the figures used and the number of inputs shown are kept to a minimum for the sake of clarity.

In order to design an accounting system, one must decide how many accounts to handle. The system being presented has 20 balance sheet accounts and 20 income statement accounts. The computer automatically clears out all income statement items to retained earnings. For the 20 balance sheet items, only a year-to-date figure is maintained. However, all income statement items are broken down into three possible departments:

- 0 Administration
  - 1 Local Sales
  - 2 National Sales

Furthermore, monthly activity is tracked for each income statement item. A file contains only one year's worth of data.

The North Star Microfloppy Disk I used has a capacity of 35 tracks. Each track con-

```
10 DIMB(19), I(2,19,11), T$(440), D$(33)
15 DIM J(100,4)
20T$( 1,55)="CASH
                                 SECURITIES RECEIVABLESINVENTORY
                                                                           OTHER
                                               EQUIPMENT RAW SIGN.
LOANS PAY. OTHER PAY. DEBENTURES -
OTHER LT STOCK $1PARR. EARNINGS*
OTHER SALES*
30T$( 56,110)=*FLANT
                                 MACHINERY
                                              EQUIPMENT RAW STOCK
40T$(111,165)="PAYABLES
50T$(166,220)="LT LOANS
                                 TAXS PAY.
                                 NOTES
60T$(221,275)="SERV, FEES ROYALTIES
70T$(276,330)=*INVENTORY
80T$(331,385)=*RENT
                                 ASSETS SOLDDEPRECIAT. OTHER
                                                                           OTHER
                                                             TELEPHONE
                                                                           FUBLICATION .
                                 ELECTRIC
                                               GAS
90T$(386,440)= SUPPLIES
                                 POSTAGE
                                               TRANSFORT, SALARIES
                                                                           OTHER
100 GOSUB1000\GOSUB1100
140 INFUT MONTH : ",M\M=M-1
150 IFM<00RM> L1THEN140
160 !*INPUT: $AMOUNT, DEBIT ACC*, CREDIT ACC*, DEPT*, REF**
170 !*0,0,0,0,0 ENDS INPUT*\A=0
180 | "ENTRY #", %41, A+1, \INPUT" ? ", J(A,0), J(A,1), J(A,2), J(A,3), J(A,4)
182 IFJ(A,1)>390RJ(A,1)<0THEN189
184 IFJ(A,2)>390RJ(A,2)<0THEN189
186 IFJ(A,3)>20RJ(A,3)<0THEN189\G0T0190
189 | INVALID ENTRY REJECTED \GOTO180
190 IFJ(A+0)=OTHEN200\A=A+1\IFA<100THEN180
195 A=A-1
200 A-A-1
205 IMPUT'SET PRINTER FOR LIST OF ENTRIES ? *,A$\!**
210 '"JOURNAL ENTRIES MONTH #",%31,M+1
220 FORB=1T027\!"=",\NEXT\!""\!""
230 !*ENTRY $ AMOUNT DEBIT
240 FORB=1TO60\!*=*,\NEXT\!**\!**
                                              CREDIT
                                                              DEPT
                                                                       REFERENCE*
250 FORB=OTOA\T1=J(B,1)\GOSUB1200\T2=T1\T1=J(B,2)\GOSUB1200
260 !%5I,B+1,* *,%$10F2,J(B,0),* *,T$(T2-10,T2),* *,
265 (T$(T1-10,T1),Z6I,J(B,3),Z12I,J(B,4)
270 NEXT\C:=0
280 ! "O ENDS PROGRAM AND KILLS ALL ENTRIES"
290 !*1-100 CORRECTS AN ENTRY
300 INPUT OVER 100 ENTERS THE ENTRIES INTO THE FILE ? *,B\IFB=OTHENEND 310 IFB>100THEN400\C=1\D=B-1\G0T0330
320 INPUT1 ENTRY NUMBER ?",D\D=D-1
330 IFD<00RD>ATHEN320
340 [NPUT*$,DEBIT,CRE,DEPT,REF ?*,J(D,0),J(D,1),J(D,2),J(D,3),J(D,4)
350 IFJ(D,1)<00RJ(D,1)>39THEN360
352 IFJ(D,2)<00RJ(D,2)>39THEN360
354 IFJ(D,3)<00RJ(D,3)>2THEN360\G0T0280
360 / CORRECTION REJECTED \GOTO340
400 IEC>OTHEN205
410 FORB=OTOA\E=J(B,3)\FORC=1TO2\D=J(B,C)\IFC=2THENJ(B,0)=O-J(B,0)
420 IFD>19THEN430\B(D)=B(D)+J(B,0)\GOTO440
430 D=D-20 \setminus I(E,D,M)=I(E,D,M)+J(B,0) \setminus B(19)=B(19)+J(B,0)
440 NEXT\NEXT\GOSUB1000\GDSUB1300\!""\!F$," UPDATED"\END
1000 INPUT*FILE : *,F$\OPEN#0,F$\RETURN
1100 FORA=OTO19\READ:#0,B(A)\NEXT
1110 FORA=0T02\FORB=0T019\FORC=0T011
1120 READ#0,I(A,B,C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN 1200 T1=(T1+1)*11\RETURN
1300 FORA=OTO19\WRITE#0,B(A)\NEXT
1310 FORA=0T02\FORB=0T019\FORC=0T011
```

Listing 3: ENTRY1, a program enabling the user to enter business transactions into the computer.

1320 WRITE#0,I(A,B,C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN

READY

tains ten sectors or blocks, with 256 bytes of data on each sector. Every numerical variable written out to disks using the standard North Star Basic requires five bytes. Therefore, each data file is subdivided as follows:

```
Balance sheet items = 20 \times 5 bytes = 100 Income items = 20 \times 3 subdepartments \times 12 months \times 5 bytes = \frac{3600}{3700}
```

The size of a data file is 15 blocks (3700 divided by 256). Listing 1 shows the first program of the system (LIST1). Listing 2 shows the output of LIST1. This program merely shows the codes (numerical between 0 and 39) used for each account and also allows us to erase all data from a given file name. A 15 block data file is created (using the North Star disk operating system commands: CR JJR76 15, TY JJR76 3) to keep track of the JJR Company for the year 1976. The company was formed in December of 1976 and has very limited transactions. These are entered into the accounting system via program ENTRY1 (shown in listing 3). Listing 4 details the entry of these transactions which is as follows:

- 1. Start business by purchasing 1000 shares of stock for \$1000.
- 2. Buy \$500 worth of machinery for cash.
- 3. Obtain a \$250 piece of equipment for cash.
- 4. Purchase raw stock for \$50.

ENTRY1, like the rest of the system's update programs, always asks for a data file at the beginning and a date file at the end of

```
FILE: JJR76
MONTH: 12
INPUT: $AMOUNT, DEBIT ACC*, CREDIT ACC*, DEPT*, REF*
0,0,0,0,0 ENDS INPUT
ENTRY * 1 ? 1000,0,18,0,1
ENTRY * 2 ? 500,6,0,0,2
ENTRY * 3 ? 200,77,0,0,3
ENTRY * 4 ? 50,8,0,0,4
ENTRY * 5 ? 0,0,0,0,0
SET PRINTER FOR LIST OF ENTRIES ?
```

Listing 4: A sample run of ENTRY1. The amounts and transaction codes (see listing 2) indicate that the company sold 1000 shares of stock for \$1000, bought \$500 worth of machinery for cash, obtained a \$250 piece of equipment for cash, and purchased raw stock for \$50.

#### JOURNAL ENTRIES MONTH # 12

ENTRY	\$ AMOUNT	DEBIT	CREDIT	DEF'T	REFERENCE
1	\$1000.00	CASH	STOCK \$1PAR	0	1
2	\$500.00	MACHINERY	CASH	0	2
3	\$200.00	EQUIPMENT	CASH	0	3
4	\$50.00	RAW STOCK	CASH	0	4
O ENDS	PROGRAM AN	D KILLS ALL	ENTRIES		
1-100 C	ORRECTS AN	ENTRY			
OVER 10	O ENTERS T	HE ENTRIES 1	INTO THE FILE	? 111	
FILE :	JJR76				
JJR76 L	IPDATED				
READY					

```
15 LINE80
16 L$(1,44)= C. ASSETS
18 L$(45,77)= EQUITY
                            L. ASSETS
                                                     L. LIAB. .
                                         C. LIAR.
                          TOT. ASSETS TOT. LIA&EQ.
20T$( 1, 55)="CASH
30T$( 56,110)="PLANT
                             SECURITIES RECEIVABLESINVENTORY
                                                                 OTHER
                             MACHINERY
                                         EQUIPMENT RAW STOCK
                                                                 OTHER
40T$(111,165)="PAYABLES
                                         LOANS PAY, OTHER PAY,
                             TAXS PAY.
                                                                 DEBENTURES *
50T$(166,220)="LT LOANS
                             NOTES
                                         OTHER LT
                                                     STOCK $1PARR. EARNINGS*
40T$(221.275)=*SERU. FEES ROYALTIES
                                         ASSETS SOLTISOFTWARE
                                                                 OTHER SALES!
70T$(276,330)="INVENTORY
                             ASSETS SOLDDEPRECIAT. OTHER
                                                                  OTHER
80T$(331,385)= RENT
                             ELECTRIC
                                         GAS
                                                     TELEPHONE
                                                                 PUBLICATION.
90T$(386,440)= SUPPLIES
                             PUSTAGE
                                         TRANSPORT, SALARIES
92 FORA=OTU4\READW(O,A),W(1,A)\NEXT
94 DATAO,4,5,9,10,13,14,17,18,19
96 INFUT*O TO TRANSFER YEAR TO YEAR ?*,A
98 IFA=OTHENGOSUB4000
100 FORD=OTO1\GOSUB1000\GOSUB1100\INPUT'WHAT YEAR WAS THAT ? ',Y(D)
110 NEXT
120 INPUT DATE ? ',D$\INPUT GET PRINTER READY ? ',A$
130 ! BALANCE SHEET AS OF ',D$
    !X21I,Y(0),X9I,Y(1),
                                DIFF = *,
134 !%21I,Y(0),%9I,Y(1),*
136 FORA=1TO8\! ========
                                DIFF.
                  ======== •,\NEXT\L••
140 FORA=OTO19\B(2,A)=B(0,A)-B(1,A)\IFA>16THEN145\READL(0,A),L(1,A)
145 NEXT
150 FORA=OTO4\C=W(O,A)\D=W(1,A)\FORB=OTO2
160 FORE=CTOD\T(B,A)=T(B,A)+B(B,E)
170 NEXTENNEXTRINEXTA
180 FORA=0T02\T(A,5)=T(A,0)+T(A,1)
190 T(A,6)=T(A,2)+T(A,3)+T(A,4)\NEXT
200 FORA=0T016\FORB=0T01
210 IF200>L(B,A)THEN230
                                                 •,\GOTO400
220
230
    IF100>L(B,A)THEN260
T3=L(B,A)\T1=T3\GOSUB1200
260
410
420 NEXT\NEXT\! **\END
1000 INPUT'FILE : ",F$\OPEN#0,F$\RETURN
1100 FORA=OTO19\READ#O,B(D,A)\NEXT\CLOSE#O\RETURN
1200 T1=(T1+1)*11\RETURN
2000 DATAO,10,1,11,2,12,3,13,4,102,100,200,200,14,200,15,200,16
2002 DATA5,17,6,103,7,200,8,18,9,19,101,104,200,200,105,106
4000 INPUT GIVE FILE TO BE TRANSFERED ? *,F$
4010 OPEN#0,F$\FORA=OTO19\READ#0,B(0,A)\NEXT\CLOSE#0
4020 INPUT*GIVE FILE TO RECEIVE DATA ? *,F$
4030 OPEN#0,F$\FORA=OTO19\WRITE#0,B(0,A),NOENDMARK\NEXT
4035 CLOSE#O\RETURN
READY
```

10 DIMB(2,19),T\$(440),Y(1),T(2,6),W(1,4),L(1,16),L\$(77)

Listing 5: BAL1, a program that calculates a year end balance sheet. The program is capable of transferring the previous year's records to the current year.

O TO TRANSFER YEAR TO YEAR ?O GIVE FILE TO BE TRANSFERED ? JJR76 GIVE FILE TO RECEIVE DATA ? JJR77 FILE : JJR76 WHAT YEAR WAS THAT ? 1976 FILE : JJR76 WHAT YEAR WAS THAT ? 1976 DATE ? 12/31/76 GET PRINTER READY ? the program. This makes it possible to save the original file and to produce a new file, which is the original plus any updates. In the example, only one file (JJR76) is used.

Since the transactions shown were the only transactions for the year, it is now possible to run a year end balance sheet. Program BAL1 (listing 5) is executed. Listing 6 shows a sample run of the program. BAL1 first asks if any of the balance sheet items are to be transferred to a new file. This is important because all of 1976's year-end assets, liabilities and equity balances must be transferred to the new year, 1977. Therefore, the user should instruct the program to transfer 1976 balance sheet items (file JJR76) to 1977 (file JJR77).

The balance sheet program also allows for comparisons to be made and asks for two files to be compared. Since this is JJR's first year of operation, we are forced to compare 1976 to 1976. The balance sheet is now produced.

Note that the balance sheet is printed by lines 200 to 420 of the program. A programming trick has been used to shorten the length of the actual program. As the example shows, the balance sheet is composed of 17 lines with two entries per line, or 34 total entries. There are 20 individual items, seven totals and seven blank items. Array L(1,16) determines which items appear on each line. An L(1,16) value of 0 to 19 refers to a particular account, 100 to 106 is linked to a total, and 200 is used to generate blanks. Lines 2000 and 2002 show the values of L(1,16). I point this out because most of the financial statements were produced using this method.

During 1977 our small business has expanded by hiring a local salesperson. However, sales do not take place until November, and our proprietor wants to segregate the revenue generated by himself from the sales brought in by the sales-

BALANCE SHEET	AS OF 12	/31/76					
	1976	1976	DIFF =		1976	1976	DIFF
			=======				
CASH	250.00	250.00	.00 =	PAYABLES	.00	.00	.00
SECURITIES	.00	.00	.00 =	TAXS PAY.	.00	.00	.00
RECEIVABLES	.00	.00	.00 =	LOANS PAY.	.00	.00	.00
INVENTORY	.00	.00	.00 =	OTHER PAY.	.00	.00	.00
OTHER	.00	.00	.00 =	C. LIAB.	.00	.00	.00
C. ASSETS	250.00	250.00	.00 =				
			=	DEBENTURES	.00	.00	.00
			=	LT LOANS	.00	.00	.00
			=	NOTES	.00	.00	.00
PLANT	.00	.00	.00 =	OTHER LT	.00	.00	.00
MACHINERY	500.00	500.00	.00 =	L. LIAB.	.00	.00	.00
EQUIPMENT	200.00	200.00	.00 =				
RAW STOCK	50.00	50.00	.00 =	STOCK \$1PAR	-1000.00	-1000.00	.00
OTHER	.00	.00	.00 =	R. EARNINGS	.00	• 00	.00
L. ASSETS	750.00	750.00	.00 =	EQUITY	-1000.00	-1000.00	.00
TOT. ASSETS	1000.00	1000.00	.00 =	TOT. LIA&E	-1000.00	-1000.00	.00

Listing 6: A sample run of BAL1.

READY

```
10 DIMB(2,19,11)
100 !*USE BUDGET FILES ONLY ? ',\GOSUB1000\GOSUB1100
110 !* 0 TO ADD TO EXISTING BUDGETS'
120 !*1 TO OVER RIDE EXISTING BUDGETS'
130 INPUT'2 TO END ? ',A\IFA<2THEN140\GOSUB1000\GOSUB1300\END
140 INPUT DEPT, FIRST MONTH, END MONTH ?
142 IFB<OORB>2THEN300
144 TED COTHENSON
146 IFD<10RD>12THEN300
148 IFC<10RC>12THEN300
150 INPUT ACCOUNT, AMOUNT ($.01 RETURNS TO START) ? *,E,F
155 E≈E-20
150 IFF=.01THEN110\IFE<00RE>19THEN300
170 FORG=CTOD\IFA=0THEN190
180 B(B,E,G-1)=F\GOTO200
190 B(B,E,G-1)=F+B(B,E,G-1)
200 NEXT\GOTO150
300 !"LAST ENTRY INCORRECT"\GOTO110
1000 INPUT"FILE : ",F$\OPEN#0,F$\RETURN
1100 FORA=OTO19\READ#O,B\NEXT
1110 FORA=OTO2\FORB=OTO19\FORC=OTO11
1120 READ#O,B(A,B,C)\NEXT\NEXT\NEXT\CLOSE#O\RETURN
1300 FORA=OTO19\WRITE#0,Z9\NEXT
1310 FORA=OT02\FORB=OT019\FORC=OT011
1320 WRITE#0,B(A,B,C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN
```

Listing 7: BUD-IN1, a program that generates budgets and enables the user to keep separate records of, for instance, the sales generated by each salesperson in the organization.

DEPT

REFERENCE

```
FILE: JJR77
MONTH: 11
INPUT: $AMOUNT, DEBIT ACC*, CREDIT ACC*, DEPT*, REF*
0,0,0,0,0 ENIS INPUT
ENTRY * 1 ? 500,2,21,0,5
ENTRY * 2 ? 0,0,0,0,0
SET PRINTER FOR LIST OF ENTRIES ?

JOURNAL ENTRIES MONTH * 11
```

	*========	
1 \$500.00 RECEIVABLES ROYALTIES O ENDS PROGRAM AND KILLS ALL ENTRIES	0	5
1-100 CORRECTS AN ENTRY OVER 100 ENTERS THE ENTRIES INTO THE FILE	? 111	
FILE : J.JR77		

CREDIT

JJR77 UPDATED READY

ENTRY \$ AMOUNT DEBIT

RUN

READY

FILE : JJR77
MONTH : 12
INPUT: \$AMOUNT, DEBIT ACC\*, CREDIT ACC\*, DEPT\*, REF\*
0,0,0,0,0 ENDS INPUT
ENTRY \* 1 ? 100,27,6,0,6
ENTRY \* 2 ? 150,30,10,0,7
ENTRY \* 3 ? 200,1,23,1,8
ENTRY \* 4 ? 50,25,8,1,9
ENTRY \* 5 ? 100,38,200,1,10
INVALID ENTRY REJECTED
ENTRY \* 5 ? 100,38,10,10

ENTRY \$ 5 ? 100,38,1,1,10 ENTRY \$ 6 ? 0,0,0,0,0 SET PRINTER FOR LIST OF ENTRIES ?

JOURNAL ENTRIES MONTH # 12

ENTRY \$	ТИПОМА	DEBIT	CREDIT	DEPT	REFERENCE
7					
1	\$100.00	DEPRECIAT.	MACHINERY	0	6
2	\$150.00	RENT	F'AYABLES	0	7
3	\$200.00	SECURITIES	SOFTWARE	1	8
4	\$50.00	INVENTORY	RAW STOCK	1	9
5	\$100.00	SALARIES	SECURITIES	1	10
O ENIS FI	ROGRAM AN	D KILLS ALL	ENTRIES		
1-100 CO	RECTS AN	ENTRY			
OVER 100	ENTERS T	HE ENTRIES I	NTO THE FILE	? 111	
FILE : J.	JR77				

JJR77 UFDATED READY

Listing 9: Updated accounting sheet of the company's activities for November and December 1977, generated by ENTRY1.

Listing 8: A sample run of BUD-IN1.

person. Therefore, the salesperson's activities are placed in department 1: local sales. Listing 7 shows the budget input program BUD-IN1 (see also listing 8).

The budgets are coded like the journal entries and the file containing budget information is identical to the other actual data files, JJR76 and JJR77. For ease of entry, there are two options for entering budget data. One option allows us to add incremental amounts to existing budgets; the other allows for the entry of brand new absolute budget amounts. The amounts entered can be for one or more months. In our sample, the local sales department will be assigned specific budgets for:

- 1. \$90 of software sales in November and December.
- 2. Inventory usage of \$15 for both months.
- 3. November and December salary costs of \$40.

These figures are entered into file BUD. The system, by asking for both read and write files, allows you to save as many versions of a budget as you desire. That ends the 1976 transaction.

No activity took place in our small business between January 1977 and October 1977. However, in November the following item is entered via the ENTRY1 program:

1. The proprietor receives \$500 in cash for royalties.

This, as well as December's activity, is shown in listing 9. During December, the following journal entries are made for administration, department 0:

- 1. Depreciation of \$100 is booked.
- 2. A rent liability of \$150 is incurred.

The salesman's department 1 has the following activity:

- 3. \$200 in software is sold for securities.
- 4. The software was written on \$50 worth of raw stock.

0 TO TRANSFER YEAR TO YEAR ?1 FILE : JURZZ WHAT YEAR WAS THAT ? 1977 FILE : JJR76 WHAT YEAR WAS THAT ? 1976 DATE ? 12/31/77 GET PRINTER READY ?

BALANCE SHEET	AS OF 12	/31/77		2				
	1977	1976	DIFF	:=		1977	1976	DIFF
		=======		===				
CASH	250.00	250.00	.00	=	PAYABLES	150.00	.00	-150.00
SECURITIES	100.00	.00	100.00	=	TAXS FAY.	.00	.00	.00
RECEIVABLES	500.00	.00	500.00	=	LOANS FAY.	.00	.00	.00
INVENTORY	.00	.00	.00	=	OTHER PAY.	.00	.00	.00
OTHER	.00	.00	.00	=	C. LIAB.	-150.00	.00	-150.00
C. ASSETS	850.00	250.00	600.00	=				
				=	DEBENTURES	.00	.00	.00
				$\equiv$	LT LOANS	.00	.00	.00
				=	NOTES	.00	.00	.00
PLANT	.00	.00	.00	=	OTHER LT	.00	.00	.00
MACHINERY	400.00	500.00	-100.00	=	L. LIAB.	.00	.00	.00
EQUIPMENT	200.00	200.00	.00	=				
RAW STOCK	.00	50.00	-50.00	=	STOCK \$1PAR	-1000.00	-1000.00	.00
OTHER	.00	.00	.00	=	R. EARNINGS	-300.00	.00	-300.00
L. ASSETS	600.00	750.00	-150.00	=	EQUIT Y	-1300.00	-1000.00	-300.00
				=				
TOT. ASSETS	1450.00	1000.00	450.00	=	TOT, LIA&E	-1450.00	-1000.00	-450.00
READY								

Listing 10: Year end balance sheet for the JJR company and a comparison with the previous vear

```
10 DIMB(19),I(3,19,12),T$(440),D$(33),T(3,3,12),W(1,2),O$(44)
12 D$(1,33)="ADMINIST. LOCAL SALESNAT. SALES
15 LINE132
20T$( 1, 55)="CASH
30T$( 56,110)="PLANT
                               SECURITIES RECEIVABLESINVENTORY
                              MACHINERY EQUIPMENT RAW STOCK OTHER TAXS PAY. LOANS PAY. OTHER PAY. DEBENTURES
40T$(111,165)= "FAYABLES
50T$(166,220)=*LT LOANS NOTES
60T$(221,275)=*SERV. FEES ROYALTIES
                                            OTHER LT STOCK $1F
ASSETS SOLDSOFTWARE
                                                         STOCK $1PARR. EARNINGS*
                                                                      OTHER SALES*
70T$(276,330)="INVENTORY
                              ASSETS SOLDDEPRECIAT. OTHER
80T$(331,385)="RENT
90T$(386,440)="SUPPLIES
                               ELECTRIC
                                            GAS
                                                         TELEPHONE
                                                                      PUBLICATION.
                                            TRANSPORT. SALARIES
                              POSTAGE
                                                                      OTHER
100 GOSUF1000\GOSUF1100
120 FORA=OTO2\READW(O,A),W(1,A)\NEXT
124 DATAO, 4, 5, 9, 10, 19
126 O$(1,44)="TOTAL SALESCOST OF GS OTHER EXF. -PROF./LOSS"
130 FORA=0T03
132 ! INCOME STATEMENT
                                 "\IFA=3THEN138
134 T1=A\GOSUB1200\!D$(T1-10,T1), DEPARTMENT \GOTO140
138 !'TOTAL OF ALL DEPARTMENTS'
140 !'ITEM ',\FORF=1TO12\!' MON-",%2I,F,\NEXT
140 ! ITEM
           TOTAL \\GOSUB1500
170 FORB=OTO2\C=W(O,B)\D=W(1,B)\FORE=CTOD
180 T1=E+20\GOSUB1200\!T$(T1-10,T1)
190 FORF=OTO11\\\\ 28F2,I(A,E,F),\I(A,E,12)=I(A,E,12)+I(A,E,F)
195 IFA=3THEN205
200 I(3,E,F)=I(3,E,F)+I(A,E,F)
205 T(A,B,F)=T(A,B,F)+I(A,E,F)
210 NEXTF\!%9F2,I(A,E,12)\NEXTE\T1=B\GOSUB1200\GOSUB1500
215 IO$(T1-10-T1).*
220 FORF=OTO11\!%8F2,T(A,B,F),\T(A,B,12)=T(A,B,12)+T(A,B,F)\NEXTF
230 !%9F2,T(A,B,12)\!*
235 FORF=0T012\T(A,3,F)=T(A,3,F)+T(A,B,F)\NEXT
238 NEXTB\!**
240 !O$(34,44),* *,\FORF=OTO11
245 |X8F2,T(A,3,F),\NEXT\|X9F2,T(A,3,12)
247 FORF=1T033\!* *\NEXT\
250 NEXTALEND
1000 INPUT*FILE : ",F$\OPEN#0,F$\RETURN
1100 FORA=OTO19\READ#0,B(A)\NEXT
1110 FORA=OTO2\FORB=OTO19\FORC=OTO11
1120 READ#0;I(A,B,C)\NEXT\NEXT\NEXT\CLOSE#O\RETURN
     T1=(T1+1)*11\RETURN
1500 FORZ=1T0117\!"=",\NEXT\!""\RETURN
```

Listing 11: INCOME1, a program designed to show assets and liabilities for any or all company departments over a 1 year period.

- 5. An invalid account number 200 is disallowed by the program.
- 6. \$100 of securities is paid to the salesperson as salary.

Listing 9 shows an update of the company's activities for 1977. In listing 10 the vear end 1977 balance sheet is run and compared to year end 1976. Program INCOME1 (listing 11) is loaded and run. Listing 12a shows the administration account, listing 12b the local sales department, listing 12c is the consolidation of the three accounts (national sales, unused account in these examples, was not shown). This program requires as input only the data file's name.

Listings 14a and 14b show the budget program (BUD1) in action (see also listing 13). Since the file structure remains the same throughout, you can compare any quantities you like, and since all 12 months are stored on disk, any month can be printed. Like the 12 month income statement, all three departments and a summary can be produced.

The inputs for this program are:

- 1. MONTH: the particular month of the report.
- 2. ACT File: file name for the current
- 3. BUD File: file name for a budget or prior year's results that you want to compare to the current year's.
- 4. L.Y. File: last year's file name or any other file.
- 5. 0.0 for department 0.
  - 1,1 for department 1.
  - 2,2 for department 2.
  - 0,1 for departments 0 and 1.

  - 1,2 for departments 1 and 2. 0,2 for departments 0, 1 and 2.
  - 0,3 for all departments and a summary.

READY

#### About the Author

Joseph J Roehrig is currently manager of budgets, operations and engineering for the NBC Television Network. He was previously in charge of television network systems at NBC, during which time he worked with hardware configurations. Mr Roehrig is also president of JJR Data Research, a computer software service.

FILE : JJR77 INCOME STATE ADMINIST.		T											
TTEM	MON- 1	MON- 2	MON- 3	MON- 4	MON- 5	MON- 6	MON- 7	MON- 8	MON- 9	MON-10	MON-11	MON-12	TOTAL
SERV. FEES	.00	.00	•00	.00	.00	.00	•00	.00	•00		.00	•00	•00
ROYALTIES	.00	.00	.00	.00		•00		.00	.00	.00	-500.00	•00	-500.00
ASSETS SOLD	.00	.00	.00	.00	.00	•00	.00	.00	•00	.00	.00	.00	•00
SOFTWARE	.00	.00	.00	.00	.00	.00	•00	.00	.00	.00	•00	.00	.00
OTHER SALES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
38000000000000												=======	
TOTAL SALES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-500.00	.00	-500.00
INVENTORY	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
DEFRECIAT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	100.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
									=======				
COST OF GS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	100.00
RENT	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	150.00	150.00
ELECTRIC	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
GAS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TELEPHONE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
PUBLICATION	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SUPPLIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
POSTAGE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TRANSFORT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SALARIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	•00
OTHER EXP.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	150.00	150.00
FROF./LOSS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-500.00	250.00	-250.00

Listing 12a: An example of a typical INCOME run, showing the yearly record for the administrative department of the JJR company for 1977.

INCOME STATE	DEPARTMEN												
ITEM	MON 1	MON- 2	MON- 3	MON- 4	MON- 5	MON- 6	MON- 7	MON- 8	MON- 9	MON-10	MON-11	MON-12	TOTAL
CEDU FEED						~~	~~	~~	~~	~~		•00	•00
SERV. FEES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		
ROYALTIES	.00	.00	.00	.00	.00	.00	• 00	.00	.00	.00	.00	.00	.00
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SOFTWARE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00		-200.00	-200.00
OTHER SALES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TOTAL SALES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	• 00	-200.00	-200.00
INVENTORY	.00	.00	.00	.00	.00	•00	.00	.00	.00	.00	.00	50.00	50.00
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
DEPRECIAT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
									=======		=======		
COST OF GS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	50.00	50.00
RENT	.00	.00	.00	.00	.00	.00	.00	.00	• 00	.00	.00	.00	•00
ELECTRIC	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
GAS	.00	.00	• 00	.00	•00	.00	•00	.00	.00	.00	.00	.00	.00
TELEFHONE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
PUBLICATION	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SUFFLIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
POSTAGE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TRANSFORT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SALARIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	100.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER EXP.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	100.00
-PROF./LOSS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-50.00	-50.00

Listing 12b: An INCOME run for the JJR company's local sales department for 1977.

TOTAL OF ALL		NTS											
ITEM	MON 1	MON- 2	MON- 3	MON- 4	MON- 5	MON- 6	MON- 7	8 -NOM	MON- 9	MON-10	MON-11	MON-12	TOTAL
SERV. FEES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
ROYALTIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-500.00	.00	-500.00
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00	.00	. • 00	.00	.00	.00
SOFTWARE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-200.00	-200.00
OTHER SALES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	•00	.00
													700 00
TOTAL SALES	.00	.00	.00	.00	•00	.00	•00	.00	.00	.00	-500.00	-200.00	-700.00
INVENTORY	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	50.00	50.00
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
DEFRECIAT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	100.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
OTHER	.00	.00	.00	.00	.00	•00	.00	.00	.00	.00	.00	.00	.00
COST OF GS	.00	.00	•00	.00	.00	.00	.00	.00	.00	.00	• 00	150.00	150.00
RENT	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	150.00	150.00
ELECTRIC	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	•00
GAS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TELEF HONE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
PUBLICATION	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SUPPLIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
POSTAGE	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TRANSFORT.	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SALARIES	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	• 00	100.00	100.00
OTHER	.00	.00	.00	.00	.00	.00	.00	.00	•00	.00	•00	.00	• 00
	= ::: ::: ::: = :: = :: =				======	=======				.======			
OTHER EXF.	.00	.00	.00	.00	•00	•00	•00	•00	.00	•00	•00	250.00	250.00
-PROF./LOSS	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-500.00	200.00	-300.00

Listing 12c: An INCOME run for all departments for the JJR company in 1977.

```
10 DIMR(2,19,12),T$(220),D$(33),T(3,3,8),W(1,2),D$(44),I(3,19,7)
12 D$(1,33)='AUMINIST, LOCAL SALESNAT, SALES'
12 b*(1,33)=*AUMINIST. LUCAL SALESNAT. SALES

15 LINEBO
17 Z$=*ACIFALDI -Y*

501*( 1, 55)=*SERV. FEES ROYALTIES ASSETS SOLDSOFTWARE

701*( 56,110)=*INVENTORY ASSETS SOLDBEFRECIAT. OTHER

1901*(111,165)=*RENT ELECTRIC GAS TELEPHONE

901*(166,220)=*SUPPLIES POSTAGE TRANSPORT. SALARIES

92 INPUT*MONTH 7*, MNHH-1
                                                                                                                                                                                                                                                                                                      VAR. ..
                                                                                                                                 OTHER SALES'
                                                                                                                                 OTHER
                                                                                                                                 PURI TOATTON
                                                                                                                                                                                  195 IFA=3IHEN205

200 I(3,e,f)=I(3,e,f)+I(4,e,f)

205 T(4,B,F)=T(4,B,F)+I(4,e,F)

210 NEXTF\\'"\NEXTE\TI=B\GOSUB1200\GOSUB1500

215 !0$(T1-10,T1),' ',

220 FORF=0T07\\X8F2,T(4,B,F),\NEXTF\\!"

230 !"\FORF=0T07\\T(4,3,F)=T(4,3,F)+T(4,B,F)\NEXT
94 FORA1=1103\B=A1#3\!Z$(B-2,B),*
95 GOSUB1000\GOSUB1100\A=A1
96 E=A+4\F0RB=0T02\F0RC=0T019\F0RD=0T0M
78 I(B,C,E)=I(R,C,E)+R(B,C,E)
100 IFM=LIHENI(B,C,A)=R(B,C,E)
102 NEXTINNEXTUNEXTBNEXTAL
106 FORA=()TO4STEF4\FURB=OTO2\FORC=OTO19
108 I(B,C,A)=I(B,C,A+2)-I(B,C,A+1)
                                                                                                                                                                                  238 NEXTR\!"
                                                                                                                                                                                  240 !0$(34,44),* ",\FORF=0T07
245 !X8F2,T(A,3,F),\NEXT\!""
247 FORF=1T033\!" "\NEXT
110 NEXTCNNEXTBUNEXTA
115 INPUT*A DEPARTMENT *, SAME * OR 0,3 ? *,41,42
11.5 IPROI + HEPHRIMENT #, SHIE # UR 0,3 / 7,41742
120 FORA=OTO2\REALW(0,A),W(1,A)\NEXT
124 [MTAO,4,5,9,10:19
126 0$(1,44)=*IDTAL SALESCOST OF GS OTHER EXP. -PROF./LOSS*
                                                                                                                                                                                  250 NEXTANENT
1000 INPUT*FILE : ",F$\OPEN\0,F$\RETURN
1100 FORA=OTO19\REAT\0,B\NEXT
 130 FORA=A1TOA2
                                                                                                                                                                                  1110 FORA=0T02\FORE=0T019\FORC=0T011
1120 READ#0/R(A/B/C)\NEXT\NEXT\NEXT\CLOSE#0\RETURN
        "BUIGET STATEMENT"\IFA=3THEN138
132 T1=A-OGOSUB1200\!D$(T1-10.T1),* DEPARTMENT*\GOT0140
138 !'TOTAL OF ALL DEPARTMENTS'
140 !TAB(26),*MONTH $*,%31,M+1,
                                                                                                                                                                                  1200 T1=(T1+1)*11\RETURN
1500 FORZ=1T080 \!"=",\NEXT\!""\RETURN
READY
```

Listing 13: BUD1, a program designed to give a more detailed picture of individual departments' performance than is found in the INCOME program (see listing 11).

# **COLOR SOFTWARE**

#### Unless otherwise noted all programs are \$15 each, for Apple II, Atari 16K, TI 99/4

**UNITS:** Practice converting yards-feet-inches, pounds-ounces, metric units, etc.

**3-D STARTREK:** Discover new planets, fight Klingons in 3-dimensional galaxy.

**FRACTIONS:** Practice adding, subtracting, multiplying and comparing fractions.

MAJOR LEAGUE BASEBALL: Manage Major League teams and make all lineup, batting, pitching and running decisions. \$25. Apple II with 48K, Applesoft ROM and one disk. **ROADRACE:** Race around 2.25 mile course. 1 or 2 players. Not for TI 99/4.

**BLACKJACK:** Popular card game for 1 to 3 players. Not for Apple II.

**NUCLEAR REACTOR:** Realistic dynamic model of nuclear power plant in operation.

COLOR SOFTWARE, 5410 W. 20th St., Indianapolis, IN 46224

THOOME STATEMENT

FILE : BUD FILE : BUD

L-Y FILE : JJR76 A DEPARTMENT #, SAME # OR 0,3 ? 1,1

BUDGET STATEMENT

LOCAL SALES DEPARTMENT

			ITH # 11		YEAR TO DATE					
ITEMS	VAR.	ACT.	RUD	L.Y.	VAR.	ACT.	E(UE)	L.Y.		
SERV. FEES	.00	.00	.00	.00	.00	.00	.00	• 00		
ROYALTIES	.00	.00	.00	.00	.00	.00	.00	.00		
ASSETS SOLD	• 00	.00	.00	.00	.00	.00	.00	.00		
SOFTWARE	-90.00	.00	-90.00	.00	-90.00	.00	-90.00	.00		
OTHER SALES	.00	.00	.00	.00	.00	.00	.00	.00		
***********						******	*****			
TOTAL SALES	-90.00	.00	-90.00	.00	-90.00	.00	-90.00	.00		
INVENTORY	15.00	.00	15.00	.00	15.00	.00	15.00	.00		
ASSETS SOLD	.00	.00	.00	.00	.00	.00	.00	.00		
DEFRECIAT.	.00	.00	.00	.00	.00	.00	.00	.00		
OTHER	.00	.00	.00	.00	.00	.00	.00	.00		
OTHER	.00	.00	.00	.00	.00	.00	.00	.00		
**********		******				******	*****			
COST OF GS	15.00	.00	15.00	.00	15.00	.00	15.00	.00		
RENT	.00	.00	.00	.00	.00	.00	.00	.00		
ELECTRIC	.00	.00	.00	.00	.00	.00	.00	.00		
GAS	.00	.00	.00	.00	.00	.00	.00	.00		
TELEPHONE	.00	.00	.00	.00	.00	.00	.00	.00		
PUBLICATION	.00	.00	.00	.00	.00	.00	.00	.00		
SUPPLIES	.00	.00	.00	.00	.00	.00	.00	.00		
POSTAGE	.00	.00	.00	.00	.00	.00	.00	.00		
TRANSPORT.	.00	.00	.00	.00	.00	.00	.00	.00		
SALARIES	40.00	.00	40.00	.00	40.00	.00	40.00	.00		
OTHER	.00	.00	.00	.00	.00	.00	.00	.00		
					*******					
OTHER EXP.	40.00	.00	40.00	.00	40.00	.00	40.00	.00		
-FROF . /LOSS	-35.00	.00	-35.00	.00	-35.00	.00	~35.00	.00		

Listing 14a: A sample run of BUD1, showing a breakdown of activities for November 1977. ACT stands for actual, BUD for budgeted amounts, L.Y. for last year, and VAR for variance. VAR indicates the difference between the budgeted amount and the actual amount taken in or paid out, L.Y. indicates the amounts for the previous November and is included for reference only.

Size lin blocks Starting Block File Name ENTRY1 ENTRY2 32 10 ENTRY3 42 2 2 2 2 2 LIST1 LIST2 10 LIST3 16 6 BAL1 52 10 BAL2 62 2 3 72 RAL3 10 JJR76 82 11R77 97 112 15 3 INCOME1 INCOME2 122 INCOME3 132 10 BUD1 142 10 BUD2 152 10 BUD3 162 10 BUD 172 3 BUD-IN1 187 BUD-IN2 BUD-IN3

Table 1: Table of contents for the floppy disk showing the locations of all programs used in this accounting system.

Listing 14a shows the November results for local sales, and listing 14b shows the December results. A listing of the table of contents for the disk containing all of the accounting information is shown in listing 15. The data shown consists of file name, starting block, size in blocks and type (2 = program and 3 = data).

The file structure described earlier is fairly simple. Therefore, it is easy to add more programs to the system. The programs can calculate salaries, depreciation and accounts receivable, and enter this information directly into the data files. The account titles used in the programs are generally found in lines 20 to 90 and can be modified for other usages. The number of accounts can be easily expanded within the current 24 K programmable memory space by limiting the income statement subdivisions or by eliminating the monthly history. Quarterly type reports can also be added.

If you plan to enter these programs into your system, start with program LIST1. Most of the other programs can be formed by editing this particular program.

MONTH ?12 FILE : JUR: JJR77 BUD L-Y FILE : JJR76 A DEPARTMENT #, SAME # OR 0,3 ? 1,1

BUDGET STATEMENT

ITEMS VAR SERV. FEES .00 ROYALTIES .00 ASSETS SOLD .00 OTHER SALES .110.00 INVENTORY .35.00 ASSETS SOLD .00 DEPRECIAT00 OTHER .00 OTHER .00	ACT.  .00 .00 .00 .00 .00 .00 .00 .00 .00	.00 .00 .00 -90.00 -90.00 -90.00	.00 .00 .00 .00 .00 .00	.00 .00 .00 .00 20.00	.00 .00 .00 -200.00 .00	.00 .00 .00 -180.00 -180.00	.v. .00 .00 .00 .00
SERV. FEES	0 .00 0 .00 0 .00 0 -200.00 0 -200.00 0 -200.00 0 50.00 0 .00	.00 .00 .00 -90.00 .00 -90.00 15.00 .00	.00	.00 .00 .00 20.00 .00 -20.00	.00 .00 .00 -200.00 .00 -200.00	.00 .00 .00 -180.00 .00	.00
ROYALTIES  ASSETS SOLD  SOFTWARE  110.00  SOFTWARE  110.00  THER SALES  100  INVENTORY  ASSETS SOLD  DEPRECIAT.  OTHER  COST OF GS  RENT  ELECTRIC  GAS  GAS  SUPPLIES  OPUSHICATION  POSTAGE  INAMPORT.  SALARIES  OSSOLD  ODER  -35.00  -35.	0 .00 0 .00 0 -200.00 0 -200.00 0 -200.00 0 50.00 0 .00	.00 .00 -90.00 .00 -90.00 15.00 .00	.00	20.00 20.00 -20.00	.00 .00 -200.00 .00 -200.00 50.00	-180.00 -180.00 -180.00 -180.00	.00
ASSETS SOLD  SOPTMARE  110.00  OTHER SALES  00  INVENTORY  -35.00  ASSETS SOLD  DEPRECIAT  OTHER  00  OTHER  OTHER  00  OTHER  00  OTHER	0 .00 0 -200.00 0 .00 0 -200.00 0 50.00 0 .00	-90.00 -90.00 -90.00 15.00 .00	.00	20.00 20.00 .00 -20.00 -20.00	-200.00 -200.00 -200.00 -200.00	-180.00 -00 -180.00 -180.00	.00
SOFTWARE 110.00 OTHER SALES .00 INVENTORY -35.00 ASSETS SOLD DEPRECIAT00 OTHER .00 OTHER .00 OTHER .00 OTHER .00 RENT .00 GAS .00 RENT .00 ELECTRIC .00 GAS .00 TELEPHONE .00 TELEPHO	0 -200.00 0 -00 0 -200.00 0 50.00 0 .00	-90.00 -90.00 15.00 .00	.00	20.00 .00 20.00 -20.00	-200.00 .00 -200.00 50.00	-180.00 .00 -180.00 30.00	.00
OTHER SALES  TOTAL SALES  INVENTORY  ASSETS SOLD  DEPRECIAT  OTHER  COST OF GS  COST OF GS  RENT  GAS  GAS  GELEPHONE  PUBLICATION  POSTAGE  OPOSTAGE  TRANSPORT  SALARIES  -60.0	50.00	.00 -90.00 15.00 .00	.00	20.00 -20.00	.00 -200.00 50.00	.00 -180.00 30.00	.00
TOTAL SALES 110.00  INVENTORY -35.00  ASSETS SOLD -00  DEFRECIAT -00  DITHER -	50.00	-90.00 15.00 .00	.00	20.00	-200.00 50.00	-180.00 30.00	.00
TOTAL SALES 110.00 INVENTORY -35.00 ASSETS SOLD DEPRECIAT	50.00	-90.00 15.00 .00	.00	20.00	-200.00 50.00 .00	-180.00 30.00 .00	.00
INVENTORY -35.00 1958ETS SOLD .00 10EPRECIAT00 10THER .00 10THE	50.00	15.00 .00 .00	.00	-20.00	50.00	30.00	.00
ASSETS SOLD DEPRECIAT DITHER DITHER COST OF GS -35.00 RENT ELECTRIC GAS GAS GELEPHONE URLICATION DUST-PLIES POSTAGE TRANSPORT SALARIES60.00	,00	.00	.00	.00	.00	.00	
ASSETS SOLD DEPRECIAT DITHER DITHER COST OF GS -35.00 RENT ELECTRIC GAS GAS GELEPHONE URLICATION DUST-PLIES POSTAGE TRANSPORT SALARIES60.00	.00	.00	.00		.00		. 00
DTHER .0. DTHER				00			
DTHER .00 DTHER .00 DTHER .00 DTHER .00 EST OF GS -35.00 ERNT .00 SAS .00 ELECTRIC .00 SAS .00 ELECPHONE .00 EUGLICATION .00 E					.00	.00	.00
COST OF GS -35.00  RENT .00  ELECTRIC .00  3AS .00  FELEPHONE .00  PUBLICATION .00  SUFFLIES .00  POSTAGE .00  IRANSPORT .00  SALARIES -60.00		.00	.00	.00		.00	.00
COST OF GS -35.00  RENT .00  ELECTRIC .00  GAS .00  FELEPHONE .00  FUBLICATION .00  SUPPLIES .00  POSTAGE .00  TRANSPORT .50  AGAINSTES -60.00	.00	.00	.00	.00	.00	.00	.00
RENT .00 ELECTRIC .00 SAS .00 FELEPHONE .00 PUBLICATION .00 SUFFLIES .00 POSTAGE .00 IRANSPORT .00 SALAKIES -60.00				******			
ELECTRIC .00 3AS .00 TELEPHONE .00 TUBLICATION .00 SUPPLIES .00 TOSTAGE .00 TRANSPORT .00 SALARIES -60.00	50.00	15.00	.00	-20.00	50.00	30.00	.00
GAS .0 TELEPHONE .00 TUBLICATION .00 SUPPLIES .00 TOSTAGE .00 TRANSPORT00 SALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
TELEPHONE .00 PUBLICATION .00 SUPPLIES .00 POSTAGE .00 FRANSPORT00 SALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
PUBLICATION .00 SUFFLIES .00 POSTAGE .00 FRANSPORT00 SALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
SUFFLIES .00 POSTAGE .00 FRANSPORT .00 SALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
POSTAGE .00 FRANSPORT00 GALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
FRANSPORT00 BALARIES -60.00	.00	.00	.00	.00	.00	.00	.00
SALARIES -60.0	.00	.00	.00	.00	.00	.00	.00
	.00	.00	.00	.00	.00	.00	.00
THEE O	100.00	40.00	.00	-20.00	100.00	80.00	.00
			.00	.00	.00	.00	.00
THER EXF60.0	100.00	40.00	.00	-20.00	100.00	80.00	.00
-F:ROF./LOSS 15.0			00	20.00	-50.00	-70.00	•00


Listing 14b: A similar breakdown for December 1977.

### **PERIPHERALS**

# Disk Controller from Shugart

A microprocessor-based disk controller with on-board data separator logic capable of controlling up to four Winchester hard- or floppy-disk drives is available from Shugart, 435 Oakmead Pky, Sunnyvale CA 94086, (408) 733-0100. The SA1400 features automatic copying of disks, sector interleaving, error correction code autonomous to the microprocessor, and optional microdiagnostics. Data transfer between the controller and the host microprocessor is improved by sector buffering. The SA1400 is based on a bitslice microprocessor and works with Shugart SA1000 8-inch and SA4000 14-inch Winchester drives and SA800/850 8-inch floppy-disk drives. Other functions include overlapped seek operations, integral data separators, automatic switching of head and cylinder, and optional track formats. Write precompensation is also included on the board. The Shugart standard floppy-disk protocol and either of the SA1000 or SA4000 fixed-disk protocols are used for the interface to the drive. A general-purpose interface is used to transfer commands and data between the host processor and the controller. In original equipment manufacturer's quantities, the SA1400 is \$1125.

Circle 539 on inquiry card.



#### Drum-Type Graphics Plotter

Strobe Inc has introduced a drum-type graphics plotter with a 0.004-inch step size, and a 21.6 by 28 cm (8.5 by 11 in) paper capacity. The interactive digitizing mode allows the user to enter directly into the host computer X,Y coordinate data corresponding to pen location. The Model 100 plotter is controlled by the computer through two parallel output ports and one parallel input port. Hardware interfaces and software drivers are

available for the Apple II, TRS-80, PET, and S-100 machines. An optional plot software package, providing vector generation and alphanumerics, that runs with most versions of BASIC and FORTRAN is also available. The price of the Model 100 plotter is \$680. For details, contact Strobe Inc, 897-5A Independence Ave, Mountain View CA 94043, (415) 969-5130.

Circle 540 on inquiry card.



# Ectype Floppy Disks from Syncom

The Ectype 8- and 5-inch floppy disks have a wear life exceeding 10 million passes for both hard- and soft-sector operations. The disks are 100% certified, and are made for IBM and non-IBM equipment with other formats available. Syncom also manufactures Ectype MC/ST magnetic cards and Ectype 3348-70 Data Modules. For more information, contact Bozell & Jacobs Public Relations, Butler Sq, 100 N 6th St, Minneapolis MN 55403, (612) 371-5500.

Circle 541 on inquiry card.

#### DC 100A Tape Cartridge Drive

The Moya Corporation, located at 6311 DeSoto Ave, Unit H, Woodland Hills CA 91367, (213) 533-5993, has introduced the MicroDrive/OEM series of tape drives which offer up to 1.344 megabytes of storage in a package that measures 467 cubic cm (28.5 cubic inches). The transport is available with the mechanism-only board or the minimum-electronics board. Both models include a maximum data capacity of 1.344


megabytes, a transfer rate of 48 K bytes per second, read/write speed of 30 ips (inches per second), and search/rewind speed of 90 ips. The mechanism-only board contains the circuitry required to interface the transport mechanism. The minimum-electronics board provides a switching power amplifier to drive the motor, a digital interface on control and status lines, a write amplifier, and a read preamplifier. The units are \$99 in original equipment manufacturer's (OEM) quantities.

Circle 542 on inquiry card.

#### Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If in our judgement the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first in first out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in the "What's New!" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.


### **PERIPHERALS**



#### Vector Graphic's MP Printer

The Vector Graphic MP is a 5-by-7 dot-matrix, software-driven printer that can print at a speed of 150 cps (characters per second). The price of the

MP is under \$1000 from Vector Graphic Inc, 31364 Via Colinas, Westlake Village CA 91361, (213) 991-2302.
Circle 543 on inquiry card.



#### Direct-Connect Modem for the TRS-80

Emtrol Systems Inc, 1262 Loop Rd, Lancaster PA 17604, (717) 392-2105, has introduced Lynx, a direct-connect telephone modem for the TRS-80. Lynx connects with the TRS-80 keyboard and the telephone line—no acoustic coupler is used. It includes originate and answer capability, and is programmable for word length, parity, number of stop bits and full- or half-duplex. The minimum requirements are a TRS-80 Level I or II with at least 4 K bytes of programmable memory. The Lynx is priced at \$239.95. Circle 544 on inquiry card.

#### Coosol's Printer Kits

Coosol has announced the availability of its 40-column friction-feed and 80-column tractor-feed dot-matrix impact printers in kit or assembled-andtested forms. The units are microprocessor-controlled and programmable with thirty-two system-level software commands. They feature graphics dot-plotting mode, ninety-six ASCII (American Standard Code for Information Interchange) characters with uppercase and lowercase, nine softwareselectable sizes, reverse-font printing capability, parallel and serial interfaces, data rates from 110 to 9600 bps (bits per second), and adjustable tractor width for paper size selection. Prices for kits are \$295 for the 40-column and \$455 for the 80-column printer. Assembled and tested impact printers are \$325 for the 40-column and \$485 for the 80-column, both without enclosures. For further information, contact Coosol Inc, 1585-200 Adams Ave, Costa Mesa CA 92626, (714) 545-2216.

Circle 545 on inquiry card.

## Music Synthesizer for the H-8 from Heath

The Heath Company has introduced a music synthesizer system for the H-8 computer. The HA-8-2 music synthesizer system includes a circuit board and software. The software allows the user to enter any song into the system from conventional sheet music. The synthesizer board, which connects to any stereo system with two shielded cables, produces a 27.5 to 6600 Hz frequency response with up to nine harmonics. An H-8 with at least 24 K bytes of memory, a floppy-disk drive, and video terminal are required. The HA-8-2 is priced at \$159 from Heath Company, Benton Harbor MI 49022, (616) 982-3210.


## Storage Control Unit for the TI990 Bus

Circle 546 on inquiry card.

The ISC 4000 supports up to four 14- or 29-megabyte Shugart Winchester disk drives. The unit will also support floppy-disk or high-density tape backup devices. Compatibility with Texas Instruments' TI990 software is maintained by emulating existing TILINE bus devices. A complete 29-megabyte system, including a floppy disk, sells for \$7000 from Data Management Labs, 2148 Bering Dr, San Jose CA 95131, (408) 946-9424.

Circle 547 on inquiry card.

### **PERIPHERALS**



#### Speech Recognition Unit

The Heuristics 7000 speech recognition unit, which sells for approximately \$3000, will interface with all RS-232 terminals. The 7000 enables users to enter information into their computers directly and with few errors. By eliminating the need for hand entry, busy businesspeople and the handicapped will benefit. The unit can recognize up to sixty-four words or phrases, each up to

3 seconds in length, and it is compatible with all common programming languages. It enables computers to take keyboard or voice input, or both simultaneously. The 7000 comes with a noise-cancelling headset microphone. Contact Heuristics, 1285 Hammerwood Ave, Sunnyvale CA 94086, (408) 734-8532.

Circle 548 on inquiry card.

#### Interactive Video



The Cavri III computer/video player integrator enables users to index and later access videotape frames or segments or to interact with videotaped materials. In addition to integrating computer-aided instruction with videotape, the system is useful for

storage and retrieval of text and audiovisual information. The system also allows a user to control all remote functions of the video machine from the computer keyboard or from within a program. Access time to a desired point on a video cassette is less than 5 seconds. The average time required to find randomly distributed segments of tape on a 30-minute cassette is about 45 seconds. Search accuracy is ±7 frames.

The Cavri III consists of an Apple I/O (input/output) board, cables and connectors, systems software in Applesoft BASIC on disk, and a user's manual. It is available for video cassette recorders that carry a control pulse or that interface with manufacturers' search units. Users can convert already made videotapes, produce new tapes, or arrange to have Cavri produce materials. For information, contact Cavri Systems Inc, 26 Trumbull St, New Haven CT 06511, (203) 562-9873.

Circle 549 on inquiry card.

# Floating-Point Board for the Apple

Increased speed is now available for the Apple II. The Computer Station Am9511 fast floating-point processor board plugs into the Apple II and relieves it of the task of doing transcendental functions in software. Instead, it uses a version of the standard floating-point BASIC, called Applefast, that allows the user to run existing programs without modifications: Taking 5000 square roots normally takes 250 seconds running Applesoft, but with Applefast it takes 15 seconds. Details can be obtained from Computer Station, 12 Crossroads, Granite City IL 62040, (618) 452-1860.

Circle 550 on inquiry card.

#### Reduce the Cost of Memory for the PET

The PH-001 2114 programmable memory adapter for the 2001-8 PET allows the use of lower-cost 2114 programmable memory integrated circuits to replace one to eight of the 6550's 1 K by 4 circuits used in the 8 K-byte PET. The board alone is \$8.95, and the entire unassembled kit is \$13.95, or \$24.95 assembled. Contact Optimized Data Systems, POB 595, Placentia CA 92670, (714) 996-3201.

Circle 551 on inquiry card.

#### MSC-8100 Features Hardand Floppy-Disk Storage

The MSC-8100 system incorporates an intelligent controller/formatter with a universal IEEE-488 bus protocol, a Winchester technology hard-disk drive with a 19.1-megabyte capacity, and a backup floppy-disk drive with a capacity of 1.6 megabytes per disk. The MSC-8100 is useful for word-processing and smallbusiness applications. The average access time of the hard-disk drive is below 30 ms. The controller features a fullsector data buffer, error detection and correction, error recovery including automatic retry, automatic position verification, automatic seek to alternate track, parallel or serial interrupt, relative sector addressing, programmable sector interleaving, implied seeks, and more. Self-testing diagnostics are also provided. The MSC-8100 is priced at \$9250. For information, contact Microcomputer Systems Corporation, 432 Lakeside Dr, Sunnyvale CA 94086, (408) 733-4200.

Circle 552 on inquiry card.

### **MISCELLANEOUS**

#### Pensée Pascal Computer

Computer Interface Technology's Pensée system is a stack-oriented, 16-bit computer with a dual floppy-disk subsystem capable of storing up to 2 megabytes. It features 64 K bytes of programmable memory; floating-point hardware; floppy-disk controller; 8-inch single- or double-sided, single- or double-density floppy-disk drives; two serial RS-232 asynchronous/synchronous ports; two unidirectional 8-bit parallel ports; and self-test diagnostics. Pensée utilizes the UCSD Pascal operating system version III.0, which includes the Pascal compiler, BASIC compiler, file manager, screen-oriented editor, and debugger. Some UCSD language extensions are also included. Prices range from \$3500 to \$9000, depending on peripheral subsystems. Obtain information from Computer Interface Technology, 201 W Dyer Rd, Santa Ana CA 92707, (714) 979-9920.

Circle 553 on inquiry card.

#### **Peelings**

Peelings is devoted exclusively to reviews of software for the Apple II and Apple II Plus microcomputers. Each bimonthly issue contains reviews of twelve to fifteen programs or software packages. Subscriptions are \$15 from Peelings, Ed Burlbaw, 945 Brook Cr, Las Cruces NM 88001, (505) 523-5088.

Gircle 554 on inquiry card.


#### The Flex-File System

The Flex-File is a nonglare vinyl page having pockets on each side to house two 8-inch floppy disks plus a center pocket to store 22 by 28 cm (8.5 by 11 inch) paper, computer printouts, or other documentation. The pages are three-hole punched for storage in standard three-ring binders. Flex-File pages are priced at \$8.95 for a package of ten pages and are available from BIS Inc, POB 969, Brentwood TN 37027 Circle 555 on inquiry card.

#### Elementary Math Edu-Disk


The Elementary Math Edu-Disk contains an arithmetic-readiness test and four interactive lessons designed to teach elementary addition, subtraction, multiplication, and division, in nine skill levels. These lessons use color graphics and a computer-simulated voice to maintain student interest and reinforce basic concepts. The student's scores are maintained on disk and are accessible only through a special teacher's program. The system is self-demonstrating and is recommended for the student with no prior arithmetic experience, and as a supplement in higher-level remedial situations. The requirements for the program are an Apple II computer with 48 K bytes of programmable memory with Integer BASIC. The price for the program is \$39.95, from Muse Software, 330 N Charles St, Baltimore MD 21201, (301) 659-7212.

Circle 556 on inquiry card.



### **MISCELLANEOUS**

#### **Dust Covers for Computer Terminals**



These dust covers are designed to protect video terminals, printers, and keyboards from dust and dirt. They are made of heavy-gauge clear plastic that will protect against water damage. The covers are custom made to fit any specific model of computer terminal, keyboard, or printer for all computer systems. When ordering, specify the

system being used. The price for a cover for a video terminal including keyboard is \$9.95. For a keyboard only, it is \$8.95, and for a printer it is \$9.95. For details, contact The Computer Accessories Company, 20 Boat Ln, Port Washington NY 11050, (516) 767-0366.

Circle 557 on inquiry card.

## Burst-Error Processor from AMD

Advanced Micro Devices (AMD) has announced a general-purpose burst-error processor (BEP). This LSI (large-scale integration) device, the AmZ8065, can detect and allows correction of up to 12-bit burst errors in serial data streams moving at up to 20 million bps (bits per second). The codes implemented in the BEP include 48- and 56-bit polynomials used by IBM and 32- and 35-bit polynomials favored by minicomputer manufacturers. The BEP provides two read modes, normal and high-speed, that determine the correction methodology if an error is found. The AmZ8065 user can select the correction method based on the Chinese Remainder Theorem. This method computes the error location and the correction needed. The BEP employs a reciprocal polynomial that approaches the data stream from the check-bits side. This reduces worst-case correction time to the length of the data stream. The device accepts data as serial bytes which allows a single-phase clock requirement of 2.5 MHz. It operates from a single +5 V supply and comes in a 40-pin integrated circuit. Prices start at \$69 each in one hundred-unit lots. Contact Advanced Micro Devices Inc, 901 Thompson Pl, Sunnyvale CA 94086, (408) 732-2400.

Circle 560 on inquiry card.

# Accounts Receivable Program for the TRS-80

Radio Shack has an accounts receivable system for use on the TRS-80 Model I. Accounts receivable provides end-of-month billing, statements ready for mailing, automatic customer-record updating, totals for general ledger posting, optional message lines on billing statements, and full accounts receivable analysis including activity status, and more. Reports printed by this system are complete transaction file report, general ledger recap report, complete accounts listing, account listing by activity status, accounts receivable analysis by activity status, and posting report. A Model I Level II system with 16 K bytes of programmable memory, plus an expansion interface with at least 16 K bytes of programmable memory, an 80-column printer, and a minimum of two disk drives are required. The accounts receivable system is priced at \$149.95 from Radio Shack dealers and stores.

Circle 558 on inquiry card.

## Computer/Typewriter Interface

The I/O Pak from Rochester Data consists of an array of coils positioned in the same pattern as a typewriter's keyboard, in a unit that fits directly over the keyboard. These coils are wired into an electrical decoding matrix. The I/O Pak is designed to generate hard copy directly from a computer through any electric typewriter with a powered carriage return. No modification to the typewriter is required, and all adjustments to compensate for different key heights are incorporated in the I/O Pak. Available options include interfaces and software for the TRS-80 Level I and II, the Apple II, and a 6-bit parallel interface for general operation with other computers. Centronics-compatible and PET interfaces are also available. The I/O Pak retails for \$469; the interface board and power supply required for packaged operation are priced at \$145. Contact Rochester Data Inc, 3100 Monroe Ave, Rochester NY 14618, (716) 385-4338.

Circle 559 on inquiry card.

#### OKI 4 K Static Programmable-Memory Integrated Circuits

OKI Semiconductor, 1333 Lawrence Expy, Suite 401, Santa Clara CA 95051, (408) 984-4840, has introduced the MSM 2114L series of 4 K static programmable memory integrated circuits. The MSM 2114L, MSM 2114L-2, and MSM 2114L-3 are n-channel silicon-gate MOS (metal-oxide semiconductor) circuits that use fully static circuitry which does not require clocks or refreshing. The circuits are interchangeable with all standard 2114L parts and feature TTLcompatible (TTL is transistor-transistor logic) I/O (input/output), and a single +5 V power supply. They feature maximum access times of 200 ns for the 2114L-2, 300 ns for the 2114L-3, and 450 ns for the 2114L, and maximum power dissipation of 370 mW. Prices are \$5.45 for the 2114L, \$5.65 for the 2114L-3, and \$6.75 for the 2114L-2. These prices are for 100-unit quantities.

Circle 561 on inquiry card.

#### **MISCELLANEOUS**

#### Model 460 Paper Tiger Printer from IDS

The Model 460 addition to the IDS Paper Tiger family of printers produces letter-quality printing at a speed of 160 cps (characters per second). It also provides high-resolution graphics capability and includes proportional character spacing and automatic text justification. The Model 460 is a dot-matrix printer that utilizes a horizontal and vertical dot overlay to achieve letter-quality printing. It can print in 80-, 96- and 132-column formats. Foreign and custom character sets are optional and up to four 96-character sets can reside in the 460 at the same time. Paper-handling

features include pin-feed tractor drives. A microprocessor provides an automatic test of the printer's memory and electronics each time the power is turned on, and a full character-set print capability test. A 2 K-byte buffer allows the Model 460 to accept the contents of a 1920-character video screen. The 460 has a standard RS-232C serial interface as well as a Centronicscompatible parallel interface. Serial transmission rates from 110 to 9600 bps (bits per second) are switch selectable. The Model 460 costs \$1295 from Integral Data Systems, 14 Tech Cir, Natick MA 01760, (617) 237-7610.

Circle 562 on inquiry card.

#### Aspen Ribbons

Aspen Ribbons has announced the addition of four cartridge ribbons to its line of ribbon products. Aspen now manufactures Hytype I and II ribbons in nylon and carbon. Aspen molds its own cartridges by injection. Colors and

private labels are available. The company also has a Wang multistrike cartridge ribbon and Qume 2 and 3 multistrike ribbons. For additional information, contact Aspen Ribbons, 1700 N 55th St, Boulder CO 80301, (303) 444-4054.

Circle 563 on inquiry card.

# Music Synthesizer for the Apple

The Juke Box is a music synthesizer designed for any 48 K-byte Apple using Applesoft BASIC. It can produce three simultaneous voices and one channel of white noise. Pitch, rhythm, tempo, attenuation, and envelope can be selected and controlled for each voice independently from the other channels. The synthesizer has a five-octave range. Each card has an on-board amplifier capable of directly driving an 8-ohm speaker. As many as six cards can be installed to generate a total of eighteen notes. Multiple boards can create stereophonic, quadraphonic, and polyphonic operation. The devices can be daisy-chained to create more voices per speaker. A graphics music editor is also provided só the music can be seen and heard as it is input and edited. The price for the Juke Box is \$129.95. Contact American Micro Products Inc., 705 N Bowser, MS 107, Richardson TX 75080, (214) 238-1815.

Circle 564 on inquiry card.

If you are developing commercial software for a CP/M system, you need a keyed file accessing package to create efficient, on-line, interactive systems.

Only MICRO B+™ offers all these advantages:

- Guaranteed optimal file accessing performance!
- Key access to data files with over 10,000 entries in under one second...on floppy disk systems!
- •No reorganization of index and data files!

Before you order the most important component of your software development tool kit, compare. MICRO B+TM is unmatched by any other product available anywhere.

Assembly Language Version...\$260.00 Specify MICROSOFT "REL" Files or CBASIC Compatible

BASIC Source Code Version...\$195.00 Specify MICROSOFT Basic-5 or CBASIC-2

Shipping \$2 USA/\$5 Foreign

FAIR COM

2606 JOHNSON DRIVE COLUMBIA. MO 65201 (314) 445-3304

We accept VISA and MASTERCARD

ads TM

## 6809 3-100

#### SINGLE-BOARD COMPUTER

- Meets IEEE S-100 Standard
- Uses Motorola's Powerful MC6809 CPU
- 4K/8K/16K ROM
   2K RAM
- ACIA, PIA, 8080 Simulated I/O
- RS-232 Handshake 8 Selectable Baud Rates
- Manual includes: 11x17" Schematic, Parts List, User Notes, Software Listings & More!

Microware's
NOW \*0S-9
6809 MULTI-TASKING
OPERATING SYSTEM

#### CONFIGURED FOR THE ADS 6809 S.B.C.!

- Interrupt Driven Multi Device I/O
- Full Memory Management Capability
- Complete Array of 0S-9 System Software
- Much More
- \* 0S-9 trademark Microware, Inc. & Motorola

#### WRITE FOR COMPLETE DETAILS

ACKERMAN DIGITAL SYSTEMS, INC.

110 N. York Rd. • Suite 208 • Elmhurst, Illinois 60126 • (312) 530-8992

#### **MISCELLANEOUS**

# OSI C1P Superboard II Modification Kit

The Super-Mod Kit provides a 48-character by 26-line video display and software selection of 300 or 1200 bps (bits per second) for cassette and RS-232 operation. The kit also provides an RS-232 port, start and stop control of the cassette, and doubling of system clock speed. Voice cuing and a listening function can be added. The kit contains all parts and documentation. Among the kit's contents are a regulated multiple-voltage power supply, a programmed monitor PROM (programmable read-only memory) compatible with all existing Ohio Scientific Instruments' functions and capable of formatting the video display with screen clear function callable under BASIC or assembly language, and sample programs. The price is \$95 from A H Systems Inc, 9710 Cozycroft Ave, Chatsworth CA 91311, (213) 998-0223.

Circle 565 on inquiry card.

#### AIM-65 Enclosure



This enclosure is designed for the AIM-65 microcomputer. It is made out of high-strength ABS plastic and comes with mounting hardware, wire, and switches. All parts are pre-cut and drilled, and there is room for two additional boards. The color is white with a blue base. The enclosures are \$49.95 plus \$2.50 for shipping and handling. Contact Don-El Enterprises, 3261 Michigan Ave, Costa Mesa CA 92626, (714) 546-7481.

Circle 566 on inquiry card.

# The PMC-80—Compatible with the TRS-80

Personal Micro Computers Inc, 475 Ellis St, Mountain View CA 94043, (415) 968-1604, is offering a software- and hardware-compatible equivalent of the Radio Shack Model I, Level II TRS-80. The PMC-80 has a cassette tape recorder, 16 K bytes of programmable memory, Level II Microsoft BASIC interpreter in ROM (read-only memory), a power supply, computer, and keyboard. The system will display on either a television monitor or on a television set using a built-in VHF channel 3 modulator. All software available for the TRS-80 will operate in the PMC-80. Level II BASIC or SYSTEM cassettes will load in the PMC-80 without volume

#### AIM-65 Expansion

The Memory-Mate, a 16 to 48 K-byte programmable-memory expansion board offers AIM-65 expansion for development system and process-control applications. The memory is assignable in 4 K blocks, with each of the blocks positionable anywhere in the system. The board also features full parity check circuitry and includes protection for AIM's 4 K on-board programmable memory. Another feature is programmable write protection in 4 K blocks. Four 8-bit bidirectional, 6522-type I/O (input/output) ports are included on the board. In addition, the board includes a programmable tone generator for audible warnings and sockets for up to 4 K PROM (programmable read-only memory). Price of the Memory-Mate with 16 K bytes of storage, connector to AIM, and manual is \$475. Write AIM-Mate Series, Forethought Products, 87070 Dukhobar Rd, Eugene OR 97402, (503) 485-8575.

Circle 569 on inquiry card.

# Modem Microphone from Novation



Super Mike was engineered specifically to eliminate data-distorting second harmonics. This Federal Communications Commission (FCC) registered microphone slips into your telephone handset, replacing the existing carbon microphone. The device eliminates the carbon granule packing problems that can cause a difference in reproduction level from telephone to telephone. Priced at \$9.95, Super Mike is available from hobby stores, retail electronic outlets, and industrial distributors. For complete information contact Novation, 18664 Oxnard St, Tarzana CA 91356, (213) 996-5060.

Circle 567 on inquiry card.

#### The Nobus-Z

The Nobus-Z contains a 4 MHz Z80A microprocessor, the CP/M operating system, 64 K bytes of dynamic programmable memory, dual-density 8-inch floppy-disk drives with 600 K bytes per side, and a 6 K-byte color text and graphics feature. Console configurations range from a keyboard and television set to separate word-processing display terminals. A typical 70 K-byte system with 600 K bytes of disk storage costs under \$3000. For more information, contact Exo Electronics Company, POB 3571, Culver City CA 90230, (213) 390-6527.

Circle 568 on inquiry card.

#### Floppy Disk Insurance?

Micro Lab has instituted a new plan for microcomputer users: Micro Lab Disk Insurance. The policy is being offered with the purchase of its Data Factory product line. The package is sold to the user with two locked versions of the master disk. If a master disk becomes damaged during the policy period, the policyholder may return the inoperative copy to Micro Lab for immediate free replacement. Users can switch to the backup master disk without any break in service. In addition, if an update in the program should occur, users will be notified, and the older versions will be revised at no cost. The policy sells for \$17.50 per year. The Data Factory, a data-base management system, is offered in Applesoft and other forms. The program can run with one or two disk drives, but needs 48 K bytes with Applesoft in read-only memory. Information can be obtained by writing or calling Micro Lab, 811 Stonegate Dr, Highland Park IL 60035, (312) 433-7877.

Circle 570 on inquiry card.

adjustments. All peripherals designed for the TRS-80 parallel port interface to the PMC-80 through an interface adapter available from the company. The price for the PMC-80, according to the manufacturer, is about \$200 less than a comparably equipped TRS-80.

Circle 571 on inquiry card.

### **MISCELLANEOUS**

#### Multibus-Compatible Multimemory Board

A Multibus-compatible memory module that can accommodate industrystandard ROMs (read-only memory), EPROMs (erasable programmable readonly memory), and static programmable-memory integrated circuits in any combination is available from Artec Electronics Inc., 605 Old County Rd, San Carlos CA 94070, (415) 592-2740. The board contains sockets and memory interface logic for up to sixteen twenty-four-pin memory devices. It can contain a maximum of 64 K bytes of EPROMs or 32 K bytes of static programmable-memory circuits. The board can operate with only one socket filled. Memory addresses are independently assigned for each socket with wire-wrap jumpers. Any multiple of 1 K bytes can be addressed within a 64 K-byte address space. Memory access time is wire-wrap selectable. The lowpower interface circuitry contains inhibit logic for each of two banks of eight memories. The multimodule board can interface with any 8-bit Multibus-

#### Printer from Matchless

The MS-204 printer is compatible with the TRS-80, Apple, PET, or any Centronics-type system. This 132-column, bidirectional, 9-by-7 dotmatrix printer has a printhead life of 100 million characters. Among the features are a print speed of 125 cps (characters per second) and throughput print speed of 63 lines per minute. The adjustable sprocket feed mechanism allows the use of forms from 6.4 to 24 cm wide (2.5 to 9.5 inches), with loading from either the bottom or rear. Uppercase and lowercase characters are provided. The printer provides preprogrammed and programmable tab postions, and top of form and bottom of form functions. The retail price is \$795 from Matchless Systems, 18444 Broadway, Gardena CA 90248, (213) 327-1010.

Circle 575 on inquiry card.

compatible microcomputer. The price of the board is \$175, not including memory circuits.

Circle 572 on inquiry card.

#### PDP-11 FORTH

This FORTH system runs on any PDP-11 or LSI-11 microprocessor and requires less than 24 K bytes of memory. The floppy disk contains an RT-11 directory with FORTH in Macro-11 source, with extensive comments; this source can be assembled and run under RT-11, or under RSX-11M, or stand-alone, with or without EIS. The disk is single-density, but will run on a dual-density drive under RT-11. PDP-11 FORTH implements the FORTH Interest Group (FIG) language model, with fulllength names to 31 characters, and extensive compile-time checks. In addition, an editor, a FORTH assembler, and a string package in FORTH source, are included. The system on disk, the PDP-11 FORTH User's Guide, A FORTH Primer, FORTH Introduction Reprints, an installation manual, and an assembly listing comprise the entire system. The cost is \$140 from John S James, POB 348, Berkeley CA 94701, (415) 526-8815.

Circle 576 on inquiry card.

#### Desk-Top Calculator with a Voice

The Model SP1260-D, a talking calculator from Canon, is expected to be used in general business offices, banks, brokerage houses, schools, hospitals and factories. The unit's speech synthesizer is used when the operator wants to check entries on the roll paper. The voice feature eliminates the need for two employees to check lists of numbers. The calculator can store up to 128 items of data, including the final result of the input. The SP1260-D incorporates the voice feature, a 12-digit capacity, memory for accumulating results, item counting, decimal point selection, and more, for \$399. Contact Canon Calculator Division, Canon USA Inc, 10 Nevada Dr, Lake Success NY 11042.

Circle 573 on inquiry card.

#### All-CMOS Single-Board Microcomputer

Pacific Cyber/Metrix Inc, 6800 Sierra Ct, Dublin CA 94566, (415) 829-8700, has announced availability of an all-CMOS (complementary metal-oxide semiconductor) single-board microcomputer capable of plugging directly into the Intel-originated Multibus card cage. The PPS-1201 features a CMOS 6100 microprocessor, 4 K bytes of memory that can be configured as any combination of CMOS programmable memory and CMOS EPROM (erasable programmable read-only memory), a programmable real-time clock, memory expansion controller, three 12-bit-wide parallel ports, and a single serial port. Also included is a transparent 1 K-byte monitor and debugger plus a binary bootstrap for loading on-board programmable memory through the serial port. The 6100 microprocessor employs a binary instruction set identical to that of the Digital Equipment Corporation PDP-8 and VT-78 DECstation minicomputers, so software development can be carried out on any of these machines. The price for the 1201 is \$995. Circle 574 on inquiry card.

# SOFTWARE WANTED

If you are an inventive programmer and could use an extra income, please call: (213) 894-9154

We are interested in Games and Business software.

Royalty or Cash-out basis.

DATASOFT 16606 Schoenborn St. Sepulveda, Ca. 91343

### **PUBLICATIONS**

# Report on Personal Computers Covers Trends, Systems, Software, and Vendors

Datapro Research Corporation's *All About Personal Computers*, traces the development of personal computers, discusses the future of the devices, and outlines how to buy a system. Also featured are reports on fifteen of the top personal computers, plus directories listing vendors of computers, software, peripherals, and publications. *All About Personal Computers* is available for \$25 from Datapro Research Corporation, 1805 Underwood Blvd, Delran NJ 08075, (609) 764-0100.

Gircle 577 on inquiry card.

# Report on Voice Processing

The technologies of speech recognition and speech synthesis have been implemented into computer systems and have been employed in transportation, quality control, auto assembly, bank deposit transfer, and consumer products. In the April 1980 issue of Data Entry Awareness Reports, MIC (Management Information Corporation) discusses the voice-processing state of the art, its applications, and how to use it. This report is available to subscribers of Data Entry Awareness Reports or can be purchased separately by check for \$15. Contact Voice Processing Report, Management Information Corporation, 140 Barclay Center, Cherry Hill NJ 08034, (609) 428-1020. Circle 578 on inquiry card.

#### A Catalog from Wintek



A catalog containing information and specifications on Wintek's Sprint 68 development system/control computer with Wizrd multitasking DOS (disk operating system), macro editor, assembler, C compiler, 12 K BASIC, and 4 K industrial BASIC, is now available. The catalog also discusses alternatives for software development, Wintek's design and educational services, and cross software products. Contact Wintek Corporation, 1801 South St, Lafayette IN 47904, (317) 742-8428.

Circle 579 on Inquiry card.

# Computer Selection Handbook

Written specifically for small businesses and consultants, the Computer Selection Handbook presents a nontechnical method for selecting computer systems. This book concentrates on the practical and business aspects of choosing the right computer for your small business. The Computer Selection Handbook explains how to document small-business computer needs, solicit and evaluate vendor proposals, make the selection decision, and manage the installation and operation of the new system. The handbook is available directly from Decision Resources Corporation, 28203 Ridgefern Ct, Rancho Palos Verdes CA 90274, (213) 377-3533, for \$35.

Circle 580 on inquiry card.

# BASIC Training for Computers


BASIC Training for Compucolor Computers, by Joseph J Charles, is intended for beginning users of the Compucolor II computer and is designed to serve as an introduction to Compucolor II BASIC. There are over 100 example programs and dozens of exercises in the book. The topics covered include the first steps of entering and listing programs, BASIC statements, functions, graphics, random-access files, flow-charting, subroutines, and more. The price of the book is \$14.95, and it is available from Joseph J Charles, Dept B, POB 750, Hilton NY 14468.

Circle 581 on inquiry card.

# Back Issues of Dr Dobb's Journal

Dr Dobb's Journal of Computer Calisthenics and Orthodontia: Running Light Without Overbyte, volumes 1, 2, and 3, are available from Hayden News. Almost everything from all issues of Dr Dobb's Journal for a particular year have been gathered into these volumes. They are priced at \$18.95 each from Hayden Book Company, 50 Essex St, Rochelle Park NJ 07662, (201) 843-0550. Circle 582 on inquiry card.

# Archer Engineer's Notebook



Radio Shack has published a handbook of 415 electronic circuits for electronics hobbyists, experimenters, technicians, and engineers. Applications are included for most of the integrated circuits sold by Radio Shack. Dozens of problem-solving circuits are described. Tips and techniques for beginners are included. The book is divided into two major sections: digital and linear. It was compiled and hand-executed by Forrest M Mims III. The Archer Engineer's Notebook is available from participating Radio Shack stores and dealers for \$1.99.

Circle 583 on inquiry card.

# AIM-65 Newsletter from Rockwell

A newsletter for owners of AIM-65 microcomputers is available on a subscription basis from the Newsletter Editor, Rockwell International, POB 3669, RC55, Anaheim CA 92803, (714) 632-2321. *Interactive* responds to readers' questions, publishes articles by users, reports on the activities of AIM-65 users groups, and supplies articles on novel applications. The cost is \$5 for six issues.

#### **BITS Catalog**

The fall issue of the BITS catalog is available. BITS is a distributor of computer publications located at 25 Rt 101 W, POB 428, Peterborough NH 03458, (603) 924-3356. This catalog features publications from BYTE, Osborne/McGraw-Hill, Scelbi, and others. The catalog is priced at \$0.50. Circle 585 on inquiry card.

#### **PUBLICATIONS**

## Health Planning Publication

Hapenney Associates has announced a publication entitled Data Bits. It is written for health planners, and is designed to coordinate the data and automation efforts of health planners within the 205 health-systems agencies and 51 state health planning and development agencies in the US. It examines technological advances in automated data processing that may affect health planners. Items of interest regarding happenings at the federal level are provided, as well as information regarding current activities of different agencies. Data Bits is published monthly. Subscriptions are available at \$60 per year. Single issues are \$5 per copy. Contact the Assistant to the Editor, POB 1076, Columbia MD 21044, (301) 596-0874.

Circle 586 on inquiry card.

# User Ratings of Computer Systems


User Ratings of Computer Systems, from Datapro Research Corporation, 1805 Underwood Blvd, Delran NJ 08075, (609) 764-0100, details the results of a survey of 14,900 computer users that produced 4614 usable responses that provided ratings of 7871 installed systems from sixty-four vendors, along with information on applications, software, languages, problems, and future user plans. The survey covers personal computers, mainframes, minicomputers, and small-business computers. The report also includes summaries of ratings for various software applications, which languages are most commonly used on different systems and configurations, and how users felt about documentation for systems. Copies are available for \$25.

Circle 587 on inquiry card.

# Bulletin on DC-to-DC Power Supplies

A data sheet introducing a selection of thirty new 5 and 6 watt, DC-to-DC power supplies is available from Sola Electric, 1717 Busse Rd, Elk Grove Village IL 60007, (312) 439-2800. The low-profile switching converters are designed for printed-circuit board mounting. Specification charts provide basic technical data, operational and physical descriptions.

Circle 588 on inquiry card.



# The MicroShopper Guide to Microcomputers

MicroShopper 80: The New Computers is a 192-page business and personal guide to microcomputer hardware and software, published by P G I Publishing, a division of The Phoenix Group, 1425 W 12th Pl, Tempe AZ 85281, (602) 967-1421. This fifth edition features photographs of microcomputer systems, peripherals and accessories, plus industry literature from more than 100 manufacturers representing over 500 products. It is designed for first-time computer users, consultants, dealers, and data-processing professionals. Definitions, explanations, and reviews of equipment are provided. MicroShopper is priced at \$9.95 retail or \$11 including postage and handling, direct from P G I.

Circle 589 on inquiry card.

#### TRS-80 Supply Catalog

The TRS-80 DOSHS (Directory of Software, Hardware, and Services) is designed to help users locate software, hardware, and support services for the TRS-80 microcomputer. The catalog contains hundreds of listings for S-100 adapters for the TRS-80, books, colorgraphic units, TRS-80 units, consulting services, floppy disks, expansion interfaces, RS-232 interfaces, light pens, lowercase modification kits, magazines, newsletters, plotters, printers, rentals, repair services, speech synthesizers, and more. It is available for \$6 from Pen-Ter Research, 9633 Rosehill Rd, Lenexa KS 66215.

Circle 590 on inquiry card.

## International Directory of Software

The International Directory of Software is a one-volume directory featuring over 3200 independently marketed software products available from American and European suppliers. Each product is indexed within as many as five categories. Systems and applications software are listed in the directory under a total of 107 categories, including communications, compilers, data management, development aids, systems software for mainframes, systems software for microprocessors, utilities, accounting, administration, production and distribution, modeling, and other categories for various specialized applications software. Data on each product describes its date of origin, installed base, function, terms for purchase or leasing, operational mode, configuration requirements, and the names and addresses of suppliers worldwide. The International Directory of Software is priced at \$140. Contact CUYB Publications Inc, First Federal Bldg, Suite 401, Pottstown PA 19404, (215) 326-5188.

Circle 591 on inquiry card.

# The BOOK: Accessing the TRS-80 ROM, Volume I

The BOOK is the first of three volumes on machine- and assembly-language access to the Level II BASIC ROM (readonly memory) in the TRS-80 Model I microcomputer. This volume details the mathematic subroutines and data formats. A fully commented listing of these routines is provided. Included in the book is a memory map of the entire machine that provides descriptions of over 500 memory locations. The BOOK is available at computer stores or from Insiders Software Consultants, POB 2441, Springfield VA 22152, (703) 960-2998, for \$14.95 plus postage and handling. Circle 592 on inquiry card.


# Catalog from OK Machine and Tool Corporation

This catalog from OK Machine and Tool Corporation, 3455 Conner St, Bronx NY 10475, (212) 994-6600, features numerous wire-wrap tools and supplies, controllers, tape readers, circuit boards, and other items for homebrewers. A price list is also available.

Circle 593 on inquiry card.

### **SOFTWARE**

#### High-Resolution Package for the AIM-65



The MTU K-1009-1C Text/Graphics Printout program permits the AIM-65 to print text and high-resolution graphics without modifications to the computer or the printer. The contents of the AIM-65 text buffer are reproduced as ten lines of up to 127 characters per line. The display is created as a 320-by-200 dot matrix. The program provides the

Quick Print mode that generates the image on one paper strip, and the Quality Print mode that generates the image as two 320-by-100 strips to be taped together. The program is priced at \$25 from Micro Technology Unlimited, 2806 Hillsborough St, POB 12106, Raleigh NC 27605, (919) 833-1458.

Gircle 594 on inquiry card.

#### Genealogy Program

AppleRoots is a genealogy software package that can be used for human or animal genealogy. It has seventeen userdefinable fields. Functions include system initialization; record entry, change, delete; print index or records; print list of children, family records, or four-generation pedigree chart. All printer functions can be displayed on the screen or sent to the printer. All functions are menu-oriented and no programming is required to customize the system for personal use. The package is written in Applesoft and requires one disk drive and an Apple II with 24 K bytes of programmable memory. The system sells for \$39.95 from Computer Data Systems Corporation, 695 E 10th N, Logan UT 84321, (801) 753-6990. Circle 595 on inquiry card.

#### **Educational Software**

Educational Software, 801 E 6th Ave, Helena MT 59601, developers of educational software for the preschool thru eighth grade student, has announced a line of programs for the home-computer user. The programs provide positive feedback and cover a wide group of subjects for the young home-computer user. The programs measure the user's performance during each session and are designed for easy modification by the consumer.

Circle 596 on inquiry card.

# XYBASIC Interpreter for 8080, 8085, and Z80 Systems

XYBASIC is a language designed specifically for measurement and process control. It offers the standard features of BASIC plus machine-language linking, software interrupts, and bit manipulation commands. Versions are available for SBC/80, CP/M, ISIS-II, Intellec 8 Mod 80, and MDS-800 systems. The nonstandard XYBASIC versions, with a patchable I/O (input/output), make the language adaptable for 8080, 8085, and Z80 systems.

By allowing XYBASIC and the user's program to be placed in ROM (readonly memory), a program can be developed on the target system, put in ROM, and run. This eliminates the problems of floppy-disk program storage in hostile environments. XYBASIC options include a 9511 version utilizing the floating-point circuit, an EDIT version providing edit commands, an extended disk version for use with CP/M systems, and a real-time clock version for SBC/80s. XYBASIC is available in integer or extended forms. Versions start at \$350. Custom versions can be made. For information, contact Mark Williams Company, 1430 W Wrightwood, Chicago IL 60614, (312) 472-6659.

Circle 597 on inquiry card.

#### Apple Users Gain Access to Dow Jones News and Stock Ouotes

Apple Computer Inc, 10260 Bandley Dr, Cupertino CA 95014, (408) 996-1010, has introduced the *Dow Jones News and Quotes Reporter*, a software package that puts Apple users in touch with financial news. The program retrieves, displays, and optionally prints selected news stories from the *Dow Jones News Service*, the *Wall Street Journal*, and *Barron's* magazine, plus it can list price quotations for more than 6000 securities.

The user gains access through a telephone and modem, and, to access news stories, the user selects News Retrieval Service from the menu. Once a password has been verified, the user can select a news category or company, scan a list of headlines about it, and view the story. Stock quotes can be gained in the same way. The system will run on an Apple II or Apple II Plus with a minimum of 48 K bytes of programmable memory. Also required are a 16-sector format Apple Disk II with a controller, a modem, a video monitor, and a telephone. A printer is optional. Owners will receive \$25 of connection time when they purchase the package, which retails for \$95.

Circle 598 on inquiry card.

# CP/M Advanced BASIC Compiler

This compiler, called the Topaz Compiler, produces a relocatable object file that is auto-linked with several libraries to produce a CP/M-compatible .COM file. Two types of floating points are available as well as integer and a fixedpoint format. The compiler supports REPEAT...UNTIL, WHILE...DO, IF...THEN...ELSE, BEGIN...END, and CASE...OF techniques. All structured statements may be nested. The compiler supports double- and single-precision floating point, fixed-point packed binary-coded decimal, integer, string and character data types. Disk files may use a packed binary format or an ASCII (American Standard Code for Information Interchange) storage format. Any .COM file can be loaded and executed from control of a BASIC program. Commands can be executed under program control after the .COM file is finished. The price is \$249.95 from Midwest Digital, 863 Wood Ave, Wichita KS 67212, (316) 721-1671.

Circle 599 on inquiry card.

# what's ne

#### SOFTWARF

#### Symbolic Dissassembler for 6809 Computers

The 6809 symbolic disassembler is written for users of the 6809 microprocessor, DISASM6809 is reentrant, able to be put in ROM (readonly memory), and positionindependent. It is called as a subroutine once for each instruction to be disassembled. All necessary parameters, including the address of the user's output routine, are passed in registers. The disassembler can produce alphanumeric symbols in both the label and operand fields. Invalid op codes are detected. The program requires under 2 K bytes of space and uses approximately 32 bytes of memory on the calling stack. Output format is syntactically identical to Motorola's assemblylanguage definition. DISASM6809 is available as a commented assembly listing with instructions for \$25. Contact C R Bilbe, 6933 Cedarwood Cir. Colorado Springs CO 80918.

Circle 600 on inquiry card.

#### Order-Entry Software Package for Small Businesses

Order Entry will handle the documentation and control of purchasing and sales. The information from Order Entry can be processed through the accounts payable, accounts receivable, inventory control, and general ledger programs from Compumax, updating these modules to reflect purchase and sales activity. Order Entry includes generation and printing of purchase and sales orders, computation of tax and registration of deliveries against outstanding purchase orders and of shipments against outstanding sales orders, along with complete purchase and sales order history reports. The program is available in Micropolis 1053/II (48 K), Apple II, PET (DOS 2.0), and Microsoft under CP/M versions. For further information, contact Compumax, POB 1139, Palo Alto CA 94301, (415) 321-2881. Circle 601 on inquiry card.

#### Microsoft BASIC Interpreter for the Z8000

BASIC-Z8000 is an interpreter for the 16-bit Z8000 microprocessor. This interpreter uses an expanded internal notation that takes advantage of the Z8000's 32-bit instructions. The accuracy of internal calculations is in excess of eight digits for single precision and eighteen digits for double precision. Variables are stored using the proposed IEEE (Institute of Electrical and Electronics Engineers) standards, allowing for a doubleprecision range of exponents from -308 to +308. BASIC-Z8000 is fully language-compatible with Microsoft's BASIC-80 and -86 interpreters, Release 5.0. Microsoft BASIC progams can be run on the 8080, 8086, Z8000 interpreters without modification. Evaluation copies of BASIC-Z8000 may be purchased for \$350 (extended) or \$600 (disk), from Microsoft, 10800 NE 8th St, Suite 819, Bellevue WA 98004, (206) 455-8080

Circle 602 on inquiry card.

# Be a BYTE Autho

With BYTE's recent growth, we are now able to offer you more of the best articles and features about personal computing. Since much of the information in BYTE is supplied by you, the reader, you now have an even better chance to be a paid BYTE author. Our current needs include:

- Articles: BYTE is always looking for well-written articles that cover the field of microcomputing.
- Hardware/Software/System Reviews: BYTE is expanding its review of hardware, software, and computer systems. We are looking for detailed, comprehensive reviews as well as short (one- to three-page) reviews.
- Technical/Education/Languages Forums: These forums allow readers to take a stand on various issues or to clarify points made in the magazine.
- Programming Quickies: Do you have a program you'd like to share as a Programming Quickie? Send it in with a page or two of explanation.
- Systems Notes, a new feature, is devoted to sharing both hardware and software tips and techniques that you've found useful for any microcomputer brand or homebrew design. We will pay \$20.00 for short submissions and the standard BYTE rate for articles that are one typeset page or longer.

We are interested in material about the Apple, Radio Shack TRS-80, Commodore PET/CBM, Exidy Sorcerer, Atari, Ohio Scientific, Compucolor, Microsoft BASIC, CPIM, and S-100-bus computers, as well as other computer brands and homebrew designs. Undocumented information about a particular computer (eg: machine-language routine entry points) is also useful.

#### **General Format and Treatment**

All submissions, including letters and other nonpaid material, should be typed, double spaced, and on white paper. All listings should be computer printouts using a fresh ribbon and unlined white paper only. (Look closely at your printout to make sure that the typeface is as dark and solid as possible so that we can photo-reproduce it for the magazine printing.) Cassette tapes or 5-inch floppy disks are acceptable, as are 8-inch CPIM floppy disks. No unused submissions can be returned without a self-addressed envelope and sufficient postage.

We will accept or reject each submission within three months of receipt, four months for articles. Full payment for short submission or advance partial payment for articles and larger submissions will be sent with the letter of acceptance. Completing payment for articles and longer submissions will be sent at the time of publication. Standard BYTE payment, except where noted above, is \$50 per magazine page of material.

We hope to hear from you soon.

Would you like to know more about being a BYTE author? If so, then send a large, stamped, self-addressed envelope to:

**Author Information BYTE Publications** 70 Main St Peterborough NH 03458

### **SOFTWARE**

#### Civil Engineering Package

The USA Civil Engineering package from Universal Software Applications Inc, 13001 Cannes Dr, St Louis MO 63141, (314) 878-1277, consists of three independent programs. The first is the USA COGO Civil Engineering Coordinate Geometry program that can be used for right of way surveys, highway design, bridge geometry, interchange design, construction layout, airport design, and other applications. Some of the COGO commands included are distance, locate/azimuth, locate/bearing, inverse/azimuth, points/intersect, azimuth/intersect, arc/line/points, arc/arc/intersect, area, simple/curve, and deflection/LS.

The second program is available for roadway design or subdivision design; it is entitled the USA Earth Design Earthwork Quantities program. It features independent input files for vertical curve, existing ground, proposed section, and design requirements files. Output is by section and includes the station, eleva-

tion of profile grade, assumed factors for cut and fill, area, volume and accumulated volume.

Finally, there is the USA Stress Structural Engineering Systems Solver which performs linear analysis of elastic, statically-loaded plane-framed structures. Structure, number of joints/members/loadings, joint coordinates, member incidences and properties, loading, member and joint loads, tabulate, solve, and stop, and a host of other commands are included. Output consists of the input structure data for each loading condition, the horizontal. vertical, and rotation components of deflection at each joint, the axial forces, shear forces, and moments at the ends of each member or optionally at interior points. The programs will run on Z80, 8080, and 6502 systems with a minimum of 32 K bytes of memory. The one-time lease price is \$1000 for individual programs, \$2250 for all three programs, and \$1750 for any two.

Circle 603 on inquiry card.

# Apple II Statistical Program

Rosen Grandon Associates has announced A-STAT 79, a general-purpose statistical package for the Apple II. The system is a subset language of the P-STAT 78 package for mainframe computers. The program can have as many as forty-five variables for each of 2000 cases. A-STAT is designed for market research, survey analysis, social and economic modeling, simulations, or teaching statistics. Statistical procedures include file definition and descriptive statistics, frequency distributions, bivariate frequency distributions, the

ability to create square correlation matrices, multiple regression and path analysis of linear combinations of variables, permanent file modification, variable transformations, and descriptive statistics file production, and more. A-STAT runs on the Apple II or Apple II Plus systems with 32 K bytes of memory and Applesoft in ROM (readonly memory), or 48 K bytes and Applesoft software. One or more floppy-disk drives are required. It is priced at \$100 from Rosen Grandon Associates, 296 Peter Green Rd, Tolland CT 06084.

Circle 604 on inquiry card.

# **Inventory-Control System** for Cromemco Computers

Feith Software has announced the release of its inventory-control system for manufacturers, wholesalers, and retailers. It is designed to run on any Cromemco- or CP/M-compatible system having dual floppy-disk drives, 48 K bytes of programmable memory, and a

132-column printer. It features parts explosions of finished goods and assemblies, automatic generation of pull sheets, and it will remove parts from stock after a production run. A full audit trail of inventory transactions is maintained. The capacity of the system on a double-density 8-inch floppy disk is over 2000 inventory items and 2000 transactions per disk. Reports are pro-

vided for economic order quantities, reordering, ABC analysis, and stock status. The package comes on an 8-inch floppy disk, with a manual and program listings for \$250. For details, contact Feith Software, Cedarbrook Hills A-1103, Wyncote PA 19095, (215) 887-9780.

Circle 605 on inquiry card.

# Z8000 Software from Hemenway

The RAZ8002ML resident assembler, which includes the LINKZ8002 linking loader, comprises a two-pass macro-assembler and a one-pass linking loader. They are designed to run under Hemenway Associates Inc (located at 101 Tremont St, Suite 208, Boston MA 02108,

(617) 426-1931) HA-CP/Z8000 operating system in a 32 K-byte system. The RAZ8002ML has full macroassembler facilities and conditional assembly of up to eight nested levels. It produces a listing and a sorted-symbol table that generates relocatable and linkable object code. The program uses a hash-coded symbol table and binary search of the mnemonic table, and it allows separately

assembled routines to share data for production of programs suitable for ROM (read-only memory) circuits. All Zilog-defined op codes are recognized, and a set of pseudo-operation instructions is included. The program is priced at \$350.

Circle 606 on inquiry card.

#### COBOL for the TRS-80

Radio Shack COBOL can make the TRS-80 Model II compatible with many existing COBOL programs, including some written for mainframe computers. This development system offers multikey ISAM (index sequential-access method) files. Features include a one-pass compiler, full screen formatting, full ANSI (American National Standards Institute) Level 2 I/O (input/output), program linkage, and segmentation. The Radio Shack COBOL development system, with a reference manual, user's guide, sample program, and floppy disk is priced at \$299 from participating Radio Shack stores and dealers, and Radio Shack Computer Centers. Circle 607 on inquiry card.

#### polyFORTH-CP/M

polyFORTH-CP/M from FORTH Inc can run on nearly any 32 K-byte or larger CP/M-based system. The program resides on a CP/M floppy disk as a command file. When loaded, it finds and links up to the CP/M I/O (input/output) drivers, initializes itself, and responds "up" on the system console. The program runs in place of CP/M, utilizing only the CP/M I/O drivers. FORTH Inc's 8080 polyFORTH system on a floppy disk and a manual containing the interface material are provided. A CP/M utility that allows transferring polyFORTH blocks to a CP/M file and transferring a CP/M file to polyFORTH blocks is also provided. Source code is supplied for the entire system. polyFORTH-CP/M is available from M & B Design, 820 Sweetbay Dr, Sunnyvale CA 94086, (408) 243-0834, for \$4750.

Circle 608 on inquiry card.

Orive Compatibility
Interfaces to both 525" and 8" double- and single-sided drives in any

combination up to four drives total Is bus-compatible with Shugart and Memorex 5.25" and 8" drives and can be made compatible with shugart wide variety of soft-sectored drives. For voice coil drives, fast seek

Disk Controller Chip
Uses the powerful Western Digital 1793 disk controller chip. This chip
provides IBM-compatible single and double density tormatting, per-

torms the read data separation, provides comprehensive track and sector status information, etc.

Can be hardware-assigned to one of eight banks. Bank then software

selected by outputting bank select byte to port 40h, Bank-select system can be disabled entirely or just at power-on and reset so that

On-board ROM Conies with on-board. 2K EPROM containing both monitor firmware and a bootstrap loader for loading CP/M from disk. Board can be configured to either load in CP/M on system, system power-on and reset or on a monitor command. After CP/M is loaded, monitor and bootstrap loader are disabled. The monitor lirmware contains routines for reading and writing loffrom disks, for dumping, moving, and changing memory, etc. ROM, when selected, generates the PHANTOM line for memory overlay. ROM's selection handled by attitiess decoding ROM.

operation can be either software or hardware enabled.

IBM Format Compatible ROM Controlled Addressing

Auto Boot

Single and Double Density
514" and 8" Drives
Write Precompensation

COPY OF CPM 2.2. Fast Seek if Voice Coil Type Drives


Auto Eject (Persci) Read Data Separator

Data Input Fiftering
Digital Data Separator
2K Byte EPROM (2716) for Auto Boot

Auto Wait Port Select

Led's to Indicate Boot. Select and Bank Four Drive Select Lines

tloard comes up enabled On-board ROM



Accessible Registers

Accessible Registers Internated to the 1793 are the Command. Status. Track. Sector. and Data registers. External are the board Control/Status registers 1 and 2. Control registers allow software specification of double or single density formatting, drive size. disk side, drive number, etc. Decoding of register addresses handled by ROM; optional ROM available for memory mapped 1/0:

Wait State Generation

Software-enabled Auto Waits allow 2422 to lorce the CPU into a Wait state when data register is busy during either a board status register read or a data register read/write. User can select which register access generates Auto Waits. Board can also be set to request one Wait state per cycle in which the ROM is selected, or if user ssystem supports this feature, per cycle in which the ROM is selected and the CPU is operating at 4 MHz.

On-hoard Read Clock Generation

on-board circuitry supplies the controller chip with the Read clock signal it needs to perform read data separation.

Write Precompensation

Write precompensation provided for double density formatting Power Supply
Unregulated +8V. +16V, and -16V. Draws less than 1 amp at +8V

Physical Description

Features reliable, easy-to-configure plug jumpers • Uses primarily low-power Schottky devices • Sockets for all iCs • Solder-masked on both sides • Gold-plated edge connector fingers • Silkscreen of component outlines, reference numbers, and part designations.

#### LOBO DISK DRIVE'S LOBO 8" DISK DRIVE CABINET

New from Lobo, a dual Cabinet with power supply and internal data cable hook-up.

- Cabinet accepts 2 801R, 800R, FD120, or FD200 style disk
- Power Supply for 2 drives
- Assembled, tested and guaranteed by Lobo Drives
- . Shipping Weight 30 lbs.

LBO - DUAL 8 PCS . . . . . . \$329.00

Cabinet only — no power supply or internal data cable

LBO — DUAL 8 C \$59.95

BUY CABINET AND SHUGART DRIVES AND SAVE

with power supply and internal data cable

WITH 1 DRIVE LBO-801R-2PSC ....\$1250.00 LBO-801R ..... \$775.00

Drives with cabinet only, no power supply or

internal data cable

Shipping Weight, add 15 lbs per drive

LBO-801R-C \$539.00

LBO-801R-2C \$999.00

EXTERNAL DATA CABLES

CARDEDGE TO CARDEDGE PRI-50CE-CE . . . . . . . \$19.95

CARDEDGE TO SOCKET PRI-50CE-SKT..... \$19.95

#### SHUGART 801R DISK DRIVE

Double Density Soft or Hard Sector

SHU-801R

\$49900

#### 8" DUAL DRIVE SUBSYSTEM

consisting of the following:

CCS-2422 CPM 2.2 LBO BOIR-2PSC

Assembled and Tested DISK CONTROLLER Disk Operating System

PRI-SOCE-SKT MMM-741-0

MMM-KS10 Diskette Storage Box B" Head Cleaning Kit VAB-FD-08

Our Regular Price

ons operating system 22 Shugart 80H Bisk Drives in Assembled and Tested Cabinet with Power Supply, Fan. and Internal Data Cable External Data Cable 3M Scott Data Cable 3M Scott Bushle Density Diskettes (Box of 10)

59.95 \$ 450 \$ 29.95 \$1784.35

\$ 400.00

\$1250.00

19.05

#### SALE PRICED \$1595.00 Order Part #CCSLBO1

CPM is a Registered Trade Mark of Digital Research

### auld lang syne GODBOUT ECONORAM II

WE PURCHASED THEM ALL!

OLD FRIENDS never die — they just go on CLOSE-OUT III This is the  $8K \times 8$  static memory that started it all — plug it into your Altair, IMSAI or other S-100 buss computer, and you've got a memory that just goes on working and working and working. Configured as 2 independent 4K blocks, with separate protect for each block and vector interrupt provision if you try to write into protected memory. Handles DMA devices. All address and date lines fully buffered. Tri-state outputs for use with bi-directional busses. Selectable write strobe (writes on either PWRI or MWRITE), and dip switch selectable address. FIRST COME - FIRST SERVE.

· Factory Assembled and Tested

Z-80 Non Maskable Interrupt Option

Auto Baud Rate Select

PHANTOM Line Option

7-80 Refresh Ontion

GBT-RAMII-UKT

2 lbs. . . . . . . . . . . . \$9995

#### CALIFORNIA COMPUTER Z - 80SBC

- 2 or 4 MHz Operation (selectable)
- Power On Memory Jump
  S-100 Altair/IMSAI Compatible
- Z-80 Monitor Select/Deselect
- Responds to Wait State Generation
- M1 Wait State
- · Front Panel Supported LO Address Mirror
- 1-RS232 Serial Port, Selectable I/O Address.
- with 100% Disable Option

8080 S-100 System Compatibility

Emulates the control, clock, and status signals generated by the 8080. Can emulate 8080 I/O address removing. Allows front panel operations, Special Z-80 signals brought onto the bus (REFRESH, NMI, MREO) made jumper-enabled to avoid possible bus conflicts.

On-hoard ROM

Gomes with programmed2K EPROM. Jumper-enabled. ROM contains monitor firmware, including driver for on-board serial port. Driver features auto-baud setection which affows serial port to be initialized from the console to any baud rate between 2 and 56000. Optional PHANTOM overlay of ROM

Board-generated Wait States

Jumper-enabled M1 Wait circuitry increases memory access times by 110 nsecs at 4 MHz and 225 nsecs at 2 MHz. Automatic Wait stale inserted when ROM is selected and CPU is operating at 4 MHz.



Operating frequency

2 or 4 MHz, toggle switch selected

Power Supply

Unregulated +8V. +16V. -16V. Consumes 1 amp at +8V.

. CPU and Baud Rate IC's have separate Crystals ORDER PART NO CCS-2810

Led's to Indicate: ROM Enable, Halt and Interrupt Enable



\$30000

California Computer Systems

Forces CPU to jump to any user-selected memory location within 64K when system is turned on or reset

On-board Serial Port

Conforms to RS-232-C specifications; allows direct plug-in of a cable with a DB-25 female connector National's 8250 Asynchronous Communications Element allows software-selection of baud rate, serial word length, parity, and number of stop bits. Serial port address is jumper-selected, serial port is also





#### PRIORITY ONE ELECTRONICS 16723K Roscoe Blvd. Sepulveda, CA 91343

Terms: Visa, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6% sales tax, Minimum order \$10.00 Prepaid U.S. orders less than \$75.00 include 5% shipping and handling. MINIMUM \$2.50. Excess refunded. Just in case ... please include your phone no. Prices subject to change without notice. We will do our best to maintain prices thru Sept. 1980.
\*SOCKET and CONNECTOR prices based on GOLD, not exceeding \$500 per oz.

\*Sale Prices are for prepaid orders only credit card orders will be charged appropriate freight



BYTE OR SEND CATALOG

Sale Prices are for prepaid orders only \* Quantities are limited, subject to prior sale \* CREDIT CARD ORDERS WILL BE CHARGED APPROPRIATE

PRIORITY ONE ELECTRONICS

BYTE September 1980



#### MEET THE ECONORAM FAMILY.... all ECONORAMS from COMPUKIT include:

Fully static memory used throughout to promote reliable operation and facilitate direct memory access. (DMA)
4 MHz with Z80 - 5 MHz with 8085
Buffered tri-state outputs and buffered inputs.

- All lines buffered; address and data lines buffered to 1 low power Schottky TTL load, all other lines buffered to less than 1 TTL load. Onboard regulation.

  DIP switch address selection and deselection (no wire jumpers).

Low power Schottky support ICs. S-100 boards have WRITE strobe selections switch - allows use of memory with or without front panel.

All ICs are socketed (including support chips)

Unique multi-block configurations for addressing flexibility.
Industry standard board sizes.
High quality, double sided, plate through, solder-masked and legended circuit board

LOW current consumption and guaranteed specs.

1 year limited warranty (not just 90 days).

Most ECONORAMs come in 3 forms: UNKIT (UKT) - (this means that all sockets, disc capacitors are already soldered in place for easy assembly), fully assembled & tested (A&T), or qualified under the Certified System Component (CSC) high-reliability program (200 hour burn-in, guaranteed 4MHz operation over full temperature range, serial numbered, immed replacement in event of failure with 1 year of invoice date)

#### NEW **SPECTRUM** S-100 COLOR GRAPHICS BOARD



Includes 8K of IEEE-compatible static RAM; full duplex bi-directional parallel I/O port for keyboard, joystick, etc. interface; and 6847-based graphics generator that can display all 64 ASCII characters. 10 modes of operation, from alphanumeric/semi-graphics in 8 colors to ultra-dense 256 x 192 full graphics. 75 Ohm RS-170 line output and video output for use with FCC approved modulators. Introductory prices:

	Reg.	Sale
GBT-144 KIT	\$339.00	\$319.00
GBT-144 A (Assembled)	\$399.00	\$349.00
Don't cottle for black and white graphics or stripped down cot	or boards:	coocify the

CompuPro Spectrum.

Want graphics software? Sublogic's 2D Universal Graphics Interpreter (normally \$35) is

yours for \$25 with any Spectrum board purchase.


GBT-2D \$25.00

#### **NEW! 32K X 8 ECONORAM XX**

Static Storage for the S-100 buss

32K BANK SELECT! S-100compatible 5 MHz guaranteed operation (0-70 c). Features 1 x 32K block positionable on any 4K boundry. Windows may be positioned every 4K. Bank Select port may be any one of 256 I/O Ports, and any data bit maybe used as a control bit. Perfect for use on Alpha Micro Systems, Marinchip, Cromemco, and others with IEEE 24 Bit extended addressing. Uses 4K x 1 low power STATIC rams. Current consumption guaranteed 3500 MA max. Shipping Weight 2 lbs.

	Heg.	Sale
<b>GBT-2016 UKT</b> 16K UNKIT	\$349.00	\$329.00
<b>GBT-2016 AT</b> 16 A&T	\$419.00	\$369.00
<b>GBT-2024 UKT</b> 24K UNKIT	\$479.00	\$449.00
<b>GBT-2024 AT</b> 24K A&T	\$539.00	\$479.00
GBT-2032 UKT 32K UNKIT	\$649.00	\$598.00
<b>GBT-2032 AT</b> 32K A&T	\$729.00	\$649.00



#### SHIELDED/TERMINATED **MOTHERBOARDS**

A Must for Reliable System Operation!!!

These are third generation micro-motherboards set up to exceed the latest S-100 specs. Designed with operation of the newest 5 to 10 MHz MPUs in mind — with any of these motherboards, you won't have to start from scratch when you want to upgrade your system from 2 or 4 MHz operation.

True active termination — with split termination — half of the termination load at each end of every buss line. Grounded Faraday shield between all buss signat lines to minimize cross-talk. Heavy duty power traces for minimal power loss. Power connectors supplied. All edge connectors & termination resistors supplied soldered to board in "UNKIT" versions. All sizes fit Godbout. Vector, IMSAI, TEI, etc. enclosures.

All boards are double sided fiberglass epoxy, G10/FR4, with plated through holes & solder mask on both sides. A parts legend on the component side makes assembly a snap.

	Reg.	Sale
GBT-CK024 UK 19 SLOT UNKIT	\$174.00	\$159.00
GBT-CK024 AT 19 SLOT A&T	\$214.00	\$189.00
GBT-CK025 UK 12 SLOT UNKIT	\$129.00	\$119.00
GBT-CK025 AT 12 SLOT A&T	\$169.00	\$149.00
GBT-CK026 UK 6 SLOT UNKIT	\$ 89.00	\$ 79.95
GBT-CK026 AT 6 SLOT A&T		\$119.00



#### CK022 S-100 INTERFACER

Our new I/O board gives you unparalleled flexibility and operating convenience. We include such features as:

2 independently addressable senal ports (dip switch selectable addresses)
Real LSI hardware UARTs for minimum CPU housekeeping
RS232C, current loop (20mA), & TTL signals on both ports

- HOLDER, Current roop (20mA), & LLL Signals on both pons
  Precision, crystal-controlled Baud rates up to 19.2K Baud (individually dip switch selectable)
  Transmil & receive interrupts on both channels, jumperable to any vectored interrupt line
  Industry standard RS232 level converters with five RS232 handshaking lines per port
  Optically isolated current loop with provisions for both on-board & off-board current sources
  UART parameters, inter upt enables & RS232 handshaking lines are software programmable with
  power-on hardware default to customer specified hard-wired settings for maximum flexibility
  Port connectors mate directly to debtook and some calle & DR25 connectors in standard recently.
- Port connectors mate directly to ribbon cable & DB25 connectors in standard pinouts

  RS232 lines will conform to either master or slave configurations

  Board gives full feature operation with both 2 & 4 MHz systems

  Low power consumption: +0V @ 450mA: +16V @ 150mA: -16V @ 70mA max.

  No software initialization required for board operation, although board parameters may be altered by

- software 2 lbs


GBT - INTERFACER   UKT	\$199.00	\$189.00
GBT - INTERFACER I A&T	\$249.00	\$219.00

#### INTERFACER II

The new Interfacer III/O board incorporates one channel of serial I/O with all the features of the INTERFACER dual RS232 serial board, plus 3 full duplex Parallel ports. The serial section includes all the features you've come to expect- a hardware UART, on-board crystal controlled Buad rate generator, hardware/software programmability, RS232 handshaking lines with real RS232 drivers, current loop & TTL drivers, full interrupts and more!!! The parallel selection utilizes LSTTL octal latches for latched input & output data with 24mA drive current, attention, enable & strobe bits for each parallel port (each with selectable polarity), interrupts for each input port, separate 25 pin connectors with power for each channel and a status port for interrupt mask and port status. All in all - an incredibly flexible and easy to use board.

GBT - INTERFACER II UKT		\$189.00
GBT - INTERFACER II A&T	\$249.00	\$219.00

### **ECONOROM** 2708



Circle 263 on inquiry card.

Has provisions for wait states for 4MHz operations. Configured as four 4K blocks - each independently addressable and disableable. Power-on jump. Does NOT include 2708s. Includes all support chips, sockets, regulators, heat sinks, etc. Sold in UNKIT form only. Shipping Weight 2 lbs.

GBT - ECONOROM 2708 UKT.....

NEW	NEW	Reg.	Sale	Reg. GBT-CPU-Z80 A&T295.00	Sale 269.00	NEW NEW Reg.	Sale
GBT-SPECTRUM (C	Color graphics)	KIT.339.00	319.00	GBT-CPU-8085 KIT	220.00	GBT-CPU-8085/8088 A&T495.00	449.00
GBT-SPECTRUM (C	olor graphics)	A&T.399.00	349.00	GBT-CPU-8085 A&T	259.00	GBT-BOX-DESK (S-100 Mainframe)289.00	269.00
GBT-CPU-Z80 KIT.		225.00	210.00	GBT-CPU-8085/8088 KIT	365.00	GBT-BOX-RACK (S-100 Mainframe) 329.00	309.00


#### **ECONORAM XIV**

16K x 8 for S-100. Addressable on any 4K boundary. Direct addressing on up to 24 address lines. Fully meets IEEES-100 buss. specs. Low power, hi speed static memory. Operates up to 5MHz with newest 8085/8086/8088 CPUs, Can be used with 8080, Z80, 8085, 8086, 8088, Z8000, etc

GBT - ECONORAM XIV UKT... \$299.00 \$279.00 GBT - ECONORAM XIV A&T ..... \$349.00 \$298.00

- Cut Out for Fan Manufactured by Alpha Power
- Brand New!
  Documentation Included

Priority 1 Electronics made this special pur Priority 1 Electronics made this special pur-chase when a large OEM customer defaulted. Take advantage of the Great Opportunity! HURRY, limited quantity. At these prices they won't last long.



S-100 POWER SUPPLY

SPECIAL PURCHASE

# TRS-80/APPLE 4116's RAMS A116's RAMS A116's RAMS AND Leading Manufacturers of the control of t

4116's 100 pcs & UP \$5.20 each



Works With Cromenco Systems

4 Layers Mean A Quiet Board

Uses 3242 Refresh Chip

Bare Board \$ 49.95

16K Kit \$295.95 16K A&T \$345.95

## **IEEE S-100 COMPATIBLE**

+ Bank Selectable Write Protect

Switch Selectable Output Disable

Phantom Output Disable

\$369.95

\$419.95

\$444.95

#### Z + 80 CPU

- + 1K Ram On Board + 2 Programmable Timers
- Switch Selectable 2 or 4 MHZ
- Power On Jump to On-Board 1K or 2K EPROM (2708-2716-2732) Can be Addressed on any 1K, 2K or 4K Boundary

Bare Board \$ 45.00 \$169.95

\$229.95 1K Memory Kit \$ 12.00

### T&A

#### EXPANDABLE + DYNAMIC MEMORY(16K to 64K) CLOCK CALENDAR +

- + Time of Day in Hours, Minutes and Seconds
- 24 Hour Time Format
- Month and Day Date Function
- Bare Board \$45.00 Kit \$99.95

A&T \$149.95

Interface to Basic, CPM, Etc. Will Run With 4 MH7. Processors

Simple Read Instructions Allow Simple

Can be Located at any Group of 4 I/O Port Addressed

LIST PRICE \$7995

PROTECT YOUR INVESTMENT PROTECT YOUR OATA WITH

48K A&T

64K Kit

64K A&T

\$494.95

\$519.95

\$569.95

THE ISOBAR ELECTRICAL OUTLET STRIPCONSISTS OF A MASTERPOWER SWITCH, INDICATOR, AND 4 INDIVIDUAL 3 WIRE OUTLETS, EACH WITH ITS OWN NOISE FILTER AND SURGE SUPPRESSOR TO PROTECT YOUR EQUIPMENT FROM DANGEROUS TRANSIENTS FROM OTHER EQUIPMENT FLUGGED INTO YOUR ISOBAR OR FROM WHATEVER THE POWER COMPANY IS DOLING OUT.

WARNING: "Murphy's Law" predicts that after reading this ad and not acting, your equipment will soon be destroyed by a fatal Glitch.



# ROBINSON NUGENT,INC

#### **GOLD 3 LEVEL WIRE WRAP** SOCKES 14, 16 & 24 PIN

32K Kit

48K Kit

32K A&T

RNS-14G3 . . . . . . . . 120/\$42.00 RNS-16G3 . . . . . . . . 104/\$40.00 RNS-24G3 . . . . . . . . 51/\$36.00

( . (14111111111) .

PRICE 10-24

\$ 5.10 \$ 7.70 \$ 1.55 \$ 7.75 \$10.25 \$ 1.80 \$ 0.80

\$17.95 \$15.95

\$ 3.00 \$ 4.20 \$ 1.30 \$ 1.10 \$ 1.45

\$ 2.10 \$ 1.90 \$ 2.70 \$ 2.40 \$ 1.50 \$ 1.25 \$ 2.75 \$ 2.45 \$ 3.95 \$ 3.60 \$ 1.50 \$ 1.30

\$ 3.50 \$ 4.60 \$ 1.60 \$ 1.50 \$ 1.90 \$ 3.25 \$ 4.35 \$ 1.45 \$ 1.25 \$ 1.65

\$ 5.80 \$ 8.70 \$ 1.80 \$ 8.75 \$11.65 \$ 2.00 \$ 1.00

\$19.95

Common S

TILOW PRNFII F TIS-16 LP . . . . . . . . . . . . . . . 100/\$16.00 SUCKETS TIS-14 LP ..... 100/\$14.00

RS232 and "D" SUB-MINIATURE

CONNECTORS

P = Plug. Male Type - S = Socket. Female Type - C = Cover. Hood

DESCRIPTION

9 PIN MALE

9 PIN FEMALE 9 PIN COVER 15 PIN MALE 15 PIN FEMALE

15 PIN COVER

25 PIN MALE 25 PIN FEMALE

1 PC. GREY HOOD 2 PC. GREY HOOD 2 PC. BLACK HOOD

37 PIN MALE 37 PIN FEMALE 37 PIN COVER 50 PIN MALE 50 PIN FEMALE

50 PIN COVER HARDWARE SET 2 PR. RS232, DB25P, EIA CLASS1CABLE8 CON. 8 FT.

CENT. 700 SERIES PRINTER CONNECTOR

~ (<del>...........)</del>

PART NO.

CND-DEGE CND-DE9S CNO-DE9C

CND-DAISE

CND-DA15S CND-DA15C

CNO-DB25P

CND-DB258

CND-0851212

CND-D851226

CND-DC37P CND-DC37S CND-DC37C

CND-D0508


CND-DD500

CND-D20418

CND-RS2328F

CND-5730360

#### 3 LEVEL GOLD WIRE WRAP SOCKETS PRICE\*



Price based on gold not exceeding \$400.00 per oz.

Part No.	Sectoring	Application	Pk. ol 2	Box of 10
VBB-MD 525-01	Soft Sector	TRS 80 Apple	\$ 8.95	\$2995
VRB-MD 525-10	Hard 10 Sector	North Star	\$ 8.95	\$29.95
VRB-MD 525-16	Hard 16 Sector	Micropolis	\$ 8.95	\$29.95
VRB-F032-1000	Hard Sector	Shugart 801R	\$11.95	\$37.00
VRB-F034-1000	Sott Sector	IBM 3740	\$11.95	\$37.00
		CL	DODING W	EIGHT III

BE SURE TO ORDER YOUR KASSETTE/10 LIBRARY CASE BELOW



\$ 9.00 \$ 7.50 \$ 6.00 PRIORITY ONE ELECTRONICS

16723K Roscoe Blvd. Sepulveda, CA 91343 Terms: Visa, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6% sales tax, Minimum order \$10.00 Prepaid U.S. orders less than \$75.00 include 5% shipping and handling. MINIMUM \$2.50. Excess refunded. Just in case ... please include your phone no. Prices subject to change without notice. We will do our best to maintain prices thru Sept. 1980.
\*SOCKET and CONNECTOR prices based on GOLD, not exceeding \$500 per oz.

\*Sale Prices are for prepaid orders only credit card orders will be charged appropriate freight



0 to 300 baud data rate. Compatible with Bell 103 and 113. Answer/Originate. Full/ Half Duplex. Special self test features.

LIST PRICE \$199.00 SALE PRICED \$139.00

#### MEMORY HEADQUARTERS

2716 16K 5 Volt only EPROM. \$1600 ea. 10/\$15000 . . 8/\$5500 2708 8K 450ns EPROM...

\$850 ea. 2114-3L 1Kx4 300ns Low Power. 8 \$4500

100 + \$450 ea.

5257-3L 4Kx1 300ns Low Power. . 8/\$5500 100 + \$525 ea.

2102AL-2 L/P 250ns in lots of 20.1.25 ea.

100 + 1.10 ea.



#### CALIFORNIA **Computer Systems**

• S-100 compatible • Industrial/commercial quality construction • Flip-top cover • Excellent cooling capability • 12 slot capability (uses model 2501 A) • Input 105, 115, or 125 VAC • Output + 8 VDC20A, + - 16 VDC 4A • Active termination of all bus lines . Fan and circuit breaker included . Rugged construction

CCS-2200A Assembled & Tested . . . . . . . . . \$399.95 35 lbs

CCS-2200AK Kit 35 lbs.....\$349.95



FOR MORE INFORMATION SEE OUR 52 PAGE AD in JANUARY OR SEND \$1.00 FOR CATALOG

CATALOG

Sale Prices are for prepaid orders only • Quantities are limited, subject to prior sale • CREDIT CARD ORDERS WILL BE CHARGED APPROPRIATE FREIGHT



ADD \$3.00 FOR PROGRAMMING JUMPERS FOR TRS-80 KEYBOARD

1000 pcs & UP \$4.45 each

On-Board USART for Synchronous or Asynchronous

RS-232 Operation (On-Board Baud Rate Generator)

+ Programmable Baud Rate Selection (110 to 9600) On-Board EPROM May be Used in Shadow Mode, Allowing Full 64K RAM to be Used

#### 7400

7	4(	00			74	ŀL	50
SN7400N	.19	SN74123N	-59		74LS00N	.35	74LS164N
SN7401N	.22	SN74125N	.39		74LS01N	.28	74LS165N
SN7402N	.22	SN74126N	.44		74LS02N	.28	74LS166N
SN7403N	22	SN74128N	.59		74LS03N	.28	74LS168N
SN7404N	.22	SN74132N	.69		74LS04N	.39	74LS169N
SN7405N SN7406N	.23	SN74136N SN74139N	.95 .95		74LS05N 74LS08N	.28	74LS170N 74LS173N
SN7400N SN7407N	.23	SN74141N	.95		74LS08N 74LS09N	.39	74LS173N
SN7408N	.26	SN74142N	2.95		74LS10N	.28	74LS175N
SN7409N	.23	SN74143N	2.95	н	74LS11N	39	74LS181N
SN7410N	.22	SN74144N	2.95	ı	74LS12N	.39	74LS190N
SN7411N	.29	SN74145N	.62		74LS13N	.47	74LS191N
SN7412N	.29	SN74147N	1.95		74LS14N	1.25	74LS192N
SN7413N	.39	SN74148N SN74150N	1.20		74LS15N	.39	74LS193N
SN7414N SN7416N	.59 .29	SN74150N	.99	ı	74LS20N 74LS21N	.26	74LS194N 74LS195N
SN7417N	.29	SN74151N	.67	п	74LS21N	38	74LS195N
SN7420N	.22	SN74153N	.67		74LS26N	.39	74LS197N
SN7421N	.35	SN74154N	1.19	П	74LS27N	.39	74LS221N
SN7422N	.29	SN74155N	.82	П	74LS28N	.39	74LS240N
SN7423N	.29	SN74156N	.89		74LS30N	.26	74LS241N
SN7425N	.29	SN74157N	.69	П	74LS32N	.39	74LS242N
SN7426N SN7427N	.29	SN74158N SN74160N	1.65 .95		74LS37N 74LS38N	.79	74LS243N
SN7427N SN7429N	.29	SN74160N	.95	П	74LS38N 74LS40N	.39	74LS244N 74LS245N
SN7430N	.23	SN74162N	.89	п	74LS40N	.79	74LS243N
SN7432N	.29	SN74163N	.87		74LS47N	.79	74LS248N
SN7437N	.29	SN74164N	.97		74LS48N	.79	74LS249N
SN7438N	-29	SN74165N	.97		74LS51N	.26	74LS251N
SN7439N	.29	SN74166N	1.20	п	74LS54N	.35	74LS253N
SN7440N	.24	SN74167N	1.95		74LS55N	.35	74LS257N
SN7441N	.79	SN74170N	1.69	П	74LS73N	.45	74LS258N
SN7442N SN7443N	.79	SN74172N SN74173N	5.95	ı	74LS74N 74LS75N	.68	74LS259N 74LS260N
SN7444N	.79	SN74174N	.89	п	74LS76N	.45	74LS261N
SN7445N	.79	SN74175N	89	П	74LS78N	.65	74LS266N
SN7446N	.79	SN74176N	.85		74LS83AN	.99	74LS273N
SN7447N	.59	SN74177N	.85	п	74LS85N	1.19	74LS275N
SN7448N	.79	SN74179N	1.80	П	74LS86N	.45	74LS279N
SN7450N SN7451N	.23	SN74180N SN74181N	.75 1.75		74LS90N 74LS92N	.75 .75	74LS283N 74LS290N
SN7453N	.23	SN74182N	.75		74LS92N	.75	74LS290N
SN7454N	.23	SN74184N	1.95		74LS95N	.88	74LS295N
SN7459N	.29	SN74185N	1.95	1	74LS96N	.98	74LS298N
SN7460N	23	SN74186N	9.95		74LS107N	.45	74LS324N
SN7470N	.39	SN74188N	3.90	ш	74LS109N	.45	74LS347N
SN7472N	.34	SN74190N	1.15		74LS112N	.49	74LS348N
SN7473N SN7474N	.38	SN74191N SN74192N	1.15	п	74LS113N 74LS114N	.49	74LS352N
SN7475N	.38	SN74193N	.85	ı	74LS114N	.55	74LS353N 74LS363N
SN7476N	.36	SN74194N	.85	ı	74LS123N	1.19	74LS365N
SN7479N	4.60	SN74195N	.85	п	74LS124N	1.35	74LS366N
SN7480N	.59	SN74196N	.85	ı	74LS125N	.89	74LS367N
SN7481N	1.10	SN74197N	.85	п	74LS126N	.89	74LS368N
SN7482N	1.10	SN74198N	1.39	ı	74LS132N	.79	74LS373N
SN7483N SN7485N	.55 .65	SN74199N SN74221N	1.39	н	74LS136N	59	74LS374N
SN7486N	.00	SN74221N	.95	П	74LS138N 74LS139N	.89	74LS375N 74LS377N
SN7489N	1.75	SN74273N	1.05		74LS135N	1.25	74LS385N
SN7490N	.39	SN74279N	.89	П	74LS148N	1.49	74LS386N
SN7491N	.65	SN74283N	2.15	П	74LS151N	.79	74LS390N
SN7492N	.52	SN74284N	3.90		74LS153N	.79	74LS393N
SN7493N	49	SN74285N	3.90		74LS154N	2.49	74LS395N
SN7494N	.72 .65	SN74290N	1.25		74LS155N	1.19	74LS399N
SN7495N SN7496N	.72	SN74298N SN74365N	95		74LS156N 74LS157N	.99	74LS424N
SN7496N SN7497N	3.10	SN74365N SN74366N	.68		74LS157N 74LS158N	.99 .75	74LS668N 74LS670N
SN74100N	.99	SN74367N	.79		74LS156N	.98	81LS95N
SN74107N	.32	SN74368N	.79		74LS161N	1.15	81LS96N
SN74109N	.53	SN74390N	1.90		74LS162N	.98	81LS97N
SN74116N	1.95	SN74393N	1.90		74LS163N	.98	81LS98N
SN74121N	.29	SN74490N	1.90				

# SN74121N .29 SN74122N .39

	CM	OS	)
CD4000	.29	CD4093	.99
CD4001	.29	CD4094	2.95
CD4002 CD4006	.29 1.39	CD4098 CD4099	2.49
CD4006 CD4007	.29	MC14408	2.25 12.95
CD4008	1.39	MC14409	12.95
CD4009	.59	MC14410	12.95
CD4010	.59	MC14412	12.95
CD4011	29	MC14415	8.95
CD4012 CD4013	.29	MC14419 CD4501	4.95
CD4013	1.39	CD4501	1.65
CD4015	1.39	CD4503	.69
CD4016	.59	CD4505	8.95
CD4017	1.19	CD4506	.75
CD4018	1.19	CD4507	.95
CD4019	.49	CD4508 CD4510	3.95 1.39
CD4020 CD4021	1.19 1.49	CD4510 CD4511	1.39
CD4021	1.29	CD4511	1.39
CD4023	.38	CD4515	3.95
CD4024	.79	CD4516	1.69
C04025	38	CD4518	1.39
CD4027 CD4028	.79	CD4520	1.39
CD4028 CD4029	.99 1.29	CD4555 CD4556	4.95
CD4029	.69	CD4556	2.25
CD4030	3.25	74C00	.39
CD4032	2.15	74C02	.39
CD4034	3.25	74C04	39
CD4035	1.19	74C08	.49
CD4037 CD4040	1.95 1.29	74C10 74C14	.49 1.65
CD4040	1.25	74C20	.39
CD4042	.99	74C30	39
CD4043	.99	74C32	.99
CD4044	.99	74C42	1.85
CD4046 CD4047	2.25 1.25	74C48 74C73	2.39
CD4047 CD4048	.69	74C73	.99
CD4049	69	74C85	2.49
C04050	.69	74C69	4.95
CD4051	1.10	74C90	1.85
CD4052 CD4053	1.10	74C93 74C95	1.85
CD4055	3.95	74C33	1.19
CD4056	2.95	74C151	2.49
CD4059	9.95	74C154	3.50
CD4060	1.39	74C157	2.10
CD4066 CD4069	.89	74C160 74C161	2.39
CD4069 CD4070	.69	74C161	2.30
CD4071	.35	74C164	2.39
CD4072	.35	74C173	2.59
CD4073	.35	74C174	2.75
CD4075 CD4076	.35	74C175 74C192	2.75
CD4076 CD4077	1.29	74C192 74C193	2.39 2.39
CD4077	35	74C193	2.39
CD4081	.35	74C922	7.95
CD4062	.35	74C923	6.95

#### LINEAR

78H05	5.95	LM1414N	1.90
76M06	1.49	LM1458CN/N	
78M.G.	1.49	MC1488N	1.49
LM105H	.99	MC1489N	1.49
LM108AH LM300H	2.95 .79	LM1496N LM1556N	.89
LM301CN/H	.75	LM1800N	.79
LM304H	.98	LM1820N	.95
LM305H	.89	LM1850N	.95
LM306H	3.25	LM1889N	3.95
LM307CN/H	.29	LM2111N	1.75
LM308CN/H	98	LM2900N	.99
LM309K	1.49	LM2901N	2.50
LM310CN	1.25 H .98	LM2917N CA3013T	2.95
LM311D/CN/I LM312H	1.75	CA30131	1.99
LM317T	2.75	CA30181	3.49
LM318CN/H	1.49	CA3023T	2.99
LM319N/H	1.25	CA3035T	2.75
LM320K-XX*	1.49	CA3039T	1.49
LM320T-XX*	1.25	CA3046T	1.29
LM320H-XX*	1.25	LM3053N	1.49
LM323K	4.95	*CA3059N	3.25
LM324N LM339N	1.25	CA3060N	3.25
LM340K-XX*	1.49	CA3062N LM3065N	4.95
LM340T-XX*	1.25	CA3080N	1.29
LM340H·XX*	1.25	CA3081N	1.69
LM344H	1.95	CA3082N	1.69
LM348N	1.85	CA3083N	1.99
LM358CN	.98	CA3086N	1.29
LM360N	1.49	CA3089N	2.75
LM372N LM376N	1.95	CA3096N CA3097N	1.99
LM376N	3.75	CA309/N CA3130T	2.49
LM380CN/N	1.25	CA3140T	2.49
LM381N	1.79	CA3146N	2.49
LM383T	1.95	CA3160T	1.49
LM386N	1.49	CA3190N	1.95
LM387N	1.49	CA3401N	.69
LM390N NE531V/T	1.95	MC3423N MC3460N	1.49
NE555V	.39	SG3524N	3.95
NE556N	.98	CA3600N	3.50
NE561T	19.95	LM3900N	.59
NE562B	7.95	LM3905N	1.49
NE565N/H	1.25	LM3909N	.98
NE566H/V	1.75	RC4131N	2.95
NE567V/H NE592N	1.50	RC4136N RC4151N	1.10
LM702H	2.75	RC4194	4.50
LM709N/H	29	RC4195	4.40
LM710N/H	98	ULN2001	1.25
LM711N/H	39	ULN2003	1.50
LM715N	1.95	SN75450N	.59
LM723N/H	.75	SN75451N	.49
LM733N/H LM739N	.98	SN75452N SN75453N	.49
LM739N LM741CN/H	33	SN75453N SN75454N	49
LM741CN-14	19	SN75491N	89
LM747N/H	.79	SN75492N	.89
LM748N/H	.39	SN75493N	.89
LM760CN	2.95	SN75494N	.89
LM1310N	1.90		

RETAIL STORES OPEN MON-SAT B" E. Edinger STORE 674 El Camino Real na, CA 92705 #2 Tustin, CA 92680 ii, Warehouse Specializing in Systems

	291		
	•	185-1	
74		Soc	•
		300	
74LS00N	.35	74LS164N	1.19
74LS01N 74LS02N	.28	74LS165N 74LS166N	.89 2.48
74LS03N	.28	74LS168N	1.89
74LS04N 74LS05N	.39	74LS169N 74LS170N	1.89
74LS05N	.28	74LS170N	1.99
74LS09N	.39	74LS174N	.99
74LS10N 74LS11N	.28	74LS175N 74LS181N	.99
74LS12N	.39	74LS190N	1.15
74LS13N	.47	74LS191N	1.15
74LS14N 74LS15N	1.25	74LS192N 74LS193N	.98 .98
74LS20N	.26	74LS194N	1.15
74LS21N 74LS22N	.38 .38	74LS195N 74LS196N	.95 .89
74LS26N	39	74LS197N	.89
74LS27N	.39	74LS221N	1.49
74LS28N 74LS30N	.39	74LS240N 74LS241N	2.99
74LS30N	.26	74LS241N	2.29
74LS37N	.79	74LS243N	2.29
74LS38N 74LS40N	.39	74LS244N 74LS245N	2.95 8.95
74LS42N	.79	74LS247N	1.10
74LS47N 74LS48N	.79 .79	74LS248N	1.10
74LS46N 74LS51N		74LS249N 74LS251N	1.69
74LS54N	.26 .35	74LS253N	.98
74LS55N 74LS73N	.35 .45	74LS257N 74LS258N	.98
74LS74N	.45	74LS250N 74LS259N	2.95
74LS75N	.68	74LS260N	.69
74LS76N 74LS78N	.45	74LS261N 74LS266N	2.49
74LS83AN	.99	74LS273N	1.75
74LS85N 74LS86N	1.19	74LS275N	4.40
74LS90N	.75	74LS279N 74LS283N	.59 1.10
74LS92N	.75	74LS290N	1.29
74LS93N 74LS95N	.75 .88	74LS293N 74LS295N	1.95
74LS96N	.98	74LS298N	1.29
74LS107N	.45	74LS324N	1.75
74LS109N 74LS112N	.45	74LS347N 74LS348N	1.95
74LS113N	.49	74LS352N	1.65
74LS114N 74LS122N	.55 .55	74LS353N 74LS363N	1.65 1.49
74LS123N	1.19	74LS365N	.99
74LS124N	1.35	74LS366N	.99
74LS125N 74LS126N	.89	74LS367N 74LS368N	.99 .99
74LS132N	.79	74LS373N	2.75
74LS136N	59	74LS374N	2.75
74LS138N 74LS139N	.89	74LS375N 74LS377N	.69 1.95
74LS145N	1.25	74LS385N	1.95
74LS148N 74LS151N	1.49 .79	74LS386N 74LS390N	.65
74LS151N 74LS153N	.79	74LS390N 74LS393N	1.95 1.95
74LS154N	2.49	74LS395N	1.70
74LS155N 74LS156N	1.19	74LS399N 74LS424N	2.95 2.95
74LS157N	.99	74LS668N	1.75
74LS158N	.75	74LS670N	2.29
74LS160N 74LS161N	.98 1.15	81LS95N 81LS96N	1.99 1.99
74LS162N	.98	81LS97N	1.99
74LS163N	.98	81LS98N	1.99

#### BECKMAN

Digital Multimeters





Choice of Middes – The TECH 310 ia sail above leatures, 7 limic loris, 29 ranges, past 0.25% kVd, accuracy. The TECH 300 has a 0.5% Vd. accuracy and all the above leatures, but without insta-Ohms IM continuity function or 8 is 10 amp current to 1005.
TECH 300 Digital Multimeter \$100. TECH 310 Digital Multimeter \$130. VC-201 Vinyl Carrying Case. \$10 DC-202 Deluxe Carrying Case \$24



#### MUSIC MACHINE 9°

WITH 9 VOICES!

3 Times More Powerful Than ALF! \$259.95

#### THE BONE FONE



SKIERS JOGGERS SKATERS Printing Disk Printing Saith Education Attar Assure Supp Muss Supp Control Con

 CYCLERS Yournusthear it and feel it to believe it



surrounds and fills your body with sound. No earplugs. You wear it

#### FLOPPY DISK DRIVES

MPI B51-514", 40	tracks	27	9.00
			5.00
Siemens Shugart	Compatib	le Model	
PERSCI Model 27	77 Dual	1 19	5.00
MPI B52 514" Dua	31	39	5.00
WANGO/SIEMEN	IS 282 Du	al 514" 39	5.00
WANGO/SIEMEN	S 82	29	0.00
	_		
	Shugar SA400-5 Shugart 800/801 Siemens Shugart FDD-120-8D PERSCI Model 2: WANGO/SIEMEN MPI B52 514" Du WANGO/SIEMEN	Shugar: SA400-5¼" 35 trac Shugari 800/8018 8" Siemens Shugari Compatib FDD-120-8D PERSCI Model 277 Dual WANGO/SIEMENS 51x" Dra MPI B52 51x" Dual WANGO/SIEMENS 282 Du WANGO/SIEMENS 282 Du	MPI BS1-51*, 40 tracks 27 Shugar SAAQOS* 35 tracks 27 FGD-120-80 FGD-120-80 FFD-120-80 FFD-1

#### MONITORS

Sanyo 9"	S169.95
Sanyo 15"	279.00
Leedex 12"	139.95
Motorola 12", High Res	solution,
22 MHz, OEM Model	
# M3000-340	219.00
Zenith 13" ColorMonito	r499.00
MGA 13" Color TV	349.00
VAMP 19" Color Monito	r 575.00
VAMP 15 "Color Monito	r 449.00

#### CONTINENTAL SPECIALTIES Model 3001 Digital Capacitance Meter. ... 275.00

Model 333 Tri-Mode Comparator	
Model LM-3 40-channel Logic Monilor.	58500
Model LM-1 Logic Monitor	60.00
Model LM-2 Logic Monitor	147.0
Model 2001 SweepableFunctionGenerato	186.00
Model 5001 Universal Counter-Timer	360.00
Model 6001 650 MHz Frequency Counter	385.00
MAX-100 100 MHz Portable Frequency	
	149.00
PS-500 500 MHz Decade Prescaler	70.0
MAX-50 50 MHz Handheld Frequency	
	77.00
MAX-550 550 MHz Handheld Frequence	cy Counter
	165.00
Model 4001 Pulse Generator	835.0
Model DP-1 Oigital Pulser	83.00
Logic Probes	
Model LP-1 Digital Logic Probe	50.00
Model LP-2 Economy Logic Probe	28.00
Model LP-3 High Speed Logic Probe	77.01
Model 1PK-1 Logic Probe Kit	
Logic Probe Accessories	
Medel LTC-1 LTC-2   norcal Analysis Kits	220/25

or Apple II. Plus \$990 DISK SYSTEM SPECIAL

Apple II. 16K

Apple II Plus w/48K Supermod Video Modulator Disk II w/Controller Integer Based ROM Card.

	Reg. \$2,220.0	00, ACP Price \$1819.00	SAVE \$401.00		
	II-Speed Serial I/O. S18900 Fentronces Printer I/O. 19995 Opplesol II Firmware Npole Clock Nricl X-10 System 25990 S1rtol X-10 Controller I/M Music Synthesizer 25995 6 Ch Analog Input 24995 164 93 Key Keypad 1995	DS65 Digi-Sector   S349 00	Integer ROM Card Proto Card M & R Modulalor Sanyo Cassette 16K Upgrade Kit Desktop Plan 8" Floppy Controller Heuristics Speechlab Romptus + Supertalker	21 95 2995 54 95 6295 9800 35000 17900 16900 27900	

## /LATARI 800 & 400

**Personal Computer System** ATARI 800 \$825.00 ATARI 400 \$449.00

ATARI 800 Includes: Computer Console, BASIC Lang. Cartridge, Education System Master Cartridge, BASICLanguage Programming Manual, 800 Operator's Manual w/Notebook, Atari 410 Program Recorder, 16K RAM Module, Power System

phoraia		Education System Cossetle Programs		Spetting	3500
ic Drive	59900	U.S. History	35.00	Basic Electricity	3500
196	49900	U.S. Government	. 3500	Basic Algebra	3500
gram Recorder	49900 6900	Supervisory Skills	3500	Banic Ge me sed Program Consetten	
forary - R O M Cartold ges		World History (Western)	3500	Guide to BASIC Programming	18 00
ication System Master Cartridge	2800	Basic Sapology	3500	BASIC Game Programs	1900
ri BASIC	5500	Courseling Procedures	3500	Add-On Memory	
embler Debuci	5500	Prexceies of Aceounting	3500	8 K RA M Memory Module	11000
ketball	4200	Physics	3500	16 KRAM Memory Module	22500
The state of the s	42 00	Great Classics (English)	3500	Diskeffes	2000
per Breakout <sup>tol</sup>	4200	Business Communications	35.00	Blank Diskettes	
sic Composer	5500	Basic Psychology	. 3500	Disk File Manager	5 00
er Bus <sup>2M</sup>	4200	EffectiveWnling	3500	Accessory Controllers	
npuler Chess	5500	Auto Mechanics	3500	Driving Controller Pair	1800
ne Finance	5500	Principles of Emongmics	3500	Paddle Controller Par	18 00
				Joystick Controller Pair	1800



#### TEXAS INSTRUMENTS

99/4 PERSONAL COMPUTER

Superior Color, Music, Sound and Graphics - and a Powerful Extended Basic - All Built In. Ti 99/4 Console only available for \$659.00 \$1099.00

#### (zcommodore PET LOW AS \$775.00

DISCOUNT PRICES

775 00. 2023 80 - Col Pi an Paper Pinnter 975 00 2040 Ocal Mire Orsk Drive 975 00 Per Loi EEE Cable 125 000 IEEE LOI EEE Cable 125 000 CON External Cassette Deck 795 00



#### *CompuCruise* \* Zemco.inc



\$174.95 Model 41 \$154.95

without cruise control

Anonboard navigational complete for automobiles, trucks, and recreational vehicles. Features cruses control, fuel management system, trip conquier, inhibitinctioned quartz crystal time counter, plus many other functions.

#### **HOME BURGLAR ALARM**



\$189.00

- No installation
- No installation
  Protects a whole house
  Turns on lights automatically
  Powerful electric siren
- Exit and entry delay Battery back-up

#### **BACK TO SCHOOL SPECIALS**

Texas Instruments . 15.95 . 15.95 . 32.95 . 21.95 . 13.95 . 33.95 . 18.95 Speak & Spell
Speak & Spell Modules,
Spelling Bee.
Dataman
Little Professor
Mr. Challenger.
30SP Student Malh Kit. Coleco

Mattel \$45.95

Ca Table

PROGRAMMABLE / TEMPERATURE CONTROLLER

ACP PRICE

\$69.95 A fully automatic electronic thermostat. Easy to install and operate. Compare the cost: TPI's temperature controller is the lowest priced electronic thermostat on the market.

#### SINGLE BOARD COMPUTER SELECTION GUIDE

BOARD KIM-1	PROCESSOR 6502	ACP PRICE 169.00	ENCLOSURE Add 29.95
SYM-1	6502	239.00	Add 39.95
Cromemco	Z80	409.00	N/A
SD-SBC100	Z80	239.00	N/A
AIM 65	6502	375.00	Add 49.95
Cosmac Vip	1802	199.00	Inc.

P.O. Box 17329 Irvine, Calif. 92713 Direct Order Lines: (714) 558-8813 (800) 854-8230 or (800) 854-8241

FOR INTERNATIONAL ORDERS: 1401 E. Borchard (714) 953-0604 Santa Ana, CA 92705 TWX: 910-595-1565

1310 "B" E. Edinger Santa Ana, CA 92705 ms, Retail, Warehouse

# GET YOUR CATALOG

#### STATIC RAM BOARDS 4) Leas Hard Kit 1//st par bit! 450ns. 469.00 250ns. 499.00

#### • S-100 16K (S-100 Compatible)

- Low Power 2 MHz or 4 MHz Assembled & Tested WOW!
- MHz...\$250.00 MHz...\$265.00

#### ASSEMBLED 450 ns. 149.95 KIT 450ns. 250ns. 169.95 250ns. Bare PC Board w/Data \$21.95 "Special Offer" Buy (4) 8K 450ns. Kits \$117.00

The VISTA V-80 Disk Drive System	Contractor	£ 295.00
· 23% more storage capacity than	Single drive system Two drive system	\$ 770.00
185-60	Four drive system	\$1450.00
<ul> <li>120 day warranty</li> </ul>	Two drive cable	\$ 2995
<ul> <li>40 track patch at ND CHARGE.</li> </ul>	Four drive cable	\$ 39.95

#### THE VISTA V-200 FOR EXIDY

Price: St	arting a	s low as \$	1199.	00	
Item V200 E-20	Stange Capacity 400	Ortes Cooligoration 2 Onve	Skipping Weight 25 lbs	Price 1199.00	WAS
		Single Head			10
V200 E-22	600	2 Drive, Double Head	25 lbs	15-1900	
V200 E-30	600	3 Dove.	321bs.	152400	-10
V200 E-32	12 MEG	Single Head 3 Drive.	32105	199900	-

#### ATTENTION VIDEO HOBBYISTS!!!

- \* BOX BUILDERS

  \* USE AS REMOTE TUNER/TIMER

  \* FULL SCHEMATICS AVAILABLE

  \* FOR ONLY \$5.90! FREE W/PURCHASE
  Recent Special Purchase Allows Us To Present The Follow

## NEW, UNUSED COMPONENTS From The RCA VDT-201 Videocassette Recorder

	Please Call For Volume	Discou	nts
	forOnly	\$7	74.95
5	Complete Set of All The Above		
•	Or	Subtotal	\$123.34
	300 Ohm to 7.5 Olim Matching		\$ 2.49
3	Digital Clock Module AM/PM Fit orescent Readout (Green)		\$19.95
-	Channel 3 or 4 Output		\$39.95
2	and Video Demodulator  RF Modulator with Audio & Video inputs		\$59.95
1	UHF/VHF Tuner Subassembly with all knobs		



Assembled & Tested ...... \$1499.00

\*CHECK OUR FLOPPY DISK PRICING
ON THIS PAGE

0.00 (\$1799.00 Value) SAVE \$300.00

WATANABE MIPLO  May pen speed 50 mm/sec, resolution 10 mm typically, 05 mm built-in character generator sizes and 4 degrees of relation absolute draw, relative draw alpha printing done with simple commands.	\$1195.00
IMS STATIC RAI	

	250 ns.	450 ns.
8K Static	\$209.00	\$189.00
16K Static	\$449.00	\$399.00
32K Static	\$729.00	\$629.00

#### ANADEX PRINTER NEW APPLE VERSION Model DP-8000 compact, impact, parallel serial. Sprocket feed, 80 co 84 lines/min., bi-directiona New only ...... \$875.00 DP-8000AP (for Apple)\$875.00

CALE! SD SYSTEMS BO	DARD	S
SAL TAKE 10% OF	F! KIT	ASSEM
SBC 100 Single Board Computer (2MHz)	\$265.00	S 349.00
SBC 200 Single Board Computer (4MHz)	299.00	399.00
Z80 Star er Syslem	319.00	449.00
VDB 8024 Video Display Board	335.00	459.00
Versa-Figopy II	325.00	429.00
Expando PROM	115.00	225.00
SD100 Computer System w/64K	-	6995.00
SD200 Computer System w/64K	-	7995.00

the same of		
SBOO M	ICROMODULE™ PRICE I	IST
MODEL NO	DESCRIPTION	PRICE
9600A		\$495.00
9609	Advanced Smgle Bd. Comp. (6809)	595.00
9601	16 Slot Mother Board	t 75.00
9602	Card Cage	75.00
9603	8 Slot Mother Board	100.00
9604	Power Supply	275.00
9605	DC Input Power Supply	325.00
9610	Utility Preto Board	39.00
9611	Arith, Proc/Memory Module	495.00
9612	Buffered Utility Proto Board	49.00
9616	32K EPROM/RAM Module	250.00
9617	EPROM Programming Head	250.00
9620	16 Channel Parallel I/O Module	295.00
9622	Senal-Parallel I/O Module	325.00
9627	16K Stattc RAM Module 470ns	39500
9629	32K Static RAM 450ns	695.00
9629A	32K Static RAM 200ns	895.00
9630	Card Extender	68.00
9640	Multiple Programmable Timer	395.00
9650	8ChannelDuplexSerial I/O Mod	395.00
9655	Intelligent Tape Controller	550.00
96103	32/32 I/O Module	275.00
96702	Contact Closure Module	350.00

POPULATED BOARDS (Also A)

Circle 264 on inquiry card.

#### APPLE/EXIDY/EXPANDO TRS 80 16K-UPGRADE KIT \$54.95 TRS-80/APPLE \$54.95

MEMORY EXPANSION KITS, 4116's, 16K (200/250 ns.) 8 pcs for \$54.95

w/instructions & jumpers Call For Volume Pricing

*	Expansion	RS80 Schematic\$ Interface Schematic\$ Interface Connector	4.95 4.95 7.95
---	-----------	--	----------------------

6800 SUPPORT CHIPS

1802 SUPPORT CHIPS

6502 SUPPORT CHIPS 652 0 PIA... 6522 Mult... 6530-002.003,004,005. 6532 .... PROMS

. 25.00 . 16.95 . 9.95 . 10.95 . 10.95 . 8.95

..8.95

16.95 4.90

14.95

6800 SUPPORT C 6810 126 x 8 Pam. 6820 PlA. 6821 PlA. 6628 Priority Int. 6628 Priority Int. 68341-512 x 8 Eprom. 6845/HD46505 CRT Cont. 6847 Color CRT. 6850 ACIA. 6852 Serial Adapter. 6860 Modem. 6862 Modelm.

6860 Modem 6862 Modulator 6871A 1.0MHz OSC 6875 6880 Bus Driver MC66466 68047

1821 SCD 2K RAM... 1822 SCD 256 x 4 RAM... 1824 CD 32 x 8 RAM... 1854 CD 32 x 8 RAM... 1854 Uarl... 1856 CD I/O... 1857 CD I/O... 1861

2716-5V.... 2716-5V. 12V

5204AO IM 5610 SALE 8223 32 x 8 ... 82S 115 512 x 8 (TS) 82S 123 32 x 8 ... 82S 126 256 x 4 82S 129 256 x 4 (TS) 82S 130 512 x 4 (OC)

2513-001 (5V)Upper 2513-005 (5V)Lower 2513-ADM3 (5V) Lower MCM6571 MCM6571A

32S23 6.95 32S131 14.95 32S137 14.95 NOTE: WE PROGRAM PROMS

CHARACTER GEN.

UARTS/BAUD RATE TR 1602B (5V 12V) AY51013 (5V 12V) AY51014A/1612 (5:1.1V) 

KEYBOARD ENCODERS

P.O. Box 17329 Irvine, Calif. 92713

Direct Order Lines: (714) 558-8813

(800) 854-8230 or (800) 854-8241

EXPANDORAM II MEMORY KITS \* Bank Selectable \* Uses 4116,200 ns.

\* Write Protect Low \* Power 8VDC, ±16VDC

\* Phantom New CES \* Up to 4 MHz

Expando 64 Kit (4116) Assem. & Tested Add \$50. 16K \$269.00 48K \$435.00 32K \$349.00 64K \$505.00

#### HAZELTINE TERMINALS SALE \$749.00

Model 1400.	\$749.00	Model1500	\$1085.00	
Model 1410.	\$825.00	Model 1510.	\$1245.00	
Model 1420.	\$945.00	Model 1520	\$1495.00	

UV "Eprom" Eraser Model UVs-11E \$69.95 Holds 4 Eprom's at a time Backed by 45 years

experience.
Model S-52T...\$265.00
Professional Industrial Model

EMAKO-20.. Reg. \$777.00 \$599.00 125 Caps, 60lpm - Vertical Formal Unit - 96 Charac-ters - Upper/LowerCase-4.5" to 9.5" Adjustable - 80 col/40 col double width - Full 96 char, ASCII

EMAKO-22....\$799.00 Prints a 132 col/line. Available with parallel or serial output at same price.

MIKA 20.....\$1280.00 9x7, 125 cps 136 characters/line Full 15" width. Super for business applications requiring large IBM format paper.

#### BASE II PRINTER

80 Column Impact Printer	ì
60 Lines Per Minule	
• 115/230VAC.50	
or 60 Hz.	
• 72.60,96, 120or	٩
132 Char/Line	1
Self-Test Switch	
~	

Self-Test Switch	RI	EG. \$649.0
	ACP PRICE \$5	
Option "M" Terminal	Screen Buffer (1920 Char)	\$50.0
Option 'S' High Spe	ed Paper Advance & Graphics.	
Option 1 Tractor F	eed	50.0

Z-80/Z-80A/8080 CPU BOARD
★ On board 2708 ★ 2708 included (450ns.)
★ Power on jump ★ completely socketed
<ul> <li>Z-80 Assembled and Tested \$185.00</li> </ul>
• Z-80 Kit
<ul> <li>Z-80 Bare PC Board \$ 34.95</li> </ul>
★ For 4MHz Speed Add \$15.00
8080A Kit\$ 99.95
8080A Assembled\$149.95

S-100 MOTHERBOARD SPECIAL
8 slot expandable w/9 conn.
reg \$69.95NOW \$52.95

SIEMEN'S FLOPPY	SALE
Special buy while supply lasts.     B* Drive with Double-Density	SIEMENS \$429.00
90 Day Warranty	SHUGART
*CHECK OUR FLOPPY DISK PRICING!	801R
ON THIS PAGE	\$475.00

5.00 ACOUSTIC MODEM NOVATION CAT<sup>TM</sup> 0-300 Baud Bell 103 Answer, Originate \$169.95

DATA BOOKS . COMPUTER BOO	KS
19801C Master 59.95 Intel MCS 80 Manual	
NSC TTL Data	
NSC Linear	. 5.9
NSC Linear App Not s II. 3.95 AMD Schotlky Databook	.4.9
NSC CMOS 3.95 AMI MOS/LSI Data	3.9
NSC Memory 3.95 GI MOS/LSI Data	. 4.9
Intel Databook	. 4.9
Intel MCS 85 Manual 7.50 TI Linear Control Data	
SALE . OSBORNE BOOKS . SALE	
Reg.	Sal
Intro to Micros Vol. 0	7.7
Intro to Micros Vol. I 850	7.7

Vol. II Some Real Microprocessors w/Binder Vol. III Some Real Support Devices w/Binder Intro to Micros Vol. III.	20-90 27.50 20-90 18.50 20-90 18.50
SALE . SYBEX COMPUTER BOO	KS . SALE
6502 Games	\$1295
Intro. to Personal & Business Computing	12.95
Mircoprocessors From Chips to Systems	1295
Microprocessor Interfacing Techniques	12.95
Programming the Z80	12.95
Programming the Z8000	12 95

FIRST TO OFFER PRIME PRODUCTS TO THE HOBBYIST AT FAIR PRICES!

1. Proven Quality Factory tested products only.

2. Guaranteed Satisfaction

3. Over \$1,000,000.00 Inventory

1980 CATALOG NOW AVAILABLE.
Send \$2.00 for your copy of the most complete catalog of computer products.
A must for the serious computer user.

OPROCESSORS	STATIC RAMS
6 bit to 8Mb \$189.00	1-24 25-99 100
6 bil to 64K 149.00	21L02 450ns 1.30 1.25 99
14.50	21L02 450ns 1.59 1.55 1.15
	21LU2 25URS. 1.59 1.55 1.15 2111 375 365 3.55
16.95	21L 02 450ns. 1.30 1.25 99 21L 02 250ns. 1.59 1.55 1.15 2111 375 365 3.55 2112-1 2.95 2.85 2.65 2101-1 2.90 2.70 2.55
18.95	2101-1 2.95 2.85 2.65
	2114L-250ns. (4045) 8.95 7.50 6.50
. 8.50 19.95	2114L-450ns. (4045) 550 5.25 4.75
1.95	4044 250 ns 895 750 690
495	4044 250 ns. 8.95 7.50 6.90 4044 450 ns. 595 5.95 4.75
	FMM4200A 975 875 7.95
9.90	EMM4402 795 725 625
1.95 9.95	74589 2.95 2.50 2.25
.95	74589 2.95 2.50 2.25 5101C-E 7.95 7.95 7.25
30	4044 250 ns. 895 750 690 4044 450 ns. 895 595 495 475 6MM4200A 975 875 795 625 74589 299 299 299 299 299 840 299 299 299 299 299 299 840 299 299 299 299 299 299 299 299 299 29
9.95	AMD9140/41 10.95 10.25 9.25 AMD9130/31 12.95 11.95 10.25
	1101 195 175 125
16.95 29.95	P2125/93425 (45ns.) 995 8.35 825
.95	6508 1 K x 1 CMOS 7 95 7.95 7.25
75 95	1101 1.95 1.75 1.25 P2125/93425 (45ns.) 995 8.35 825 6508 IK x*hCMOS 7.95 7.95 7.25 6518 IK x 1 CMOS 7.95 7.95 7.25
5	74S18964 bit Ram 3.95 3.25 2.50
	74S18964 bit Ram 3.95 3.25 2.50 2147 LowPower 4KSlatic 19.95 18.95 16.95
	2147 LOWPOWER4KSIANC 19.95 18.95 16.95
5	
5	DYNAMIC RAMS
4.95	
. 69.95	416/4116 16K (16 Pin)
RT	Set of 8 416's 54.95
Uni	4115 8K (16 Pin) 6.95 4050 4 K x 1 (18 Pin)
75.00	4050 4 K x 1 (18 Pin)
5.00	4060 4 K x 1 (22 Pin)
5	. 4096 4 K x 1 (16 Pin)
95	2104 4K x 1 (16 Pin)
95	4027 4K x 1 (16 Pirt)
	5261 1.95 CAV 1103 1.95
	1 5000 100 h4K 1000 100
,	
8.75 .12.95	52704.95 RAMS 66057.95
.75	52704.95 RAMS 66057.95
3.75	52704.95 RAMS 66057.95

ZBO-DMA 2.5 MHz29		SOCKETS						
Z80A-DMA 4.0 MHz36 Z80-SIO/0 2.5 MHz35	.95						e Wrap	3 Lev
· Z80A-SIO/0 4.0 MHZ39		# Pins	Lo	Pro Solo	derta	ii I	Tin	Cole
Z80-SIO/1 2.5 MHz 35		В		15			32	45
Z80A-SIO/1 4.0 MHz		14		19		- 1	36	- 59
Z80-SIO/2 2.5 MHz 35		16		.20		- 1	.38	62
Z80·SiO/2 4.0 MHz 39	.40	18		24		- 1	59	84
8080/8085 SUPPOR	2Τ	20		29		- 1	.69	1.10
		- 22 24		38		- 1	.79 85	1.20
8155/8156 I/O24	.95	28	1	43		- 1	1.10	1.49
8755 I/O with Eprom 64	1.95	36		.58		- 1	1.25	1 69
8202 Dyn. Ram Cont	1.95	40		60		- 1	1.40	1.89
8212 8 bit I/o,			_			_	1,40	. 0.
8214 Priority Int		7ED	7	NSER	TIC	IA	EOD	CE
8216 Bus Driver	2.75	ZER	U I	MOEN	110	, 14	FUR	CE
8224 Clock Gen	2.95	16 Pin 55	50	24 Pin	\$7.5	0	40Pin	\$10
8224-4 (4MHz)	.75			D RE	40	$\overline{a}$	TC	
8226 Bus Driver	3.95		-	ED RE	AD	JU	13	
8T26 Bus Driver	2.95	PariNe.			criptio			
8228 Sys. Control.	5.50	DL704			mm C		le .	
8238 Sys. Cont	3.50	DL707			mrn A			
8253 Int. Timer	0.90	FND357			ന്നാ 🕻			
8255 Prog. I/O		FND501 FND503(500)			mm C		te (+1)	
8257 Prog. DMA16	95	FN0503(500)			mm L			
8259 Prod. Irtl	.95	FN05071510)			mm A			
8275 CRT Controller59	9.95	FN0530			ם הוום			
8279 Prog. Keyboard 18	3.95	FND550						
	_	FN 803(800)			mm C			
6800 SUPPORT CHIE								

	16 Pin \$5.50 24 Pin \$7.50 40Pin \$10.25					
16 Pin	\$5.50	24	Pin S	7.50	40Pin	\$10.25
				DOL		
Partitie.	Size	Calar	Descri	latios		Price
DL704	300	Red	Com	n Catho	rde	99
D1.707	300	Red	Corn	n Anado		99

ELD HEADOULD					
Parilie.	Sizz		Description	Price	
DL704	300	Red	Comm Cathode	99	
DL707	300		Cornin Anode	99	
FND357	357		Comm Cathode	99	
FND501		Red	Cemm Cathode (+1)	99	
FND503(500)	500		Comm Cathode	99	
FND5071510)	500	Red	Comm Anude	99	
FN0508	500	Red	Comm Anode (±1)	99	
FN 0530	500	Green	Convin Cathede	149	
FND550	500	()range		149	
FN 803(800)	800	Red	Comm Cathode	175	
FND807(810)	800	Red	Comm Anode	1.75	
HP5082-7340	600	Red	4 x 7 Hexdecutal	2095	
HP5082-7300	600	Red	4 x 7 Sql Digit RHD	18 95	
HP5082-7731	.300	Red	Cornm Anode	75	
TIL305	-	Red	Array 5 x 7	795	
T1L308	270		Numerical Display	1095	
TL309	270	Red	Numerical Bisplay	995	
TIL311		Red	4 x7 Hexidecimal	1095	
MAN2A		Red	Array	595	
MAN10A		Red	Alpha Numenc	895	
X.AN3061		Red	Commit Anothe Right DP	125	
XAN3062	300		Comm Anode Left DP	1 25	
XAN3063	300		Overflow, CA, Lett DP	1 25	
XAN3064		Red	Comm CathedeRightDP	1 25	
XAN3051		Green	Comm. Anode Right DP	199	
XAN3052		Green	Comm Anede Left DP	1 99	
XAN3053		Green	Overflow CA Left DP	199	
XAN3054	300	Green	Comm. Camode. Right DP	199	
XAN3081		Yellow	Comm Anode Right DP	2 10	
XAN3082		Yellow		2 10	
XAN3083		Yellow		2 10	
XAN3084	300	Yelkow	Corner Cathode, Right OP	2 10	

IC SPECIAL	PURCHA	SE
LF 13508 JFET Analog	Multi 8 bit	8 9 5
ICM 7045 Precision Sto ICM 7205 CMOS LED S	pWatch	2395
ICM 7205 CMOS LED S	1995	
ICM 7207 O cillator Co ICM 7208 Seven Decad ICM 7209 Clock Gener	ntroller	7.50
ICM 7208 Seven Decad	18 95	
ICL7107 31/2 Digit A/D	ILED)	14 95
MC14433P 3'4 Digit A/	Converter	
ICL 821 1 Voltage Reter	ence	1 95
LM 390N Battery Op. A		
LM 1800N PLL FM Ste	reror	3/1 00
LM 1820N AM Radio		3/1 00
LM 1850N Ground Fau	It IC	3/1 00
LM 2900N Ouad Ampli	2/100	
LM 2901N (HM) Ouatt (	2/1 00	
LM 1800N P.L. FM Ste LM 1820N AM Rado LM 1850N Ground Fau LM 2900N (HM) Quart LM 2910N (HM) Quart LM 2917N Freq 10 Vol AY:3:3550 41- dayl DM AY:5:3507 40.Hz DW LM 2017N 61- STE 27508 32 8 Prom (HM G115M 6 channel Most U.N 2003A 7 channel 2101AL-4.	2/1 99	
AY-3-3550 414 digil DM	2495	
AY-5-3507 401.4Hz DVN	9 9 5	
MEM 4963 Mosfel Smo	11 95	
27S08 32 x 8 Prom (IM	2 95	
G115M 6 channel Most	1.49	
ULN 2003A 7 channel I	Driver	99
21U1AL-4		1.95
MCM 14505 64 bit Stal	ic Ham	695
7520/25 50	LM 377	125
1488/1489 . 2/1 99	LM 387	1 25
MK5014 Calc 3/1 99	LM 3302	3/199
74589 3/1.99	LM 4558	3/199
78H05K 6 95	HC 4136	2/1 99
LM323N 4.95	HC 4131	2/199
2101AL-4. MCM 14505 64 bit Stat 7520/25 50 1488/1489 2/1 99 MK5014 Calc 3/1 99 74589 3/1 99 78H05K 6 95 LM323K 4 95 MC1372 8 95 MM5298 4A/B 2 95	COM 5027	3995
MM3298-4A/B., 2.95	COM 5037	99.93

VERBATIM
DISKETTES
100% CERTIFIED ERROR-FREE!

. 14.50			
. 14.50	· 35 TRAC	KS GOUBLE GENSITY SINGLE-SIDED 5%	
	TYPE	DESCRIPTION	PRICE BOX
\TE	525-61	Soft Sectored IRS 80 etc	52/2
3 95	525-10	10 Hole Hard NS Apple pro	272
495	525 15	16 Helt Hard Micropolis	277
6 95	■ 40 & 7	TRACK DOUBLE DENSITY - SINGLE SIDI	8
695	51	. W/KUB REINFORCEMENT RING	
5.50	577 01	Soft Sectored TRS 80 ktc	5327
7.95	577-10		32
8.95	577-16	16 Hose Hard Micropolis	32
9 95	e 40 1840	KS. DOUBLE SIDED. DOUBLE DENSITY 514	
24 95		S of Sectored S A 450 MPI 52	539
11.95		10 Hole Hard BASE WANGCO	39
14.95		16 Hole Hard Micro?	39
995	+ 8" 10.00	CERTIFIED DISKETTES	
16.95		Sch Single Densh, 3740	533
		32 Hard Single Density Strug	333
ERS		Soft Double Density 3740	44
13.75		Soft Bouter Suc-s Double Density 37	
13.75			
9.95	VOLU	ME DEALER PRICING AV	AILABL
9.95	WE	ALSO STOCK DYSAN-	CALL
0.95	***		

VOLUME DEALER PRICING AVAILABLE WE ALSO STOCK DYSAN-CALL

#### FLOPPY DISK I/O

1771-01 8"& MiniRoppy	24.95
uPd372Nec Floppy	4995
1781 Dual Floopy	
1791-01 Dual Floppy	36.95
uPd 765 Floppy	49.95
A/D CONVERTE	ERS
8700 8 bit Binary	13.50
8701 10 bit Binary	2200
8703 8 bit TS	. 1350
9400 Volt to Freq Conv	. 725
8750 31/2 Digit BCD	13.95
1408L6 6 bil	3.95
1408L8 8 bil	5.95
DACOI D to A .	5.95
DACOB	9.95
THE CHIPS (SOIL	ND

TV CHIPS/SOUND
AY38500-1 6 Games B/W 4.95
AY38515 Color Converter 2.95
AY38603-1 Roadrace Game. 8.95
AY38605-1 Warfare Game CALL
AY38606-1 Wipeout Game 9.50
AY38607-1 Shooting Galle y 895
AY389 10 Sound Generator 12.95
SN76477 TI Sound Generator . 3.95
MM5320/21 1V Synch Gen 9.95
MN15369 Prescaler
LM1689 RF Modulator 3 95
MM57100NSC ColorTV 695
MM57104 Clock Gen3.75
RF Modulator w/Audio
M&R Modulator

#### WAVEFORM GEN.

8038 Function Gen	. 3	95
MC4024VCO	2	95
LM566VCO	1	95
XR2206 Function Generator		

#### SHIFT REGISTERS

MM500H Dual25	50
MM5056N Dual 256	
MM5060N Dual 126	2.95
2510 A Dual 100	
2647 Ouad80	
3341 Dual 80	
3351 40 x 9 FIFC)	
3357 Ouad80	
9403 16 x 4 FIFO	. 24.95
9408 10 Bit Sequencer	995
CTE DIDEWITCH	EC

1	CTS206-4 CTS206-5 CTS206-6	1.75 1.75 1.75	CTS206-8 CTS206-9 CTS206-10	1.95
J			ORS (GO	
	DB25P (RS	232)		325
3	DB25S Ferr	nale		375
3	Hood			1 25
9	Set w/Hood	. Sale		57.50

# 

ı	NAKED PC	;
١	Z-80 CPU (Ithaca)	534 95
-1	8060A CPU	3495
- 1	8K Static RAM (Logos).	24.95
- 1	16K Stalic RAM (2114)	29.95
1	32K Static RAM (2114)	29.95
	8K Eprom (2708)	24.95
	1702 EpromBoard .	30.00
	2708/2716 Epromilihaça)	3495
	2708/2716 Eprom (WMO)	3000
	Reallime Ctock	34 95
	ACP Proto Bd (3M Conn.)	27 95
- 1	Vector 8800 Proto	22.20
	Vector8803 11 slot MB.	29 95
	ACP Extender w/Conn	18.95
ш	Video Interlace (SSM)	31 95
ш	Parallel Interlace(SSM)	31.95
П	13 Slot MolherBoard (WM	C) 32.95
Ш	9StotMotherBoard(WMC)	. 2995
o	8Slot Mother (expandable)	3495

o Siot women (expanda	a(e) 3495
Proc Tech Bare Board	ds CALL
WMC Floppy PCB	34 95
COMPUTER SI	PECIALS
DISCOUNTS!	LIST SALE
Apole II Plus w/16K	1195. 990
PET 2001-16 N	995 895
ExidySorcerer w/16K	1099.
Cromemco Sys III	6990 6290
Harizon I w/32K	CALL
Pascal Microengine	1995.1595
IPSI 1620 Diablo RO	3295 2695
Anadex DP 8000	995 875
Centronics Micro S-1	595. 525
Soroc IO 120	995 795
Teletype Model 43	1349.1150
HiPsot Plotter	1085. 899

1	IPSI 1620 Diablo RO		
1	Anadex DP 8000	995	875
	Centronics Micro S-1	595	525
П	Sproc IO 120	995	795
	Teletype Model 43	1349.	1150
	HiPfol Plotter	1085.	899
	HiPiot Plotter HiPlet Digitizer	795	735
	Intertube II	895	784
П	A1arr800	999	750
Ш			
Ш	Atari400 TI 99/4	1150.	1025
П	Leedex 12" Monitor	149	139
П	Centronics 737	995	899
П	Trencom T-100	375	349
П	Trencom T-100 Trencom T-200	595	525
Н	Sanyo 9" Monitor	220	169
П	Sanyo 15" Monitor	295	249
П	Mo1 22 MHz Mon:tor	296	219
П	FREE CASS	ETT	=
Н			_
	with purchase of Alar	0 008 i	r Atar

400. receive any available Pro gramma cassette worth \$1995

### SOCKET SPECIALS 35 55 75 1 45 15 .15

FOR INTERNATIONAL ORDERS: 1401 E. Borchard (714) 953-0604 Santa Ana, CA 92705 TWX: 910-595-1565

RETAIL STORES OPEN MON-SAT

# The Supermarket for TRS-80\* Add-on Components (and other computers, too)

In stock now. Immediate delivery.

#### The VISTA V-80 Disk Drive System

- 23%more storage capacity. than TRS-80
- 120 day warranty
- 40 track patch at NO CHARGE






Single drive system \$ Two drive system \$ Four drive system \$ Two drive cable \$	770.00 1450.00 29.95
Four drive cable\$	

#### The VISTA V-80 Expansion Module

- Provides double density modification to your current Radio Shack interface (lets you format diskettes in either single or double density).
- Increases storage capacity up to 204K bytes (on single 40 track drive).
- Includes all hardware and

software.



#### The VISTA Model II

- Provides one, two or three drives.
- Adds up to 1.5 million bytes of on-line storage.
- 120 day warranty
- Does everything Radio Shack's expansion system will do...for less!

\$1000.00 Single drive

Expansion System

\$1550.00 Two drive Expansion System \$2100.00 Three drive Expansion System \$ 525.00 Additional drives alone

The TRS-80 Printers

Centronics 730... \$945.00 7x7 dot matrix-

80 column

Anadex DP8000... \$895.00 9x7 dot matrix-80 column

Printer... \$745.00 5x7 dot matrix-

80 column

Cables . . . . . . . . . . . . \$27.50 each

#### Other Products

	Cirici i loddolo	
1.	VISTA Verbatim diskettes (hard or soft sector) Cert	ified
	40 track\$	38.95
2.	16K RPM upgrade kits, guaranteed for 120 days.	
	PRIME PRODUCT\$	74.50
3.	NEW! DOS +\$	110.00
4.	LNW expansion bare board\$	66.95
5.	H.C. Pennington book, TRS-80 Disk	
	and Other Mysteries\$	18.95
6.	DDT Disco-Tech disk drive timer\$	
	Cryptext (An Encryption Module)	

#### Add On Drives

	/ taa Oii Diii Oo	
MPI B51	40 Track, Double	
	Density-204K	.\$275.00
MPI B52	Dual Head, Double	
	Density-408K	.\$375.00
Siemens	FDD100-5 40 Track Double	
	Density 204K	.\$275.00
Siemens	FDD100-5 Flippy,	
	records both sides	.\$290.00
Siemens	FDD100-8 8" Single	
	Sided Drive	\$448.00

#### The VISTA V-200 for Exidy

- · Completely packaged system, tested and ready to plug in, includes: power supply, two 40 track drives, case, controller, all cabling and total CPM documentation.
- · Storage capacity from 400K to 1.2 meg.
- System software-VISTA CP/M Disk Operating System and BASIC-E Compiler recorded on 5-1/4" diskettes.

Price: Starting as low as \$1199.00



CALL TOLL-FREE 800-854-8017

\*TRS-80 is a registered trademark of Radio Shack





**TERMINAL** 

DATA

CORPORATION

#### MODEL 1200 RS-232 DATA SPLITTER

available in kit form


Model 1200K gives the terminal or microprocessor user a second interface for a printer, plotter, cassette or tape drive. It operates at any speed & isolates the two output devices from each other, while providing 2 RS-232 interfaces from the terminal or microprocessor.

The kit consists of 3 RS-232 connectors. The kit consists of 3 no-222 connectors, printed circuit board, all necessary components, enclosure, mounting hardware & assembly instructions \$67.00 structions

write or call

TERMINAL DATA CORP. 11878 Coakley Cir. Rockville, MD 20852 (301) 881-7655

Circle 266 on inquiry card.



8K BYTE STATIC RAM MODULE FOR THE G800; COMPATIBLE WITH THE MOTOROLA EXORCISET BUS AND 0.2 KIT. TWO SEPARATE 4k ADDRESSES; EACH MAY BE USED AS RAM OR TREATED AS ROM.

ON INTERIED AS JOHN.
SWITCHES SET ADDRESSES AND CONTROL RAMIROM OPTION.
ALL IC'S ARE SOCKETED. EACH IC HAS A BYPASS CAPACITOR.
ACCESS TIME: 450 NSEC.
DIMENSIONS: HEIGHT 8.425IN. WIDTH 9.750 IN. THICKNESS


JOEZ IV. SIGNALS: RIW. VMA OR VUA JUMPERI, Ø2 STATIC RAM: LOW POWER 2102AN 4L OR EQUIVALENT. THE ALIG88K COMES ASSEMBLED AND TESTED WITH A DNE YEAR WARRANTY

#### APPLIED LOGIC, INC

P.O. BOX 328 JAMAICA, NEW YORK 11415 (212) 459-4064

EXORciser is a trademark of Motorola, Inc

Circle 267 on inquiry card.



Circle 268 on inquiry card.

## =Diskettes=

8 inch-soft/hard sector: Sngl side sngl dens \$2.95 Sngl side · dble dens \$3.55 Snal side-reversh! \$4.55 Dble side sngl dens \$4.55 Dble side-dble dens \$4.90

5 inch·soft/hard sector: Sngl side · 40 Trk \$2.75 Dble side · 40 Trk \$4.05 Sngl side · 77 Trk

Visa/Mst.Chg/COD - call

HARREX CORPORATION Media Sales Division P.O. BOX 249

Kenmore, Wash. 98028

Circle 269 on inquiry card.

# **EXAMPLE**

Three practical-useful PASCAL programs (Text & Code) are now available on minidisk for only \$55.00. Filecreate, fileupdate, and filesearch will help you produce in just a very short time. Order today

#### **Personal Programs By Victor**

Sunnyvale, CA 94086

CUSTOM PROGRAMS UPON REQUEST

Circle 270 on inquiry card.

For programmers learning or desiring to learn PASCAL for the APPLE

# LEARN BY

P.O. Box 60034

(CA. Residents add \$3.57 Tax)

# LOWER CASE W/ DESCENDERS APPLE II®

80X24 VIDEOTERM™

7X9 MATRIX DISPLAY FOR

80 columns by 24 lines with easy to read 7x9 dot matrix, upper and lower case with descenders using shift look feature \* 1K firmware incorporates PASCAL and BASIC protocalls so user is not required to enter machine language programs or change PASCALS. Misc., info. or Gotoxy files \* Compatible with all APPLE II peripherals Gotoxyfiles \*Compatible with all APPLE II peripherals on user won't need new software patches for tuture software products \* Crystal controlled dot clock for excellent character stability \* VIDEOTERM is the same size as the Apple language card and power consumption is held to a minimum through the use of CMOS and lower power devices \* Character set can be user definable up to a maximum of 128 symbols of 8xf6 dot matrix font \* Display control character mode and four standard display formats controlled by escape sequences \* Built in light pen capability \* Inverse display mode \* 50/60 HZ operation \* Sockets on all IC's.

PRICE-Withoutgraphic PROMS34S
OPTIONS: Graphics EPROM 1640
OPTIONS: Graphics EPROM 1640
OPTIONS: Graphics EPROM 1640
In case slot to choose between
APPLE II and VIDEOTERM 512
MANUAL: 515



VIDEX 3060 N.W. Thistle Pl. Corvallis, OR 97330 Phone (503) 758-0521

Circle 271 on inquiry card.



#### SINGLE BOARD COMPUTER \$99.50\*

with 6800 MPU, 6850 serial I/O, 2 6820 parallel I/O (32 lines), 512 RAM, socket for 2708, 2716, EROM. Interface modules for industrial control, data acquisition, lab instrumentation, on 44 pin 4½"x6½" PCB's. RAM, ROM, CMOS RAM/battery, A/D, D/A, Driver/Sensor, Serial I/O, Parallel I/O, Counter/Timer, IEEE 488 GPIB, floppy

\*OEM (500 piece) price



1801 South Street alayette,IN 47904 Phone (317) 742-8428

SAVE 15-50% OF YOUR DISK SPACE HUFF n PUFF Bit compress your files with

- savings up to 50%
- Cut your TP connect time by up to 50%
- Z-80 code compatible with CP/M and CROMEMCO CDOS
- Free 30 day money back guarantee

HUFF n PUFF is available on 8" diskette, single or double density for \$75.

(California residents add 6% sales tax)

> J and S SOFTWARE 2406 TORREJON PLACE CARLSBAD CA. 92008



#### **H9 OWNERS!**

Upgrade your video terminal with one of these long overdue kits:

GRAFIX —Graphical display capabilities assembled and tested \$69.95. Kit \$59.95.

CURSOR CONTROL — A total of 8 functions assembled and tested \$34.95. Kit \$29.95.

FLICKER FREE - 4800 baud operation assembled and tested \$79.95. Kit \$69.95.

All have a full 6 month warrantu.

#### NORTHWEST COMPUTER SERVICES, INC.

8503 N.€. 30th Avenue Vancouver, WA 98665

Circle 276 on inquiry card.

#### 12" BLACK & WHITE LOW COST VIDEO TERMINAL

#### \$139.00 LIST

Add \$5 for shipping and handling Texas residents add 5% sales tax.



• Ideal for home, personal and business computer systems; surveillance monitors • 12' diagonal video monitor • Composite video input • Compatible with many computer systems • Solid-state circuitry for a stable • S harp picture • Video bandwidth—12 MHz ± 3 DB • Input impedance—75 Ohms • Resolution—650 lines Minimum IN Central 80% of CRT; 550 Lines Minimum beyondcentral 80% of CRT; 650 Lines Minimum beyondcentral 80% of CRT; 550 Lines Minimum lines of CRT; 500 Lines Minimum l

Use Master Charge/Visa or send money order.

#### **Micro Products Unlimited**

P.O. Box 1525, Arlington, TX 76010 817/461-8043 Dealerinquirieswelcome

Circle 279 on inquiry card.

## YOUR HEADQUARTERS FOR OHIO SCIENTI SALES + SERVICE + SUPPORT

THE BEST NEW YORK AREA PRICES ON ALL OHIO SCIENTIFIC COMPUTERS - LOCAL USERS GROUP -BUSINESS AND PERSONAL SYSTEMS

PROFESSIONAL BUSINESS SOFTWARE PROFESSIONAL BUSINESS SOF WARE:
Accounts Receivable Accounts Payable
Wholesale Industry Distribution
Grants Accounting System
Payroll

ALSO AVAILABLE: \*Eaton LRC 7000+ Plain Paper Printer...\$356.
\*Okidata Microline 80 Printerupper/lower case, graphics, any paper,
software selectable print size......827.
\*Hazeltine 1420 Terminal.......948.

MASTERCHARGE & VISA WELCOME

Designers & Builders of Information Systems, Inc. One Mayfair Road - Eastchester, New York 10707

(212) 933-4170 (914)779-5292

#### S-100 VOICE

The ARTICULATOR board allows you to record, store, and playback any vocabulary on your S-100 computer. Input speech is digitized by the ARTICULATOR and sent to the computer via an on-board port for storage at 1K to 2K bytes/sec. This data is then sent back from the computer to the ARTICULATOR for very high quality playback. On-board VOX switching minimizes memory storage requirements.

PRICE - \$319 A&T **AVAILABLE NOW** 

Quintrex, Inc., 9185 Bond Shawnee Mission, Ks. 66215 (913) 888-3353

Circle 277 on inquiry card.

SUPER SALE 16K Apple II \$995.00 or Apple II Plus

Apple Disk II w/controller \$529.95 Apple Soft or Integer Cards \$159.95 Pascal Language Card \$459.95

10 Megabyte Disk for Apple \$4695.00 DC Hayes Modems \$339.95 Graphics Tablet \$695.00

## UCATAN COMPUTER STORE

P.O.BOX 1000 DESTIN FL 32541 ACROSS FROM RAMADA INN 904-837-2022

Credit Cards Accepted

Circle 280 on inquiry card.

Now on Disk

#### Learn FORTH

FORTH is a structured high level language that dramatically cuts program development time. You can expand the FORTH language by defining new operations and data types. FORTH programs are compiled to reduce memory space and speed execution

tinyFORTH is a complete version of the powerful FORTH language tailored to the TRS-80. The disk tinyFORTH system is a stand-alone operating system with FORTH, a text editor, an assembler, and graphics.

Learn FORTH on your own computer. The tinyFORTH user's manual contains hundreds of examples to teach you FORTH in a hands-on style.

tinvFORTH for 16k level II TRS-80 Disk version and full documentation ......\$49.95 Cassette version and full documentation \$29.95

Documentation only (disk version) ......\$14.95

All orders are fully guaranteed. Add \$1.50 for postage and handling. Order with check, money order, Visa, or Mastercharge

Write for a FREE booklet describing FORTH.

#### The Software Farm

Reston, VA 22090 Box 2304 Dept. A31

COMPUTER **EQUIPMENT** & SOFTWARE BARGAINS



#### **EVERY MONTH**

BUY, SELL OR TRADE ALL TYPES OF COMPUTER EQUIPMENT AND SOFT-WARE (pre-owned and new) among 20,000 readers nationwide in BIG (11x14") pages. Classified ads are only 10° per word and are indexed for easy and fast location. Subscription: \$10 a year/12 issues. Money back quarantee.

COMPUTER SHOPPER

P.O. Box F-14 Titusville, FL 32780 (305) 269-3211 MasterCharge or VISA orders only, Call TOLL FREE 800-327-9920

Circle 278 on inquiry card.


#### FOR SALE:

Unused Polymorphic System 8813 with 32K Ram Memory with floppy disk drives, printer interface and Abern-Sopher Multiwriter III. System has Canadian import tax paid. Offers for complete system to:

Bishop Management, #8-825 McBride Blvd., New Westminster, B. C., Canada, V3L 5B5. (604) 525-8148.

Circle 281 on inquiry card.

#### micro-madness



The Perfect Gift for every Computer 'Nut'

An Actual micro-computer thip enlarged 6000% tobecame a 10" x 14", 252-PiecellasawPuzzie, Send \$10.00ppd. to:

**Eubanks Engineering** 

P.O. Box 127

Valencia, Pa. 16059



11542-1 KNOTT ST. GARDEN GROVE. CA 92641 (800) 854-6411 (714) 891-2663

# **8080A**

**CERAMIC** \$250 ea.

**CAPACITORS** .1 @ 12 VOLTS CERAMIC 11¢ ea. 100/\$10.00

#### LO-PRO SOCKETS

1-99 100 UP **14 PIN** .10 -09 .12 16 PIN .11 **18 PIN** .15 .13 20 PIN .23 .21 .26 .24 24 PIN .30 **28 PIN** .28 40 PIN 42 40

- New 16K Version
- Computer Console
- Basic Language Program Manual
- Guide to Basic Program Cassette
- Power Supply
- TV Switch Box

(CALL FOR BEST PRICE) ALSO AVAILABLE ATARI 410 RECORDER \$6000

#### MICROBYTE

# 2K STATIC RAM BOARD

- IFFF/S-100
- 4K Bank Addressable to any 4K Slot within a 64K Boundary
- On-board 8-Bit **Output Port**
- No DMA Restrictions
- Assembled & Tested
- 4MHz Operation

\$47500

## LOBO INT'L **SA800**

Shugart 8'' Single-Sided/ **Double Density** Floppy Disk Drive, Cabinet & Power Supply

(1) Drive Installed \$77500

(2) Drives Installed \$125000

## SPECIAL of the MONTH **2114** I <u>-</u>3

LO-POWER/200NS

**MODEL #100-80** 12" VIDEO MONITOR 80 CHARACTER/24 LINES \$**175**00

## 4116's-200NS

ADD-ON MEMORY FOR: APPLE, TRS-80, HEATH, Exidy, Sd. Expandoram, etc.

> 8 for \$4500 16 for \$8500

#### ANACOM GENERAL **MODEL - 150 PRINTER**

- 9 x 9 Matrix
- Impact Dot
- 150 CPS.
- 10 CPI
- 136 Columns
- 94 ASCII Character
- 6 or 8 Lines per Inch
- Pin Feed & Dual Tractor Drive
- RS-232 or Parallel Interface

CALL FOR PRICE

DISK DRIVE INTERFACE SA400, Cabinet. Power Supply & Cable

9500 \*WITH OPTIONAL INTERFACE CARD \$**495**00

### MICROBYTE

#### STATIC RAM BOARD

- S-100 Compatible
- 4K Bank Addressable
- Extended Memory Management
- No DMA Restrictions
- Assembled & Tested
- 4MHz Operation

#### ORDERING INFO

Name, Address, Phone Ship by: UPS or Mail Shipping Charges, Add \$2.00 up to (5) lbs.

#### VERBATIAM

514" SOFT-SECTOR DISKETTS \$2860 BOX OF (10)

# SANYO

**B & W MONITORS** 9" MODEL \$**175**00

**15" MODEL** 

\$25000

**2708's** 

(450NS.)

\$**7**50 <sub>ea.</sub> or

8/\$5600

# **2716's**

5-Volt Only (450NS.) \$1800 ea.

MFG. - HITACHI ALSO AVAILABLE

\$21.00 INTEL'S

#### MICROBYTE 64K DYNAMIC RAM BOARD

- 64K x 8 Bits or 32K x 16 Bits
- S-100 Compatible
- Memory Mapped Hidden Refresh
- Assembled & Tested

\$590°0 ea.

STATIC & DYNAMIC RAM CHIPS 2104's (4K) DYNAMICS \$200 ea.

5257-3L (4K) STATIC

\$525

### **QUME DATATRAK-8**

- Double Sided/Sgl. or Dbl. Density
- 154 Tracks
- 1.2 Megabytes/Disk IBM Format
- 3 MS. Access Time Track to Track

AVAILABLE FROM STOCK \$52500 ea.

## REGULATORS

320T-5	 90
320T-12	 80
340T-5	
340T-12	 65
78HO5	

#### **TERMS**

We Accept Cash. Check, Money Order, Visa & Master Charge. C.O.D.'s on Approval. (U.S. Funds Only) Tax: 6% Calif. Res.

#### 74LS240 ... \$1.50 74LS241 ... \$1.40 74LS244 . . . \$1.50

# IMSAI CONN.

100 PIN GOLD **SOLDERTAIL** 

> \$750 or

10 for \$230 ea.

#### CENTRONICS **MODEL #737**

- 80 CPS Proportional Spaced Dot Matrix (7 x 9) or (7 x 8)
- 96 Character ASCII
- Parallel Interface

\$82500

**ACOUSTIC** MODEM

\$17995 with cables

"NEW" D-CAT MODEM \$189.95

(Direct Connect)

#### **ROCKWELL AIM 65 USERS**

The MDA-65 from Thorson Engineering

- Program both 2716 and 2532 type EPROMS. These devices will plug directly into the AIM ROM sockets providing up to 12 K bytes of nonvolatile program memory.
- Cause your AIM 65 to operate as a full duplex 2400 baud terminal.
- Allow rapid downloading of object files from another computer or cassette tape to any RAM address.

The programmer circuit card, software in EPROM, and program listing all for only \$135.00 check or money order. Washington residents add 5.3% sales

Thorson Engineering Company 6225 76th St SE Snohomish, Wa 98290 (206) 334-4214

Circle 286 on inquiry card.

#### 6809 PASCAL

6809 Native code compiler generates romable, position independent output that runs faster than P-Code implementations. Extensions include string and hex data types, case "otherwise" clause and Pascal interface to assembly language. Write for complete specifications.

Compiler package includes compiler, relocating assembler, linking loader, runtime package, interactive symbolic debugger and user manual. We ship on 8" softsector FLEX or MDOS diskettes.

Pricing: CompilerPackage ... for source of runtime add user manual separately


.. \$200.00 \$ 50.00 \$ 20.00

Check, money order, or COD.
CA residents add sales tax.
Add 3% (domestic) or 5%
(foreign) for shipping and handling.

FLEX is a trademark of TSC MDOS is a trademark of Motorola

OmegaSoft P.O. BOX 70265 Sunnyvale CA 94086

Circle 289 on inquiry card.




9 \$335.8 20,000.8 36,266.6 42,8518.8 46,8128.8 9,9846.8 20,4882.8 35,0355.8 42,8758.8 47,3768.8 27,9882.8 27,144.8 37,9728.8 42,9758.8 47,3768.8 27,9882.8 27,144.8 37,9728.8 42,9758.8 47,3768.8 47,000.8 27,8754.8 33,766.8 42,9558.8 43,9558.8 40,9728.8 40,9 3.2768 A 3.500 B 3.579 B 4.000 8 4.1943 B 4.3426 B 4,9303-8 8.3303-8 4,9152-8 8.4998-8 5,000 8 8,5766-8 5,0688-8 8,6056-8 5,1203-8 8,9608-8

ADD \$1.00 SHIPPING CAL. RES. ADD 6% SALES TAX FREE OSCILLATOR SCHEMATICS WITH ANY ORDER

QUALITY COMPUTER PARTS P.O. BOX 743 / CHATSWORTH, CA 91311







IBM SELECTRIC **BASED I/O TERMINAL** WITH ASCII CONVERSION **INSTALLED \$645.00** 

- Tape Drives Cable
- Cassette Drives Wire Power Supplies 12V15A, 12V25A,
- 5V35A Others, Displays
   Cabinets XFMRS Heat
- Sinks Printers Components Many other items

Send for free catalog WORLDWIDE ELECT, INC.

130 Northeastern Blvd. Nashua, NH 03062

VISA or MC

Circle 290 on inquiry card.

Phone orders accepted using

Call Toll Free 1-800-258-1036 IN NH 603-889-7661

## **MX-8 RELAY MODULES** FOR LOW COST **INSTRUMENTATION AND**



**AUTOMATIC TEST** 

- 8 BIT MICROPROCESSER I/O PORT CONTROL.
   MATRIX MODE LATCHES ANY OR ALL RELAYS.
   MULTIPLEXER MODE LATCHES ONLY ONE RELAY.
- RELAY.

  CLEAR MODE --- OPENS ALL RELAYS.

  EXPANSION UP TO 8 MODULES WITH

  PREWIRED CARD CAGE.

  8 BIT VO INTERFACE MODULE.

  IEEE 488 BUS INTERFACE MODULE.
- Catalogs and detailed applications bulletins from

**S**YSTEMS Box 128, Mandon, N.Y. 14506 716-924-3822

Circle 293 on inquiry card.

At last! A music maker for your PET. Our system consists of a small circuit board which plugs into your PET's user port and connects either to a speaker or your hi-fi system (cable included). Our software (on cassette) lets you enter, save, and playback music in up to four voices, each with its own tone colour. Also included are several sample pieces to get you started. When ordering, please specify 8k, 16k, or 32k PET version.
\$49 without amp (plugs into your stereo) \$50 with amp (connects to a speaker) Please use certified cheque or money order.

Electronic Music Systems 45 Livingston Rd. Suite 501 West Hill, Ontario, Canada MIE 1K8

\*PET is a trademark of Commodore B.M.

Circle 288 on inquiry card.

### OSl'ers!

OSI DIDN'T FILL YOU IN... WE WILL... With the



Complete, New OS-65D V3.2Disassembly Manual.

- 60 pages of listings
- Includes full cross-reference listing

Order today. Send check for \$24.95 to Software Consultants, 7053 Rose Trail, Memphis, Tenn. 38134. 901-377-3503. Postpaid. Allow 2-3 weeks.

Circle 291 on inquiry card.

Will this be the dominant CPU board of the 80's? The 68000 is coming soon on the IEEE S-100 bus with on-board Z-80 emulation and many other advanced features.

For more information write:

#### VANDATA

17541 Stone Ave. N. Seattle, WA 98133 Or call: (206) 542-8370

Circle 294 on inquiry card.



LM323K-5 5 95 CD4026 2.50 4116 200ns 7.95 CONNECTORS

P.O. Box 4430X Santa Clara, CA 95054 Will calls: 2322 Walsh Ave. (408) 988-1640

KEYBOAROS

INTEGRATED CIRCUITS

Same day shipment. First line parts only. Factory tested. Guaranteed money back. Quality IC's and other components at factory prices.

740011E	.19	LM323K-5	1.50	CD4026 CD4027	2.50	8/4116 200ns	49.00	30pin edge 2.50	KEYBOARDS 56 key ASCIIkeyboardkit \$6750
7402N	20	FW350K-1:	1.50	CD4028	85	2513B	6.30	44 pin edge 2.76	Fully assembled 77.50
7404N 7409N	.25	LM320T-5 LM320T-8	1 35	CD 4029 CD 4030	1 35	MM5262 MM5280	3.00	100 pin edge 4.50 100 pin edge WW 5.25	53 key ASCII keyboard kit 6000 Fully assembled 7000
7410N	.20	LM320T-12	1 35	CD4035	1.35	MM5320	9 95	IC S OCXETS	Enclosure Plastic 14.95
7414N 7420N	70	LM320T-15 LM324N	1.35	CD4040 CD4042	1.35	MM5330 PD411D-3	5 94	Solder Tin Low Profile	Melal Enclosure 29.95
7422N	39	LM339N	1.00	CD4043	85	PD411D-4	5.00	P(N 1 UP PIN 1UP	LEOS
7430N 7442N	20	LM340K-5	1.35	CD4044 CD4046	. 85	P5101L	8.95	8 .15 22 .30 14 .14 24 .35	RedT018 15
7445N	58 74	LM340K-8 LM340K-12		CD4046	1.67	4200A 82\$25	9.95	16 .16 28 .42	Green. Yellow T018 20 Jumbo Red 20
7447N	58	LM340K-15	1.35	CD4050	49	91L02A	1.50	18 27 36 58 20 29 40 57	Green, Orange Yellow Jumbo 25
7448N 7450N	.77 20	LM340K-24 LM340T-5	1.35	CD4051 CD4060	1.13	HD0165-5 MM57100	6.95 4.50	20 .29 40 .37 2 level 14 pinww 20	Clipilte LEO Mounting Clips 8/\$1 25
7474N	35	LM340T-8	1.25	CD4066	.71	G1AY38500-1	9.95	WIRE WRAP LEVEL 3	(specify red. amber, green, yellow, clear)
7475N 7485N	49	LM340T-12 LM340T-15	1 25	CD4068 CD4069	.40	MCM66751A 9368	9.95	PIN PIN	CONTINENTAL SPECIALTIES in stock Connotete line of breadboard test equin.
7489N	1 85	LM340T-18	1.25	CD4059	50	4100	10 00	14 32 24 .86 16 .33 28 1.00	MAX-100 8 digit Freq. Cir. S128,95
7490N	43	LM340T-24	1 25 7 50	CD4071 CD4072	45	416	16 00	18 .57 40 1.23	
7492N 7493N	43	LM350 LM377	3.50	CD4072	45	CLOCKS		CRYSTALS	OK WIREWRAPTOOLS in stock Portable Mullimeter \$18.00
7495N	69	LM379	5 00	CD4075	45	MM5311	5.50 3.90	1 M z 4.50	Complete Time of AP Products In stock
74100N 74107N	1 20	LM380N LM381	1 00	CD4076 CD4078	1.65	MM5312 MM5314	3.90	2 MHz 4.50 4 MHz 4.25 5 MHz 4.25	
74121N	34	LM382	1 60	CD4081 CD4082	.35	MM5369	2.10	5 MHz 4.25	SPECIAL PRODUCTS MM5865 Slopwatch Timer
74123N 74125N	.59	LM703H LM709H	.65	CD4082 CD4116	.35	MM5841 MM5865	14 45	10 MHz 4.25 18 MHz 3.90	with 10 pg. spec 9:00
74145N	.45	LM723H/N LM733N	.50	CD4490	5 50	CT7010	7 95 8 95	20 MHz 3 90	PC board 7.50 Swilches Mom Pushbutton 27
74150N 74151N	1.20	LM733N LM741CH	85 35	CD4507 CD4508	1.00	CT7015	8.95	32MHz 3 90 32768 Hz 4 00	3 pos stide 25
74154N	2 00	LM741N	.38	CD4510	1.02	MM5375AA/I MM5375AG/I	3.90 NI 4.90	1.8432 MHz 4 50 3.5795 MHz 1 20	Encoder HD0165-5 6 95
74157N 74161N	69 87	LM747H/N LM748N	.75 .35	CD4511 CD4515	.94	7205	16.50	3.5795 MHz 1 20 2.0100 MHz 1 95	Paraironics 100A Logic Analyzer \$425.00
74161N	1 25	LM1303N	1 75	CD4515	2 52	7 207 7 208	7 50 15.95	2 097152 MHz 4 50	Model 10 Trigger
74163N	87	LM1304	1.10	CD4518	1 02	7209	4.95 3.75	2 4576 MHz 4 50	ExpanderKit S229 00 Model 150 Bus
74174N 74175Fr	96 95	LM1305 LM1307	1.27	CD4520 CD4527	1 02	DS0026CN	3.75	3 2768 MHz 4 50 5 0688 MHz 4 50	GrabberKit \$369.00
74190N	1.15	LM1310	2.75	CD4528 CD4553	79	DS0056CN MM53104	2.50	5.185 MHz 4 50	Clock Calendar Kit \$23.95
74192N 74193N	. 87 . 85	LM1458	7.50	CD4553 CD4566	3 50 2 25	MICROPROC		5.7143 MHz 4.50	2.5 MHz Frequency Counter Kil \$37.58
74221N	2 75	LM1889	3.00	CD4583	2.35	6502	10.95	6.5536 MHz 4.50 14.31818 MHz 4.25 18.432 MHz 4.50	30 MHz Fre quency
74298N 74365N	1.65	LM2111 1 M2902	1 75	CD4585 CD40192	1.10	6504 6522	9.95	18 432 MHz 4.50 22.1184 MHz 4.50	Counter Kil \$47.75
74365N	.89	LM2902	60	74C00	3.00	6800	6.95		TRANSFORMERS
74367N	.89	LM3905	1 75	74C04	40	6802 6820	11.95	KEYBOARD ENCODERS AY5-2376 \$12.50	6V 300 ma 3.25
74LS00 TTL		LM3909N MC1458V	.95	74C10 74C14	1 95	6850	4.95 5.95	AY5-3600 17.95	12 Voll 300ma transformer 1 25 12 6VCT 600ma 3 75
74L500N	35	NE550N	1.00	74C20	35	6080A	5 95	AYS-9100 10 50 AYS-9200 16 50	12 V 2 5 0 m a wall plun 2 9 5
74LS02N 74LS04N	.35	NESSSV NESSSA	.39	74C30 74C48	2 25	8085 8086	12.95 75.00	740922 5.50	12V CT 250 ma wall plug 3.50 24VCT 400 ma 3.95
74LS05N	40	NE565A	1.00	74C74	85	280	9.95	74C923 5.50 HD0165.5 6.95	10V 1 2 amp wall plup 4.85
74LS08N 74LS10N	.45 45	NES66V NES67V	1.50	74C76 74C90	1.75	Z80A 8 212	11.95	AY5-9400 10.50	12 V 6 amp 12.95
74LS13N	55	NE5708	4 75	74C93	1.75	8214	3.95	D 01 DC222	12V 500 ma wall plug 4.75 12V 1 amp wall plug 6.50
74LS14N	1.25	78L05 78L08	.60	74C154	3.00	8216 8224	2.90	D Connectors RS232 0825P 3.62	12V 1 amp wali plug 6.50 10/15 VAC 8/16 VA wallplug 9.75
74LS20N 74LS22N	45	78M05	60 85	74C160 74C175	2.00	8228	4.95	DB25S 5.20 Cover 1.67	
74LS28N	.45	75108	1.75	74C192	1 35	8251 8253	6.95	Cover 1.67 DE9S 1.95	DISPLAY LEDS
74LS30N 74LS33N	45 .75	75491CN 75492CN	.50 .55	74C221 74C905	2.50 6.00	8255	5.75	DA15P 2.10	MAN1 CA 270 2.90 MAN3 CC 125 .39
74LS38N	.75	75494CN	.89	74C906	.75	8257 8259	10.95	DA15S 3.10 Complete Set 9.50	MAN72/74 CA/CA 300 1.00
74LS74N 74LS75N	1.25			74C914 74C922	1.95 6.00	1802CP plas	14.95		DL704 CC 300 1.25 DL707/DL707R CA .300 1.00
74LS90N	1.00	A to D CON		740923	6 00	18020P plas	17 95	Hickok 3 1/2 DigitLED mus- timeter 74.95	DL727/728 CA/CC .500 1.90
74LS93N 74LS95N	1.00	80388 8700CJ	4,50 13.95	74C925 74C926	7.50	1861P CDP1802CD	11.50	Stepwaich Kil 26.95	DL747/750 CA/CC .600 1.95 DL750 CC .600 1.95
74LS107N	.65	8701CN	22.00	740927	6.95	CDP1802D	35.00	Auto Clock Kit 17.95	FND359 CC 357 70
74LS112N 74LS113N	.65 .45	8750CJ	13.95	INTERFACE		CDP1861	15.95	Digital ClockKii 14.95	FND500/507 CC/CA 500 1,35 FND503/510 CC/CA 500 .90
74LS132N	.89	LD130 9400CJV/F	9 95 7 40	8095	65	UART/FIF0 AY5-1013	5.50	8K/16K Eprom Kil	FND800/807 CC/CA 800 2 20
74LS136N	-65	ICL7103	9.50	8096	65	AY5-1014	7.50	(less PROMS) \$89.00	3 digit Bubble 60 4 digit Bubble 80
74LS151N 74LS155N	1.10	ICL7107	14.25	8097 8098	65	3341	6.95	Motherboard \$39 00 Extender Board \$15 00	OGB Fluorescent 1.75
74LS155N 74LS157N	1.10	CMOS		8098 8T09		•	6.95	Extender Board \$15 00	OG6 Fluorescent 1.75 OG10 Fluorescent 1.75
74LS155N 74LS157N 74LS162N	1.10 1.10 1.65	CMOS CD4000	25	8098 8109 8110	1.25 4.50	PROM		RESISTORS 14 wall 5% 10 per type 03	OG6 Fluorescent 1.75 OG10 Fluorescent 1.75
74LS155N 74LS157N 74LS162N 74LS163N 74LS174N	1.10 1.10 1.65 1.65 2.00	CMOS CD4000 CD4001 CD4002	25 .35 .35	8098 8T09 8T10 8T13 8T20	1.25 4.50 3.00 5.50	PROM 1702A 2513B upper	4 95 case 8.	Extender Board \$15.00  RESISTORS 14 wall 5% 10 per type .03 15 25 per type .025	OGB Fluorescent 1.75 OG10 Fluorescent 1.75 10 digit display 1.25 7520Clairex photocells 39 TM 311 Hex 9.50
74LS155N 74LS157N 74LS162N 74LS163N 74LS174N 74LS190N	1.10 1.65 1.65 2.00 1.25	CMOS CD4000 CD4001 CD4002 CD4006	25 .35 .35 1.10	8098 8T09 8T10 8T13 8T20 8T23	125 4.50 3.00 5.50 3.10	PROM 1702A 2513B upper 2708	4.95 case 8. 7.75	Extender Board \$15.00  RESISTORS 14 wall 5% 10 per type 03 25 per type 025 100 per type 015	OG6 Fluorescent 1 75 OG10 Fluorescent 1 75 10 digit display 1.25 7520Clairex photocells 39 18.311 Hex 9.50 MAN364 0 CC 30 1.10 MAN4660 CC 4.40 1.20
74LS155N 74LS157N 74LS162N 74LS163N 74LS174N 74LS190N 74LS221N 74LS258N	1.10 1.65 1.65 2.00 1.25 2.50	CMOS CD4000 CD4001 CD4002 CD4006 CD4007	25 .35 .35 1.10 .35 .28	8098 8T09 8T10 8T13 8T20 8T23 6T24 8T25	1.25 4.50 3.00 5.50 3.10 3.50 3.20	PROM 1702A 2513B upper 2708 271671 2716 Intel	4 95 case 8. 7.75 18.00 23.00	Extender Board \$15.00  RESISTORS % wall 5% 10 per type .03 25 per type .025 1000 per type .015 1000 per type .012 350 piece pack	OG6 Fluorescent 1 75 OG10 Fluorescent 1 75 10 digit display 1 25 7520Clairex photocells 39 18.311 Hex 9.50 MAN364 0 CC 30 1.10 MAR46610 CA 40 1.20
74LS155N 74LS157N 74LS162N 74LS163N 74LS174N 74LS190N 74LS221N	1.10 1.65 1.65 2.00 1.25 2.50	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009	25 .35 .35 1.10 .35 .28 .45	8098 8T09 8T10 8T13 8T20 8T23 6T24 8T25 8T26	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69	PROM 1702A 2513B upper 2708 271671 2716 Intel 6/2716 Intel	4 95 case 8. 7.75 18.00 23.00 160.00	Extender 8 oard \$15.00  RESISTORS 14 wall 5% 10 per type .03 75 25 per type .025 100 per type .015 1000 per type .012 360 piece pack 5 per type 6.75	OG6 Fluorescent 1 75 OG10 Fluorescent 1 75 10 digit display 1 25 7520Clairex photocells 39 18.311 Hex 9.50 MAN364 0 CC 30 1.10 MAR46610 CA 40 1.20
74LS155N 74LS157N 74LS162N 74LS163N 74LS163N 74LS174N 74LS190N 74LS221N 74LS258N 74LS367N	1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011	25 .35 .35 1.10 .35 .28 .45 .45	8098 8T09 8T10 8T13 8T20 8T23 6T24 8T25 8T26 8T28 8T97	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69	PROM 1702A 2513B upper 2708 271671 2716 Intel 6:2716 intel 2732 2758	4 95 case 8. 7.75 18.00 23.00 160.00 65.00 22.50	Extender Board \$15.00  RESISTORS % wall 5% 10 per type .03 25 per type .025 1000 per type .015 1000 per type .012 350 piece pack	OG6 Fluorescent 1 75 OG10 Fluorescent 1 75 10 digit display 1 25 7520Clairex photocells 39 18.311 Hex 9.50 MAN364 0 CC 30 1.10 MAR46610 CA 40 1.20
74LS155N 74LS157N 74LS162N 74LS163N 74LS163N 74LS174N 74LS190N 74LS221N 74LS258N 74LS367N	1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4012	25 ,35 ,35 1.10 .35 28 .45 .45 .35	8098 8T09 8T10 8T13 8T20 8T23 6T24 8T25 8T26 8T26	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75	PROM 1702A 2513B upper 2706 271671 2716 Intel 6:2716 Intel 27 32 27 58 8741A	4 95 case 8. 7.75 18.00 23.00 160.00 65.00 22.50 60.00	Extender Board S15.00 RESISTORS % wall 5% 10 per type 0.33 25 per type 0.25 100 per type 0.15 1000 per type 0.15 1000 per type 0.15 350 piece pack 5 per type 6.75 12 watt 5% per type 0.5	OG6 Fluorescent 1 75 OG10 Fluorescent 1 75 10 digit display 1 25 7520Clairex photocells 39 18.311 Hex 9.50 MAN364 0 CC 30 1.10 MAR46610 CA 40 1.20
74LS155N 74LS157N 74LS162N 74LS163N 74LS174N 74LS174N 74LS22IN 74LS258N 74LS258N 74LS367N LJHEAR CA3045 CA3046	1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4012 CD4013 CD4014	25 35 35 1.10 35 28 45 35 28 47 1.25	8098 8109 8110 8113 8120 8123 6124 8125 8126 8126 8128 8197 8198	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69	PROM 1702A 2513B upper 2708 2716TI 2716 Intel 6:2716 Intel 2732 2738 8741A 8748 8748-8	4 95 case 8. 7.75 18.00 23.00 65.00 22.50 60.00 65.00 65.00 65.00	Erlender Board \$15.00 RESISTORS 1a walf 5% 10 per type 03 15 25 per type 025 100 per type 015 1000 per type 012 350 piece pack 5 per type 6.75 12 watt 5% per type 05 Televideo Terminal	OSO   Fluorescent   175
74L5155N 74L5162N 74L5162N 74L5163N 74L5163N 74L5174N 74L5221N 74L5258N 74L5367N UNEAR CA3046 CA3081 CA3082	1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4012 CD4013 CD4013 CD4013 CD4014 CD4015	25 .35 .35 1.10 .35 .28 .45 .45 .28 .47 1.25	8098 8109 8110 8113 8123 6124 8125 8126 8126 8128 8197 8198	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69	PROM 1702A 2513B upper 2708 2716 Intel 2732 (Intel 6:2716 Intel 2732 2758 8741A 8748 6748-8 (8755A	4 95 case 8. 7.75 18.00 23.00 65.00 22.50 60.00 65.00 65.00 65.00	Erlender Board \$15.00  RESISTORS \( \text{Next} \) wall 5% \( 0 \)  10 per type 0.35 \( 0 \)  15 25 per type 0.25 \( 0 \)  100 per type 0.12 \( 3 \)  350 piece pack \( 5 \)  5 per type 6.75 \( 1 \)  12 wall 5\( \text{P} \) per 1ype 0.5	OGÉ Plugrescent 175 DOGO Plugrescent 175 DOGO Plugrescent 175 TS 200 barra pinatocells 29 TS 200 barra pinatocells 29 MANAGE 0 CC 20 1:10 MANAGE 0 CC 40 120 MANAGE 0 CC 56 2 55 MANAGE 0 CC 56 2 55 MANAGE 0 CC 56 2 55 MANAGE 0 CC 50 135 MANAGE 0 CC 50 135 MANAGE 0 CC 50 135
74L5155N 74L5157N 74L5162N 74L5163N 74L5174N 74L5190N 74L5258N 74L5367N LINEAR CA3045 CA3045 CA3081 CA3089	1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4013 CD4014 CD4014 CD4015 CD4016	25 .35 .35 1.10 .35 .28 .45 .45 .35 .28 .47 1.25 1.00	8098 8T09 8T10 8T13 8T20 6T24 8T23 6T24 8T25 8T26 8T28 8T97 8T98	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69	PROM 1702A 2513B upper 2708 2716Tis 6:2716 Intel 6:2716 Intel 2732 2738 8741A 8748 8748-8 8748-8 8755A M82S23	4 95 case 8. 7.75 18.00 23.00 160.00 65.00 22.50 60.00 65.00 55.00 2.95	Exisater Board Sis 500 RESISTORS 1: wall 5°: 10 per type 0.3 10 per type 0.3 15 25 per type 0.7 100 per type 0.15 1000 per type	OGÉ Pluyescent 175   175
74L5155N 74L5162N 74L5162N 74L5163N 74L5163N 74L5190N 74L525BN 74L525BN 74L525BN 74L525BN 74L5367N LJNEAR CA3045 CA3081 CA3082 CA3089 LM301AN/AH	1.10 1.65 1.65 2.00 1.25 2.50 1.65 1.65 90 1.10 1.80 1.90 2.95 35,87	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4012 CD4013 CD4014 CD4015 CD4016 CD4016 CD4016 CD4017 CD4018	25 35 35 1.10 35 28 45 45 35 28 47 1.25 1.00 55 1.05	8098 8109 8110 8113 8123 6124 8123 6124 8125 8126 8128 8197 8198 8197 8198 8197 8198	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69 1.69	PROM 1702A 2513B upper 2708 27165 Intel 2716 Intel 2732 27.58 8741A 8748-8 9745-8 982523 NB2S123 NB2S123 NB2S123	4 95 case 8. 7.75 18 00 23.00 160.00 65.00 65.00 65.00 65.00 65.00 65.00 3.75	Exisader Board Sis 50 OR RESISTORS 1: wall 5 % 10 per type 0.0 15 7.20 per type 0.0 12 7.20 per type 0.0 12 7.20 per type 0.7 7.2	OGÉ Fluorescent 175 DE 100 DE Fluorescent 175 DE 100 DE 10
74LS155N 74LS157N 74LS162N 74LS162N 74LS163N 74LS190N 74LS221N 74LS226N 74LS367N LINEAR CA3045 CA3045 CA3082 CA3082 CA3089 LM301AN/AH LM305H LM305N	1.10 1.65 1.65 2.00 1.25 2.50 1.65 1.65 1.65 1.05 1.05 1.80 1.80 1.90 2.95 3.35 87 35	CMOS CD4000 CD4001 CD4002 CD4006 CD4007 CD4008 CD4009 CD4010 CD4011 CD4013 CD4013 CD4014 CD4015 CD4017 CD4017 CD4017 CD4017 CD4017 CD4018 CD4017 CD4019	25 .35 .35 1.10 .35 .28 .45 .35 .28 .47 1.25 1.00 .55 1.05 .94	8098 8109 8110 8113 8123 6124 8125 8126 8126 8127 8198 MOS/MEMDR 2101-1 2102-1 2102-1 2102-1-2	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69 1.69	PROM 1702A 2513B upper 2708 11 2716 Intel 6:2716 Intel 2732 2758 8741A 8741A 8748 8748-8 8745-8 8755 A N82S23 N82S126 N82S126 N82S126	4 95 case 8. 7.75 18.00 23.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00	Exisader Board Sis 50 OR RESISTORS 1: wall 5 % 10 per type 0.0 15 7.20 per type 0.0 12 7.20 per type 0.0 12 7.20 per type 0.7 7.2	OGÉ Pluyescent 175   175
74L5157N 74L5162N 74L5163N 74L5163N 74L5174N 74L5174N 74L5256N 74L5256N 74L5367N LINEAR CA3045 CA3045 CA3082 CA3089 LM301AN/AH LM305H LM305N LM309K LM309N	1.10 1.10 1.65 1.65 2.00 1.25 2.50 1.60 1.65 1.60 1.80 1.90 2.95 35 87 35 1.00 1.50	CMOS CD4000 CD4001 CD4002 CD4006 CD4006 CD4008 CD4001 CD4011 CD4013 CD4014 CD4014 CD4016 CD4017 CD4017 CD4017 CD4017 CD4017 CD4019 CD4017 CD4019 CD4017 CD40	25 .35 .35 .35 .28 .45 .35 .28 .45 .100 .55 .100 .55 .94 .45	8098 8109 8110 8113 8123 6124 8125 8126 8128 8197 80191 8198 8198 8198 8198 2101-1 2102-1 2102-1 2102-1 2102-1 2102-1 2102-1 2103-1 2103-1	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 1.69 1.69	PROM 1702A 2513B upper 2708 TI 2716 Intel 6:2716 Intel 2732 2758 8741A 8748 8748 8748-8 8755 A N82S23 N82S125 N82S125 N82S129 N82S121 N82S121 N82S121 N82S121	4 95 case 8. 7.75 18 00 23.00 160.00 65.00 65.00 65.00 65.00 65.00 2.95 6.50 3.75 85 8.75	Existed Board Sis 50 OR RESISTORS No. 2015 15 or 2015 1	OGE Fluorescent 175   17
74L5155N 74L5162N 74L5163N 74L5163N 74L5163N 74L519N 74L519N 74L525EN 74L525EN 74L525EN 74L5367N LINEAR CA3045 CA3046 CA3081 CA3089 LM301AN/AH LM305N LM301N LM309N LM309N LM309N LM31H N	1.10 1.10 1.65 2.00 1.25 2.50 1.60 1.65 90 1.10 1.80 1.90 1.90 1.00 1.00 1.00 1.00 1.00 1.0	CMOS CD4000 CD4001 CD4002 CD4006 CD4006 CD4006 CD4001 CD4012 CD4012 CD40	25 .35 .35 .35 .28 .45 .45 .28 .47 1.25 1.00 .55 1.05 1.02 1.35	8098 8709 8710 8713 8720 8723 6724 8725 8725 8726 8727 8798 MOS/MEMOR 2101-1 2102-1 2102-1 2102-4 2107B-4 2111-1	1.25 4.50 3.00 5.50 3.10 3.50 3.20 1.69 2.75 1.69 1.69 2.95 1.34 1.60 4.95 3.75	PROM 1702A 2513B upper 2708 2716T1 2716 Intel 672716 Intel 2732 8741A 8748 8748 8748 8748 8748 8755A N82S123 N82S123 N82S123 N82S121 N82S131 N82S131 N82S131	4 95 case 8. 7.75 18.00 23.00 160.00 65.00 65.00 65.00 65.00 55.00 2.95 65.00 3.75 8.50 8.75	Exisance Board Sis 0.00  RESISTORS: wall 5% 10 per type 0.33 12 5 per type 0.25 100 per type 0.15 100	OGÉ Pluvescent 175   175
74L S155N 74LS162N 74LS162N 74LS163N 74LS174N 74LS174N 74LS22IN 74LS22IN 74LS22SEN 74LS25EN 74LS26N 14LS361 14	1.10 1.10 1.65 1.65 2.00 1.25 2.50 1.65 1.65 1.80 1.80 1.90 2.95 3.35 87 3.50 1.50 2.95 3.75 1.50 3.75	CMOS CD4000 CD4001 CD4002 CD4007 CD4007 CD4007 CD4009 CD4010 CD4013 CD4013 CD4013 CD4014 CD4015 CD4018 CD4016 CD4018 CD4018 CD4019 CD4019 CD4022 CD4022 CD4022 CD4023 CD4023	25 .35 .35 .28 .45 .35 .28 .45 .35 .28 .47 1.25 1.00 .55 1.05 .94 .45 .45 .47 1.25 1.05 .94 .45 .75	8098 8709 8710 8720 8723 8723 8725 8726 8726 8727 8798 MOS/MEMOI 2102-1 2102-2 2102-1 2102-2 2102-1 2102-1 2102-1 2102-1 2101-1 2101-1 2111-1 2111-2	1.25 4.50 3.00 3.10 3.50 3.20 1.69 1.69 1.69 1.69 1.34 1.95 3.75 3.75 3.75 3.75 3.75 3.75 3.75	PROM 1702A 2513B upper 2708 TI 2716 Intel 6:2716 Intel 2732 2758 8741A 8748 8748 8748-8 8755 A N82S23 N82S125 N82S125 N82S129 N82S121 N82S121 N82S121 N82S121	4 95 case 8. 7.75 18 00 23.00 160.00 65.00 65.00 65.00 65.00 65.00 2.95 6.50 3.75 85 8.75	Existed Board Sis 50 OR RESISTORS No. 2015 15 or 2015 1	OGÉ Pluorescent 175 0610 Fluorescent 175 175 OGO Pluorescent 175 175 OGO Pluor
74L 5155N 74L5162N 74L5162N 74L5162N 74L5163N 74L5174N 74L5190N 74L5256N 74L5256N 74L526N UMEAR CA3045 CA3045 CA3046 CA3045 CA3046 CA3089 LM301NAIAH LM305N LM305N LM305N LM305N LM305N LM305N LM305N LM305N LM305N LM305N	1.10 1.10 1.65 2.00 1.25 2.50 1.60 1.65 90 1.10 1.80 1.90 2.95 3.35 1.00 1.50 3.75	CMOS CD4001 CD4001 CD4002 CD4006 CD4006 CD4009 CD4001 CD4012 CD4012 CD4014 CD4014 CD4015 CD4016 CD4016 CD4016 CD4016 CD4017 CD4018 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019 CD4019	25 .35 .35 .35 .28 .45 .35 .28 .47 1.25 1.05 .94 .45 .45 .105 .105 .105	8098 8709 8710 8713 8712 8723 6724 8725 8726 8726 8726 8727 8798 8798 8797 8798 8797 8798 8	1.25 4.50 3.00 3.10 3.50 3.20 1.69 1.69 1.69 1.69 1.34 1.95 3.75 3.75 3.75 3.75 3.75 3.75 3.75	PROM 1702A 2513B upper 27163 271611 2716 Intel 6:2716 Intel 6:2716 Intel 6:2716 Intel 8748 8748 8748 8748 8755A NB2S123 NB2S123 NB2S123 NB2S123 NB2S123 NB2S131 NB2S131 NB2S131 NB2S131 NB2S131 NB2S131 NB2S131 NB2S131 NB2S131	4 95 case 8. 7.75 18 00 23.00 160.00 65.00 65.00 65.00 65.00 65.00 60.00 55.00 55.00 55.00 8.75 8.50 8.75	Exisander Board Sis So De RESISTORS I wall 5 % 10 per type 0.3 % 25 per type 0.25 % 100 per type 0.15 % 1000 per t	OGÉ Pluorescent 175 0610 Fluorescent 175 175 OGO Pluorescent 175 175 OGO Pluor

### PROM Eraser

assembled. 25 PROM capacity \$37.50 (with timer \$69.50). 6 PROM capacity OSHA/ UL version \$69.50 (with timer \$94.50).

280 Microcomputer
16 bit I/O, 2 MHz clock, 2K RAM, ROM Breadboard space. Excellent for control. Bare Board \$28.50. Full Kit \$39.00. Monitor \$20.00. Power Supply Kit \$35.00. Tiny Basic \$30.00

S-100 Computer Boards

8K Static Godbout Econo IIA Kit 16K Static Godbout Econo XIV Kit 285.00 24K Static Godbout Econo VIIA-24 Kit 435.00 32K Static Godbout Fcono X-32 Kit 575 00 16K Dynamic RAM KIt 32K Dynamic RAM Kit 199.00 310.00 64K Dynamic RAM Kit 470 00 \$135.00 Video Interface Kit

80 IC Update Master Manual \$55.00 Comp. IC data selector, 2700 p.g. master reference guide. Over 51,000 cross references. Free update service through 1980. Domestic postage \$3.50.

### Modem Kit \$60.00

State of the art, orig., answer. No tuning neces-103 compatible 300 baud. Inexpensive acoustic coupler plans included

### LRC 7000+Printer \$389.00

10/20 column dot matrix impact, std. paper. Interface all personal computers 64/40/32/20 version \$405.00. Optional cables

available. available.

LRC 7000 printer interface cable for Super Elt
\$26.00 NiCad Battery Fixer/Charger Kit

Opens shorted cells that won't hold a charge and then charges them up, all in one kit w/full parts and instructions.

Rockwell AIM 65 Computer

6502 based single board with full ASCII keyboard and 20 column thermal printer. 20 char. alphanumeric display, ROM monitor, fully expandable. \$375.00. 4K version \$450.00. 4K Assembler \$85.00, 8K Basic Interpreter \$100.00.

Special small power supply for AIM65 assem. in frame \$54.00. Complete AIM65 in thin briefcase with power supply \$499.00. Molded plastic enclosure to fit both AIM65 and power supply \$47.50. Special Package Price: 4K AIM, 8K Basic,

power supply, cabinet \$599.00
AIM65/KIM/VIM/Super Elf 44 pin expansion
board; 3 female and 1 male bus. Board plus 3 connectors \$22.95.

60 Hz Crystal Time Base Kit \$4.40 Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy.

Video Modulator Kit \$8.95 Convert TV set into a high quality monitor w/o affecting usage. Comp. kit w/full instruc.

Multi-volt Computer Power Supply 8v 5 amp, ±18v .5 amp, 5v 1.5 amp, -5v .5 amp, 12v .5 amp, -12v option. ±5v, ±12v are regulated. Basic Kit \$29.95. Kit with chassis and all hardware \$43.95. Add \$4.00 shipping. Kit of hardware \$14.00. Woodgrain case \$10.00. \$1.50 shipping



### RCA Cosmac 1802 Super Elf Computer \$106.95

Compare features before you decide to buy any other computer. There is no other computer on the market today that has all the desirable benefits of the Super Elf for so little money. The Super Elf is a small single board computer that does many big things. It is an excellent computer for training and for learning programming with its machine language and yet it is easily expanded with additional memory, Full Basic, ASCII Keyboards, video character generation, etc.

Before you buy another small computer, see if it before you buy adminer shall computer, see in a includes the following features: ROM monitor; State and Mode displays; Single step; Optional address displays; Power Supply; Audio Amplifier and Speaker; Fully socketed for all IC's; Real cost of in warranty repairs; Full documentation.

The Super Elf includes a ROM monitor for p gram loading, editing and execution with SINGLE STEP for program debugging which is not in-cluded in others at the same price. With SINGLE STEP you can see the microprocessor chip opera ting with the unique Quest address and data bus displays before, during and after executing in-structions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators

An RCA 1861 video graphics chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a speaker system included for writing your own music or using many music programs already written. The speaker amplifier may also be used to drive relays for control purposes.

A 24 key HFX keyboard includes 16 HFX keys

### Super Expansion Board with Cas

This is truly an astounding value! This board has been designed to allow you to decide how you want it optioned. The Super Expansion Board comes with 4K of low power RAM fully addressable anywhere in 64K with built-in memory protect and a cassette interface. Provisions have been made for all other options on the same beard and it fits neatly into the hardwood cabinet alongside the **Super Elf**. The board includes slots for up to 6K of **EPROM** (2708, 2758, 2716 or TI 2716) and is fully **socketed**. EPROM can be used for the monitor and Tiny Basic or other purposes.

A IK Super ROM Monitor \$19.95 is available as an on board option in 2708 EPROM which has been preprogrammed with a program loader/ editor and error checking multi file cassette read/write software, (relocatable cassette file) another exclusive from Ouest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break

Announcing Quest Super Basic

A new enhanced version of Super Basic now available. Ouestwas the first company worldwide to ship a full size Basic for 1802 Systems. A complete function Super Basic by Ron Cenker including floating point capability with scientific notation (number range ± 17E\*), 32 bit integer ±2 billion; multi dim arrays, string arrays, string manipulation; cassette I/O; save and load, basic, data and machine language programs; and over 75 statements, functions and operations.

Gremlin Color Video Kit \$69.95 32 x 16 alpha/numerics and graphics; up to 8 colors with 6847 chip; 1K RAM at E000. Plugs into Super Elf 44 pin bus. No high res. graphics.

On board RF Modulator Kit \$4.95 1802 16K Dynamic RAM Kit \$149.00 Expandable to 32K. Hidden refresh w/clocks up to 4 MHz w/no wait states. Addl. 16K RAM \$63.00 Super EIf 44 pin expansion board; 3 female and 1

male bus. Board plus 3 connectors \$22.95 Tiny Basic Extended on Cassette \$15.00 nands include Stringy, Array, Cassette I/O etc.)

S-100 4-Slot Expansion Super Monitor VI.I Source Listing plus load, reset, run, wait, input, memory pro-tect, monitor select and single step. Large, on board displays provide output and optional high and low address. There is a 44 pin standard connector slot for PC cards and a 50 pin connec-tor slot for the Ouest Super Expansion Board. Power supply and sockets for all IC's are in-Power supply and sockets for all IC's are in-cluded in the price plus a detailed 127 pg, instruc-tion manual which now includes over 40 pgs. of software into. including a series of lessons to help get you started and a music program and graphics target game. Many schools and universities are using the Super Elf as a course of study. OEM's use it for training and R&D.

Remember, other computers only offer Super Elf Remember, other computers only offer Super Elf features at additional cost or not at all. Compare before you buy. Super Elf Kit \$106.95, High address option \$8.95, Low address option \$9.95. Custom Cabinet with drilled and labelled plexiglass front panel \$24.95. All metal Expansion Cabinet, painted and silk screened, with room for 5 5-100 boards and power supply \$57.00. NiCad Battery Memory Saver Kit \$6.95 All kits and options also completely assembled and tested.

Questdata, a software publication for 1802 computer users is available by subscription for \$12.00 per 12 issues. Single issues \$1.50. Issues 1-12 bound \$16.50.

Tiny Basic Cassette \$10.00, on ROM \$38.00, original Elf kit board \$14.95. 1802 software; Moews Video Graphics \$3.50. Games and Music \$3.00, Chip 8 Interpreter \$5.50.

### sette Interface \$89.95

points can be used with the register save feature to isolate program bugs quickly, then follow with single step. If you have the Super Expansion Board and Super Monitor the monitor is up and running at the push of a button.

Other on board options include Parallel Input and Output Ports with full handshake. They allow easy connection of an ASCII keyboard to the input port. RS 232 and 20 ma Current Loop for teletype or other device are on board and if you need more memory there are two S-100 slots for static RAM or video boards. Also a 1K Super Monitor version 2 with video driver for full capability display with Tiny Basic and a video interface board. Parallel I/O Ports \$9.85, RS 232 \$4.50, TTY 20 ma I/F \$1.95, S-100 \$4.50. A 50 pin connector set with ribbon cable is available at \$15.25 for easy connection between the Super Elf and the Super Expansion Board.

Power Supply Kit for the complete system (see Multi-volt Power Supply)

- SECOND GENERATION

Enhancements include increased speed, built-in provisions for Stringy Floppy, Floppy Disc, Printer Driver, I/O, user delinable command library and statement renumbering.

Easily adaptable to most 1802 systems. Requires 16K RAM minimum for Basic and user programs, Source listing for both Serial and Parallel I/O included.

Super Basic on Cassette \$40.00

Elf II Adapter Kit \$24.95

Plugs into Elf II providing Super Elf 44 and 50 pin plus S-100 bus expansion. (With Super Expansion). High and low address displays, state and mode LED's optional \$18.00.

SuperColorS-100 Video Kit\$129.95 Expandable to 256 x 192 high resolution color graphics. 6847 with all display modes computer controlled. Memory mapped. 1K RAM expandable to 6K. S-100 bus 1802, 8080, 8085, 280etc.

Editor Assembler \$25.00 (Requires minimum of 4K for E/A plus user source)

1802 Tiny Basic Source listing Super Monitor V2.0/2.1 Source Listing \$20.00

TERMS: \$5.00 min. order U.S. Funds. Califresidents add 6% tax. \$10.00 min. order BankAmericard and Master Charge and COD. \$1.00 insurance optional. Shipping charges will be added on charge cards.

FREE: Send for your copy of our NEW 1980 QUEST CATALOG. Include 48¢ stamp.

### **CROSS-ASSEMBLERS**

WRITTEN IN ANSI FORTRAN IV

PACKAGE NO.	MACHINE(S)
XASM8800	MC8800,02,08
XASM8801	MC8801
XASM8805	MC8805
XASM8809	MC8809
XASM8085	8080.8085
XASM1802	CDP1802
XASM8502	8500 FAMILY

Full instruction sat, all addrassing modes. Free-format input, relocatable listing and object module, many user-selectable assembly options. 8-character labels, arithmetic expressions in

assaminy options: o-chalacter laubis, arithment expressions in operands, long error massages, high execution speed.
Full-capability assemblers run on almost any system supporting ANSI standard FORTRAN IV, 1966 or later, at a fraction of the cost of a separate development system.

FORTRAN SOURCE MEDIA	PRICE
MAGNETIC TAPE PACKAGE	 \$75.00
PUNCHED CARD PACKAGE	
MANUAL / ISTING ALONE	\$20 NN

Packages include manual/listing, shipping in U.S.A. For cards, specify punch code. For tapa, specify coda, BPI, block siza.

P.O. Box 14538 Minnaapolis, MN 55414 (812)-722-1702

Circle 296 on inquiry card.



Circle 297 on inquiry card

# Shugart Floppy Disk

### 3M Floppy Discs

TMS 2532 4K bytes EPROM 450ns Single 5V

SN74SXX Series Schottky I.C.

U.S. SERVEX Inc.

10322B N. Stelling Rd. Cupertino, CA 95014 (408) 252-4217

Circle 298 on inquiry card.



Let The Purchasing Agent buy wholesale for you.

Save up to 50%

Over 200 computers, CRT's and printers plus software. Compare:

	Whse.		Whse.
TI-810 Printer	\$1,383	TVI 912C	\$ 699
Cromemco Sys-3 64K	5,346	Diablo 1640	2,627
Soroc IQ-120		Alpha Micro 10 Meg	10,185
Qume Sprint 5	2,285	Zenith Z-89 48K	2,069
NorthStar Hor2 32K	2,179	WordStar	250

THE PURCHASING AGENT (415) 540-8119 Hotel Claremont, Berkeley, CA 94705

Circle 299 on inquiry card.

### **DISK DRIVE/CRT** SALE

Shugart SA801R for RS MOD. II Only \$468



Hazeltine 1000 (	unused)	\$299
Shugart SA 400		\$279
Pertec FD2000	\$279 FD250	<b>359</b>
MPI B51	\$279 B52	\$349
SA 01R w/PS/0	Cab	\$749
Dual Drives w/F	S/Cab	. 1499
Limite	d Quantities	

3304 W. MacArthur Blvd. Santa Ana, CA 92704 (714) 979-9923

Circle 300 on inquiry card.

### LOW PRICES

Most all brands. Micro/Minis, terminals, printers, and accessories

Atari 400 ..... \$ 495. Commodore 8016. \$1270. Soroc IQ120 . . . . \$ 739. Qume 5/45 RO .. \$2560. Base 2 800ST ... \$ 539. Novation CAT .... \$ 155. Wordstar . . . . . . . . \$ 399.

Send for our catalog or call us (you'll get up to a \$3.00 credit for the call on your order) for technical consultation or quotation. All items cashier's check only and shipped freight collect.

### SP ELECTRONICS

P.O. Box 8265 Sacramento, CA 95818 (916) 442-2323

SURPLUS INVENTORY

Circle 301 on inquiry card.

\$77

### STATIC RAM CHIPS

FACTORY PRIME From the same shipment we use in our professional quality boards.

**2114L** 450 ns. **\$5.90** 200 ns. \$6.90 **4044** 450 ns. **\$5.90** 250 ns. \$6.90 add \$5.00 Handling on Orders Under \$200.00

### 32K STATIC RAM BOARD

FOR THE SS50 AND SS50C BUS (SWTP etc.)

• SS50C Extended Addressing (can be disabled).

• 4 separate 8K blocks.

• Low power 2114L RAMS

• Socketed for 32K

• Write Protect

• Gold Bus Connectors

- .....\$438.14

12K \$548.15

Thone, write, or see your dealer for details and prices on our road range of Boards and Systems for the SSO/SSOC bus cluding our UNIQUE 80224 VIDEO BOARD, and our AC over Control Products for all computers.



1337 W. 37th Place • Chicago, IL 6 (312) 927-5510 • TWX 910-221-4055

The Company that delivers.
Quality Electronic products since 1975.
GIMIX® and GHOST® are Registered Trademarks of GIMIX INC.

### IEEE-488 To TRS-80\* INTERFACE

MODEL 488-80B ..... \$225.00 (plus shipping, ins. & tax)

**EVERYTHING NEEDED TO ADD POWERFUL GPIB-488 CONTROLLER** CAPABILITY TO TRS-80 MODEL 1, LEVEL 2 OR DOS

### **SCIENTIFIC ENGINEERING LABORATORIES**

11 Neil Drive . Old Bethpage, NY 11804 Telephone: (516) 694-3205

\*Trade Mark of Tandy Corporation. There is no affiliation between Scientific Engineering Laboratories and Tandy Corporation or Radio Shack.



used and like new, checked, osa, Josec, checked, on burins

FLOPPY POWER SUPPLIES (6 OUTPUTS): North x3576, brand new in orig. 10am boxes. 5V/3A, 24V/12A. 16V/25A (all adjustable, woVO prot. 8 curr. limiting); 12V/0, 1A, -24V/03A, both w/OV prot.): -12V/0.1A (adj.). Fully regulated, linear, parially encl. w/schts & assy, days, 3.5x/5.5x14" 115VAC. Will run 1 typical 8" floppy or drop the 16V to 12 and run 2 or 3 minifloppies

\$44

S100 CORE SALE: Brand new, tested Ampex core. See article "ITS TME FOR CORE" (9778 Kilobaud p. 34) which describes an easily built interface between his core and an 3-400 machine. But ignore the prices of the second price of t

OTHER SURPLUS BARGAINS: LETTER QUALITY ASCII KSR TERMINALS, Perkin Elmer Carousel 20ma 51600, RS-232 \$1800, FOB. PORTACOM portable terminals w/built-in coupler, 110 baud. impact, technician special, AS-IS \$250, checked \$450, FOB.

WRITE OR CALL FOR FULL SPEC SHEETS ON SPECIFIC ITEMS.

TERMS: UPS included 48 states except FOB items. UPS COD add \$2.00, VISA & MC add 4%. NJ add sales tax. Everything guaranteed working to specs, Immediate shipment or immediate refund. Phone orders and functions are welcome.

ELECTRAVALUE INDUSTRIAL


P.O. BOX 157-B MORRIS PLAINS, NJ 07950

Phone orders 201/267-1117

22 MHz

BANDWIDTH

# FOR APPLE II AND APPLE II PLUS COMPUTERS **DoubleVision**



# 80 x 24 Video Display with Upper and Lower Case

• is a hardware board that may be plugged into any slot in Apple II or Apple II Plus 32K or 48K Disks • full 128 ASCII character set, including control characters • fully programmable cursor • built in light pen capability • inverse video • full cursor control • works with 50/60Hz • has 2k of its own screen memory • has its own video output jack that must be connected to a monitor (or a high band width black & white TV thru a good RF modulator). Color TV's produce a poor display and are not recommended. • permits you to connect another monitor (or a T.V. set thru RFmod) to the Apple video output jack • displays 24 lines of 80 column text — programmable for different values • permits you to have graphics on Apple video output • video output and Apple video output may be connected to one monitor thru optional video switch • is active only when addressed for reading from or writing to • accepts lower case input from keyboard by use of escape key. (no modification required) or direct use of shift key (1-wire connection from shift key pad to DoubleVision required). • is compatible with the latest version of various word processing software packages. Presently these include Apple-pie 2.0 - Programma International, Easywriter Professional system—Informational Unlimited, Text Editor/Formatter—Peripheral's Unltd. (when ordering from these companies, please ask for versions compatible with DoubleVision). All software available from Computer Stop when released. • Peripheral's Unitd. B.I.T.S. and P.I.T.S. and Southeastern Software's "DATA CAPTURE" with Micromodem and communication card. These packages give ability to upload, transfer and download files from remote computers, and all at 80 columns! • Programma Int. latest assembler LISĂ V:Ž0 will support full 80 column display • is transparent for use with Basic and Pascal • software on disk for easy modification and adaptation for different applications • completely commented source listing of software and hardware schematics available • PASCAL (optional) • becomes the console when installed in Pascal • Permits 80 column text processing with full upper/lower case while using Pascal's editor • must be plugged into slot 3 when operating with Pascal

Available now at your local computer store . . . . . .

\$295.00

Call Computer Stop for Store nearest you

Shipping, Insurance, Handling, extra

Calif. Residents add 6% Sales Tax

\*Apple is a Registered TM of Apple Computers, Inc.

Dealer inquiries invited. Contact:

COMPUTER STOP CORP. 2545 West 237th St. Suite L Torrance, CA 90505 539-7671

The Computer Stop 16919 Hawthorne Blvd. Lawndale, CA 90260 (213) 371-4010

MON. - SAT. 10-6



### 8048 μC

### HOME ENERGY **CONTROLLER KIT!**

COMPLETE STAND-ALONE SYSTEM ON A BOARD

FOR CONVENTIONAL AND SOLAR HEATING, LIGHTING, SECURITY APPLICATIONS, AND MORE. .

- 8035 CPU / 2708 EPROM.

- OUSD CFU / Z/UB EPROM.

  16 position programmable keyboard.

  Discrete and 7-Segment LED displays.

  Requires only 110 VAC.

  5 controlled Triac outputs.

  PROM monitor software for input, display, and basic control included.

  Manual with schematics entires to the program in the program of the program in the program of the program in the program of the program in the program in the program of the program in the program of the p
- Manual with schematics, software listings. and application notes.


USE OUR CONTROL MONITOR SOFTWARE TO CONTROL IN MINUTES, OR CUSTOMIZE WITH YOUR OWN SOFTWARE USING OUR SUBROUTINES.

VERMONT MICROSYSTEMS, INC. P.O. BOX 270 ESSEX JUNCTION, VERMONT 05452

TO ORDER, CALL COLLECT AT (802) 849-6645

Circle 306 on inquiry card.

### **H8 Owners**



### AD-8/4H ANALOG/DIGITAL SUBSYSTEM

- 8 A/D Input Channels
- Fast-Over 4500 A/D Conversions/Sec
- 4 D/A Output Channels Each With Sample and Hold
- Full 8 Bit Resolution
- Uses Single Card Slot
   Fully Assembled And Tested
- Full Documentation Provided
- Visa, Master Charge OK

\$125.00

CCM, Inc.

P.O. Box 2308 Reston, Va. 22091

Circle 307 on inquiry card.

### NORTH STAR SOFTWARE

BY SIERRA SOFTHARE
BOX 435 JUNE LAKE, CA. 93529 (714) 648-7247

MAILING SYSTEM — Add, delete, modify, print or sort up to 1500 records. Four output formats.

FILING SYSTEM — Same features as mailing system however user specifies the record description by use of a special control file. 28K RAM \$25

BANNER — Prints banners in a 6 by 8 character matrix. 96 different characters supplied, also user definable. 24K RAM \$15

NUCLEAR ENGINEERING PACKAGE Design a pressurized water reactor, calculate nulcide decays, parent-daughter decays and more. 28K RAM

MUSIC I — (For Newtech Model 8) 5 songs using 4 voices including "Close Encounters of the 3rd Kind" and "Raindrops Keep Falling On My Head." (Note: Must own Newtech 4-Voice Software)
16K RAM \$15

Mastermind 20K \$15 Amortization 20K \$15 Calander 24K \$15 Math Package 24K \$20 Biorhythms 20K \$15 Music II 16K 515 Not a Product of North Star Computers, Inc.

Circle 308 on inquiry card.

### $CP/M \longrightarrow IBM$ Compatibility with

### REFORMAI I ER

For \$195 you can now transfer data between large and small systems.

REFORMATTER™, a Diskette Utility Program, enables you now to transfer textual data files in either direction between Z-80 or 8080 based micros operating under CP/M and IBM systems using 3741 diskettes.

For detailed information contact

MicroTech Exports 912 Cowper Street Palo Alto, CA 94301

Tei: 415/324-9114 TWX: 910-370-7457 MUH-ALTOS Dealer & OEM discounts available

Circle 309 on inquiry card.

× \*

\*

×

×

×

×

### NORTHSTAR SOFTWARE

FUN ON THE HORIZON is a collection of 40 games with average size over 200 lines. Includes Poker, Golf, Football, Biorhythm, Blackjack, Keno, Life and 33 more . . . . . \$24.00

UTILITY contains a Z80/8080 Disassembler for machine code programs resident in RAM or on diskette. It also includes a COMPRESS utility for BASIC program files which increases execution

All programs use the 64 character ASCII subset with max line length 64 characters. Available in double or single density on 1 or 2 (SD) specially modified double-sided diskettes. (SD, add \$4.00 per order)

COMBINATION PRICE: All three packages for

S&S Computing, Inc.

or circle our reader service number below to receive 4 pages of program abstracts and sample output.

Circle 310 on inquiry card.

Order now from

64 Juniper Street Allentown, Pa. 18106 (215) 398-1299

### SCIENTIFIC **SYSTEMS**

OHIO

CALL FREE FOR OUR PRICES (800) 558-0870

WRITE FOR CATALOG

*FARAGHER* & **ASSOCIATES** 

7635 BLUEMOUND MILWAUKEE, WI 53213 (414) 258-2588 In Wisconsin

Circle 311 on inquiry card.

# THE SANYOUTHE LEEDEX SCREEN

\*\*\*\*\*\*\*\*\*\*

- IMPROVE IMAGE CONTRAST
- REDUCE EYE FATIGUE
- PROVIDE A MORE PLEASING
- DISDI AV

CALL: (212) 296-5916

### \* \* ¥ \*

×

¥

×

×

- ENHANCE SCREEN LEGIBILITY
- GIVE A DISTINCTIVE PROFESSIONAL LOOK TO YOUR SYSTEM

The GREEN SCREEN is custom molded to fit nicely over the picture tube. It ingeniously mounts in seconds without

Money back guarantee

OF SELECTION OF SE

### ALPHA product co. \*\*\*\*\*\*

### **BUSINESS SOFTWARE**

- Billing A/R
  - Pavroll
- Direct Mail Inventory
- Job Costing
- Construction Manager Billing
- General Ledger
- · Auctioneer Point-of-Sale
- · Architects Office System
- Title Insurance System and others

All Software created by leading consulting firms and in productive use by businesses.

WRITE

MICRO SOFTWARE DISTRIBUTORS

P.O. BOX 674 GRAND BLANC, MI 48439

### Acoustic Modems from Metaresearch





- Answer/originate Bell103-113 compatible
- · Originate only Crystal-controlled
- §1190 assembled
- \$119\* assembled (\$9900 kit)
- BOTH UNITS FFATURE:
- · Rugged wood & metal construction, safety AC wall transformer

· Rates to 300 baud, RS232 interface, half-full duplex

· 1-year warranty on assembled units

### METARESEARCH


1100 SE Woodward St., Portland, OR 97202 (503) 232-1712

Add 3200 shipping & handling, Visa, MC accepted.

### DIGITAL RESEARCH COMPUTERS

(214) 271-3538

# 32K S-100 EPROM CARD



**USES 2716's** 

Blank PC Board - \$34 ASSEMBLED & TESTED ADD \$30

SPECIAL: 2716 EPROM s (450 NS) Are \$19.95 EA. With Above Kit.

### KIT FEATURES:

- 1. Uses +5V only 2716 (2Kx8) EPROM's.
- 2. Allows up to 32K of software on line!
- 3. IEEE S-100 Compatible.
- 4. Addressable as two independent 16K 9. Gold plated contact fingers. blocks.
- 5. Cromemco extended or Northstar bank select.
- 6. On board wait state circuitry if needed. 12. Easy and quick to assemble.
- 7. Any or all EPROM locations can be disabled.
- B. Double sided PC board, solder-masked, silk-screened.
- 10. Unselected EPROM's automatically powered down for low power.
- 11. Fully buffered and bypassed.

### INTEL 2108 8K X 1 RAMS 8 FOR \$9 05 **16K DYNAMIC RAM PARTIALS FACTORY PRIME!**

Huge special purchase of INTEL Dynamic RAM's. These are 2108-4, 300NS, 8K, Ceramic DIP. The 2108 is the INTEL 2116 (16K) tested for either upper or lower 8K only. These are factory prime. Full Spec. See INTEL 1978 Cat. for details or Memory Design Handbook for application data. Both IMSAI and EXTENSYS did mfg. S-100 RAM boards using these devices. — P.S. These devices will not work in the SD EPANDORAM™. Please specify upper or lower 8K. (S1626 or S1627). A supereasy RAM to interface to a Z80, 16 PIN DIP.

SALE! FOR 4MHZ

**LOW POWER - 300NS** 2114 RAM SALE! 8 FOR \$44


4K STATIC RAM'S. MAJOR BRAND, NEW PARTS.

These are the most sought after 2114's, LOW POWER and 300NS FAST. 8 FOR \$44

### **16K STATIC RAM KIT-S 100 BUSS**



FOR 4MHZ ADD \$10



### KIT FEATURES:

- Addressable as four separate 4K Blocks
- ON BOARD BANK SELECT circuitry. (Cro-memco Standard!). Allows up to 512K on line! Uses 2114 (450NS) 4K Static Rams
- ON BOARD SELECTABLE WAIT STATES.
- 5. Double sided PC Board, with solder mask and silk screened layout. Gold plated contact fingers
- 6. All address and data lines fully buffered. Kit includes ALL parts and sockets.
- PHANTOM is jumpered to PIN 67.
   LOW POWER: under 1.5 ampsTYPICAL from
- the + 8 Volt Buss 10. Blank PC Board can be populated as any
- multiple of 4K.

BLANK PC BOARD W/DATA-\$33 LOW PROFILE SOCKET SET-\$12

SUPPORT IC'S & CAPS-\$19.95

ASSEMBLED & TESTED-ADD \$35

COMPLETE KIT!

\$**84**95 (WITH DATA MANUAL)

**BLANK PC BOARD W/DATA** 

\$31


**OUR #1 SELLING** RAM BOARD!

### **16K STATIC RAM SS-50 BUSS**

PRICE CUT!

**FULLY STATIC!** 

FOR 2MHZ **ADD \$10** 



FOR SWTPC 6800 BUSS!

ASSEMBLED AND TESTED - \$35

BLANK PC BOARD-\$30

KIT FEATURES:

- Addressable on 16K Boundaries
- Uses 2114 Static Ram
- 3. Fully Bypassed
- Double sided PC Board. Solder mask and silk screened layout.
  All Parts and Sockets included
- Low Power: Under 1.5 Amps Typical

COMPLETE SOCKET SET-\$12

STEREO! NEW! NEWI S-100 SOUND COMPUTER BOARD

At last, an S-100 Board that unleashes the full power of two unbelievable General Instruments AY3-8910 NMOS computer sound IC's. Allows you under total computer control to generate an infinite number of special sound effects for games or any other program. Sounds can be called in BASIC, ASSEMBLY LANGUAGE, etc.

KIT FEATURES:

- IT FEATURES:
  TWO GI SOUND COMPUTER IC'S.
  FOUR PARALLEL I/O PORTS ON BOARD,
  USES ON BOARD AUDIO AMPS OR YOUR STEREO.
  ON BOARD PROTO TYPING AREA.
  ALL SOCKETS, PARTS AND HARDWARE ARE INCLUDED,
- PC BOARD IS SOLDERMASKED. SILK SCREENED, WITH GOLD CONTACTS. EASY, QUICK, AND FUN TO BUILD. WITH FULL INSTRUCTIONS. USES PROGRAMMED I/O FOR MAXIMUM SYSTEM FLEXIBILITY.

Both Basic and Assembly Language Programming examples are included

SOFTWARE:

SCL<sup>1\*\*</sup> is now available! Our Sound Command Language makes writing Sound Effects programs a SNAP! SCL<sup>1\*\*</sup> also includes routines for Register-Examine-Modify, Memory-Examine-Modify, and Play-Memory. SCL<sup>1\*\*</sup> is available on CP<sup>7</sup>M<sup>1\*</sup> compatible diskette of 2708 or 2716. Diskette-524.95 2708 - \$19.95 2716 - \$29.95 Diskette includes the source. EPROM'S are ORG at

### RCA CMOS COMPUTER CHIP SET

INCLUDES:

- 1-CDP1802CD CPU
- 2-CDP1822CE 256 x 4 RAM 1-CDP1858CE 4 BIT LATCH
- 1-CDP1861CD VIDEO IC 1-CDP1862CE COLOR GEN. 1-CDP1863CE SOUND GEN.


COMPLETE SET \$45

LIMITED OTY

### esearch Computers

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

SUPPORT IC'S AND CAPS-\$19.95 16K EPROM CARD-S 100 BUSS



**BLANK PC BOARD - \$28** 

USES 2708's!

Thousands of personal and business systems around the world use this board with complete satisfaction. Puts 16K of software on line at ALL TIMES! Kit features a top quality soldermasked and silk-screened PC board and first run parts and sockets. Any number of EPROM locations may be disabled to avoid any memory conflicts. Fully buffered and has WAIT STATE capabilities.

ASSEMBLED AND FULLY TESTED - ADD \$30

OUR 450 NS 2708'S ARE \$8.95 EA. WITH PURCHASE OF KIT

### **NEW!** G.I. COMPUTER SOUND CHIP

AY3-8910. As featured in July, 1979 BYTE! A fantastically powerful Sound & Music Generator, Perfect for use with any 8 Bit Microprocessor, Contains: 3 Tone Channels, Noise Generator, 3 Channels of Amplitude Control. 16 bit EnvelopePeriodControl, 2-8 Bit Parallel I/O. 3 D to A Converters, plus much more! All in one 40 Pin DIP. Super easy interface to the S-100 or other busses.

Add \$3 for 60 page Data Manual. SPECIAL OFFER: \$14.95 each

TERMS: Add \$1.25 postage. We pay balance. Orders under \$15 add 75¢ handling. No. C.O.D. We accept Visa and MasterCharge. Tex. Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. 90 Day Money Back Guarantee on all items. Orders over \$50, add 85¢ for insurance.

### **NORTH STAR BASIC CROSSREFERENCE**

This Basic program prints or displays a sectionalized fully sorted line number index to transfers of control (both from/to and to/from), numeric variables, numeric arrays, numeric functions, character variables, characterfunctions, and three sections of basic keywords. A 30 block program (apprx. 1000 indices) analyzed and printed in 15 minutes.

Multi program-file input and configurable output width (32-80). To analyze 60 block programs you need 16K user area, disk and Rel. 4.0 or later. Larger programs easily accommodated with more memory. Delivered on single density for use on all density North Star drives. Fully annotated source with implementation and use instructions is \$30.00 from

> J. McCarron Software 2021 N. 22nd St. Phoenix, Arizona 85006 (602) 244-9408

Circle 316 on inquiry card.



### **Desk Top Computer**

This unit is a computerized Electronic Secretary. It keeps time, date, calendar, message, and meeting files. Originally sold thru a major mail order house for over \$450.00.

Technically, it's a 6507 MICRO, ROM, Ram, Planaplex Alpha Display, Ni-cad Battery, Power Supply, Keyboard, Wood and Aluminum Case with Schematic and Instructions

Most of these Computers are warranty returns We are offering refurbished like new units for \$99.95 and as is (most have minor problems) units for \$44.95 Add \$4.95 per unit for shipping and handling per unit ordered. All units are complete as described. All sales are final. California Residents add 6.5% Sales Tax

Send Payment and Order to:

Solid State Surplus

P.O.Box32418/San Jose, CA 95152

Circle 317 on inquiry card.

### Floppys & Systems Repair

### **DRIVES**

- Per Sci Shugart Pertec Micropolis

### **COMPUTERS**

Apple - TRS-80

### **Computer Service Center**

1023 N. La Brea Hollywood, CA 90038 (213) 851-2226

INSAM™ Data Manager

Circle 318 on inquiry card.

### BELOW DEALERS COST!



32 K DO - 2295.00 32 K QUAD-2600.00

North Star Pascal General Ledger \_ \$825.00 North Sta Mait Manage Info Manage \$395.00 BASIC Accounts Receivable

COD - CASH IN ADVANCE · VISA / MASTER CHARGE\*

CUSTOM BUSINESS COMPUTERS

P.O. BOX 7035 PORTSMOUTH, VIRGINIA 23707

NOBLE PHONE: (804)465-1814

Triple Buss Mother Board

Triple Buss Mother Board
With Triple Features
S-100 BUSS—S-50 BUSS—S-30 BUSS
Noble Computer Corporation announces the
development of a combine triple buss mother
board with the following features:
Built-in 8-8232/TrY Interface
Built-in 4-8184 Parallel input/Output interface
Built-in 4-400 input/Output interface
for Data Communication
Also Available Computer Sound Board
capable of producing
105-000-000 Distinct Sounds

106,000,000 Distinct Sounds for S-100 or S-50 Bus User complete with software, capable of producing 106 Million distinct sounds.

distinct sounds.

Also available — \$-50 INTERFACE
Open up your computer system to the real
world. Now at last there is an \$-50 to \$-100 Interface available that allows you to be compatible with any \$-100 Bus Interface system,
1/0 media or memory system. This third
generation \$-50 Bus Interface features:

Selectable memory addressability
Selectable into Powice Addressability
Up to 64K Addressability
Both products are assembled, tested and
guaranteed:

ranteed: Computer Sound Board — \$179.95 S-50 to S-100 Interface — \$129.95 Triple Buss Mother Board — \$149.95

COMPUTER CORPORATION

Circle 319 on inquiry card.

(Qty 6 or more)

### DEC LA-34

width to 15 inches

800-638-3230

301-636-5680

ASK FOR DATA TERMINAL DIVISION

# ONLY \$950

**CALL TOLL FREE** 

Friction Feed, paper

### IN MARYLAND CALL

# Disk Based

STORES ON DIES DE COOKY ARE EXPLICATE O ANT LIMITEURS DE ALEIGNES STANDS L LOS AND COS ON THOSE DIES DOTTON MODERE ON CASSITES WITH NOTTHERS TO SER-COSTONES CASE AT STANDARD AND ADMINIS

### Mailing List Option

MERCAS DIRECTLY WITH PENSA-WHITE SOFT

Vancouver, B.C.



### Available Now!

West First



VBB 4H9 604-224-3107

Nord Processor THE WORD PROCESSING SYSTEM FOR MICH PROCESSING CAPABILITY INCIDENCE FRANCES AND LOSS OF A PARTIES AND LOSS.

of Disk, FRIST BUSINESS FERSON.

Circle 323 on inquiry card.

### FREE: LABEL PRINTER MODULE

★ WILD CARD SEARCH

**CUSTOM DATA FILES ★ FAST/EASY/MENU DRIVEN** 

★ KEYED RANDOM ACCESS

**★ MULTIPLE SEARCH KEYS ★ PRIVACY ACCESS CODES** 

**★ HELP COMMANDS** 

FREE: REPORT GENERATOR MODULE Specify CBM 2040 or COMPU/THINK

For 16K-32K PET, Dual Disk, and Printer

Package \$150 Introductory

User's Guide only \$25 Demo Tape \$5 Disk \$ 8

Check or Money Order plus \$2 Shipping (NY residents add 8% Sales Tax) - DEALER INQUIRIES WELCOMED

JINI MICRO-SYSTEMS, Inc. P.O. Box 274-B . Bronx, NY 10463

Circle 321 on inquiry card.

### 64 DAC S-100 Card!



only \$529 Assm. & Tested

64 output channels from a single multiplexed

64 output channels from a single multiplexed 8-bit digital-to-analog converter (DAC) High density/Low cost: 58.30 per channel Compatible with any S-100 Bus system On board refresh saves the system's processor from the need to continually update each

+ .4% absolute accuracy

music applications

Options include: fast non-multiplexed 12-bit DAC and/or 10-bit digital output port Perfect for home, laboratory, or electronic

Operations Manual - \$5.00 Check or Money Order



Circle 324 on inquiry card.

# DAL - COMP

**DAL-COMP** gives you the finest lines in electronic hardware, components, computer boards and peripherals.

### **SD SYSTEMS**

FOR S-100

Memory Boards, Video Boards, CPU Boards, PROM Boards, Single Board Computers, Controller Boards, Software.

### SSM

FOR S-100 — APPLE

Video Boards, IO Boards, Music Boards, CPU Boards, RAM Boards, EPROM Boards, Extender Boards, Terminator Boards.

### **AP PRODUCTS**

Solderless Plug Boards, Bread Boards, Flat Ribbon Cable Assemblies, Jumper Headers, Test Clips, Connectors. Sockets.

### **CALIF. COMPUTER SYSTEMS**

FOR S-100 — APPLE — TRS 80

Interface Boards, PROM Boards, Controller Boards, CPU Boards, RAM Boards, Mainframes, Extender Boards. Proto Boards.

### **QT COMPUTER SYSTEMS**

FOR S-100

Memory Boards, CPU Boards, Clock Calendar, Motherboards, I/O Boards, Video Boards, EPROM Boards, Controller Boards.

### **MOUNTAIN HARDWARE**

FOR APPLE

Introl X-10, Apple Clock, Super Talker, ROM Writer, ROM Plus, Music System, A/D & D/A, Expansion Chassis.

— PANAVISE — OK MACHINE & TOOL — MODEMS — EPROM ERASERS — DISKS — DISK DRIVES — POWER SUPPLIES — VECTOR ELECTRONICS — IC's — (TTL — CMOS — MEMORY) — SOCKETS — SWITCHES — TERMINALS —

### **BEFORE YOU BUY**

Call Dal-Comp for prices on all your electronic and computing needs. We offer the finest products in the industry at prices you can compare with anyone. Check our fast service and responsive sales people.

**CALL TOLL FREE 800-527-5310** 

TEXAS RESIDENTS
CALL COLLECT (214) 350-6898

# SALE PRICES ARE FOR PREPAID ORDERS ONLY. FOR OPEN ACCOUNT PLEASE CALL FOR PRICING & TERMS. 4116 250NS 8/\$47.95 8279-5 18.50 DB25P Male Plu

<b>4116</b> 250NS	8/\$47.95	8279-5	18.50	DB25P Male Plug	2.95
<b>2708</b> 450NS	6.25	2114L 300NS	4.95	DB25SFem. Socket	3.60
2716	19.95	1771	26.95	DB25C Cover	1.50
TMS2716+5,-5,+12	17.00	1791	37.95	RS232Set/1ea of above	6.50
2732	79.95	1863/AY5 1015	5.95	UV Eraser	68.95
8080A	3.50	<b>1602B</b> UART	3.95	Dip Switches	Call
Z80A	13.95	S-2350 USRT	7.95	Zip Dip Sockets	Call
8253-5	20.25	8212	3.50	Lo-Pro Sockets	Call



TERMS OF SALE: Cash, checks, money orders, VISA, Master Charge. Minimum Order \$10.00. Texas residents add 5% sales tax. Minimum shipping and handling charge \$3.00. COD orders add \$2.00 COD fee. U.S. funds only, PRICES SUBJECT TO CHANGE WITHOUT NOTICE. SOME ITEMS SUBJECT TO PRIOR SALE. WE RESERVE THE RIGHT TO LIMIT QUANTITIES. 90 DAY GUARANTEE.

DAL-COMP M/O DIV. 2560 ELECTRONIC LANE, SUITE 108, DALLAS, TEXAS 75220 ● (214) 350-6895

Circle 325 on inquiry card.



### 64K BYTE EXPANDABLE RAM

DYNAMIC RAM WITH ON BOARD TRANSPARENT REFRESH GUARANTEED TO OPERATE IN NORTHSTAR, CROMEMCO, VECTOR GRAPHICS, SOL. AND OTHER 8080 OR Z-80 BASED S100
SYSTEMS \* 4MHZ Z-80 WITH NO WAITSTATES.
\* SELECTABLE AND DESELECTABLE IN KINCREMENTS ON 4K ADDRESS BOUNDARIES.

- LOW POWER—8 WATTS MAXIMUM. 200NSEC 4116 RAMS. FULL DOCUMENTATION.
- ASSEMBLED AND TESTED BOARDS ARE GUARANTEED FOR ONE YEAR AND PURCHASE PRICE IS FULLY REFUNDABLE IF BOARD IS RETURNED UNDAMAGED WITHIN

	A 3 3 CIMI D C C D
	TESTED
64KRAM	\$595.00
48K RAM	\$529.00
32K RAM	\$459.00
16K RAM	\$389.00

ASSEMBLED /



★ W/ SOLID FRONT PANEL . . \$239.00 W/ CUTOUTS FOR 2 MINI-FLOPPIES \$239.00 30 AMP POWER SUPPLY \$119.00

\* 8 SLOT MOTHERBOARD \$149.00 ★ 19 SLOT MOTHERBOARD \$199.00

### 16K MEMORY EXPANSION KIT

ONLY \$58

FOR APPLE, TRS-80 KEYBOARD, EXIDY, AND ALL OTHER 16K DYNAMIC SYS TEMS USING MK4116-3 OR EQUIVALENT DEVICES

- 200 NSEC ACCESS, 375 NSEC CYCLE
- BURNED-IN AND FULLY TESTED
- 1 YR. PARTS REPLACEMENT
- GUARANTEE OTY. DISCOUNTS AVAILABLE



### VISTA V-200 MINI-FLOPPY SYSTEM

- S100 DOUBLE DENSITY CONTROLLER
- 204 KBYTE CAPACITY FLOPPY DISK DRIVE WITH CASE & POWER SUPPLY
- MODIFIED CPM OPERATING SYSTEM WITH EXTENDED BASIC

\$695.00



(714) 633-7280 Calif. residents please add 6% sales tax. Mastercharge & Visa accepted. Please allow 14 days for checks to clear bank. Phone orders welcome. Shipping charges 32K BYTE MEMORY
RELIABLE/COSTEFFECTIVE EXPANDABLE RAM FOR
6502 AND 6800 SYSTEM — AIM 65-KIM\*SYM\*PET\*S44-BUS
\* PLUG COMPATIBLE WITH THE AIM-65/SYM EXPANSION

- CONNECTOR BY USING A RIGHT ANGLE CONNECTOR (SUPPLIED) MOUNTED ON THE BACK OF THE MEMORY
- MEMORY BOARD EDGE CONNECTOR PLUGS INTO THE
- MEMORY BOARD EDGE CONNECTOR PLUGS INTO THE 6800 S 44 BUS.
  CONNECTS TO PET OR KIM USING AN ADAPTOR CABLE. RELIABLE—DYNAMIC RAM WITH ON BOARD INVISIBLE REFRESH—LOOKS LIKE STATIC MEMORY BUT AT LOWER COST AND A FRACTION OF THE POWER REQUIRED FOR STATIC BOARDS.
  USES +5V ONLY, SUPPLIED FROM HOST COMPUTER. FULL DOCUMENTATION. ASSEMBLED AND TESTED BOARDS ARE GUARANTEED FOR ONE YEAR AND PURCHASE PRICE IS FULLY REFUNDABLE IF BOARD IS RETURNED UNDAMAGED WITHIN 14 DAYS.

		D 011011111110ED 1111111111 11 DI	
AS	SSEMBLED	WITH 32K RAM	\$419.00
	&	WITH 16K RAM	\$349.00
	TESTED	WITHOUT RAM CHIPS	\$279.00
HA	ARD TO GE	T PARTS (NO RAM CHIPS)	
		D ANO MANUAL	\$109.00
D A	DE DOAD	D P MANILIAL	*40.00



PET INTERFACE KIT—CONNECTS THE 32K RAM BOARD TO A 4K OR 8K PET. CONTAINS: INTERFACE CABLE: BOARD STANDOFFS. POWER SUPPLY MODIFICATION KIT AND COMPLETE INSTRUCTIONS. \$49.00

U.S. PRICES ONLY

### 4081 4082 4093 45501 4510 4511 4514 4516 4520 74C02 74C02 74C03 74C10 74C10 74C10 74C10 74C10 74C10 74C10 74C10 74C10 74C74 74C93 74C93 74C93 74C93 74C93 74C167 74C167 74C167 74C167 74C177 74C177 74C177 74C177 74C177 74C177 4006 4007 4009 4010 4011 4013 4014 4016 4017 4018 4021 4022 4023 4024 4023 \$1.40 AMD 2001BDC HISPED 125 BIT STREET 125 BIT STR MM\$270 4K X1 0YN. — MK4008P — 2101-1254 × 4 STATIC — FD1791 FLOPPY DISC CONTROLLER — MK4027-34K • 1 DYN. RAM 41163 16K DYN. 300 NS — 5280-21078 4K DYN. RAM — - 2.25 - 2.95 - 2.25 6837 - 2.25 6838 - 2.25 DATEL'S DAC-08BC - 8 bit DAC - \$9.95 8" DISKETTES — HARD SECTOR \$1.75, 10/\$16.00

### CRYSTALS \$3.45 ca. 2.000 MHz 6.144 MHz 4.000 MHz 8.000 MHz 3.57 MHz 18.000 MHz 3.57 MHz 18.000 MHz 5.000 MHz 20.000 MHz #30 WIRE 16 cond. - .40/per foot 40 cond. - .75/per foot 50 cond. - .90/per foot DB 25P male . . . . \$3.25 DB 25S female . . . 94.25 HOODS . . . . . \$1.50 RS232 CONNECTORS

	200PRV 1A LASER .95	
FCS 8024 - 4 digit	LED READOUTS	
C.C. 8" display	\$5.95 DL-707 C.A3"	\$ .75
FND 503 C.C5"	\$ .85 DL 747 C.A6"	\$1.50
FND 510 C.A5"	\$ .85 HP3400 .8" CA	\$1.95
DL-704-3" C.C.	\$ .85 HP3405 .8" CC	\$1.95

\$.60 ea,
EPOXY glass vector board 1/16" thick with 1/10" spacing 4\%" × 6\%" \$1.95
74S0030 74S2040 74S153 - 1.10 74S0230 74S3040 74S151 - 1.25
74S0545 74S3240 74S157 - 1.25
74S08 - 40 74S89 - 1.90 74S158 - 1.25
74S1135 74S11285 74S174 - 1.40
74S1540 74S140 - 1.00 74S257 - 1.50
7 WATT LD-65 LASER DIODE IR \$8.95
25 watt Infra Red Pulse (SG 2006 equiv.) Laser Diode (Spec sheet included) \$24.95
MINIATURE MULTI-TURN TRIM POTS 100, 5K, 10K, 20K, 250K, 1 Meg, \$.75 each 3/2.00
2N3820 P FET \$ .45 2N 5457 N FET \$ .45 2N 2646 U.T. \$ .45 ER 900 TRIGGER DIODES 4 \$1.00 2N 6028 PROG, U.JT \$ .65
FP 100 PHOTO TRANS  RED, YELLOW OR GEEN LARGE LED's. 2". 6/81 00  RED (SIECH BIPOLAR LED's. 5 55  MLEDSZ R LED 5 75  MLED 5 75  MLEDSZ R LED 5 75  MLEDSZ R LED 5 75  MLEDSZ R LED 5 75
TTL REED RELAY - SPST 5V 20ma \$1.00
Silicon Power Rectifiers
PRV 1A 3A 12A 50A 125A 240A
100 .06 .14 .35 .90 .3.70 5.00
200 .07 .20 .40 1.30 4.25 6.50
400 .09 .25 .65 1.50 6.50 9.60 600 .11 .30 .80 2.00 8.50 12.50
800 .15 .35 1.00 2.50 10.50 16.50
1000 .20 .45 1.25 3.00 12.50 20.00
IN 4148 (IN914)
REGULATORS LM317T
79HGKC - 5V at 5A \$6.95 18 or 24 V \$1.10 723 \$ .50 320M5 \$ .75 320T - 5, 12, or 15V \$1.10

PRINTED CIRCUIT BOARD

4" x 6" DOUBLE SIDED EPOXY BOARD 1/16" thick \$ 60 ea. 5/42 60

2MIS46PNPGETO3 2ME393NPM SWITCH MRF 8004a C B RF TR 2M3772 NPM SIT 04 2M 3006 PN F SIT 04 3M 5006 PN F SIT 04 2M 5006 PN F SIT	IING POWER ANSISTOR NPN  16 16 10 10 10 10 10 10 10 10 10 10 10 10 10	\$ 95 \$1,95 \$1,95 \$1,00 \$1,00 451,00 \$ 55 \$1,50 \$70 \$2,91,00 \$ 55 \$1,50 \$
-	TLIC SERIES	7415765
7397.5		74160 - 85
740017	7448 - 75	74161 - 80
7410117	7450 — .17	74162 - 1 20
740217	7472 — .35	7416395
740317	747335	7416485
7404 24	7474 — .42	7416585
740524	7475 — .49	74166 - 1.05
740633	7476 — .45	74167 - 1.35
7407 - 35	7480 — .45	74170 — 1.60
740827	7483 — .60	74173 - 1.30
740024	7485 — .75	7417485
741017	7486 — .42	7417575
7411 - 22	7489 — 1.60	7417675
741222	7490 — .50	7417775
741342	7491 — .55 7492 — 50	74180 — .75
7414 — .90 7416 — .33	7492 — .50 7493 — .50	74181 — 1.90
741633 741737	7493 — .50 7494 — .60	74190 — 1.20
7420 — .17	7495 — .60	74191 - 1.20
7425 — .35	7496 — .60	7419279
742633	7410735	74193 — .79
742735	7412135	74194 — .85 74195 — .65
7430 - 17	7412239	
743227	74123 - 42	
7437 — 27	74125 - 45	7419787 74279 - 95
743827	74126 — .45	74325 - 2.25
7440 — .17	74145 — .75	7436580
744185	74150 — 1.10	7436780
744250	74151 — .65	74368 = .65 75:191 - 1.05
744570	7415355	75491 - 1.05 75492 - 1.05
744675	75154 — 1.10	8T98 — 1.10
744775	74155 — .75	
14 nin headers		3/\$1.00

TRANSISTOR SPECIALS

14 pin headers		3/\$1.00
MM5387AA	CLOCK CHIPS	\$5.95
MM5314		\$4.75
MM5316		\$4.95

\$1.40

100'
ALCO MINIATURE TOGGLE SWITCHES
MTA 106 SPDT
MTA 206 DPDT
MTA 206 P-DPDT CENTR OFF
MSD 206 P-DPDT CENTER OFF LEVER SWITCH

Fu	II V	Vave	Bric	lges	DIF	80	CKETS	1
10 20 40 60	00 S/ Si 1	.80 1.00 1.30 ANKI 010 G 1	0 WAT	TS	8 PIN 14 PIN 16 PIN 18 PIN	.17 .20 .22 .25 VER	22 PIN 24 PIN 28 PIN 40 PIN 1 AMPS	50
	Si 1	7AN			CAPA			10
.4 .6 11 2.	7UF 8UF UF 3	35 V 35 V 35 V 55V 20V	5/\$ 5/\$ 5/\$	1.00 1.00 1.00 1.00 1.00 1.00	4.7UF 1 6.8UF3 15UF1 30UF6 33UF2 100UF	5 V 6 V V 0 V	5/\$1.00 4/\$1.00 3/\$1.00 5/\$1.00 \$ .60 \$ .70 \$ .95	
741	SS	ERIES					AR CIRCUIT	s

/4L33	ENI	ES				LINEAR CIRCUITS
741.500	-	28	74LS153	_	1.19	LM20175 LM270 - 1.50
741.501	-	29	74LS155	-	1.19	LM301/748 — .25
741.502	-	28	74LS156	-	1.19	LM307 - 30
741.503	-	28	74LS157	_	45	LM 875
141,504	-	35	741.5160	_	1.10	LM 875 LM31175
MLS06		35	741 5162	_	1.10	
741.508	-	.35	74LS163	-	1.20	LM318 - 1.20
	-	.35	74LS164	- 5	1.20	LM32495
74LS09	-		7415168	-	1.25	LM339 - 1.10
ML510	-	30	7415169	_	1.25	LM348 — .90
MESTI	200	.45			1.25	LM358 — .70
741.512	- 100	35	74LS170 74LS173	-	1,70	LM361 - 1.75
74LS13	.000	.95		_	1,30	LM377 1.60
74ES14		1.20	74L\$174	-	1.00	LM380 — .95
741,515	-	.35	74LS175	-	1.00	LM382 - 1.25
741.520	560	30	74LS181	_	2.50	LM38680
741.521	-	.55	74L5190	-	1.25	LM387 - 1.25
74L572	-	35	74LS191	_	1,15	LM1808 - 1.75
741.526		35	74LS192	-	1.00	1810PC - 2.20
741.527	-	.45	74LS193	-	1.10	LM 1889 — 1.95
741.528		45	74LS194		1.95	CA3018 - 1.95
74LS30	-	35	74LS195		1.10	CA3016 — 1.95 CA3080 — .95
74L532	-	40	74LS196	-	1.20	
		.45	74LS197	1	3.10	CA3096 — .95
74L537		.45	741.5240	-	250	LM370 - 1.50
74L538	700	40	741.5241	=	2.95	L M537 — 2.50
ML540	-		741.5242		3.00	LMS53 = 2.50
74LS42	-	1.00	741.5243			LM56549
Mt.547	-	1.05			2.75	LM 55685
74LS51	-	.35	74LS244	-	2.50	560 - 2.00
74L554		.35	741.5251	-	1.29	56595
74LS74	-	1.05	74LS257 74LS258	-	.90	566 - 1 25
74L576	-	45	741,5258	-	1.50	S67 I 10
74LS86	-	45	74LS259		1.50	702 - 95
74L590	-	90	74LS266	-	-70	703 - 65
24LS92	-	90	74LS279		.70	709 - 25
74LS93	-	.90	74LS290	_	80	710 - 45
74LS107	-	45	741.5293	_	80	711CH - 40
7415109	-	45	74LS295	-	1 50	741C or V - 30
24LS112		45	74LS298	_	1.50	747 - 50
74LS113	-	45	74L5365	_	.80	LM 1310 - 1.95
74LS114		55	74LS366	_	80	1458 - 50
74LS125		.90	74LS367	-	80	3900 - 55
74LS126	-	90	74LS368	-	.80	8038CC - 3 90
74LS132		95	74LS375	1	.95	
741,5138			74LS377		2.75	4136 - 95
74LS139	3.	1.25	74L5386	-	.50	LF355 - 1 25
74LS133		1.19	74LS390		1.95	NE540L 2.50
/4L5151		1.13	7410000		1.55	
	-	57	1			TO14 00
	sc	H S				TRIACS
	_		_	_	_	
11	.5A	6A	35A 11	OA.		PRV 1A 10A 25A

SCR'S						TRIACS			
	1.5A	6A	35A	110A	PRV	1A	10A	25A	
100	.45	.60	1.40		100	.45	.80	1.55	
200	.70	.80	1.90	9.00	200	.84	1.30	2.10	
400	1.20	1.40	2.60	12.00	400	1.30	1.90	3.10	
600	1	1.80	3.60	15.00	600	2.00	2.75	4.30	

Send 25¢ for our catalog featuring Transistors and Rectifiers 145 Hampshire St., Cambridge, Mass.



SOLID STATE SALES SOMERVILLE, MASS. 02143 TEL. (617) 547-7053

WE SHIP OVER 95% OF OUR ORDERS THE DAY WE RECEIVE THEM

# WE WILL NOT BE UNDERSOL

\$269

\$939

\$1575

\$1665

\$559

\$679

\$349

\$869

### 16K MEMORY UPGRADE KITS

for TRS-80\*, Apple II, (specify): Jumpers \$2.50

### **PRINTERS**



### **NEC Spinwriter**

Letter Quality High Speed Printer

Includes TRS-80\* interface software, quick change print fonts, 55 cps, bidirectional, high resolution plotting, graphing, proportional spacing: R.O.

R.O. with Tractor Feed \$2789	KSR with Tractor Feed	\$3200
779 CENTRONICS TRACTOR FEE	D PRINTER	\$969
Same as Radio Shack line prin	iter I	

737 CENTRONICS FRICTION & PIN FEED PRINTER \$839 9 x 7 matrix \$639

730 CENTRONICS FRICTION & PIN FEED PRINTER 7 x 7 matrix Same as Radio Shack line printer II

P1 CENTRONICS PRINTER

Same as Radio Shack quick printer

PAPER TIGER (IP440)

Includes 2K buffer and graphics option

TI-810 Faster than Radio Shack line printer III Parallel and serial w/TRS-80\* interface software

with upper and lower case and paper tray

OKIDATA Microline 80 Friction and pin feed Tractor Feed, friction, and pin feed EATON LRC 7000 + 64 columns, plain paper

**ANADEX** DP-9500 \$1389 DP-8000

### DISK OPERATING SYSTEMS

PATCHPAK #4 by Percom Data 8.95 CP/M for Model I, Zenith \$145 for Model II, Altos \$169.00 **NEWDOS Plus** — with over 200 modifications 35track \$ 89.00 and corrections to TRS-DOS 40 or 70 Track \$ 99.00

\$49

### **DISK DRIVES**

\$314

More capacity than Radio Shack 35 Track (80 K Bytes) drives. Fully assembled and tested. Ready to plug-in and run the moment you receive it. Can be intermixed with each other and Radio Shack drive on same cable. TRS-80\* compatible silver enclosure. External card edge included.

90 DAY WARRANTY, ONE YEAR ON POWER SUPPLY.

FOR TRS-80*		
CCI-100	51/4", 40 Track (102K Bytes) for Model I	\$314
CCI-200	51/4", 77 Track (197K Bytes) for Model I	\$549
CCI-800	8" Drive for Model II (1/2 Meg Bytes)	\$795
For Zenith Z89		

CCI-189 51/4", 40 Track (102K Bytes) add-on drive \$394 Z-87 Dual 5 1/4" add-on drive system \$995 DISKETTES - Box of 10 (5 1/4") - with plastic library case \$24.95

8" double density for Model II (box of 10) \$36.49

### COMPLETE SYSTEMS

	• · • · • · · · ·			
TRS-80* LEVEL II-16	\$709			
TRS-80* Expansion I	\$269			
HEWLETT PACKAR	\$3199			
ZENITH Z89, 48K all-	in-one computer	\$2595		
ZENITH Z19		\$740		
TELEVIDEO	912B \$745	920B \$769		
ATARI 400 \$489	ATARI 800 \$799			
MATTEL INTELLIVIS	\$249			
Software available for the above systems				

\$148 CAT MODEM Originate and answer same as Radio Shack Telephone Interface II **LEEDEX MONITOR Video 100** \$119

### SOFTWARE FOR THE TRS-80\* Software / Manual / Alone

CCI-INVESTMENT PORTFOLIO MANAGER: This is what investors have been waiting for! This powerful program was developed by security analysts working with software designers. It comes on one cases to IGK LEVEL II BASIC on one side, 32K DISK BASIC on the other. Store and report data; Review your portfolio; Produce detailed status, value, gain, and security analysis; Compare atternatives \$49.95/\$10

analysis; Compare atternatives 349.95/\$10

INTELLIGENT TERMINAL SYSTEM \$78.04|| BY LANCE MIKLUS: Enables a TRS-80" to act as a diaup terminal on any standard time sharing network. Provides a TRS-80" with control key, ESC Key, Repeat Key, Rub Out Key, Break Key, full upper and lower case support, selectable printer output and program selectable transmission rates \$139/\$10

CCA-DATA MANAGEMENT SYSTEM: Automate your information processing tasks. You can create a file of customer information; quickly and easily add, delete or update records; search a file; keep a file inforder of the value in any field; and print records and labels in any desired sequence or from just a part of a file. Requires 32K 178-58 and one drive.

CSA-MAILIST SYSTEM: Creates, maintains and effi-CSA-MAILIST SYSTEM: Creates, maintains and efficiently utilizes a name, address and telephone number file. 400 individual name/address entries can be maintained on a single density mini-floppy, and are manipulated directly by record number (direct access file method). Sorts can be performed, name + address combinations can be coded. Listing-directories and labels can be printed. A conversion facility is provided to convert most sequential name, address file formats into direct. Requires 32K TRS-80 and one drive.

S & M SYSTEMS
INSEQ-80<sup>TM</sup>: Indexed Sequential Access Method
(ISAM) for the TIS-80 Model I. A must for anyone writing business programs. Eliminate wasted disk space
from direct record processing, Split second access to
any record. Access data records instantly via alpha/
numeric "Key" eg. Part NR. zip code or sequentially in
ascending key sequence. Add/modify records in anyone process. Tell business and process. order. Access up to three files per program— Files may be spread over multiple disks. Machine language processing from your basic program, Utility program to convert direct files to INSEQ-80 format. \$49.95/\$10

FULLY INTERACTIVE ACCOUNTING PACKAGE SAM (INSEQ-80) based. Includes General Ledger.
Accounts Payable, Accounts Receivable and Payroll.
System runs: "stand alone" or "co-ordinated Git." at users option. Based on Osborne accounting method.
Requires 324, TRS-80, 2 or 3 drives. N/A CA.
General Ledger
Accounts Receivable
S99/\$10
Accounts Payable
Payroll
S99/\$10
S99/\$10

Osborne books: Req'd as additional documentation \$20 ea

INVENTORY Requires 32K, TRS-80, 1 drive \$125/\$10 INSORT-80: Callable form BASIC via USR. Sorts "Random" Disk Files. "Disk" to "Disk" sort times—350 records in 35 secs, 1000 records in 6 minutes, 3500 records in 12 minutes. Machine language processing. Up to 35 sort keys ascending/descending. Utility to build BASIC program. Runs under NEWDOS. \$49.95/\$10

### CP/M BASED SOFTWARE for Zenith, Altos, Radio Shack, Apple withanual Alone

MICROSOFT
BASIC-80: Disk Extended BASIC ANSI compatible with long variable names, WHILE/WEND, chaining, variable length file records.

BASIC COMPILER: Language compatible with BASIC-80 and 3-10 times faster execution. Produces standard Microsoft relocatable binary output. Includes MACRO-80 Also linkable to FORTRAN-80 or COBOL-80 code modules.

modules. \$350/825 CFORTRAN-80: ANSI 66 (except for COMPLEX) plus many extensions. Includes relocatable object compiler, linking loader, library with manager. Also includes MACRO-80(see below) \$425/825

includes MACRO-80(see below)

\$425/525
COBAL-80: Level 1 ANSI 73 standard COBAL plus most of Level 2. Full sequential, relative and indexed file support with variable file names. STRING, COMPUTE, VARYING/JUNTIL. EXTEND. CALL. COPY, SEARCH, 3-dimensional arrays, compound and abbreviated conditions, nested IF. Power ful interactive screen-handling extensions. Includes compatible assemblet, linking loader, and relocatable library manager as described under MACRO-80.

Z-80 SOFTCARD FOR APPLE: Your key to future soft-ware expansion. Get the best of both worlds, Apple's 6502 and CPIM Z-80. Plug in the card and get a Z80. Supports Apple language card and all Apple peripher-als. Comes with set of three manuals. \$3391875

CCI-TELNET VERSION 5: A communication Package which enables microcomputer users to communicate both with Large Mainframes and other microcomputers. Extensive commands make it useful in many applications where communication between computers is necessary. Powerful terminal mode enabling

user to save all data from a session on disk. Completely CP/M compatible. Multiple communication protocols supported. Able to transfer files in both directions without protocol where the other machine does not support any protocol. Extensive ON-SCRERN help. Sourcecode provided. 3149/151

MICROPRO-WORD-STAR: Menu driven visual word processing system for use with standard terminals rest formatting performed on screen. Facilities for text paginate, page number, justify, center and underscore. User can print one document while simultaneously editing a second. Edit facilities include global search and replace. Read/Write to other text fles, block move, etc. Requires CRT terminal with addressable cursor positioning.

\$399/\$40

BDS 'C' COMPILER: Supports most features of language, including structures, arrays, pointers, recursive function evaluation, and overlays. Package contains: compiler, inter, library manager, sample source lifes include games, a tenninal emulator with disk I/O plus the source for many standard library functions; BDS C User's Guide; Book - The C Programming Language by Dennis Ritchie and Brian Kemigham. Requires at least 24Kof RAM \$125/\$20

24Kof RAM

CONFIGURABLE BUSINESS SYSTEM BY DMA: CBS is a data management system that allows true transaction processing. The system features a screen menu generator and a comprehensive report generator which can be used to produce invoices, purchase orders, order reports, maling labels or other special management of the special tion and a demonstration inventory system supplied. Requires at least 48K memory. Does not require any support language.

ACCESSORIES
HEAD CLEANING DISKETTE: Cleans drive Read/ Write head in 30 seconds. Diskette absorbs loose oxide particles, fingerprints, and other foreign particles that might hinder the performance of the drive head. Lasts at least 3 months with daily use. Specify 5½" or 8".

FLOPP's SAVER: Protection for center holes of 51/4 floppy disks. Only 1 needed per diskette. Kit contains centering post, pressure tool, tough 7-mil mylar reinforcing rings. Installation tools and rings for 25 diskettes.

\$11.95 Re-orders of rings only: \$ 7.95

ACCESSORIES
EXTERNAL DATA SEPARATOR: Eliminates data separation problems(crc), Improves reliability. This plug-in unit comes fully assembled and tested. \$29,95 RS 232 DISK-DRIVE EXTENDER CABLES: Fits all min

AC LINE CORD FILTER & 6 PRONG POWER STRIP

DISK DRIVE CABLES: 2 drive-\$29.00 4 drive-\$35.00 DUST COVERS: TRS-80/Apple: 57.95 TRS-80 & OTHERM YSTERIES \$19.95 RF MODULATOR: Adapts video to T V. \$35.00

### DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED

### Send for FREE Catalogue

**TO ORDER CALL TOLL FREE 1-800-343-6522** 

Massachusetts residents call (617) 242-3361 For detailed technical information, call 617/242-3361

Hours: 10AM-6PM (EST) M-F (Sat. till 5) \*TRS-80 is a Tandy Corporation Trademark 5 Dexter Row, Dept. B9M Charlestown, Massachusetts 02129

Massachusetts residents add 5% sales tax

Quantities on some items are limited





7.45 10 @ 6.95 50 @ 6.55 100 @ 6.15 6502A 8.40 10 @ 7.95 50 @ 7.35 100 @ 6.90 6520 PIA 5.15 10@ 4.90 50@ 4.45 100@ 4.15 6522VIA 7.15 10 @ 6.95 50 @ 6.45 100 @ 6.00 6532 7.90 10 @ 7.40 50 @ 7.00 100 @ 6 60 4.65 20 @ 4.35 100 @ 4.15 2114-1 450 2114-L300 5.95 20 @ 5.45 100 @ 5.10 2716 EPROM 21.00 5 @ 19.00 10 @ 17.00 4116-200 ns RAM 700 8 @ 6.25 6550 RAM (PET 8K) 12.70 21L02 90 2.85 10 @ 2.65 S-100 Wire Wrap S-100 Solder Tail 2.35 10 @ 2.15

### CASSETTES-AGFA PE-611 PREMIUM

High output, low noise, 5 screw housing, labels C-10 10/5.65 50/25.00 100/48.00 C-20 10/6.45 50/29.50 100/57.00 C-30 10/7.30 50/34.00 100/66.0u

All other lengths available. Write for price sist.

### DISKS (write for quantity prices)



SCOTCH 8" Disks		10/\$31.00
SCOTCH 5.25" Disks		10/ 31.50
Verbatim 5.25" Disks		10/ 24.50
Diskette Storage Pages		10/ 3.95
Disk Library Cases	8" - 2.95	5" - 2.15
BASF 5.25" Disks		10/ 25.00
BASF 8" Disks		10/ 27.00

### ATARI—INTRODUCTORY SPECIAL Atari 400, Atari 800, all Atari Modules 20% OFF

115 E. Stump Road 215-699-5826 Montgomeryville, PA 18936

### Commodore CBM-PET SPECIALS



-Up to \$235 fr merchandise with purch -Up to \$235 free with purchase of one of following CBM-PET

items:	FI	REE
8032 32K-80 column CRT	\$1795	235
8016 16K-80 column CRT	1495	205
8050 Dual Disk Drive-950,000 bytes	1695	220
CBM Modem-IEEE Interface	395	50
CBM Voice Synthesizer	395	50
8N full size graphics keyboard	795	100
16N full size graphics keyboard	995	135
32N full size graphics keyboard	1295	170
16B full size business keyboard	995	135
32B full size business keyboard	1295	170
2040 Dual Disk Drive-343,000 bytes	1295	170
2022 Tractor Feed Printer	795	100
2023 Pressure Feed Printer	695	90
C2N External Cassette Deck	95	12
Used 8 K PETs (limited quantities)	495	
**** EDUCATIONAL DIC	COLLETTO +	

### **EDUCATIONAL DISCOUNTS \*\*\*\***

buy 2 computers, get i Fhe	_
CBM Full Size Graphics Keyboard	\$ 74
CBM Word Pro I-for 8K PET	25
CBM WordPro II-16 or 32K, 2040, Printer	88
CBM WordPro III-32K, 2040, Printer	178
VISICALC for PET (CBM/Personal Software)	\$128
CBM Assembler/Editor (disk)	89
CBM General Ledger, A/P, A/R NEW!	270
Programmers Toolkit-PET ROM Utilities	\$ 44.90
PET Spacemaker Switch	22.90
Dust Cover for PET	7.90
IEEE-Parallel Printer Interface for PET	79.00
IEEE-RS232 Printer Interface for PET	149.00

A B Computers

\$845 Centronics 737 Proportional Spacing Printer NEC Spinwriter-parallel 2450 SYM-1 \$209 with 4K RAM \$ 238 SYM BAS-1 BASIC in ROM 85 SYM RAE-1/2 Assembler in ROM 85 MDT 1000 Synertek Development System 1345 KTM-2/80 Synertek Video Board 349 KIM-1 (add \$34 for power supply) 159 Seawell Motherboard-4K RAM 195 Seawell 16K Static RAM-KIM, SYM, AIM 320 S-100 Static RAM kit SALE 198 Leedex Video 100 12" Monitor 129 Zenith Z19 Terminal (factory asm.) 770 KL-4M Four Voice Music Board for PET \$34.90 Visible Music Monitor (4 Voice) for PET 29 90 SPECIAL-KL-4M with Visible Music Monitor 59.90 MICROTHELLO for PET by Michael Riley \$9.95

Machine language version-you can't win at Level 5. PAPER MATE 60 Command PETWord Processor \$29.95 Full-featured version by Michael Riley



### A P Products 15% OFF

All Book and Software Prices are Discounted PET Personal Computer Guide (Osborne) PET and the IEEE-488 Bus (Osborne) 12.75 6502 Assembly Language (Osborne) 9.45 Programming the 6502 (Zaks) 10.45 6502 Applications Book (Zaks) 10.45 7.75 Programming a Microcomputer: 6502 6502 Software Bookbook (Scelbi) 9 45

WRITE FOR CATALOG Add \$1 per order for shipping. We pay balance of UPS surface charges on all prepaid orders.

# ORICIOUS COLDINA AND I GUOUS FARCICAL STRUCTURS

# **TRS-80's**

DISCOUNTS of 10%, 15% and More available.

WE PAY Domestic U.P.S. shipping and insurance on minimum orders.

NO TAXES are collected on out-of-state shipments.

TOLL FREE Order Number 800/531-7466.

**OPEN** 8:00 a.m. to 6:00 p.m., Central Time, Monday through Friday; 9:00 a.m. to 6:00 p.m., Saturday.

# merican Electronics

**Incorporated** A Radio Shack

AUTHORIZED SALES CENTER



368

1117 CONWAY MISSION, TEXAS 78572 TOLL FREE ORDER NUMBER 800/531-7466 TEXAS AND PRINCIPAL TELEPHONE NUMBER 512/581-2765



### TRS-80 SERIALI/O

Can input into basic Can use LLIST and LPRINT to output, or output continuously . RS-232 compatible • Can be used with or without the expansion bus • On board switch selectable baud rates of 110, 150, 300, 600, 1200, 2400, parity or no parity odd or even, 5 to 8 data bits, and 1 or 2 stop bits. D.T.R. line • Requires +5, -12 VDC • Board only \$19.95 Part No. 8010, with parts \$59.95 Part. No. 801 OA, assembled \$79.95 Part No. 8010 C. No connectors provided, see below.



EIA/RS-232 connector Part No. DB25P \$6.00, with 9'. 8 conductor cable \$10.95 Part No. DB25P9





withattachedconnectors tofitTRS-80 and our serial board \$1995 Part No. 3CAB40

### COMPUCRUISE



\$129.95; with cruise control \$169.95

### **PAPER TIGER**



Prints address labels, multicopy invoices and legal-sizereports. Adjust the tractor width from 1-3/4 to 9-1/2 inches. 8 switch-selectable forms lengths. Print 6 or 8 lines per inch. Add the software-selectable full dot plotting graphics option to print illustrations, block letters, charts, graphs. Part No. 162172\$899.95 • with graphics option Part No. 162173\$1099.95

### GAME PADDLES & SOUND




Includes: 2 game paddles, interface, software, speaker, power supply, full documentation including: schematics, theory of operation, and user guide; plus 2 games on cassette (Pong and Starship War). \$79.95 Complete Part No. 7922C

### DIGICOM DATA PRODUCTS INC. Series 312 Acoustic Coupler



30D BAUD Originate, Part No. AC3122, \$219.95. 300 BAUD Answer, Part No. AC3122, \$219.95. 300BAUD Answer/Originate,PartNo. AC3123, \$229.95.

### IBEX LIGHT PEN



Comes with Backgammon and Tic-Tac-Toe on tape with full documentation and program listing. Requires 9v. battery. Part No. IBEX \$19.95

### SYSTEM EXPANSION from LNW Research

Serial RS232C/20
mA I/0 • Floppy controller • 32K bytes
memory • Parallelprinter port • Dual cassette
port • Real-time clock
• Screen printer bus •
Onboard power supply
• Software compatible
• Solder mask, silk
screen. PC board and

user manual, Part No.

LNW80, \$69.95.

DISKETTES



Box of 10, 5" \$29.95, 8" \$39.95. Plastic box, holds 10 diskettes, 5" - \$4.50, 8" - \$6.50.

### **16K RAMS**

For the Apple, TRS-80 or Pet \$8 each Part No. 4116/2117

### LEEDEX MONITOR



12" Black and White •
12 MHz Bandwidth
• Handsome Plastic
Case • \$139.00

### S-100 INTERFACE



AN S-100 bus Adapter—Motherboard for the TRS-80. Kit, Part No. HUH810LXK, \$295.95. Assembeled, Part No. HUH81DLXA, \$375.95.

### NOW! A FULL SUPPORT SYSTEM FOR TRS-80



● 32K of RAM ● EPROM firmware ● Disk control ● Data acquisition ● Parallel I/O ● Serial I/O ● Plug into GPA's Motherboard. GPA's quality design includes ● 6-44 pin edge connectors ● +5V, -5V, +12V, -12V external power supply required ● Active termination. The Motherboard, Part No. GPABO, is only \$149,95.

### TAKE ADVANTAGE OF GPA-EXPANSION CARDS FOR THE GPA80

Memory cards: Now with Fortran compilers available for your TRS-80, additional expansion memory is a must! Card with sockets only, Part No. GPA801, \$119.95. Card with 16K of4116 Dynamic Ram, Part No. GPA802, \$224.95. Card with 32K of4116 Dynamic Ram, Part No. GPA803, \$329.95. All cards come equipped with sockets to accomodate 32K of Ram.

EPROM firmware card. Put those valuable

EPROM firmware card. Put those valuable subroutines in firmware. Don't waste time loading and unloading tapes and disks. For 2708 or 2716 EPROMS, Part No. GPA806, \$79.95.

Serial I/O card. Here's what you've been asking for, a full serial terminal interface, with RS-232C or 20 mA Current loop. Input/output capabilities. Part No. GPA807, \$79.95.

Parallel I/O Card. Control functions in the outside world, monitor and store real time events. Two parallel output ports. Dip switches select ports (0-254). Part No. GPA808, \$79.95.

### FLOPPY DISK STORAGE BINDERS



Three ring binder comes with ten transparent plastic sleeves which accommodate either twenty, five-inch or ten, eight-inch floppy disks. Binder & 10 holders, Part No. 810B—\$9.95 • Extra holders, Part No. 810—690 each



Three-ring binder with ten 5 1/4 inch jackets Part No. 510B—\$9.95• Jackets only, fits standard 3-ring binders, Part No. 510—69¢ each.

### DIGITAL



5 min. each side. Box of 10 \$9.95. Part **No**. C-5.

### TRENDCOM PRINTER



TRENDCOM 200, Part No. TRC0200 \$495.95. Interface for TRS-80, Part No. T80A \$49.95, For Apple II, Part No. TRCALL, \$75.95. For PET, NO. TRCP2, \$79.95. For Scoccerer, TRCSR1 \$45.95.

### SARGON: A Computer Chess Program

Features the complete program that won the 1978 West Coast Computer Faire Tournament. Part No. 00603 — TRS-80 Level II; Part No. 00604 — Apple II (24K). \$19.95

### SPINWRITER MODELS 5510 and 5520



Features—EIA RS-232C/CCITT V.24 Interface Standard • 55 Characters Per Second Maximum Print Rate • Impeccable Print Guality (OCR Guality) • Microprocessor Electronics • High Resolution Plotting/Graphing • Lowest Operating Noise Level • Self-Test Printing • Operator Engineered Control Panel • Prints Original and up to Seven Copies • NEC Information Systems new Model 5510 Receive Only and Model 5520 Keyboard Send/Receive SPIN-WRITER terminals are microprocessor controlled serial, impact terminals designed for remote printing applications where impeccable print quality is required. Model 5510 RO, Part No. NECA30759 \$2795.95 • Model 5520 KSR, Part No. NECA30762 \$3095.95

### Send for FREE Catalog...a big self addressed envelope with 80¢ postage gets it fastest!

### To Order:



Mention part no., description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders (U.S. only) or a VISA or Master Charge no., expiration date, signature and phone no., shipping charges will be added. CA residents add 6.5% for tax. Outside USA add 15% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. Prices subject to change without notice.

Order Line: (408) 448-0800

# ELECTRONIC SYSTEMS Dept. B, P.O. Box 21638, San Jose, CA USA 95151

### **HEX ENCODED KEYBOARD**

Four onboard LEOs indicate the HEX code generated for each key depression. The board requires a single +5 volt supply. Board only \$15.00 Part No. HEX-3, with parts \$49.95 Part No. HEX-3A. 44 pin edge connector \$4.00 Part No. 44P.



T.V.



Stand alone TVT 32 char/line, 16 lines, modifications for 64 char/line included Parallel ASCII (TTL) input • Video output 1K on board memory Output for computer controlled curser • Auto scroll . Nondestructive curser • Curser inputs: up, down, left, right, home, EOL, EOS ● Scroll up, down ● Requires +5 volts at 1.5 amps, and -12 volts at 30 m A ● All volts at 3U mA ● All 7400, TTL chips Char. gen. 2513 ● Upper case only ● Board only \$39.00 Part No. 106, with parts \$145.00 Part No. 106A

### 44 BUS MOTHER BOARD



Has provisions for ten 44 pin (.156) connectors, spaced 3/4 of an inch apart. Pin 20 is connected to X, and 22 is connected to Z for power and ground. All the other pins are connected in parallel. This board also has provisions for bypass canacitors. Board cost \$15.00 Part No. Connectors \$3.00 each Part No. 44WP

# UART & BAUD RATE GENERATOR



● Converts serial to parallel and parallel to serial ● Low cost on board baud rate generator ● Baud rates: 110, 150, 300, 600, 1200, and 2400 ● Low power drain +5 volts and −12 volts required ● TTL compatible ● All characters contain a start bit, 5 to 8 data bits, 1 or 2 stop bits, and either odd or even parity. ● All connections go to a 44 pin gold plated edge connector ● Board only \$12.00 Part No. 101, with parts \$35.00 Part No. 101A, 44 pin edge connector \$4.00 Part No. 101A, 44P

### RS-232/20mA INTERFACE



This board has two passive, opto-isolated circuits. One converts RS-232 to 20mA, the other converts 20mA to RS-232. All connections go to a 10 pin edge connector. Requires +12 and -12 volts. Board only \$9.95, part no. 7901, with parts \$14.95 Part No. 7901A.

### ASCII TO CORRESPONDENCE CODE CONVERTER

This bidirectional board is a direct replacement for the board inside the Trendata 1000 terminal. The on board connector provides RS-232 serial in and out. Sold only as an assembled and tested unit for \$249.95. Part No. TA 1000C

### **ASCII KEYBOARD**

53 Keys popular ASR-33 format • Rugged G-10 P.C. Board • Tri-mode MOS encoding • Two-Key Rollover • MOS/DTL/ITL Compatible • Upper Case lockout • Data and Strobe inversion option • Three User Definable Keys • Low contact bounce • Selectable Parity • Custom Keycaps • George Risk Model 753. Requires +5, -12 volts. \$59.95 Kit.

### **ASCII KEYBOARD**

TTL & DTL compatible • Full 67 key array • Full 12B character ASCII output • Positive logic with outputs resting low • Data Strobe • Five user-definable spare keys • Standard 22 pin dual card edge connector • Requires + 5VDC, 325 mA. Assembled & Tested. Cherry Pro Part No. P70-05AB. \$119.95.



### A-to-D D-to-A CONVERTER



Analog to Digital, Digital to Analog Converter, A-Dconversion time 20us. D-A conversion 5us. Uses include speech and music synthesizing and slow scan TV. Sin-

gle power supply (5V), 8 Bits wide, latched I/O, strobe lines. Part No. 79287K Complete Kit \$49.95 • Part No. 79287A Assembled \$69.95

### SOLID STATE SWITCH





Your computer can control power (120VAC) to your printer; lights, and other 120VAC appliances up to 720 watts (6AMPSat 120VAC) Input 3 to 15 VDC, 2-13 MA TTL

compatible, isolation 1500V. Part No. 79000K 1 Channel Kit \$9.95 • Assm. \$12.50 • Part No. 79004K 4 Channel Kit \$34.95 • Assm. \$44.95.

### SUPER MODEM



Orignate, RS-232 and 20 mA compatable, Full duplex, and half duplex, direct connect or acoustic coupled, on board power supply, car-

board power supply, carrier detect light, DB25 plug , 300 BAUD. Type 103 compatable frequencies, Bare board Part No. 2000, \$19,95, Kit Part No. 2000A, \$99.95.

### T.V. INTERFACE



● Converts video to AM modulated RF, Channels 2 or 3. So powerful almost no tuning is required. On board regulated power supply makes this extremely stable. Rated very highly in Doctor Dobbs' Journal. Recommended by Apple ● Power required is 12 volts AC C.T., or +5 volts DC ● Board only \$7.60 part No. 107, with parts \$13.50 Part No. 107A

### SOROCIQ 120



Upper/lower case display • Numeric keypad & cursor keys • Protected fields, ½ intensity display • RS 232 interface & aux. port. IQ120—\$799.95 • IQ140 Detachable keyboard—\$1199.95

### RS-32/TTL INTERFACE



● Converts TTL to RS-232, and converts RS-232 to TTL ● Two separate circuits ● Requires -12 and +12 volts ● All connections go to a 10 pin edge connector, kit\$9.95 Part No.232A10Pnedgeconnector \$3.00 part No.

### TAPE INTERFACE



• Converts a low cost tape recorder to a digital recorder • Works up to 1200 baud • Digital in and out are TTL-serial • Output of board connects to mic. in of recorder • Earphone of recorder connects to input on board • No coils • Requires +5 volts, low power drain • Board only \$7.60 Part No. 111, with parts \$29.95Part No. 111A

### MODEM



● Type 103 ● Full or half duplex ● Works up to 300 baud ● Originate or Answer ● Serial TTL input and output ● connect 8 Ω speaker and crystal mic. directly to board ● Requires +5 volts ● Board only \$7.60 Part No. 109, with parts \$29.95 Part No. 109A.

### COMPUCOLOR II



With reg. keyboard MOD3 BK \$1449.95 MOD4 16 K \$1495.95 MOD5 32K \$1699.95 Without disk drive subtract \$450.00. Add-ordives, \$495.00. With 101 key option add \$134.95. With 117 key option add \$179.95.

### DC POWER SUPPLY

• Board supplies a regulated +5 volts at 3 amps., +12, -12, and -5 volts at 1 amp. • Power required is 8 volts AC at 3 amps., and 24 volts AC C.T. at 1.5 amps. • Board only \$12.50 Part No. 6085, with parts excluding transformers \$42.50 Part No. 6085A



Send for FREE Catalog...a big self addressed envelope with 80¢ postage gets it fastest!

### To Order:



Mention part no., description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders (U.S. only) or a VISA or Master Charge no., expiration date, signature and phone no., shipping charges will be added. CA residents add 6.5% for tax. Outside USA add 15% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. Prices subject to change without notice.

Order Line: (408) 448-0800

ELECTRONIC SYSTEMS Dept. B, P.O. Box 21638, San Jose, CA USA 95151

### apple II Or APPLE II PLUS



16K\$975.95,Extra 16K F S RAM installed \$74.95, extra 32K E.S. RAM installed \$148.95.

ADDIE II HORRY PROTOTYPING CARD Part No. 7907 \$14.95

### APPLE II PARALLEL INTERFACE



Interfaces printers, synthesizers keyboards, and JBE A-D D-A Converter & Switches. This interface has 4 I/O ports with handshaking logic, 2-6522 VIA's and a 74LS74 for timing. Inputs and outputs are TTL compatible. Part No. 79295K Complete Kit—\$69.95 • Part No. 79295A Assembled— \$79.95

### **REAL TIME** 100.000 DAY CLOCK

MT. HARDWARE Double the utility of your S-100 bus computer with a real-time clock that keeps time in 100µS increments for over 273 years. Program events for the entire period with realtime interrupts...without derailing the system. Maintain a log of computer usage, time and date transaction printouts. call up lists. On-board battery backup. MHPX004—\$349.00

### 16K EPROM



Uses 2708 FPROMS memory speed selecprovided, dressable anywhere in 65K of memory, can be shadowed in 4K increments. Board only \$24.95 part no. 7902, with parts less EPROMs \$49.95 part no. 7902A.

### PET COMPUTER



With 16K & monitor-\$895.00 • Dual Disk Drive \_\$1095.00

### **OPTO-ISOLATED** DARALLEI INDLIT **BOARD FOR** APPLEII



There are 8 inputs that can be driven from TTL logic or any 5 volt source. The circuit board can be plugged into any of the 8 sockets of your Apple II. It has a 16 pin socket for standard dip ribbon cable connection Board only\$15.00. Part 120, with parts \$69.95. Part No. 120A.

### **VIDEO TERMINAL**



16 lines, 64 columns • Upper and lower case 5x7 dot matrix . Serial RS-232 in and out with TTL parallel keyboard input • On board baud rate generator 75, 110, 150, 300, 600, & 1200 jumper selectable • Memory 1024 characters (7-21LO2) Video processor chip SFF96364 by Neculonic • Control characters (CR, LF, →, ←, t, i, non destructive cursor, CS, home, CL • White characters on black background or vice-versa • With the addition of a keyboard, video monitor or TV set with TV interface (part no. 107A) and power supply this is a complete stand alone terminal • also S-100 compatible • requires +16, & -16 VDC at 100mA, and 8VDC at 1A. Part No. 1000A \$199.95 kit.

### PARALLEL TRIAC OUTPUT **BOARD FOR** APPLE II




This board has 8 triacs capable of switching 110 volt 6 amp loads (660 watts per channel) or a total of 5280 watts. Board only \$15.00 Part No. 210, with parts \$119.95 Part No. 210A

### APPLE II\* SERIAL I/O INTERFACE



Baud rate is continuously adjustable from O to 30,000 • Plugs into any peripheral connector • Low current drain. RS-232 input and output • On boardswitch selectable 5 to 8 data bits, 1 or 2 stop bits, and parity or no parity either odd or even • Jumper selectable address • SOFTWARE • Input and Output routine from monitor or BASIC to teletype or other serial printer • Program for using an Apple II for a video or an intelligent terminal. Also can output in correspondence code to interface with some selectrics. ● Also watches DTR ● Board only \$15.00 Part No. 2, with parts\$42.00 Part No. 2A, assembled \$62.00 Part No. 2C

### **8K EPROM PICEON**



 Programs 2708's address relocation of each 4K of memory to any 4K boundary Power on jump and reset jump option for "turnkey" systems and computers without a front panel
Program saver software in 1 2708 EPROM \$25. Bare board \$35 including custom coil, boardwithparts but no EPROMS \$139, with 4 EPROMS \$179, with 8 EPROMS \$219.

### **WAMECO PRODUCTS**

With ELECTRONIC SYSTEMS parts

RTC-1 Realtime clock board. Two independ ent interrupts. Software programmable. PCBD ... \$25.95, \$60.95 Kit EPM-2 2708 / 2716 16K / 32K \$24.95 \$49.95 with parts less EPROMS GMB-9 MOTHER BOARD. Short Version of GMB-12. 9 Slots PCBD ... \$30.95 \$67.95 Kit MEM-2 16Kx8 Fully Buffered 2114 Board PCBD ... \$25.95, \$269.95 Kit

YOU MUST REFER TO THIS AD TO GET THESE PRICES

### D.C. HAYES MICROMODEM



Fully S-100 bus compatible including 16-bit machines and 4 MHz processors. • Two software selectable Baud rates—300 Baud and a jumper selectable speed from 45 to 300 Baud. (110 standard). Supports originate and answer modes. • Direct-connect Microcoupler. This FCC-registered device provides direct access into your local telephone system, with none of the losses or distortions associated with acoustic couplers and without a telephone company supplied data access arrangement. • Auto-Answer/Auto-Call. The MICROMODEM 100 can automatically answer the phone and receive input; it can also dial a number automatically. 

Automatic Reset and Disconnect. 

Software compatible with the D.C. Hayes Associates BO-103A Data Communications Adapter. Micromodem-DCHA32625—\$379.95

### **TIDMA**



Tane Interface Direct Memory Access • Record and play programs without bootstrap loader (no prom) has FSK encoder/decoder for direct connections to low cost recorder at 1200 band rate. and direct connections for inputs and outputs to a digital recorder at any baud rate . S-100 bus compatible • Board only \$35.00 Part No. 112, with parts \$110.00 Part No. 112A.

### SYSTEM MONITOR

8080, 8085, or Z-80 System monitor for use with the TIDMA board. There is no need for the front panel. Complete with documentation

### **RS-232/TTY** INTERFACE



board has two active circuits, one converts RS-232 to 20 mA. the other converts 20 mA to RS-232. Requires +12 and -12 volts. \$9.95 Part No. 600Δ Kit.

### SERIAL I/O



Four Serial I/O RS-232 ports. S-100 Bus, Software or jumper selectable baud rate (110, 300, 600, 1200, 2400, 4800, 9600, 19.2K), on board Xtal baud rate generator, Addressing, switch selectable, Parity or no parity lodd or even) switch selectable, 1 or 2 stop bits, 5 to 8 bits/character. Board only \$29.95, Part No. 7908. With parts (kit) \$199.95, Part No. 7908A.

### S-100 BUS **ACTIVE TERMINATOR**



Board only \$14.95 Part No. 900, with parts \$24.95 Part No. 900A

### Send for FREE Catalog...a big self addressed envelope with 80¢ postage gets it fastest!

To Order:

Mention part no., description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders (U.S. only) or a VISA or Master Charge no., expiration date, signature and phone no., shipping charges will be added. CA residents add 6.5% for tax. Outside USA add 15% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. Prices subject to change without notice.

Order Line: (408) 448-0800

ELECTRONIC SYSTEMS Dept. B, P.O. Box 21638, San Jose, CA USA 95151

32K 11050

DISK II-DRIVE & CONTROLLER CARD MODEM IIB W/INTERFACE

W/Apple Inteface.

APPLE COMPUTER
INTERFACE CARDS

PARALLEL PRINTER INTERFACE CARD. 145

PROTOTYPING/HOBBY CARD

Connector Cable

INTERFACE CARD

APPLESOFT II FIRMWARE CARD W/Auto-Start ROM

INTEGER BASIC FIRMWARE CARD W/Mon. & Prog Aid ROMS

ADD-ONS

CENTRONICS PRINTER

16K MEMORY UPGRADE

ALE MUSIC SYNTHISIZER

(TRS-80. Apple Sorcerer ABT NUMERIC INPUT KEYPAD

(Old or New Kybrd)

BOARD NO 7114A

ALF TIMING MODE INPUT BOARD

BRIGHTPEN LIGHTPEN from SOFTAPE

CALIFORNIA COMPUTER SYSTEMS
12K ROM/PROM ASSEMBLED

COMMUNICATION CARD & DB25

HI-SPEED SERIAL INTERFACE CARD

LANGUAGE SYSTEM WITH PASCAL

MODEM LIB ONLY (Novation Cat)

DISK H-DRIVE ONLY

GRAPHICS TABLET

SILENTYPE PRINTER

\$429

489 339

155

185

149

149

\$69

239

\$69

(allow 2 weeks to clear). Please include telephone numb Military PO's) add 10% for shipping and funds must insurance in U.S. is 500 per lb. surface. \$1.00 orders All prices subject to change and availability.

48K 11125

PROGRAMMABLE TIMER MODULE

DITIGAL CONVERTER

GPIB IEEE-488 (1978) INTERFACE

ASYNCHRONOUS SERIAL INTERFACE

SYNCHRONOUS SERIAL INTERFACE NO. 7712A

PARALIEL INTERFACE No. 7720A

ARITHMETIC PROCESSOR CARD
NO. 7811B
WIRE WRAP BOARD

PCB ETCH BOARD.

CORVUS

CORVUS 10 MEGABYTE HARD DISK

CORVUS MIRRORI (VTR Required)

CORVUS MIRROR2 (VTR Required)
CORVUS CONSTELLATION

DAN PAYMAR LOWER CASE ADAPTER

DRIVE SYSTEM

DCHAYES MICROMODE M II

SPEECHLINK 2000(64 Word

Vocabulaty)

SPEECHLAB 20A (Cassette)

SPEECHLAB 20A (Diskette).

M&R SUP-R-MOD TV MODULATOR

MODEL 70 CONTROLLER

ADAPTER

ORDERING INFORMATION: Phone orders may be plactured or back visa. Mastercard or back visa.

314 DIGIT BCD ANALOG TO

No 7490A

No 7710A

SOLDER TAIL BOARD EXTENDER BOARD.

# tapple computer

### APPLE II OR APPLE II PLUS



The APPLE II is a completely assembled and tested computer system. The system includes a rugged molded case, typewriter style keyboard with N-key rollover, high-efficiency switching power supply, two hand controllers, demonstration programs on tape cassettes. AC power cord, cassette cable, reference

APPLE II has ROM-resident Integer BASIC interpreter, monitor mini-assembler and disassembler & BASIC Programming Manual.

APPLE II PLUS has ROM-resident Applesoft Extended BASIC interpreter. Auto-Start ROM, disassembler & Applesoft Tutorial

APPLE II & APPLE II	PLUS			
SOFTWARE				

	STITULE DISK COLL KOUTHIES
PASCAL with LANGUAGE SYSTEM . \$429	APPLEBUG ASSEMBLER/
FORTRAN for use with LANGUAGE	DISASSEMBLER
SYSTEM 169	APPLEBUG DEBUGGER
CP/M for use with MICROSOFT Z-80	APPLESOFT UTILITY PROGRAMS
SOFTCARD. 299	By HAYDEN
THE CONTROLLER General Business	
System 519	PRINTERS, TERMINA
THE CASHIER Retail Management &	& MONITORS
Inventory 199	PRINTERS, TERMINALS & MONIT
APPLEWRITER Word Processor 65	ANADEXDP8000 or DP8000AP
APPLEPOST Mailing List System 45	ANADEX DP9500 or DP9501
APPLEPOST Graph & Plot System	BASE 2 w/TRACTOR & BUFFER.
DOW JONES PORTFOLIO EVALUATOR 45	CENTRONICS 700-9
CONTRIBUTED VOLUMES I THRU 5	CENTRONICS 737
w/ MANUALS 35	MPI 88T
VISI-CALC by PERSONAL SDITTYVARE 125	PAPER TIGER IDS 440
DESKTOP/PLAN by DESKTOP	W/GRAPHICS OPTION
COMPUTERS 85	NEC SPINWRITER 5530 or 5510
CCA DATA MANAGEMENT	TRENDCOM 1GO
By PERSONAL SOFTWARE 85	TRENDCOM 200
PIMS Personal Information	LEEDEX VIDEO 100
Management System 23	SANYO 9 INCH B&VV MONITOR
ADVENTURE by MICROSOFT 27	SANYO 15 INCH MONITOR
SUB-LOGIC FS-1 Flight Simulator 23	TI 13 INCH COLOR MONITOR
SARGON II Chess by HAYDEN (Cass ) 27	SORDC IQ 120
SARGON II Chess on Diskette . 32	SOROC IQ 140
Bill Budges TRILOGY of GAMES 27	HAZELTINE 1500
Bill Budges SPACE GAME ALBUM 32	HAZELTINE 1510
SPACE INVADER on cassette 18	HAZELTINE 1520
SPACE INVADER on Diskette 23	HAZELTINE 1410
SYBEX APPLE-80 8080 SIMULATOR 17	HAZELTINE 1420
G. DE EE OF GOOD SIMULTATION	

STRUCE DISK COLL KOOTHIES	1.45
APPLEBUG ASSEMBLER/	
DISASSEMBLER	79
APPLEBUG DEBUGGER	. 27
APPLESOFT UTILITY PROGRAMS	
By HAYDEN	27
PRINTERS, TERMINALS	
& MONITORS	
PRINTERS, TERMINALS & MONITORS	
ANADEXDP8000 or DP8000AP	\$795
ANADEX DP9500 or DP9501	1395
BASE 2 w/TRACTOR & BUFFER.	599

FORTH II by PROGRAMMA SOFTWARE 45

1395	1911/11/11
599	AMMINING.
1099	
849	
699	
895	
995	11 A A A A A
2595	, .
329	d line als
529	
139	
159	
249	attiliti.
470	Tanton'.



•

HELNE

Z ▼

•

EXPIRES

10-31



169 155

169

39

23

129

219

"WE WILL NOT BE UNDER SOLD!" COMPUTER SPECIALTIES

6363 EL CAJON BLVD., SUITE 205, SAN DIEGO, CA. 92115 • (714) 579-0330

### **SWEEPSTAKES** OVER \$1700.99

SYMTEC

**SUPERBRAIN**<sup>™</sup> 64K \$2995.<sup>™</sup> • IN STOCK •

LETTER-QUALITY PRINTER \$2195.<sup>™</sup>

77 TRACK DISK DRIVES **\$**599.<sup>∞</sup>

TRS-80™ 64K MODEL II \$3626.<sup>10</sup>

ORDER NOW TOLL FREE • 1 (800) 345-8102

PRINTERS

\$2950 FROM \$119

DISK DRIVES \$350.00

MOD I TRS 80 COMPATIBLE

CENTRONICS 730 • S695 NEC 5510 5530 W PRINTER STANDS MODEL II DRIVES

1 DRIVE SINGLE ENCLOSURE
1 DRIVE MULTIPLE ENCLOSUR
ADDITIONAL DRIVES FOR MULT
HARD DISK DRIVE 110 MEG1 SOFTWARE OWNER'S MANUAL MOD I MOD II DISK HEAD CLEANING KIT 4K L II TRS.80 16K L II RS.232 MEDICAL DENTAL PATIENT \$1500 WORD PROCESSING (MAGIC WAND) \$300 RS. 232 "
OK EXPANSION INTERFACE
OK EXPANSION INTERFACE
32K EXPANSION IN TERFACE
TELEPHON MODEM
CRT EMULATOR BY INTERFEC
CRT STANDS
ANTISTATIC MATS \$249 \$199 \$299 GENERAL LEDGER \$149.96 599 95 \$14 9 95 PAYROLL DATA BASE DISK \$895 FROM\$139 \$160

OTHER PRODUCTS AVAILABLE CALL IF YOU DON'T SEE WHAT YOU NEED DEALER INQUIRES INVITED SERVICE CENTER OPEN NOW ABOVE PRICES ARE CASH DISCOUNTED . CALL FOR OTHER TERMS

FOLCROFT, PA 19032

ORDER TOLL-FREE 1-800-345-8102

LOCAL CALL (215) 461-5300



\$899 \$1069 50 \$540 \$5995 \$14.05 \$575.70 \$789.60 \$92.10 \$278.10 5

S376 10 S474 10 MAIL NOW TO ENTER V. R. DATA'S SWEEPSTAKES

PROHIBITED BY LAW

INAME **ADDRESS** CITY STATE TELEPHONE OCCUPATION COMPUTER EQUIPMENT OWNED

V R DATA'S TRS-80™

**SWEEPSTAKES** 

Celebrating V. R. DATA's 8th Anniversary OVER \$1700.00 in PRIZES

**GRAND PRIZE - 16K LII TRS-80** 

TWO SECOND PRIZES - DISK DRIVES

FOUR THIRD PRIZES - \$50.00 Gift Certificates

SWEEPSTAKES RULES

ALL ENTRIES MUST BE SUBMITTED ON ORIGINAL

WINNERS SELECTED BY RANDOM DRAWING

ENTRIES MUST BE RECEIVED BY 10 31 80

INTENDED USE

SEND FREE CATALOG

777 HENDERSON BLVD.

ENTRY BLANK

VOID

NOTIFIED BY MAIL

WHERE

PURCHASE NECESSARY

ONE ENTRY PER PERSON

372


PRIZE

GRAND

Ş

4

BYTE September 1980



# **WAMECO**

# THE COMPLETE PC BOARD HOUSE EVERYTHING FOR THE S-100 BUSS

\* FPB-1 FRONT PANEL BOARD FOR 8080A AND Z80

\* QMB-12 13 SLOT MOTHER BOARD.

SYSTEMS IMSAI COMPATIBLE. PCBD\$56.95 KIT\$175.00	PCBD \$42.95 KIT \$125.95
* MEM-2 16K RAM 2114's. ADDRESSABLE IN 4K	<b>* QMB-9</b> 9 SLOT MOTHER BOARD. PCBD \$35.95 KIT \$109.95
BOUNDARIES. PCBD \$33.95 KIT (LESS RAMS) \$80.95	* PTB-1 POWER SUPPLY AND TERMINATOR BOARD. PCBD \$29.95 KIT \$49.95
<b>* EPM-2</b> 16/32K ROM USES 2716 OR 2708. ADDRESS-ABLE IN 4K BOUNDARIES. PCBD \$33.95 KIT (LESS ROMS) \$74.95	* RTC-1 REAL TIME CLOCK BOARD WITH TWO INTERRUPTS.
* CPU-1 8080A PROCESSOR BOARD WITH VECTOR INTERRUPT. PCBD \$33.95 KIT \$124.95	PCBD \$29.95 KIT \$79.95  ** MEM-1 8K RAM, USES 2102's. PCBD \$33.95 KIT (LESS RAM) \$71.95
* IOB-1 I/O BOARD. ONE SERIAL, TWO PARALLEL WITH CASSETTE. PCBD \$33.95	<b>* EPM-1</b> 4K 170Z BOARD. PCBD \$29.95 KIT (LESS ROM) \$59.95
* FDC-1 FLOPPY DISC CONTROLLER BOARD USES 1771. PCBD \$45.95	

FUTURE PRODUCTS: 80 CHARACTER VIDEO BOARD. Z-80 CPU BOARD WITH ROM, 8 PARALLEL PORT I/O BOARD.

# DEALER INQUIRIES INVITED, UNIVERSITY DISCOUNTS AVAILABLE AT YOUR LOCAL DEALER

MOST PRODUCTS FOR IMMEDIATE SHIPMENT, NO 4-8 WEEK DELAYS REQUIRED FOR OTHERS.



### F CALIFORNIA COMPUTER SYSTEMS 16K RAM BOARD. Fully buffered addressable in 4K blocks. IEEE standard for bank addressing 2114's. PCBD .....\$28.95 Kit 450 NSEC ....\$249.95 PT-1 PROTO BOARD, Over 2,600 holes 4" regulators. All S-100 buss functions labeled, gold fingers. \$28.95 PT-2 PROTO BOARD. Similar to PT-1 except setup to handle solder tail sockets. PCBD ... \$28.95 CCS MAIN FRAME. Kit (S-100) ...... ......... \$339.95 APPLE EXTENDER. Kit \_\_\_\_\_\$22.95 APPLE IEEE INSTRUMENTATION INTERFACE KIT 7490, Kit ARITHMETIC PROCESSOR FOR APPLE 7811A \$350.00 APPLE ASYNCHRONOUS SERIAL INTERFACE 7710A. Kit APPLE SYNCHRONOUS SERIAL INTERFACE ALL OTHER CCS PRODUCTS AVAILABLE PB-1 2708 & 2716 Programming Board with provisions for 4K or 8K EPROM. No external supplies required. Textool sockets. Kit.... \$149.95 CB-1A 8080 Processor Board, 2K of PROM 256 BYTE RAM power on/rest Vector Jump Parallel port with status. Kit ....\$159.95 PCBD .....\$34.95 VB-3 80x24 VIDEO BOARD. Graphics included VB-IC 64 x 16 video board, upper lower case Greek

composite and parallel video with software, S-100.

AIO APPLE SERIAL/PARALLEL \$149.95

ALL OTHER SSM PRODUCTS AVAILABLE

### WmC/inc WAMECO INC.

FDC-1 FLOPPY CONTROLLER BOARD will drive shugart, pertek, remic 5" & 8" drives up to 8 drives, on board PROM with power boot up, will operate with CPM™ (not included). PCBD\$43.95									
FPB-1 Front Panel. IMSAI size, hex displays. Byte,									
or instruction single step. PCBD									
QM-12 MOTHER BOARD, 13 slot, terminated, S-100 board only\$39.95									
CPU-1 8080A Processor board S-100 with 8 level vector interrupt PCBD\$28.95									
RTC-1 Realtime clock board. Two independent interrupts. Software programmable. PCBD \$25.95									
EPM-1 1702A 4K Eprom card. PCBD \$25.95									
EPM-2 2708/2716 16K/32K EPROM CARD.									
PCBD\$28.95									
QM-9 MOTHER BOARD. Short Version of QM-12. 9 Slots. PCBD\$33.95									
MEM-2 16K x 8 Fully Buffered 2114 Board.									
PCBD \$28.95									
PTB-1 POWER SUPPLY AND TERMINATOR BOARD.									
PCBD\$28.95									
IOB-1 SERIAL AND PARALLEL INTERFACE.									
2 parallel, one serial and cassette. PCBD \$28.95									
2708 \$ 9.49 2114L 450 NSEC \$5.99									
2716 \$35.95 2114L 200 NSEC \$6.99									

P. O. Box 955 • El Granada, CA 94018

Please send for IC. Xistor and Computer parts list

### SEPT. SPECIAL SALE ON PREPAID ORDERS (Charge cards not included on this offer)

MIKOS PARTS WITH WAMECO PCBDS. 10% OFF OF NORMAL PRICE.

### MIKOS PARTS ASSORTMENT WITH WAMECO AND CYBERCOM PORDS

WITH WANECO AND CYBERCON	PCDD3
MEM-2 with MIKOS =7 16K ram	
with L2114 450 NSEC	\$249.95
MEM-2 with MIKOS #13 16K ram	
with L2114 250 NSEC	\$279.95
CPU-1 with MIKOS =2 8080A CPU	\$99.95
QM-12 with MIKOS #4 13 slot mother	
board	\$110.95
RTC-1 with MIKOS =5 real time clock	\$65.95
EMP-1 with MIKOS = 10 4K 1702 less	
EPROMS	\$ 49.95
EPM-2 with MIKOS = 11 16-32K EPROMS	5
less EPROMS	\$65.95
QM-9 with MIKOS #12 9 slot mother	
board	\$99.95
FPB-1 with MIKOS = 14 all parts	
for front panel	\$144.95
·	

MIKOS PARTS ASSCRTMENTS ARE ALL FACTORY MARKED PARTS. KITS INCLUDE ALL PARTS LISTED AS REQUIRED FOR THE COMPLETE KIT LESS PARTS LISTED. ALL SOCKETS INCLUDED.

### LARGE SELECTION OF LS TTL AVAILABLE

VISA or MASTERCHARGE. Send account number, interbank number, expiration date and sign your order. Approx. postage will be added. Check or money order will be sent post paid in U.S. If you are not a regular customer, please use charge, cashier's check or postal money order. Otherwise there will be a two-week delay for checks to clear. Calif. residents add 6% tax. Money back 30-day guarantee. We cannot accept returned IC's that have been soldered to. Prices subject to change without notice. \$10 minimum order. \$1.50 service charge on orders less than \$10.00.

\$179

5 volt 16K \$18.80 FI.B.B.B • High Contrast Ratio • Wide Viewing Angle • 0.5 in. Digit Height

30 MHz HITACHI Dual Trace Oscilloscope

More sensitive to your input

LIQUID CRYSTAL DISPLAY

ULTRA Low Power Consumption LCD106 . . . . . . . . . . . \$13.50

TV sync-separater circuit
 High-sensitivity 1mV/div (5MHz)

Sweep-time magnifier (10 times)

Z-axis input (Intensity modulation)

Capacitance Meter

■ Easy to use - plug in capacitor, push range button and read the value to 0.1% 0.5 in. Riquid crystal display ■ Exclusive "∆charge/∆volt" measurement circuit (potent pending) holds ±0.1% basic accuracy for a full year. Up to 200 Ners operation on standard 9V Batt.

MODEL 938

Order Spes and Get 10% Discount

2716 ергом

up to 200 in soperation on standard 99 Batt. 8 easy pushbutton ranges cover 0.1pf to 1999 microferads. Best of all it's easy on the budget - only

### NEW PRODUCTS — ■ ■ OSCILLOSCOPES



CB-2 Z80 CPU BOARD. Kit

Kit

10 Megahertz **HM307** SINGLE TRACE OSCILLOSCOPE

.....\$145.95

- IDEAL SERVICE INSTRUMENT
- TIMEBASE 0.2 µs-0.2 s/cm
- LPS-TRIGGER COMPACT
- BUILT-IN COMPONENT TESTER S404.25

50 Megahertz

### HM812

**DUAL TRACE STORAGE** OSCILLOSCOPE



- DELAYED SWEEP WITH AFTER DELAY TRIGGERING
- STORAGE OF SINGLE-SHOT-SIGNALS
- SHOT, TRIGGER ACTION DELAY MODE,
- "AUTOMATIC STORE" LED INDICATION FOR OVERSCAN, SINGLE

**AUTOMATIC STORE** 



. 3 1



APS 15-1.5 APS 24-1

1-9 10 up 25 up \$42.50 \$40.65 \$38.85



\$66.90 \$64.00 \$61.10



20 Megahertz

HM312 **DUAL TRACE** OSCILLOSCOPE

- 10 X 8 cm DISPLAY
- LPS-TRIGGERING

\$609.00

- BANDWIDTH DC-20MHz
- TRIGGERING up to 30MHz
- FULL X—Y OPERATION

50 Megahertz

HM512 DUAL TRACE

- OSCILLOSCOPE BANDWIDTH DC-50MHz
- TRIGGERING up to 70MHz
- AFTER TRIGGER DELAY LINE
- SWEEP DELAY ■ DELAY LINE
- OVERSCANNING INDICATION
- BRIGHT DISPLAY
- IDEAL FOR COMMUNICATIONS AND DATA PROCESSING

Intersil LED or LCD 3½ DIGIT PANEL **METER KITS** 

BUILDA WORKING DPM IN 1/2 HOUR WITH THESE COMPLETE EVALUATION KITS cos: prototyping sits, complete with AV to benefit and LCD (risplay (7106) or LED (risplay (7107). Kits providu all materials, incl PC board, for a functioning panel meter. ICL7106EV (LCD). . . . \$29.95 | ICL7107EV (LED) , . . . \$24.95

8 Digit - 10 MHz Universal Counter Kit ResistorsCapacitorsDiodes

Kit Includes:

ICM7226AIDC IC

MHz Quartz Cn

10 MHz Quartz Crystal (8) 7 Segment .3" LED Displays 

SwitchesIC Socke







HYBRID AUDIO POWER AMPLIFIERS SI-1010G(10W) \$ 6.95 SI-1020G(20W) \$13.95 A-SI-8(Socket for above)

Signal delay line

X-Y operation
Trace Rotation

\$94500

SI-1030G(30W) \$19.00 SI-1050G(50W) \$27.80 A-SI-10(Socket for above mer can power two audio

TR30 \$12.90

Send check or Money Order to: P.O. Box 2208Y, Culver City CA 90230 California residents add 6% sales tax. Minimum Order, \$10.00 cover postage and handling. Master Charge and Visa welcomed

Please include i Interbank numb	your charge card numb per and expiration d		(213) 641-4064
TUCSON 4518 E Broadway Tuction: AZ 85711 (602) 881-2348	CULVER CITY 11080 Jafferson Blvd Culver City, CA 90230 (213) 390-3595	SANTA ANA 1300 E Idinger Ave Sente Ane. CA 92705 (714) 547-8424	PORTLAND 1125 N.E. 82nd Ave. Portland, OR 97220 (503) 254-5541
CANADA, B.C. ANCRONA 5656 Fraser St. Vencouver, B.C. VSW2V4 1604) 324.0707	SUNNYVALE 1054 E Et Cemino Reel Sunnyvale, CA 94087 (408) 243-4121	ATLANTA 3330 Fedmont Rd, N.E. Atlants, GA 30309 (404) 261,7109	HOUSTON 2649 Richmond Houston, TX 77098 (713) 529-3489

### **BECKIAN ENTERPRISES**

ALL PRIME QUALITY - NEW PARTS ONLY SATISFACTION GUARANTEED.

### **EDGE CARD CONNECTORS: GOLD PLATED:**

Abbreviations: S/E Solder Eye . S/T Sold Tail: W/W Wire Wrap.

PART # DESCRIPTION. Row Sp. 1-9pc. 10-24pcs. 25pcs. Up.				.156" CONTACT CENTER CONNECTORS.				'D' TYPE SUBMINIATURE CONNECTORS.									
	EXAS INST.	•	-	•		PART # I	DESCRIPTION.	Row Sp.	1-9pc.	10-24ncs.	25pcs. Up.			TITE CODMININATION			
4070	50/100 Imsai/Crom.	.250	\$3.95ea.	\$3.55ea.	\$3.15ea.	15105	6/12 SIE PETINSC	.140	\$1.B0		\$1.45					QUANTITY	
4090	50/100 Imsai W/W	.250	4.30aa.	3.65ea.	3.45ea.	15110	6/12 S/T PET/NSC	.140	1.65	1.65	1.50	PAR	T NUMBER	DESCRIPTION.	1-9pcs.	10-24pcs.	25-99pcs.
	SULLINS: U.L Reg.				i	15137	6/12 S/T PET/NSC	.200	1.60	1.54	1.45	DE	9P	Male	41 00	44.40	44.00
129665	50/100 Solder Eye	.140	6.60ea.	6.10ee.	5.45ea.	15175	6/- S/E Sale Row		1.70	1.50	1.30		98	maie Female	\$1.60ea.		\$1.30ea.
129670	50/100 S/T Imsai	.250	4.50ee.	4.10aa.	3.70	15270	10/20 S/E	.140	2.15	1.95	1.70		110963-1		2.25ea.	2.00ea.	1.90ea.
129875	50/100 W/W Imsai	.250	5.25	4.75	4.20	15275	10/20 S/T	.140	2.00	1.85	1.60	DE	110903-1	2 pc. Grey Hood.	1.50ea.	1.35ea.	1.20ea.
129685	50/100 S/T Altair	.140	4.95	4.45	3.95	15435	12/24 S/E PET	.140	2.60	2.35	2.10	DA	15P	Male	2.35ea.	2.15ea.	2.00ea.
129990	50/100 S/T Cromem.	.250	4.75	4.25	3.80	15440	12/24 S/T PET	.140	2.65	2.40	2.15	DA	158	Female	3.25ee.	3.10ea.	2.90aa.
					- 1	15445	12/24 S/T PET	.200	2.75	2.50	2.20	DA	51211-1	1. pc. Grey Hood	1.40ea.	1.20ea.	1.15aa.
	25" CONTACT CTR C	DNNECTORS:			- 1	15505	15/30 S/E GRI Kay	.140	2.50	2.25	2.00	DA	51226-1	2 pc. Bleck Hood	2.50ea.	2.25aa.	2.00ea.
12305	22/44 S/E No Ears	.140	4.15	3.75	3.35	15510	15/30 S/T GR! Kay	.140	2.40	2.15	2.95	DA	110963-2	2 pc. Gray Hood	1.60ea.	1.35ea.	1.30ea.
12759	36/72 S/T	.140	5.40	4.85	4.35	15515	15/30 W/W GRI Kay	.200	2.60	2.35	2.10						
12790	40/80 W/W	.250	6.30	5.65	5.00	15600	18/36 S/E	.140	3.35	3.05	2.70	DB	25P	Mala	2.60ea.	2.60ea.	2.40ea.
					- 1	15610	18/36 S/T	.140	3.00	2.70	2.40	DB	25S	Female	3.60ea.	3.40ea.	3.20ea.
	NTACT CTR CONNECT	ORS:			- 1	15615	18/36 W/W	.200	3.60	3.20	2.90	DB	51212-1	1 pc. Grey Hood	1.50aa.	1.30ee.	1.10ea.
10046	13/26 S/E No Ears	.140	3.40	3.05	2.15	15700	22/44 S/E KIM/VEC	.140	2.98	2.90	2.75		51226-1	2 pc. Black Hood	1.90ea.	1.65ea.	1.45ea.
10280	25/50 S/E TRS 80	.140	4.50	4.05	3.60	15705	22/44 S/T KIM/VEC	.140	3.98	3.30	3.00	DB	110963-3	2 pc. Gray Hood	1.75ea.	1.50ea.	1.35ea.
10175	20/40 S/E TRS 80	.140	5.85	5.35	4.75	15710	22/44 W/W KIM/VEC	.200	3.49	3.20	2.85	DC	37P	Mala	4.20ea.	4.00ea.	3.70ea.
10180	20/40 W/W TRS 80	.200	3.30	3.00	2.15	15875	25/50 S/E	.140	4.65	4.20	3.75		37S	Female	6.00aa.	5.75ea.	5.50ea.
10190	20/40 S/T TRS 80	.140	3.20	2.90	2.55	15880	25/50 S/T	.140	4.55	4.10	3.65	DC	110963-4	2 pc. Gray Hood	2.25ea.	2.00ea.	1.75ea.
10485	36/72 S/E Vector	.140	5.50	4.90	4.40	15885	25/50 W/W	.200	4.85	4.35	3.90	"	*********	2 po. a. a. i i i i i	2.2300.	2.0000.	1.7300.
10490	36/72 W/E Vector	.200	5.80	5.25	4.65	16115	36/72 S/E	.140	6.50	5.85	5.20		50P	Mele	5.50aa.	5.10aa.	4.75ea.
10500	36/72 S/T Vector	.140	5.70	4.20	4.60	16120	36/72 S/T	.140	8.55	5.90	5.25	DO	50S	Femala	9.40aa.	8.60ea.	8.00ea.
10535	40/80 S/E PET	.140	5.85	5.35	4.75	16125	36/72 W/W	.200	6.75	6.10	5.40	DO	51216-1	1 pc. Gray Hood	2.40aa.	2.20ea.	2. 00ea.
10540	40/80 W/W PET	.200	6.00	5.40	4.80	16145	36/72 S/T	.200	6.50	5.85	5.20	DO	11 0963-5	2 pc. Grey Hood	2.60ea.	2.40ea.	2.10ea.
10550	40/80 S/T PET	.140	5.80	5.25	4.65	16235	43/86 S/T Mot 6800	.140	6.60	5.95	5.30	n	20418-2	Hardware Set	00	00	70
10585	43/86 S/E COS/ELF	.140	6.95	6.25	5.55	16240	43/86 W/W Mot 680		7.80	7.05	6.25	ייי	20410-2		.90ea.	.80ea.	.70ee.
10605	43/86 S/T COS/ELF	.140	6.60	5.95	5.30	16260	43/86 S/T Mot 6800	.200	6.50	5.85	5.20			(1 Hood Set)			
10595	43/86 W/W COS/ELF	.200	6.90	6.20	5.95	16725	43/86 S/E Mot 6800	.140	7.20	6.50	5.75						
10615	43/86 SIT COSIELF	.200	6.80	8.10	5.40	K-1	Pol·Keys		.15	.12	.10						-

		CKETS GOLD. Rap 3 turn	1.C.	SOCKETS TIN.	COOLING FANS. Extra Quiet.		
	14 pin 16 pin	\$0.40 ea. 0.44 ea.	14 pin 16 pin	\$0.15 ea. 0.17 ea.	1 to 4 5 to 9	\$18.00 ea 17.00 ea	
		PRIME.			PHONE: 213-988-6196		
Г	EIA 8 CONDUCTOR CABLES 8ft. Long.			CENTRONICS 700 SERIES. enol 57-30360	FRONE. 213-900-0190		

\$8.00 ea


6.00 88.

MAIL ORDERS TO:

TERMS: MINIMUM ORDER: \$15.00 ADD \$1.35 For Handling & Shipping. Orders over \$30.00 in the U.S.A. We Pay the Shipping. CALIF. RESIDENTS: Please Add 6% Sales Tax.

 ${\bf NOTE} :$  NO C.O.D. OR CREDIT CARD ORDERS WILL BE ACCEPTED.

BECKIAN ENTERPRISES P.O. BOX #3089 SIMI VALLEY, CA 93063



5 to 9 pcs.

EIA 8 CONDUCTOR CABLES 8ft. Long CLASS #1 Type Cables.

\$22.00

### **BUILD YOUR OWN LOW COST**

### MICRO-COMPUTER POWER SUPPLIES

FOR S-100 BUS, FLOPPY DISCS, ETC.



### POWER TRANSFORMERS (WITH MOUNTING BRACKETS)

@ 101/4-

ITEM	USED IN	PRI. WINDING	SECO	NDARY WINDING OL	JTPUTS	SIZE	UNIT
NO.	KIT NO.	TAPS	2×8 Vac	2×14 Vac	2×24 Vac	$W \times D \times H$	PRICE
T <sub>1</sub>	1	0V, 110V, 120V	2×7.5A	2×2.5A		3¾"×3½"×3½"	21.95
T <sub>2</sub>	2	0V, 110V, 120V	2×12.5A	2×3.5A		3¾"×4¾"×3¼"	27.95
T3	3	0V, 110V, 120V	2×9A	2×2.5A	2×2.5A	$3\frac{3}{4}$ " $\times 4\frac{3}{8}$ " $\times 3\frac{1}{8}$ "	29.95
T <sub>4</sub>	4	0V, 110V, 120V	2×4A	(28V, CT)	48V, CT, @3A	3¾''×35/8''×31/8''	22.95

### POWER SUPPLY KITS (OPEN FRAME WITH BASE PLATE, 3 HRS. ASSY. TIME) LICED FOR

_	I I LIVI	OOLD I OII	CO TO VUC	w -b vuc	WT TO VUC	@-10 Vuc	W+20 VUC	SIZE WADAII	UNITITIOL	
	KIT 1	15 CARDS SOURCE	15A		2.5A	2.5A		12"×6"×41/8"	51.95	
	KIT 2	SYSTEM SOURCE	25A		3A	3A		12"×6"×4%"	58.95	
	KIT 3	DISC SYSTEM	15A	1A	2A	2A	4A	14"×6"×4½"	66.95	
	KIT 4	DISC SOURCE	8A	1A	*(SEE OPTI	ON BELOW)	5A	10"×6"×4ን⁄ኔ"	49.95	
	FAOUL	AT INCLUDED TO AND	CODMED	CADACITODO	DEGIO DOIDO	E DEOTIFIEÓ	FLICE & LICIL	DED TERMINIAL DI	OOK DAGE	

@\_8.Vdo @+16.Vdo @-16.Vdo @+38.Vdo

EACH KIT INCLUDES: TRANSFORMER, CAPACITORS, RESIS., BRIDGE RECTIFIERS, FUSE & HOLDER, TERMINAL BLOCK, BASE PLATE. MOUNTING PARTS AND INSTRUCTIONS. \*OPTION OF KIT 4: REPLACE + 28V @ 5A BY + 16 @ 6A.

**DISC DRIVE POWER SUPPLY "R3"** ASSY. & TESTED, OPEN FRAME, SIZE:  $9"(W) \times 5"(D) \times 5"(H)$  . . SPECS: + 5V @ 5A REGUL, OVP, - 5V @ 1A REG., + 24 @ 5A REG., SHORTS PROTECT.

©PTIONS: REPLACE - 5V & + 24V BY EITHER - 5V @ 1A & + 12V @ 6A

OR - 12V @ 1A & + 12 V @ 6A

SHIPPING FOR EACH TRANSFORMER: \$4.75. FOR EACH POWER SUPPLY: \$5.00 IN CALIF. \$7.00 IN OTHER STATES. CALIF. RESIDENTS ADD 6% SALES TAX. OEM WELCOME



ITEMA

MAIL ORDER: P.O. BOX 4296 TORRANCE, CA 90510

### SUNNY INTERNATIONAL

(TRANSFORMERS MANUFACTURER) Telephone: (213) 633-8327

STORE: 7245 E. ALONDRA BLVD. PARAMOUNT, CA 90723 STORE HOURS: 9 AM-6 PM

SIZE WYDYH



375

LIMIT DDICE

### ANADEX DP9500/DP9501 PRINTERS



New from Anadex! Two low cost, high performance printers designed for all applications, including standard high-density graphics capability. Both models feature a 9 wire print head with an incredible life expectancy of 650 million printed characters! Full 96 character ASCII set with lower case descenders, double width printing, bi-directional with shortest distance sensing logic. Adjustable-width tractor feed, forms control, horizontal and vertical tabbing, and print up to five copies. Easy interfacing with parallel. RS-232 serial or current loop choices.

The DP9500 is the choice when you require mostly printing and occasional graphics. Select between a 9 x 9 character fort and 132 columns. or a 7 x 9 font for 175 columns. Printer speed: 150/200 CPS. Wt. 35 lbs.

The DP9501 is mainly for graphics applications. The 11 x 9 character font produces superb graphics reproduction in 132 columns, and the 7 x 9 character font in 220 columns provides maximum graphics potential. Both models operate at 110VAC, and 220 VAC for European use. WI 35 lbs.

Cat No. 2551 DP9500 printer
Cat No. 2552 DP9501 printer

### 74L\$ Order by Cat No. 999 and Type

,	7		Order by Cat No. 999 and Type
74LS00	S	.33	74L\$74 \$ .99 74L\$161 \$3.75 74L\$257 \$ .99
74LS01	S	.29	74LS75 \$ .59 74LS162 \$1.19 74L\$258\$ .66
74L\$02	S	.49	74L\$76 \$ .44 74L\$163 \$1.15 74L\$259 \$1.99
74L\$03	S	.29	74L\$83 \$ .88 74L\$164\$1.15 74L\$260\$ .66
74LS04	S	.49	74LS85 \$1.15 74L\$165\$1.69 74L\$261\$2.50
74L\$05	S	.35	
74L\$08	5	.44	
74L\$09	S	.29	
74L\$10	S		74L\$93 \$ .75 74L\$170\$2.25 74L\$279\$ .49
74L\$11	S	.29	74L\$95 \$ .88 74L\$173\$1.25 74L\$283\$1.75
74L\$12	S	.29	
74L\$13	\$		74L\$109\$ .55 74L\$175\$ .99 74L\$295\$1.99
74L\$14		1.10	
74L\$15	S		74L\$113\$ .55 74L\$190\$ .69 74L\$324\$1.75
74L\$20	S	.29	
74L\$21	S	.39	
74L\$22	S	.29	
74L\$26	S	.77	74L\$124\$1.55 74L\$194\$1.15 74L\$368\$ .99
74L\$27	S	.55	
74L\$28	S	.44	
74L\$30	S		74L\$132\$ .88 74L\$197\$1.99 74L\$377\$3.25
74L\$32	S	.66	
74L\$33	S	.69	
74L\$37	S	.39	74L\$145 \$1.99 74L\$241 \$2.95 74L\$393 \$2.25
74L\$38	S		74L\$147\$2.95 74L\$242\$1.95 74L\$395\$1.99
74L\$40	S	.33	74L\$151 \$ .88 74L\$243 \$2.95 74L\$399 \$2.95
74L\$42	S	.88	74L\$153 \$ .88   74L\$244 \$3.25   74L\$424 \$3.25
74L\$47	S	.88	74L\$154 \$3.50 74L\$245 \$5.00 74L\$670 \$2.25
74L\$48	S	.88	
74L\$51	S	.39	74L\$156\$1.25   74L\$248\$ .99   81L\$96 \$1.95
74L\$54	S	.29	74L\$157\$1.25   74L\$251\$1.99   B1L\$97 \$1.95
74L\$55	S	.55	74L\$158\$1.49 74L\$253\$ .99 81L\$98 \$1.95
74L\$73	S	.44	74L\$160\$ .99 74L\$256\$2.25

### TTL's Order by Cat No. 999 and Type


	7.6			19		
7400	\$.35 7445	\$ .77	74109	\$ .55	74176	<b>S</b> .79
7401	\$.35 7446	\$ .69	74116	\$1.89	74177	\$ .77
7402	S.35 7447	\$ .66	74120	\$ .99	74179	\$1.88
7404	S. 44 7448		74121	\$ .44	74180	S .77
7405	S.44 7450		74122	\$ .50	74181	\$1.88
7406	\$.39 7451		74123	\$ .52	74182	\$1.99
7407	\$.39 7453		74125	\$ .52	74184	\$1.99
7408	\$.35 7454		74126	\$ .49	74185	\$1.99
7409	\$.35 7460		74132	\$ 69	74190	\$1.19
7410	\$.35 7470	\$ .29	74141	\$ .77	74191	\$1.19
7411	\$.39 7472		74143	\$3.33		\$ .77
7412	\$.49 7473	\$ .36	74145	\$7.77	74193	\$ .89
7413	S.44 7474	\$ .49	74148	\$1.29		\$ .69
7414	\$.66 7475		74150	\$ .88	74196	\$ .88
7416	\$.45 7476		74151	\$ .59	74197	\$ .88
7417	\$.29 7479		74153	\$ .69	74198	\$1.49
7420	\$.35 7480	\$ .50	74155	\$ .49	74199	\$1.49
7422	S.44 7481		74156	\$ .99	74221	\$1.49
7423	\$.44 7483		74157	\$ .63	74251	\$ .77
7425	\$.38 7485	\$ .85	74160		74273	\$1.10
7425	\$.39 7486 \$.39 7486					\$2.95
			74161			
7427	\$.35 7489	\$1.66	74162		74279	\$ .82
7430	\$.35 7490		74163	\$ .88	74365	\$ .69
7432	\$.39 7491		74164	\$ .88	74366	\$ .69
7437	\$.39 7492		74165	\$ .88	74367	\$ .69
8438	\$.39 7493	\$ .45	74166	\$1.29	74368	\$ .69
7440	\$.20 7495	\$ .65	74170	\$1.59	74393	\$2.50
7441	\$.77 7496		74173	\$1.09	8T26	\$2.50
7442	\$.49 74100			\$ .79	8T97	\$2.25
7433	\$.69 74107	\$ .44	74175	\$ .79		

**ELECTRONICS, INC.** 

19511 BUSINESS CTR. DR. DEP NORTHRIDGE, CALIFORIA 91324

Send For Your Free Flyer Today!

### SSM OB1 VECTOR JUMP & PROTOTYPING CARD \$41.25\*



Plug compatible for S-100 bus systems, features full 16 bit vector jump address with dip selection of 8080 or Z80. Can be set to jump on power-on-clear, reset, or both. Prototyping areas on the card for ten 16-pin IC's three 24-28 pin IC's and two spare regulator patterns

> \*Cat No. 1429 OB1 kit Cat No. 1430 OB1 a & t Cat No. 1431 OB1 bareboard \$85.00

**GALACTIC TRILOGY** by BRODERBUND **GALACTIC EMPIRE** 

Your superior ability in planning, logistics and tactical maneuvering, along with building the manufacturing and military capabilities of the planets that you control, can bring the central galactic empire under one flag. A special "save" routine gives you the option storing a game in progress. Fun and educational! Cat No. 2584 TRS-80 L2, 16K, cassette

### **GALACTIC TRADER**

Gives you the opportunity to be a big time wheeler dealer. You will seek out the origins of various commodities, and buy cheap. You may then sell them at exhorbitant rates or barter for local goods. Your good business sense and level head allow you to out-think the sharpest business creatures in the galaxy! Ten levels of difficulty allow you to increase your skill without out

Cat No. 2585 TRS-80 L2, 16K, cassette

### GALACTIC REVOLUTION

in the final game of this galactic trilogy, you will be a diplomat and administrator of unequalled accomplishments. Your pro-wess at manipulation will decide if various power groups will be swayed to your side, and your military leadership will put the finishing touches on a successful revolution.

Cat No. 2586 TRS-80 L2, 16K, cassette


\$11<sup>95</sup> each All 3 for \$2995

### "PIRATES COVE" **ADVENTURE**

In addition to being a challenging and innovative game, Pirales Cove is designed so that different adventures can be created by changing the data base. While playing the game you wander thru various rooms and, by manipulating the objects, you try to find the hidden "treasures". You may have to defeat a wild animal to get to the treasure, or figure out how to get it out of the bog. A game in progress may be saved on tape and used

Cat No. 2505 TRS-80 L2, 16K cassette \$24<sup>95</sup>

### SSM MB6B **8K STATIC** RRM BORRD



8K bytes by 8 bits, fully buffered, compatible with 8080, 8085, and 280. Dip switch addressing of independant 4K halves lets the MB6B think like two 4K boards, or one 8K board. Independent 4K addressing allows the flexibility to meet varying software memory needs. Uses low power 21L02 RAM's, operates at 2 or 4MHZ, and is compatible with direct memory access controllers.

55 CUIIII UIIEI 5.		
Cat No.	Description	Price
*1400-A	450ns kit	\$135.00
*1400-B	250ns kit	\$147.50
1401-A	450ns a & t	\$209.00
1401-B	250ns a & t	\$225.00
*1402	Bareboard	\$ 23.75

### **SOUNDING BOARD** for Apple II

Enter the world of microcomputer music and sounds! One board will turn your apple into a tine musical instrument and, in addition, produce sound effects which will spice up any program. Each board has three programmable voices, and on-board generator and built-in amplifier which can drive an 8 ohm speaker. The Sounding Board has a live octave range starting at 55hz which is (a) below the bass clef, to 1760hz which is 2 oclaves above the treble clef. The apple will hold 6 boards which would give you the capacity to create 18 simultaneously programmable voices. Music can be composed, edited, played and then stored. Musical notes can be entered directly from the keyboard. included with your board is an interactive music editor, sample music, and a demonstration program which plays conlinuous music. Wt 3 oz. Cat No. 2561 \$12995

### NEWDOS + TRS-80 DOS

Contains the following: NEWDOS provides fixes for many of TRSDOS 2.1's problems. Enhancements to BASIC include builtin renumbering, some abbreviated commands, scrolling of listings up or down, screen printing, clears up keyboard bounce, append now works, direct call to DOS without leaving BASIC, and display of all variables used; DIRCHECK lests and lists disk directories; DISASSEM, which is a disassembler; ED-TASM allows the use of the Radio Shack Editor-Assembler on disk with disk I/O Level 1 in Level 2. This allows you to use or creale Levet 1 programs and also save or retrieve them from disk using LVIDSKSL; LMDFFSET helps save and load machine Using EVIDSASE, EMDIFES I Helps save allo fload infacilitie language tapes from disk, even if in the same memory as DOS; SUPERZAP allows you to display, print, and modify disks or memory. Complete with extensive documentation, requires TRSDOS and the Radio Shack Editor-Assembler. \$9900 Cat No. 1549 TRS-80 L2, 16K w/disk


### APPLE INVADERS

You have mobile bases, the invaders have missiles. As the game progresses the invaders get closer with every pass across the screen . . . the more you destroy, the faster those remaining will attack! This game can continue for quite some time, as there

is a never ending supply of invaders.

Cat No. 2420 24K Apple Disk Version 24K Apple Cassette

Call Toll-Free: USA (800) 423-5387 In California: (800) 382-3651 Local & Outside USA: (213) 886-9200



\$159 kit

### SSM CB1-A 8080 CPU BOARD

Just add an I/O board and it's a computer! 256 bytes of on board RAM, with option for 2K of on board PROM. Includes a power-on, preset jump circuit, and MWRITE is available, allowing use without a front panel. There's a parallel input port with status, and AIP controlled addressing: or PROM in 2K blocks; vector jump in 2K increments; RAM in 256 byte increments; RAM in 256 byte increments; input port for addresses 0 = 31 in decimal

\*Cat No. 1403 CB1-A kit \*Cat No. 1441 CB1-A bareboard \$159.00 \$28.75

\* Denotes excess inventory sale. No further discounts shall apply

### TEAC FD-50A MINI DISK DRIVE \$295

The engineering expertise of TEAC has been incorporated into a new mini-disk drive for personal computer owners who demand the best from their investment.

The FD-50A has a unique "brushless" DC motor that is designed to run continuously and noise-lessly to provide faster track-to-track access time. (Less than 25ms access time!) The FD-50A will access 35 or 40 tracks providing 110/125k bytes storage capacity and may be ordered pin to pin compatible with either the Shugart SA-400 or the MPI-51 disk drives.

With its ONE FULL YEAR warranty, the FD-50A is certainly a sensible alternative. Compare the new TEAC FD-50A before you purchase your next mini-disk drive. Wt. 5 lbs.

Cat No. 2680 Cat No. 2681 FD-50A Compatible w/SA-400 Format FD-50A Compatible w/MPI-51 Format

### RRATER HOME VIDEO **SYSTEM**



The nation's best selling home video entertainment center is here! Currently supports a library of 32 game cartridges with over 1500 game variations and options. Now you can enjoy all the fun and excitement of an arcade in your own home whenever you wish. Terrific for party entertainment, developing coordination and dexterity, education, or just plain family fun. Comes with interchangeable joystick and paddle controllers, special circuits to protect home T.V., and ATARI'S realistic "combat" game with 10B variations and options. ATARI'S realistic sound effects and crisp, bright colors make the home video center your number one entertainment choice.

Note: Not for use with

### ATARI Programmable Computers

CAT NO.	DESCRIPTION	WT	PRICE	717	iii riogiaiiiiiabie	Compate	513
2375	ATARI Home Video System	8 lb.	183.00	2390	Bowling	6 oz.	19.50
2206	Driving Controller-Pair	2 lb.	19.95	2391	Skydiver	6 oz.	19.50
2207	Paddle Controller-Pair	2 lb.	19.95	2392	Fun with Numbers	6 oz.	18.75
2208	Joystick Controller-Pair	2 lb.	19.95	2393	Brain Game	6 oz.	19.50
			_	2394	Superman	6 oz.	25.00
A A	TARI GAME CARTI	RIDGE	S	2395	Casino	6 oz.	25.00
2376	Starship	6 oz.	19.50	2396	Backgammon	6 oz.	37.95
2377	Black Jack	6 oz.	18.75	2397	Video Chess	6 oz.	37.95
2378	Space War	6 oz.	12.95	2500	Space Invaders	6 oz.	25.00
2379	Surround	6 oz.	12.95	2609	Adventure	6 oz.	25.00
2380	Slot Machine	6 oz.	18.75	2611	Indy 500	6 oz.	37.50
2381	Outlaw	6 oz.	19.50	2634	Human Cannon Ball	6 oz.	19.50
2382	Slot Racer	6 oz.	19.50	2635	Codebreaker	6 oz.	19.50
2383	Video Olympics	6 oz.	19.50	2636	Flag Capture	6 oz.	19.50
2384	Breakout	6 oz.	19.50	2637	Air-Sea Battle	6 oz.	19.50
2385	Canyon Bomber	6 oz.	19.50	2638	Hunt and Score	6 oz.	19.50
2386	Street Racer	6 oz.	19.50	2639	Miniature Golf	6 oz.	19.50
2387	Homerun	6 oz.	19.50	2640	Hangman	6 oz.	18.75
2388	Basketball	6 oz.	19.50	2653	Tic Tac Toe	6 oz.	19.50
2389	Football	6 oz.	19.50	2654	Circus	6 oz.	19.50

### LEEDEX VIDEO 100 12" MONITOR \$139

Compatible with many home computers, including TRS-80 (no interfacing required) High resolution

One of the most popular low cost, high resolution monitors available, comparable with units costing much more! Utilizes standard composite video input, which eliminates the need for an RF modulator. An extremely sharp and stable picture in a rugged, attractive package. 12MHz video bandwidth + / with 750 ohm input impedance

Cat No. 1204 Video 100 monitor TRS-80/LEEDEX cable kit 18 lhs. \$139.00 Cat No. 1937 6 oz.



Features industrial-grade metal cabinet with built-in disk mounting capability, and space for an 11 x 14" PC board. Solid State circuitry assures a sharp, stable picture. Front panel controls include power, contrast, horizontal and vertical hold, and brightness. Wt 20 lbs.

Cat No. 2374

### D.C. HAYES ASSOC. MICROMODEM 100

The Micromodem 100 is a complete data communications system for S-100 microcomputers. It combines the capabilities of a serial interface card and an acoustic coupler with the addition of a programmable automatic dialing and answer. Includes 16 bit machines and a 4 MHz processors, two software selectable baud rates, 300 baud and a jumper selectable speed from 45 to 300 baud. Direct connect microcoupler through your local telephone company system, auto answer/auto call. Software compatible with D.C. Hayes 80-103A data communications



### MICROMODEM II For APPLE II

This is a sophisticated computer to computer or terminal to mputer modem for use in Apple II personal or small business systems. It provides all the capabilities of a Serial interface card and an acoustic coupler with the addition of programmable automatic dialing and answer. On board ROM lirmware provides for remote console, terminal mode and simplified implementation of more sophisticated applications with BASIC programs. The Micromodem II comes with the "Microcoupler" an exclusive new device that allows you to connect your Apple II directly to a modular jack provided by your local telephone Co.

Cat No. 2655

\$379

# HOBBYWORLD® ELECTRONICS INC.

19511 BUSINESS CTR. DR. DEPTB9 NORTHRIDGE, CRLIF 91324

### **32K STATIC RAM BOARD**

Uses 2114, 250ns fully Static RAM's. Bank selectable in 8K blocks. Enable/Disable on power up or Reset. Compatible with North Star, Alpha Micro. Cromeco. etc. Also front panel compatible, addressable in 8K blocks. Selectable wait state. Wt. 1

Cat No. 2644 Assembled & Tested \$710<sup>00</sup>

### 64K DYNAMIC RAM BOARD

Check the features, then compare the price of this memory board from CCS. Uses low power 4116 Dynamic RAM's, Bank Selectable in 16K blocks, bank Enable/Disable on power-up or "fail sale" modes for transparent refresh on 8080 or Z-80. 4mhz operation, phantom line capability and compatible with Iront panel systems. Wt. 12 oz.

Cat No. 2647 Assembled & Tested \$699

### **Z-80 CPU BOARD**

California Computer Systems has done it again! An all new 2-80 CPU board loaded with such great leatures as \$-100/Altair/Imsai compatibility. Power-on jump to any Memory address, selectable 2-80 monitor ROM, selectable MI wait states, full handshake, auto band (2 baud-56K baud) selection, selectable port address, separate baud rate oscillator and an-board RS-232 100% disable option serial port. This board also boasts front panel support compatability, Z-80 refresh capability, Z-80 NMI capability, phantom line capability, Z-80 interrupt capability and status valid on Data Lines during psync.

Wt. 3 lbs. **Cat No. 2646** \$299

### CCS 2422 **DISK CONTROLLER**

This disk controller is equipped with a soft sector format, will support single and double density formats, supports up to four 5½" and/or 8" single or double sided drives. It has ROM controlled addressing for I/O mapped and/or (optional) memory mapped operation, fast seek capability for voice-coil type drive, adjustable write precompensation, digital phase-locked data separator, selectable auto-wait on Data or Control port and onboard 2K Byte Boot/program ROM (2716). A copy of CP/M 2.2 is included.

Cat No. 2645 \$399

### SEND FOR FREE FLYER FERTURING . . .

Page after page of impressive, state-of-the-art products. Included in flyer are computers, terminals, disk-drives, printers and many more electronics peripherals that can add dimension to your personal computing. We also stock computerized games and toys, application boards, a large selection of comprehensive software, electronics books, electronics parts, integrated circuits, P.C. & soldering accessories and much, much more.

For all your electronics' or hobbyist's needs, clrcle our Reader Service number or write/phone us for your free illustrated flyer today!

### **HOW TO ORD€R**

Minimum Order \$15.00. Order by phone, mall, or at our retail stores. Pay by check, Mastercharge, Visa or C.O.D. Please include expiration date with charge card orders. U.S. SS only, Include phone number and magazine issue you are ordering from. Add \$1.25 for C.O.D. and shipping charges from rates below. Shipping Bates: U.S.A.
Ground: Add \$2.25 for first 2 lbs. and 40c each add't lb.

round: Add \$2.25 for first 2 lbs. and 40c each addt'i. lb. ir: Add \$3.25 for first 2 lbs. and 70c each addt'i. lb. Shipping Rates: Foreign round: Add \$3.00 for first 2 lbs. and 60c each addt'i. lb.

Air: Add \$11.25 for first 2 lbs. and \$5.00 each add!'l. lb.
Prices Valid through month of issue. Not responsible for typo-graphical errors. Some items subject to prior sale or quantity limits. 120 day guaranteed satisfaction. Exception: Partially assembled kits, abuse or misuse.

# MICRO BUSINESS WORLD

Immediate response to your orders (verbal or written). toll-free (800) 421-0347



### and the NEW Apple III

The complete, ready to run computers...Connect to your color TV and start writing programs today. APPLE is faster, smaller, more powerful than it's predecessors. APPLE will change the way you think about computers. Call for our Price.

### INVENTORY CONTROL SYSTEM FOR Apple II

The first truly professional system that can tackle up to 8,100 items · Transaction register/audit trail · Inventory Status report · Re-order report · Keeps track of purchase orders automatically · Will handle multiple departments or divisions Fast data retrival.

Minimum hardware requirements: APPLE 11 Plus with 48K, one disk drive and 80 column printer.

Introductory Price: \$99.00 Including comprehensive manual.

ZENITH DATA SYSTEMS:

Smart Video Terminal

**Z-89** Computer System:



includes: Z19 Display, a built in 51/4" Floppy Disk, 2 serial ports, and 16K of memory. 2295.00 48K Memory 2595.00 Also 48K Z-19 has a Z80 Micro -processor, numeric keypad and 8 function key. 895.00 ATARI 800 Personal Computer System

Packed with: Computer Console, Basic Language Card, Education System Master Cartridge, Cassette Recorder, TV Modulator, 8K Memory (expandable to 48K), Power Supply & all Books and \$799.95 Manuals

ATARI 400 Personal Computer System for less Packed with: Computer Console, Basic Language Cartridge, Power Supply, TV Modulator, and all Books and \$499.95 Manuals

ATARI Program Recorder 69.99 ATARI Software, Roms, Cassettes 25% off list price 99.99 ATARI Expansion Memory 8K Module 16K Module 169.99



### commodore the Great American Solution





**CBM 8050 DUAL DRIVE FLOPPY DISK** 





**CBM 8000 SERIES BUSINESS COMPUTER** 

CBM 2001 SERIES BUSINESS COMPUTER



### DYSAN DISKETTES

THE CADILLAC OF THE FLOPPY DISKS AT LOW LOW PRICES

• 3740/1D sgl side/dbl density............ 6.95 ea

5" (BOX OF 5 ) • 104/1 soft sector • 107/1 10 sectors

• 105/1 16 sectors ........ 4.50 ea

Prices subject to change without notice.

VISA and MASTER CHARGE WELCOME. Allow 2 weeks for cashiers check to clear, 4 weeks for personal checks. Add 2% for shipping and handling. Calif. residents add 6% sales tax. (Sorry, no C.O.D.)

U.S. and International dealer inquiries invited.

Copyright 1980 • MICRO Business WORLD

Circle 340 on inquiry card.



The new Model MX 80 is a high-speed bidirectional, impact printer capable of printing 9x9 dot matrix characters. Prints enlarged, condensed, condensed/enlarged, normal characters with 40,132, 66, 80 columns per line logical seeking function



**DDT MATRIX PRINTER** 

with graphics \$795.


**16K RAM** set of 8 4116's 250 ns or better **\$59.00** 



15818 Hawthorne Boulevard Lawndale, California 90260 (213) 371-1660,

# **Accessories and Software**

for Apple, Commodore, TRS-80, Atari Call TOLL FREE - 800-421-0347



### **ACCESSORIES**

CORVUS 10 MEGABYTE DISK DRIVE \$4845 PASCAL LANGUAGE SYSTEM GRAPHICS INPUT TABLET DISK II with CONTROLLER CARD DISK II with CONTROLLER CARD DISK II without controller APPLE SOFT II FIRMWARE CARD INTEGER FIRMWARE CARD PARALLEL INTERFACE CARD SERIAL INTERFACE CARD SERIAL INTERFACE CARD SERIAL INTERFACE CARD SUP-R-MOD RF TV MODULATOR SUP-R-TERM 80 COL CARD SUP-R-TERM 80 COL CARD 344 SUP-R-TERM 80 COL CARD 345 SUP-R-TERM 80 COL CARD 347 SUP-R-TERM 80 COL CARD 348 SUP-R-TERM 80 COL CARD 349 CCS ARITHMETIC PROCESSOR CARD 341 CCS ARITHMETIC PROCESSOR CARD 341 CCS ARITHMETIC PROCESSOR CARD 341 CCS ARITHMETIC PROCESSOR CARD 342 CCS ARITHMETIC PROCESSOR CARD 343 INTROL X-10 SYSTEM SUPER TALKER SPEECH SYNTHISIZER ROMPLUS CARD WIKEYBD. FLTR 174 HEURISTICS SPEECHLINX 2000 2C DC HAYES MICROMODEM II 323 ALF MUSIC SYNTHISIZER SSM A10 CARD (KIT) SSM A10 CARD (ASSEMBLED) 186 NOVATION CAT MODE M 155 CCS GPIB IEEE INTERFACE 264 MICROSOFT Z-80 SOFT CARD W/CP/M 344 MICROWORKS DS-65 DIGISECTOR 348 MICROWORKS DS-65 DIGISECTOR 349 MICROWORKS DS-65 DIGISECTOR 340 MICROWORKS DS-65 DIGISECTOR 341 MICROWORKS DS-65 DIGISECTOR 342 CCS PROGRAMMABLE TIMER MODULE 15 CENTRONICS PRINTER W/INT CARD 52

### APPLE SOFTWARE

		$\mathbf{c}$		
3 MILE	SLAND.	Muse		39.9
3-D ANII	MATION-	D, Progra	amma Inti	, 24.9
			с	
3D GRA	PHICS. P	rogramm	a intl	24.9
6502 AS	SEMBLE	R. Persor	nal S/W	24.9
			x	
ABBS, P	eriph Uni	ltd	100000000000000000000000000000000000000	49.9
<b>ACCOU</b>	NTING A	SSISTAN	IT, Instant	S/W 7.9
<b>ADDRES</b>	SS BOOK	, Muse .		49.9
ADVEN'	TURE 3 &	4. Creat	ive Comp	24.9
ADVEN'	TURE-D,	Microsoft		29.9
ADVEN'	TURE-D,	Programi	ma Inti	21.9
			ive Comp	
ALIEN L	ANDER.	Sierra Sc	ftware	24.9
			na intl	
ANALYS	SIS 1, Gal	аху		49.9
ANALYS	T, Progra	amma Int	Liverson	15.9
APMAIL	, Progran	nma Intl .		19.9
<b>APPILO</b>	T, Muse .			49.9
APPLE I	DOC, Sov	west Data		24.9
APPLE I	LISNER, S	Softape .		19.9
APPLE I	PIE-D, Pr	ogramm	Intl	, 24.9
APPLE	PILOT. Pi	rogramm	a Intl	24.9
APPLE I	PLANET.	Program	ma Intl	24.9
APPLE	POST. Ap	ple	********	50.0
APPLE	WRITER.	Apple		75.0
APPLEF	ORTH, P	rogramm	a_Intl	49.9
APPLES	OFT OP	I IMIZER,	Programn	na . <b>19</b> .9

100: 5005T 0: 10 0	
APPLESOFT PLUS, Programma Intl APPLETALKER, Softape APPLEWORLD, United Software	24.95
APPLETALKER, Softape	. 15.90
APPLEWORLD, United Software	. 59.90
ASSEMBLER, Microproducts	39.9
ASTEROIDS, Quality Softwr	19.9
ASTROAPPLE Software Factry	15.00
ASSEM LAND DEVELOPMENT, Payden ASSEMBLER, Microproducts ASTEROIDS, Quality Softwr ASTROAPPLE, Software Factry AUTOCHECKERS, Programma Intl BIT'S, Periph Unitd BIT'S, Periph Unitd ARBIE Software Factry	15 94
PLT C Periob Heltd	34 0
DADDIE O-th 5	45.00
BASEBALL, Muse BATTLESHIP COMMAND, Quality Sftw BATTLESTAR 1, Programma Intl	. 14.95
BATTLESHIP COMMAND, Quality Sitw	14.95
BATTLESTAR 1, Programma Intl	. 15.99
BAZOOKA, Programma Intl	. 15.9
BAZOOKA, Programma Intl	39.9
BLOCKADE, Personal S/W	14.9
BOULING. Apple BOWLING. Apple BRAIN GAMES, Creative Comp. BRIDGE CHALLENGER, Personal S/W BRIGHT PEN, Softape BUSINESS/FINANCE, Programma Intl. CAI PROGRAMS-D. Creative Comp. CASTLE ADVENTURE, Programma Intl. CCA DATA MGMT. Personal S/W	15.0
BRAIN GAMES Creative Comp	7 0
BDIDGE CHALLENGED Personal S/W	14 0
PRICHT PEN Cottons	24.0
DUCINECO/FINANCE December 141	10.0
BUSINESS/FINANCE, Programma Inti	. 19.95
CAI PROGRAMS-D, Creative Comp	. 14.95
CASTLE ADVENTURE, Programma Intl.	15.9
CCA DATA MGMT., Personal S/W	100.00
CHECKBOOK, Apple	. 20.0
CHECKBOOK, Programma Intl	. 34.9
CHECKBOOK KING-C, Personal S/W	. 19.9
CHECKER KING-C. Personal S/W	. 19.9
CHECKER KING-D. Personal S/W	24.9
CLOWNS & BALLOONS Programma	15.9
COMPLIMATH Edu Ware	30 0
COMPUDEAD Edu Ware	24 0
CDADC Cattage	14 0
DANC DICK Dorigh Heltd	24.0
DANS DISK, Periph Unitd	. 24.8
DART ROOM, Programma Intia	. 13.85
DATA MANAGER, Hayden	. 49.9
DATABASE, Programma Intl	. 19.9
DATABASE II, Programma Intl	. 29.9
DATABASE MAIL-D, Programma Intl	. 29.9
DATAMOVER, Apple	7.5
DDU & SDC, Periph Unitd	. 39.9
DEPTH CHARGE, Programma Intl	. 15.9
DISASSEMBLER, Microproducts	. 34.9
DOW JONES, Apple	. 50.0
DUAL BACE Systems Design	16.9
EARTHOLIEST-D. Programma Intl	19 9
EASY WRITER Personal Softwr	90.0
ELECTRIC CARD EILE Softage	10 0
ELECTRIC CRAVON Muse	17 0
ELECTRIC CHATCH, Muse	20.0
ENERGY AUDIT O IT-1-1-100	. 35.5
ENERGY AUDIT-C, Instant S/W	. 60.0
ENGINEERING MATH-I. Hayden	. 14.9
ESCAPE, Muse	. 12.9
FASTGAMMON-C, Quality Softwr	. 19.9
FASTGAMMON-D, Quality Softwr	. 24.9
FILE HELPER, Baclan.,,,,,	. 49.0
FINANCE PACK, Apple	. 25.0
FLASH CARDS, Programma Intl	9.9
FLIGHT SIMULATOR, Sub Logic	. 25.0
FOOTBALL Programma Intl	9.9
FORM LETTER Perioh Unitd	24.9
FORTE Softane	19 9
FORTH Softage	49 0
FRACAS-C Quality Softwr	10.0
FRACAS-D Quality Softwer	24 0
GALACTIC CONFLICT Programma Int	15 0
CAME DI AV/DACIC Haudan	13.5
CAME PLAY W/DASIC, Haydell.,,	9.9
CAME PLAY W/BASIC 2, Hayden	9.9
CAME PLAT W/BASIC 3, Hayden	9.9
GAMON GAMBLER-C, Personal S/W.	. 19.9
GAUNILEIS, Programma Intl	. 99.9
GENERAL MATH-1, Hayden	. 14.9
GLOBAL WAH, Muse	. 17.9
CAI PROGRAMS-D. Creative Comp CASTLE ADVENTURE. Programma Intl. CCA DATA MGMT. Personal S/W CHECKBOOK, Apple CHECKBOOK, Programma Intl. CHECKBOOK, Programma Intl. CHECKBOOK, Programma Intl. CHECKER KING-C, Personal S/W CHECKER KING-D. Personal S/W CHECKER KING-D. Personal S/W CLOWNS & BALLOONS, Programma COMPUMATH, Edu Ware COMPUREAD, Edu Ware CRAPS, Softape DANS DISK, Periph Unitd DATT ROOM, Programma Intl DATA MANAGER, Hayden DATA BASE. Programma Intl DATA BASE. Programma Intl DATABASE II, Programma Intl DATABASE II, Programma Intl DATABASE II, Programma Intl DATAMOVER, Apple DU & SDC. Periph Unitd DEPTH CHARGE. Programma Intl DISASSEMBLER, Microproducts DOW JONES, Apple DUAL RACE. Systems Design EARTHOUEST-D. Programma Intl EASY WRITER, Personal Softwr. ELECTRIC CARD FILE. Softape ELEMENTARY MATH. Muse ENERGY AUDIT-C, Instant S/W ENGINEERING MATH-1. Hayden ESCAPE, Muse FASTGAMMON-C. Quality Softwr FASTGAMMON-D. Quality Softwr FRACAS-D. Quality Softwr GAMD FRAC WABSIC 2. Hayden GAMD FRAC WABSIC 3. Hayden GAMD FRAC WABSIC 3. Hayden GAMD FRAC WABSIC 2. Hayden GAMD FRAC WABSIC 3. Hayden GAMD FRAC WABSIC 3. Hayden GAMD FRAC WABSIC 3. Hayden GAMD FRAC WABSIC 5. Hayden GAMD FRAC WABSIC 5. Hayden GAMD FRAC WABSIC 6. Personal S/W GAUNTLETS. Programma Intl GENERAL MATH-1. Hayden GOBLINS. Programma Intl GENERAL MATH-1. Hayden	. 15.9
GRADE BOOK, Creative Corp	. 24.9
GRAPHIC UTILITIES, Personal S/W	. 14.9
HI RES ADVENTURE #1, On Line Syst	. 24.9
HIRES PLAYGROUND, Systems Design	24.9
HOME ACCOUNTING-C, Programma II	nt 9.9
HOME ACCOUNTING-D. Programma	. 15.9
HOUSEHOLD FINANCE. Programma	24.9
HOUSEHOLD INVENT. Programma	24.9
INSTANT LIBRARY-C. Softane	39.9
GOBLINS. Programma Intl. GRADE BOOK, Creative Corp. GRAPHIC UTILITIES. Personal S/W HI RES ADVENTURE #1. On Line Systems HORES PLAYGROUND. Systems Design HOME ACCOUNTING-D. Programma HOME ACCOUNTING-D. Programma HOUSEHOLD FINANCE. Programma HOUSEHOLD INVENT. Programma INSTANT LIBRARY-C. Softape INSTANT LIBRARY-D. Softape. JOHN'S DEBUGGER. Broderick LASER TURRET. Programma Intl	39.0
JOHN'S DEBUGGER Broderick	35.0
LASER TURRET Programma Intl	9.0
LASER TURRET, Programma Intl	34 0
MAIL LIST Perioh Holtd	30.0
THE LIGHT OFFICE CONTROL	. 55.8

MATRIX INVERT-C, System Design	13.95
MAZE GAME. Muse	12.95
MAZE GAME, Muse	29.95
MICRO INFOSYSTEM, Muse	99.95
MICROCHESS, Personal S/W	19.95
MICROCHESS-C, Apple	20.00
MICROCHESS-D. Apple	25.00
MICROGAMMON, Softape	14 95
MINI LEDGER, Programma Intl	50.05
MINI LEDGER-D, Programma Intl	59.95
MISSION IMPOSSIBLE, Creative Comp	14 06
MONITOR-D, Programma Intl	40.05
MODE AGE Instant S/W	7 06
MULI TIDI E DECDECCION Custome D	24.05
MORTGAGE, Instant S/W	24.80
OUTDOOR GAMES. Creative Comp	44.00
DA D. Detector	14.80
P A D. Datasoft	19.50
DILAA D. Desigh Maled	30.00
P U M P, Periph Unitd	23.00
PARCHESI. Programma Intl	. 0.30
DEDDUTUAL CALENDAD December	19.90
PERPUTUAL CALENDAR, Programma PHASOR ZAP, Programma Intl	. 9.80
PHASOR ZAP, Programma Inti	15.95
PINBALL, Programma Inti	15.95
PIRATE ADVENTURE, Creative Comp	14.90
PINBALL. Programma Intl. PIRATE ADVENTURE, Creative Comp. POWER EDITOR, Programma Intl. PRO GOLF. Softape	10.90
PHO GOLF, Softape	12.90
PROGRAM EDITOR. Synergistic	40.00
PROGRAMMING AID, Dakin 5	39.95
PROGRAMMING AID 2, Dakin 5	49.95
QUARTER HORSE RACE. Programma .	. 6.95
RAM TEST TAPE, Apple	. 7.50
HOCKET PILOT. Softape.	12.95
SARGON 2. Hayden	27.00
SARGON-C, Hayden	19.95
SARGON-D. Hayden	34.95
SCORPION ATTACK, Programma Intl	15.95
SCREEN MACHINE. Softape	19.95
SHELL GAMES, Apple SINGLE DISK COPY, Periph Unitd	30.00
SINGLE DISK COPY, Periph Unitd	19.95
SKEETSHOOT, On Line	14.95
SOLITAIRE, Programma Intl	. 15.95
SPACE, Edu Ware	29.95
SPACE II, Edu Ware	24.95
SPACE SHUTTLE LANDING, Harvey SPACE/SPORTS GAMES, Creative Cp SPYTREK, Programma Intl	15.00
SPACE/SPORTS GAMES, Creative Cp.	14.95
SPYTREK. Programma Intl	15.95
STAR WARS. Softape	. 12.95
IF VOIL BON'T OFF IT HERE O	ALI
IF YOU DON'T SEE IT HERE, O	ALL
HE WE CARRY EVERYTHING	

### IF YOU DON'T SEE IT HERE, CALL US. WE CARRY EVERYTHING FOR APPLE, TRS-80, COMMODORE, VECTOR, ATARI, SORCERER, TEXAS INSTRUMENTS, AND MORE!

MUNE	
STATISTICS, Programma Intl	. 19.95
STATISTICS, Edu Ware	. 17.95
STATISTICS, Edu WareSTIMULATING SIMULATIONS,	
Personal S/W/	. 14.95
Personal S/W/	. 79.95
SUPER TEXT. Muse	
SUPERCHIP Eclectic	100.00
SUPERCHIP. Eclectic	. 12.95
TALKING DISK, Programma Intl	. 19.95
TEXT EDITOR, Periph Unitd	. 59.95
THE CASHIER, Apple	250.00
THE CONTROLLER, Apple	625.00
THE SOURCE, Periph Unitd	. 25.00
THE SOURCE, TCA	. 29.95
THE TYPESETTER, Programma Intl	. 29.95
TIC TAC TALKER, Softape	. 19.95
TIME CLOCK, Programma Intl	6.95
TIME TREK, Personal S/W	. 14.95
TINY PASCAL, Programma Intl	. 49.95
TRAPSHOOT, On Line	19.95
TRIVIA ][. Programma Intl	15.95
TURF ANALYŠIS, Systems Design	21.95
TYPE TRAINER, Programma Inti	15.95
TYPING TUTOR. Microsoft	14.95
UNCLE SAM, Muse	12.95
UPDATES, Periph Unitd	39.95
VISICALC, Personal S/W	150.00
VOYAGER EXCURSION. Programma	15.95
WEIGHT PLOTTER, Programma Intl .	
WHATSIT, Computerheadgr	. 125.00
WINDFALL. Edu Ware	19.95

# MICRO BUSINESS WORLD 15818 Hawthorne Blvd. Lawndale, CA 90260 (213) 371-1660

CALL US TOLL FREE FOR NEW CATALOG OF ACCESSORIES & SOFTWARE 800-421-0347

Circle 340 on inquiry card.



### PET ACCESSORIES

ACCESSORIES
Commodore Dual Floppy Disk Drive \$1,285.00
Second Cassette—from Commodore 95.00
Commodore PET Service Kit 30.00
Seeper-Tells when tape is loaded 24.95
Petunia—Play music from PET 29.95
ideo Buffer—Attach another CRT 29.95
Combo-Petunia abd Video Buffer 49.95
NW Bi-Dir.RS-232 printer S-face , 229.00
IM A (A Single Board Computer
from Commodore) 179.00
CMB 8050 Dual Drive Floppy Disk 1,695.00
CBM Modem
CBM Voice Synthesizer, 395.00
PET TO IEEE Cable
EEE TO IEEE Cable
(IM1 & Power Supply Package Special 200.00
- · ·

### PET SOFTWARE

SOFTWARE	
ACTION, Soundware	\$9.95
ACTION GAMES, Creative Comp	. 7.95
ALPHABET, Commodore	. 9.95
BACKGAMMON Commodore	. 9.95
BACKGAMMON, Commodore	10.95
BASIC BASIC, Commodore	14.95
BASIC FINANCE. Commodore	24.95
BASIC MATH, Commodore	29.95
BATTER UP, Hayden	10.95
BASIC BASIC, Commodore BASIC FINANCE, Commodore BASIC MATH, Commodore BATTER UP, Hayden BATTLESHIP, Programma Intl BLACKJACK, Commodore BLOCKADE, Programma Intl BLOCKADE, Personal S/W BOWLING, Commodore BRIDGE CHALLENGER, Personal S/W CHASE, Programma Intl	. 9.95
BLACKJACK, Commodore	. 9.95
BLOCKADE, Programma Inti	. 9.95
BOWLING Commodore	14.85
BRIDGE CHALLENGER Personal S/W	14 95
CHECKBOOK, Commodore	9.95
CHECKBOOK, Commodore	24.95
CHECKERS, Instant S/W COSTING, Commodore	. 7.95
COSTING, Commodore.	19.95
DATA BASE UTILITY, Commodore	24.95
COSTING, Commodore. DATA BASE UTILITY, Commodore DEPTH CHARGE, Programma Intl DIET PLAN, Commodore DISASSEMBLER, Commodore DOW JONES, Instant S/W. DUNGEON OF DEATH, Instant S/W GALAXY GAMES, Commodore GAME PLAY WGABAIC Hayden	. 9.95
DISASSEMBLED Commodore	14.95
DOW IONES Instant S/W	7 05
DUNGEON OF DEATH Instant S/W	7.95
GALAXY GAMES. Commodore	9.95
GAME PLAY w/BASIC, Hayden	9.95
GAME PLAY w/BASIC, Hayden	. 9.95
GAME PLAY w/BASIC 3, Hayden	. 9.95
GRAPHIC GAMES #1, Creative Comp GRAPHIC GAMES #2, Creative Comp GRAPHIC UTILITIES, Personal S/W GRAPHICS, Commodore	. 7.95
CRAPHIC GAMES #2, Creative Comp	. 7.95
GRAPHICS Commodore	9.95
GLIESS & SENTENCE Commodore	29.95
GUESS A SENTENCE, Commodore HANDS ON BASIC, Commodore	14.95
HOME ACCOUNTING, Programma Intl.	. 9.95
HOME ACCOUNTING, Programma Intl. LOGIC #1, Creative Comp. LOGIC #2, Creative Comp. MACHINE LANGUAGE, Commodore	. 7.95
LOGIC #2. Creative Comp	. 7.95
MACHINE LANGUAGE, Commodore	. 9.95
MAYDAY, Hayden	9.95
MICROCHESS Personal S/W	19.95
MONITOR, Programma Intl	6.95
MORTGAGE, Instant S/W	. 7.95
MORTGAGE, Commodore	14.95
MACHINE LANGUAGE, Commodore MAYDAY, Hayden MICROCHESS, Personal S/W MONITOR, Programma Intl MORTGAGE, Instant S/W MORTGAGE, Commodore NUMBER REVERSAL. Commodore ON THE HOUSE Commodore ON THE HOUSE Commodore	. 7.95
NUMBER REVERSAL. Commodore	9.95
DEDOCALLA ACCEPTACE D	
PET SHOW Commoders	19.95
PIRATE ADVENTURE Creative Come	14 OE
PROJECTILE MOTION Commodore	19.95
REALTY, Commodore	59.95
RHYMING, Commodore	. 9.95
SERIES/PARALLEL, Commodore	19.95
SLOT MACHINE, Programma Intl	. 6.95
PERSONAL ACCTING, Programma Inti- PET SHOW, Commodore PIRATE ADVENTURE, Creative Comp PROJECTILE MOTION, Commodore REALTY, Commodore RHYMING, Commodore SERIES/PARALLEL, Commodore SLOT MACHINE, Programma Inti SOME COMMON BASIC PROB-D	0.05
SPACETREK Commodore	9.95
SPACETALK, Commodore SPACETREK, Commodore STATISTICS, Commodore	29.95
STOCK PROTFOLIO. Commodore	24.95
STRATHCI VDE RASIC Commodora	14 05
TARGET PONG, Commodore	9.95
TIME TREK, Personal S/W	14.95
TARGET PONG. Commodore TIME TREK, Personal S/W TREK X. Instant S/W. TURF & TARGET, Instant S/W. USER PROT COOKBOOK, Commodore	7.95
LISED DOOT COOKBOOK Commoders	. (.95)
LITHITIES Smithward	7.05

UTILITIES, Smithware
VIDEO CHECKERS, Compuquote...
WORD PROCESSING 2, Commodore
WORD PROCESSING 3, Commodore

WORLD CLOCK, Commodore



### **Qume Datatrak 8**

Double sided floppy with NO HEADACHES. Although many think this an impossibility, seeing is believing, and this drive is really something! Shugart compatible, fully optioned, reliable, and rapidly becoming the standard in double-sided diskdom.

\$599. Two/\$549.

### Siemens FDD 100-8D

Single sided 8" floppy drive, the latest & greatest revision. Features double density plus much more. An extremely reliable drive \$439 2/\$409

Hard sector option kit... Data separator option kit... \$9.95

The following 5¼" mini-floppies share most features with their 8" cousins, so without further ado...

Siemens FDD 100-5D..... \$279. Qume Datatrak 5 (double sided).... 399. BASF Mini mini . . . . . . . . . . . 279. SA 400 ..... 299. All the above mini-floppies are fully SA400

Manuals for all drives are \$10, refundable against future purchase of drives. Also, all 8" drives can be ordered with 220 v/50 hz for worldwide use.



### **Disk controllers**

Delta Products double density	\$349
Micromation doubler	439
Tarbell single density, A & T	225
Tarbell single density, kit	184
Tarbell double density, DMA	425
Sorrento Valley 8" single density	
for Apple	375



### Electrolabs' **Monthly Special!!!**

TELEVIDEO 912C . . . . . . . . . TELEVIDEO 920C . . . . . . . . 799

Features typewriter keyboard, microprocessor controls, Upper/lower case, adjustable baud rates (75-9600 baud), special function keys, much

Second page memory option \$29.00

### **Data Display Monitors**

used 12" Sylvania monitors. Composite video, 12 MHz, 120 VAC. with new P-39 or P-4 tube, \$79, used tube \$59, OEM style (without case), subtract \$12. U-fix model, 10/\$300.

### 4116 dynamic RAM, 16K Bonanzall

Set of 8, 16K, for Apple, TRS-80, Exidy, Heath & more. 200 Ns., prime parts, at the unheard of \$49/8.

Large discounts available for quantity & dealers (500 & up). Offer limited while supply lasts, as these will vanish quickly!!!

### **Accessories**





Cable kits for 8" drives with 10' 50 cond. flat cable, power cable, and all connectors. Assembled if desired. One drive 27,50, two 33,95, three 38,95 for mini floppies (34 cond): one 24,95, two, 29.95

CP-206 Power-one power supply. Powers two drives more than adequately, top quality. 2.8A/24V, 2.5A/5V,,5A/-5V.....

mini-floppy power supply . . . . \$79

Hard. CII HB 10 MBY fully REMOVEABLE cartridge drive. Complete with controller, personality card, media, power supply, cabling, connectors and documentation. Highlighted by stylish & modern cabinetry. \$6995.

Shugart SA4008 20MBY fixed disk system. S-100. includes controller, power supply, and all that is necessary to run

### Electrolabs

POB 4436, Stanford, CA 94305 800-227-8266 415-321-5601

Telex: 345567 (Electrolab Pla)
Visa MC Am Eva



### Media


8" ...\$39.99 SS/SD 8" ...\$49.00 SS/DD 8" ...\$55.00 DS/SD 8" ...\$59.00 DS/DD 5%" \$34.95 SS 5%" \$59.00 DS

Verbatim, Memorex, Scotch, or equivalent name brand Special Introductory Offer!!! Wabash 8" diskettes \$29.00 SS \$39.00 DS

Price is cheap, but they run like champs!!!!

Diskette head cleaning kit for 5%" or 8" \$28.75 includes everything for 1 drive for 1 year. Alignment Diskette for Floppy Drives . . . . . . . . . \$39.00






With two 8" single-sided disk drives. . \$1899. With two 8" double sided disk drives in place \$2499 of single-sided variety.....



Desktop Mainframe MT-100. Contemporary styling, a handsome cabinet coated with durable epoxy finish colors (blue, beige, off-white & silver). Easy to fit into an office environment. The proper way to start your system.

> Above plus two 8" single sided disk drives ..... \$1599. Above with two 8" double sided disk drives in place of single-sided variety ...... \$2199.

\$25 min. order. Calif. residents add 6% sales tax. Orders under \$75, add 5% shipping and handling, over \$75 add 2.5%. All pricing subject to change without notice.



### **PRAGMATIX 1**

Incredible!! - Two 8" Shugart compatible single sided floppy disk drives (double density), CP-206 power supply, in handsome color coordinated cabinet, with full cabling, connectors, and documentation, plus one box diskettes!!! All for an unprecedented \$1295. Up to one MBY of storage.

with Qume Datatrak 8" double-sided drive \$1695





### Keyboard Special 2!!

**ESAT 200B** 

with Cherry Pro keyboard &

custom metal case . . . . . . . .

Scrolling, full cursor, bell, 8x8 matrix, 110-19,200 baud, Dual Front Applications.

Arabic & Hebrew, Multilingual Data Entry Forms Drawing, Music, & Switchyards.

Bi-LINGUAL 80x24 Communicating Terminal

Keytronics 1660 . . . . \$149.00 Hard Plastic enclosure 49 00 BOTH only . . . . \$152.00

### **Disk Subsystem**

Matchmaker Technology TURNKEY DISK SUBSYSTEMS



APPLE..... Single density disk controller. Expanded Apple DOS

TRS-80 ..... Single or double density. Expansion interface necessary. Space for 48K dynamic RAM on controller card RS232 port

SORCERER.. Full RS-232 Interface. One S-100 slot for memory ex-

pansion. Single or double density
All above units come as follows: Complete, assembled and tested, with two 8" floppy disk drives (Apple available in one drive model). Includes all cabling, connectors and documentation in a stunning color coordinated cabinet with power supply. Ready to go, plug in and run!!!

When ordering specify single or double sided drives

Software available for above disk add-ons

Z-80

TRS-80 & Sorcerer operate on all CP/M compatible software

Keyboard Special 1!!

CHERRY "PRO" Keyboard \$119.00 Streamlined Custom Enclosure BOTH only .... \$134.95

### **Daisy Wheel Printers**



NEC Spinwriter 5510/2 \$2899 NEC Spinwriter 5520/2 cali NEC Spinwriter 5530/2 for prices

### Qume S/5

Sprint 5/45 RO \$2699 Sprint 5/55 RO 2829 Sprint 5/45 KSR 3029 Sprint 5/55 KSR 3159 Forms Tractor \$210 Pinfeed platen 155 30 paper quide paper basket 50

### Qume Sprint 3\45

(requires self assembly) \$1499 printer mechanism power supply 349 1699 combination special cases 200 S-100 interface card 149

many print wheels, ribbons, & more available

Circle 341 for Electrolabs

\$399.

### Electrolabs

POB 4436, Stanford, CA 94305 800-227-8266 415-321-5601 Telex: 345567 (Electrolab Pla) Visa MC Am. Exp.

LSI-11

Peripheral Sale!! \$875. 715 299 IDS 440 Paper tiger . . . . . . SD Expandoram II 560. (A&T, 64K).... Imsai 65K dynamic RAM III 399. DC Haves Micromodem 100.. 399. Super switcher power for hard disk & more . . . . . . . . . 349.

DC Hayes Micromodem 11 (for apple) \$344 DC Hayes Micromodem 100 \$349

### 5 LOMA VERDE, PALO ALTO, (A. 94303

### **Database Management Systems**

A hierarchical Database Management System featuring fixed length records, read/write protection at file level and one to many set relationships.

Z-80 Optimized 8080 Optimized 250.00 325.00 6502 Optimized **MDBS** 

A large computer DBMS with hierarchical and full network data struc-tures (CODASYL Oriented). Explicit representation of one to one, one to many, many to one and many to many Routines are callable from BASIC PASCAL' COBOL or Machine Language.

Z-80	Optimized	750.00
8080	Optimized	825.00
6502	Optimized	825.00

### Communications

BISYNC-80/3780 A full function IBM 2780/3780 emulator that provides one of the most widely used communications

BISYNC-80/HASP A full function Hasp Multi-leaving Workstation package. 800.00

BISYNC-80/ASYNC An asynchronous communications package that uses the full error correcting BISYNC protocol.

BISYNC-80/3270 **BISYNC-80/3270** A full function IBM 3275 or 3271/3277 terminal emulator that converts a "dumb" terminal into a very smart one.

### Multiple License Pricing

- Upon Inquiry

\*LSI-17, PDP-11 TM DEC, UNIX TM Western Electric, CP/M TM Digital Research

### PHONE: 415 493-8186

### High Level Languages

8080, 8085, Z-80 (Under OS-1 or CP/M) **BASIC** 205 00

Microsoft "BASIC 80"	350.00
=	350.00
FORTRAN	
Microsoft "FORTRAN 80"	
(Includes MACRO 80)	500.00
COBOL	
Microsoft "COBOL 80"	750.00
"C"	, , , , ,
•	
Whitesmith's "C"	600.00
PL/1	
Digital Research's PL/1	500.00
PASCAL	
	250.00
M.T. Compiler	250,00

Z-80 Optimized (Under OS-1 or CP/M) COBOL

R-M Z-80 COBOL ANSI '74 750.00 LSI-11\*/PDP-11\* Under RT-11 or RSTS COBOL - ANSI '74 Introducing:

**RJ-11 Compiler** 1750.00

Applications in COBOL '74

Available in R-M COBOL, COBOL 80
and RJ-11. (Source Included)

and no in toodice meladed	,
General Ledger	995,00
Accounts Receivable	995.00
Accounts Payable	995.00
Inventory Control	995.00
Order Entry/Invoicing	995.00
COMPLETE LEGAL	4200.00
COMPLETE DENTAL	4200.00
Why COROL?	

It's portable (ANSI '74) it's universal!

### OPERATING SYSTEMS Z-80 Optimized

8080

0S-1<sup>TM</sup> OS-1<sup>TM</sup> A breakthrough in microcomputer software from Electrolabs! UNIX\*-like OS with virtual I/O, bank-select memory control to 16 MBY and optional memory protection! Totally compatible with all CP/M programs. You will be amazed at the difference! Excellent brochure available. Includes editor, linker-loader, debugger, and one year update.

8085

249.00

6502

### 8080, 8085 & Z-80

CP/M Version 2.2	150.00
Manuals only	25.00
CP/M - MCZ Version 2.2.	Runs on
711.00 1407	
ZILOG MCZ and PDS-8000	systems.
Only from Software Labs!	200.00
Manuals only	35.00
•	

### **OUR CATALOGUE**

Software Supplies Media Storage Equipment Publications - Upon Request -

Circle 400 for Software Labs

### TO ORDER

\*Price of manuals applied against software purchase.

By Mail: Send check or money order (or P.O. from rated or institutional customers).

By Phone: Use Master Charge or Visa No.

Important Note: Please specify complete system hardware and software configuration with each order.

SEND FOR OUR FREE CATALOG

put 'em on trial

CompuMart has been selling computers by mail since 1971. Our thousands of satisfied customers rely on CompuMart for services not generally available from the others. Namely:

- · Product Selection/Each product advertised by CompuMart has been evaluated by our in-house staff for best price, performance, and supplier reliability
- Return Privilege/After receipt of our products, you are protected by Compu-Mart's exclusive, 10-day return privi-

ledge-good for all products except software.

- Support/Our Customer Service Dept. and expert technicians are always there to assist you by phone or at Compu-Mart's outlets. Our knowledgeable detailed information and complete product specifications.
- Phone Ordering/For added convenience, CompuMart maintains a toll-free ordering number. 1-800-343-5504.

# phone sales force can provide you with

### with 10 day free return

### Computers

Apple Computer—We have a complete inventory of Apple computers, peripherals and software— In stock for immediate delivery— Call us for prices.





### **COMMODORE**

Buy Direct from the largest Commodore dealer in the country, and the very first Commodore distributor in the U.S. Buy from the experts- Buy from CompuMart.

Commodore—We have everything that Commodore manufactures. In stock for Immediate Delivery! Computers from the new 80 column

CBM to the single board KIM-1. Accessories from the new CBM Voice Synthesizer to the Beeper. Call CompuMart now for low prices and special deals.

**ATARI** 

### ATARI 800 PERSONAL COMPUTER SYSTEM

Comes with:

Power Supply

• TV Switch Box

• 800 Operator's Manual

16K RAM Memory Module TM

• 10K ROM Operating System

### **INTRODUCTORY SPECIALES**

To celebrate our commitment to Atari, we are offering the following Atari Specials: note (You must buy an Atari)

- (1) Buy additional memory for your computer, 8K or 16K, and we will double the amount of memory FREE! (A potenial savings of \$200) (2) Buy the Atari 800 Computer and take \$100 off
- the purchase price of the Atari 810 Disk Drive or the Atari 820 printer

**PERIPHERALS** 

Atari 800 Printer . . . Atari 810 Disk Drive . \$599.95 \$699.95 Atari 810 Disk Drive . . . . . . . . \$699.95 Atari 410 Program Recorder . . . . \$89.95 Atari 800 Computer SUPER SALE \$979

System

Texas Instruments TI-99/4 Home Computer Save \$300 on this 16-Bit computer with monitor

TI-99/4 w/Monitor TI-99/4 w/o Monitor \$825 \$725

### FREE 9" Sanyo Monitor with purchase of any Exidy Sorcerer

### Computer. \$159 VALUE!

The Magicians Have

Done It Again with the Sorcerer II . . . Expandable to 48K! - Greatly enhanced word processing capabilities.

16K Sorcerer II \$1,245 32K Sorcerer II \$1,395 48K Sorcerer II \$1,495


Single dual-density floppy disk and controller Second Drive \$760 \$419 S-100 Expansion Unit Video Display Disk \$2,895

\$379

Micromodem 100 from D.C. Hayes

### **ROCKWELL AIM 65**

### THE SINGLE **BOARD** DEVELOPMENT SYSTEM



The CompuMart AlM System combines all of our options for the AIM to give you the capabilities of development systems costing 5 to 10 times as much. This system includes a 4K AIM 65 with BASIC and Assembler, and MTU power supply, a Sanyo tape recorder and an EGI Enclosure for the

* ******	
CompuMart Aim System	850.00
4K AIM-65	515.00
Paper for the AiM	. \$4.75

### SEE OUR AD ON PAGE 316

### Zenith Z-89

The All-In-One-Computer

This is the famous computer system which takes up no more space than a terminal alone. The 12 screen is beautiful and lends itself perfectly to professional applications thanks to its 25 lines of 80 characters. We know of no other computer which gives you this many features at such a low

Zenith 48K Z-89 Dual Port List \$2.895 CompuMart \$2,695 Z-19 Smart Video Terminal List \$995 CompuMart



### Introducing the HP-85

\$3,250

\$199

Hewlett-Packard's Personal Computer for Industry This extremely portable computer features extended BASIC to solve your problems quickly and efficiently along with an advanced graphics system to enhance communication.

New from Novation! -D-CAT The only direct modem that's FCC approved for hardset jack connection with any modular

### **NOVATION CATTM**

- Answer Originate
  - Rell 108
  - Low Profile Design
- Looks good, works great! \$179.00

• 300 Baud

### Terminals<sup>\*</sup>



CompuMart judges **Mountain Hardware** the Buy-of-the-Month.

### Televideo 912C

820 x 24-1 ower case descenders. Teletype or telewriter keyboard. 110/220 VAC. 50 to 19.2K Baud Item entry pad. Great looking and no fan

### Televideo 920C

Similar to the TV 912 but has programmable function keys across top. \$1.030

Excellent for text editing.

We've got the following Lear Siegler Terminals In Stock at prices too low to print—Call for quotes.

ADM-3A Industries favorite dumb terminal for

some very smart reasons. ADM-3A. + New from Lear Siegler. CALL!

ADM-31. The terminal that's too smart to be considered dumb

ADM-42. Available with keyboard or without, semiintelligent terminal offering tremendous user flexibility. The optional configurations are amazing.

Call for details.



### HAZELTINE TERMINALS AT SPECTACIII AR SAVINGS!

0.	THE CATHING	OI LOIAGOL
CompuMart \$749	List \$850	Hazeltine 1410.
CompuMart \$895	List \$995	Hazeltine 1420.
CompuMart \$995	List \$1095	Hazeltine 1500.
CompuMart \$1325	List \$1395	Hazeltine 1510.
CompuMart \$1485	List \$1585	Hazeltine 1520.
CompuMart \$1295	List \$1395	Hazeltine 1552.

Call CompuMart for complete specs and quantity discounts.

### Calculators

### A CALCULATOR, A SYSTEM, A WHOLE NEW STANDARD.

### **HEWLETT-PACKARD'S HP-41C**


HP-41C Calculator\$288.00
The System
Memory Modules. For storing programs or up to
2,000 lines of program memory \$45.00
"Extra Smart" Card Reader. Records programs and
databack onto blank mag-cards \$199.00
The Printer. Upper and Lower case, High resolution
plotting, Portable Thermal operation \$355.00
Application Modules\$45.00 EACH
Standard pac:
Statistics,
Math,
Financial &
Surveying
CONTROL OF THE PROPERTY OF THE

### TI CALCULATORS -

### Three of the finest from the first. Programmable 59 ... SUPER SALE \$229

9
TI-58c Programmable Calculator (W/continuous memory) \$104.00 TI Programmer\$59.00
Add convenient versatile printing capabilities to your TI Programmable 58C or 59 calculator with the PC-100C thermal printer, plotter.
TI PC-100C\$168.00

\$300.00



Mountain Hardware

For the ultimate in energy saving devices for your home get the BSR X-10. This system allows you to remotely control lights and electrical appliances in your home. The CompuMart package comes complete with Mountain Hardware software allowing your Apple to control home devices on a predetermined schedule.

Supertalker. This device outputs high-quality human speech via a loudspeaker. Comes complete with the SuperTalker Perinheral Card, a microphone, loudspeaker, software, and two programs SuperTalker .....\$299

The most advanced computerized composing system available — The Music System — \$545

Give your Apple powerful new capabilities with the ROMplus board — \$199 w/keyboard filter.  $_{\rm A}$ 

### **New From Microsoft** The Z-80 SoftCard

Just plug the Z-80 SoftCard into your Apple and instantly you will have more versatility than any other computer user. The Z-80 SoftCard package allows you to add FORTRAN, COBOL, and BASIC as versions are introduced over the next few months. With this card you can run any standard LP/M software and much more. Call us and we'll tell you exactly how much more.

Z-80 SoftCard, LP/M Operating System, and Microsoft Disk BASIC Interpreter - \$349

### **Monitors**

### **EXCLUSIVE from CompuMart!** Special Offer. Zenith Color Video Monitor for \$379!

The perfect monitor for Apple, Atari and Texas Instruments owners

### NEW FROM SANYO - Four Great Moni-

tors at Low CompuMart Prices. Sanyo's new line of CRT data display monitors are specifically designed for the display of alphanumeric or graphic data.

9" Sanvo Monitor 12" Sanyo Monitor \$289 12" Sanyo Monitor with green screen \$299 13" Sanyo Color Display Monitor



**Printers** 


Only the Best in Quality, Selection, and Service.

### The Paper Tiger **Printer From** Integral Data

Uses standard % inch ro paper and ribbon 40 characters per line Speed: 40 characters per second UL approved

High resolution dot matrix impact printer

IDS Paper Tiger Printer



IDS Graphics Paper Tiger Printer . . . . . . . . \$1,094

Roar!

### **NEW!** From Integral Data. The IDS 460.

We saw this new desktop printer at the NCC 80 and when we saw its features: Correspondence quality printing, High-resolution graphics capability, programmable print control functions, and automatic text justification—we knew that we had to offer this printer to our cost/features conscious customers \$1,295

### CENTRONICS PRINTERS

New! The incredible Model 737, Correspondence and Draft Quality Printing for Under \$1,000. This is the first printer in its class to offer print quality suitable for text processing, plus the performance and application flexibility required for data processing.

Tractor Feed Printer- Centronics' Most Popular Model. Perfect for the needs of a small business sytesm. Recommended by Apple and Radio Shack.

### **NEC The First Name in Letter** Quality Printers.

CompuMart offers beautiful print quality with NEC Spinwriter terminals. The Spinwriters, both KSR and RO versions, give unsurpassed hard copy output



CompuMart offers a complete range of NEC Spinwriters - Call our expert salesforce to insure you get the right

open from 8:30 a.m. to 5:30 p.m. EST, Mon.-Fri. . P.O.'s accepted from D&B rated companies shipment contingent upon receipt

Phones

TO ORDER CALL: 800.343.5504 of signed purchase order • All prices are subject to change without notice . Most items in stock for immediate shipmentcall for delivery quotation • In the Arın Arbor area? Our

retail store is open 11:00 a.m. to 7:00 p.m. Tues. Fri., 10:00 a.m. to 5:00 p.m. Saturdays (closed Sun. and Mon.)

# COMPUMA

270 THIRD STREET, DEPT 109 CAMBRIDGE, MA. 02142



actually speaks!

# page


# PRE-CUT WIRE WRAP WIRE

Length	100/Bag	500/Bag	1K/Bag	Length	100/Bag	500/Bag	1K/Bag	Kit N	No. 1	\$9	.95	Kit N	o. 3	\$32.	95
2.5" 3.0" 3.5" 4.0" 4.5"	\$1.25 1.30 1.37 1.42 1.48	\$3.58 3.86 4.15 4.44 4.74	\$ 6.19 6.78 7.37 7.94 8.54	6.5" 7.0" 7.5" 8.0" 8.5"	\$1.92 1.99 2.08 2.14 2.18	\$6.44 6.76 7.07 7.38 7.69	\$11.81 12.44 13.09 13.73 14.36	250 250 100	3" 3½" 4"	100 100 100	4½'' 5'' 6''	500 500 500 500	2½" 3" 3½" 4"	500 500 500 500	4½" 5" 5½" 6"
5.0" 5.5" 6.0"	1.54 1.58 1.65	5.04 5.38 5.66	9.13 9.72 10.31	9.0" 9.5" 10.0"	2.24 2.30 2.39	8.11 8.32 8.71	15.01 15.65 16.28	250	No. 2	250	<b>1.95</b> 5"	Kit N	2½"	<b>\$59.</b>	4½"
Colors	Kynar precut wire. All length's are overall, including 1" strip on each end. Colors and length's cannot be mixed for quantity pricing. Choose from colors Red, Blue, Black, Yellow, White, Green, Orange, and Violet.							500 500 500 250	3" 3½" 4" 4½"	100 250 100 100	6"	1000 1000 1000	3" 3½" 4"	1000 1000 1000	5" 5" 6"

# **★ ★ Truckload SALE ★ ★**

### **FREE WIRE KIT**

Kit #1 on orders over \$50 Kit #3 on orders over \$150 Kit #4 on orders over \$250



### RN WIRE WRAP IC SOCKETS

3-level Gold Closed Entry Design

\*Sockets sold at these prices by the tube only.

Size	Quantity/Tube	Price ea.*	Price/Tube
08 pin	52	.39	\$20.28
14	30	.46	\$13.80
16	26	.50	\$13.00
18	23	.68	\$15.64
20	21	.85	\$17.85
22	_ 19	.92	\$17.48
24	17	.94	\$15.98
28	15	1.23	\$18.45
40	10	1.60	\$16.00
Above	prices includ	e gold up	to \$800/oz.

### IDC CRIMP STYLE CONNECTORS

Card Edge	Connectors	IDC	Sockets	Cable	Plugs	Rig	jht A	ngle Head	ders		CABLE	
IDE 10 IDE 20 IDE 26 IDE 34 IDE 40 IDE 50	\$3.25 \$3.50 \$4.05 \$4.85 \$5.65 \$5.90	IDS 10 IDS 20 IDS 26 IDS 34 IDS 40 IDS 50	\$1.25 2.02 2.65 3.50 4.05 5.06	IDP 14 IDP 16 IDP 24 IDP 40  DB Conne Male Female		Wire W IDH10WR IDH20WR IDH26WR IDH34WR IDH40WR IDH50WR		Solder IDH10SR IDH20SR IDH26SR IDS34SR IDH40SR IDH50SR	Tail .80 1.25 1.85 2.15 2.50 3.15	10 14 16 20 24 26 34 40 50	10 ft. 2.90 3.40 3.70 4.40 5.00 5.40 6.80 7.80 9.50	100 ft. 17.00 23.80 27.20 34.00 40.80 44.20 57.80 68.00 85.00

### ORDERING INFORMATION

- Orders under \$25 include \$2 handling. All prices good through cover date.
- All prepaid orders shipped UPS Ppd.
- Visa, MC & COD's charged shipping.
- Most orders shipped next day.
- Byte must be mentioned to get sale prices.

### Call or Write for 1980 Catalog:

- ★ IC Sockets
- ★ Vector Boards & Pins
- \* Bishop Drafting Aids
- ★ OK Tools
- ★ RN IDC Crimp Connectors

135 E. Chestnut Street 5A, Monrovia, California 91016 Phone (213) 357-5005

# CALIFORN

Post Office Box 3097 B Torrance, California

S-100 Mother Board



from INTEGRAL DATA 460

\*\*\*\* All the features of the 440 and more \*\*\*\*

The 460 uses a dot matrix character formation technique in which the placement of the dots overlap both horizontally and vertically to achieve a correspondence-quality printing.

The printer's nine-wire print head uses staggered needle rows to create the vertically overlapping dots. The head is driven bi-

directionally under microprocessor control by a stepper motor driven mechanism with logic-seeking look ahead capability. Griven mechanism with logic-seeking look anead capacity. Standard "Two-K Byte" buffer allows the printer to accept the entire content of a 1.920-character CRT screen. Weight 27 lbs

suggested list price \$1.295. Calif. Digital price \$1.076

### IMSAL WESTERN UNION **ENCLOSURE**

Quiet

Buss

\$2995

8803-18

18 slot

\$24.95

# 4320 KEYBOARD

TTL ..... AAA \$ 950 1050 RS 232 . . . . AAK Friction ... AAE

103 Modem AAB 1575



PLASTIC LIBRARY CASE with purchase of each box of ...
Memorex mini-diskettes. \$5 value

Boxes \$24.95 Boxes \$22.25




### **DB25**

male \$250 195 female 3,25 305 hood-2p 125 98 Centronic 6,95

BCDThumbwheel 195

Ten Position Mfg. by Digiswitch 1 7/8"high 1/2" wide



Imsai solder.125x.250 Imsai w/w.125centers Altair soldertail.140row SPECIALS \$2.95 3/\$ 7.50 \$4.95 3/\$13.00 \$5.95 3/\$15.00

22/44 Kim eyelet.156" 25/50 solder tab .156" 36/72 wide post w/w.156 \$1,95 3/\$5.00 \$1.09 3/\$2.00 \$1.95 3/\$5.00

COMPUTERS	
ple 11 standard 16K ple Plus 15K pri 400 pri 800	\$988 988 450 850
xas Instruments 99/4 rthstar Quad 32k Horizon etor MZ mpucolor H. Model 3	1395
CUT TERMINALS	375

MONITORS

Sanyo 9" black & white and Leedex Video 100 12" Leedex Video 100-80 12"

| DEST-10 TERS | DEST 2595 1650 695 995 1950 Anadex DP9500
Anadex DP9501
Diablo 1540 R/O plastic wheel 2750
Diablo 1540 KSR plastic wheel 3150

MODEMS ersal Data Systems L P300 et coupled \* FCC Approved red from phone line. tion Cat Acoustic

Shugart SA8008 8" Noppy 148 Shugart SA8018 8" hord sec. Lobo / Two Shugart 801 8 with power supply and enclosure Che Shugart 801 with power supply and enclosure Lobo hard drive for Apple 10 meg/byte 7710 2 10 meg/byte 7710 3 1995 Lobo hard drive for TRSSU 3995

Apple disk drive with controller 460 Apple drive without controller 405 Apple Parallel Interface 179 For Key Duta Pad for Apple 189 Mountain Hardware Supertalk 279 Mountain / Intro X-10 for 1891 239

Geldon Rex Raciourr 279
Geldon Pex Raciourr 279
Thial Tops Suttlebora U.O. 219
Goldon Leonoran Products
Million Table Geldon 55
De Sk. Expanderan Menery 16
HIT 5-100 BOARDS 50
Scattle Computers 808
Geldon Ross 199
Lochon 8081 8081
MISCELL ANN OU 5
Cherry Pro ASCII keybd.
MISCELL ANN OU 5
Kharastich Hitz Reybd.
Super Mod II RF Modulater 39
Super Mod II RF Modulater 39

orized Distri

Scotch

		10 Pak	501
740-0	IB M soft format.		\$3.5
740/2	Double side soft	65.00	6.0
741-0	Double density	53.00	4.9
743-0	Double/Double	70.00	6.6
	8" Hard sector		3. 5
744-(0)(	10)(16) 5 1/4"mini	39.00	3.5
Library	case for any above	e; Add \$	3. 00
834 A	Data Cassette	5.50	
DC 100	Mini Cartridge	16.00	
	Data Cartridge		
920()	Disk Cartridge	39. 00	

### Shugart Associates

### SA800-R Floppy Disk Drive

The most cost effective way to store data processing information, when random recall is a prime factor. The SA800 is fully compatible with the IBM 3740 format. Write protect circuitry, low maintenance & Shugari quality.

\$44950

### **XEROX 800 WORD PROCESSING** KEYBOARD **ASCII ENCODED**

This 77 key word processing keyhoard was manufactured by hitronewitch for use in the Keynes 800 word processing system. The keyhoard outputs a seven bit ASCII code slong with an eighth sit that allows most keys to shift and double function as special characters. Extra large "Tab & result of the keys are entitled to the seven as the second of the seven as the second of the seven as the second of the second of the second of the second of the second output of the second of the second of the second output output

### MEMORY

TRS-80 \$ APPLE II 16k memory (8) 4116's

Installation is simple. Anyone who has ever changed a spark plug should be able to up-grade his microcomputer.

to up-grade his microcomputer.

How can California Digital offer these memory up-grade sets at 25% below our competition? Simple, we buy in volume, wholesale to dealers and sell the balance directly to owners of personal microsystems. These 16K dynamic memory circuits are factory prime and unconditionally guaranteed for one full year. NOW, before you change your mind, pick up the telephone and order your up-grade memory from California Digital. Add \$3 for TRS80 jumpers.

STATIC	1-31	32-99	100-5C	-999	1K+
21L02 450nS.	1.19	.99	. 95		. 85
21L02 250nS.	1.49	1.39	1. 25	*	*
2114 1Kx4 450	5.95	5.50	5. 25	4.75	4.50
2114 11 x 4 300	8.95	8.50	8.00	*	*
4044 4Kx1 450	5.95	5.50	5.25		*
4044 4Kx1 250	9.95	9.50	9.00	*	*
4045 1Kx4 450	8.95	8.50	8.00	*	*
4045 1Kx4 250	9.95	9.50	9.00	*	*
5257 low now.	5.95	5. 50	5.00	4.80	4.60



\*\*\* THOUSANDS \*\*\*

We have stashed price in an effort to reduce our over stocked inventory. These are Single Five Volt Eproms, manufactured by one of the Worlds largest producers of semiconductors. Please phone for volume pricing.



# DATA INPU

ystem, is comprised of a prendum cast aluminum and fiberdisses enclose with a thone-year! A literosystem hall effect keyboord. Thirry display had eithe operator of the system's studies. Four finel had speaker actionate of data and aler's the oper-doc of pending problems, and all of the operator of pending problems, and all of the operator operator

Five volt regulated power supply is available for an additional \$20. (see June Byte All units are in excellent condition Original acquisition over \$700. 22 lbs.

\$13950

PORTABLE DATA ENTRY SYSTEM

These used data terminals were originally designed for chain store inventory control and order entry systems. The operator enters the inventory control number, merchandise on hand and the unit price. After all pertunent data has been entered the recorder, the main warehouse is telephoned, the handset is placed in the accorder of the recorder of the recorder of the major that the control with a little imagination and one of these portable entry systems, you should be at lot exchange programs and computer information with associates across the country all little than the control of the

•Five Gould "D" NiCads •Acoustical Coupler •Battery Charger

### direct connect Universal Data 103

Connects directly to the new modular phonics. Fully powered from your existing telephone line. No need to locate external AC power. Crystal control prevents frequency drift. Birect connect feature eliminates loss of information due to carbon compression that is associated with acoustic modems. Runs circles around those other "Bonesticated" modems.

Portable Cassette Drive Unit
 Removable Entry Keyboard
 with LED Display



\$169

•DB25 Cable •Shoulder starp •Full Document

KEYBOARD

MINIATURE SWITCHES **BMC** MONITOR

VIDEO

Green phosp with 18 MHz bands

leflection.

course assures that the BMC

anywhere instrument.

unit is equipped with a removal

plexiglas screen. Shipping 18 18

composit video input make resolution display with an 80 character by 25 lin rmat, 12" 80° deflection.

СК your choice 10 50

\$.98 5.88 .81 **SPDT Miniature Toggles** 

7101 C&K ON · NONE-ON 7107 jbt ON-OFF(mnt.ON) 7108 CK ON · (moment ON) 7103 CK ON OFF ON Rotary 3P-4-Pos. Rotary 3P-6-Pos Push B (N.O.) \$.39ea.4/\$1

**DIP Switch** 

\$129 10 25 100 18 \$1191,09.97 .83 specify 4 Tor 8pos

### **BSR SYSTEM X-10**

The new BSR timer runs your home like clockwork Turns on lamps and appli ances while your away from home.

Completely compatible with your existing system X-10 devices.





BSR Timer Master Console \$65.00 Ultrasonic Controller 19.95 Modules: Appliance, Lamp or Wall Switch 13.95



All merchandise sold by California Digital is premium grade. Shipping: First five pounds \$2.00; each additional add \$.40 Foreign orders 10% shipping. Excess will be refunded. California residents add 6% sales tax. COD's discouraged. Open accounts extended to state supported educational institutions and companies with a "Strong Dun & Bradstreet." Warehouse: 15808 Inglewood Blvd. Visitors by appointment.

TOLL FREE ORDER LINE (800) 421-5041 TECHNICAL & CALIFORNIA (213)679-9001

# DP/NET: Redefined


INDIVIDUAL/NET

**DUAL/NET** 









# LOCAL/NET

OVERSEAS

AUSTRALIA ASP MICROCOMPUTERS 799 Dandenong Road East Malvern 3145 Victoria, AUSTRALIA TEL: 2118855-2118344 UNITED KINGDOM
TERODEC (MICRO SYSTEMS) LTD.
17 The Gallop, Yateley,
Camberley, Surrey
GU17 7SG ENGLAND
TEL: 0252 874790

# TELEPHONE / NET


HANNES KELLER AG Computer-Zentrum Eidmattstrasse 36 CH-8032, Zurich SWITZERLAND TEL: 01 69 36 33 SOUTH AMERICA INVERSIONES URIMAN c.a. P.O. Box 1041 Maracaibo 4001A, VENEZUELA TEL: 33015

FAR EAST MICROBOARDS 1-7-1-1003 Saiwal-Cho Chiba City, Chiba 260 JAPAN TEL: 0472(47)3081

# Configurability

# SYSTEM/NET





MASTER/NET

# "BUY" WORD FOR THE 1980's

NET WORKING is the newest 'buzzword' in microprocessors. Delta Products has produced a superior hardware system that cannot be matched in either cost or performance.

Don't buy a system that has "designed-in" limitations; check the following:

### PERFORMANCE

This is where DP/NET® beats them all. Delta does multiuser and multitasking operations by using distributed processors. DIGITAL RESEARCH has provided a new operating system (CP/NET®) which combines MP/M® and CP/M 2.2® into the world's most powerful microcomputer system.

The system cannot be bogged down by adding more users. High-speed DMA transfers from Host to Slave, allow many processors to share workloads. (There can be 3 processors at EACH user terminal; a Z-80 for screen function, and a pair of 8085/8088 for main processing.)

### **FLEXIBILITY**

One of the most important advantages of DP/NET® is that you never have to purchase more system than you currently need. Your system can start with a 5" minifloppy 32K terminal for under \$3000.00. Adding a second terminal and additional mass storage is as simple as the original purchase. Networking up to 16 OR MORE intelligent and semi-intelligent work stations can follow in perfect step with the growth of your Company and requirements.

### COST

Since you never buy more computer power than you need, the system cost is matched to the demand to be placed upon it. DELTA PRODUCTS has a lot of experience in building micros, with over 2000 DELTA systems now in the field. DELTA component cost has always been extremely competitive. DELTA's new "networking system" is a natural and simple combination of the competitive "good deals" we have been offering for some time.

### SOFTWARE

A computer system to the end user IS THE SOFTWARE. All CP/M® compatible programs run perfectly on the DP/NET®. DELTA PRODUCTS is currently writing its' own high-performance custom data base, screen editor, order entry/inventory, and accounting packages in PL/1®. Target release date for the complete package is November, 1980.

SOLD ONLY THROUGH DEALERSHIPS CALL FOR YOUR NEAREST REPRESENTATIVE

### **DELTA PRODUCTS**

15392 Assembly Lane Huntington Beach, CA 92649 TELEPHONE: (714) 898-1492



TELEX: 681-367 DELTMAR HTBH

MP/M, CP/M2.2, PL/1 & CP/NET ARE REG. TM OF DIGITAL RESEARCH INC.



# Look to QT for the BIG +

### THE GREAT Q.T. BOARD SET SALE

USER PROVEN BOARD SETS AT NOT MUCH ABOVE OUR WHOLESALE COST. 6 SLOT MOTHER BOARD KIT FREE WITH EACH BOARD SET PURCHASED.

Q.T. BOARD SET #1 (KIT) Z+80 CPU (Rev I) Expandable + with 32K Monitor-BIOS For Serial Terminal

**FOR STARTERS** 

Normal \$525.00 Retail

Q.T. \$425.00 Price

S.D. BOARD SET #1 (KIT)

SBC-100 Expandoram I with 32K RAM Versafloppy I

Monitor For Serial Terminal BIOS for 8" or 51/4" Drives

FOR SERIOUS HOBBYISTS

Normal \$950.00 Retail

Q.T. \$850.00 Price

Q.T.

**BOARD SET #2 (KIT)** Z+ CPU (Rev I) Expandable + with 64K Versafloppy II Monitor BIOS For Serial Terminal

FOR **HOBBYISTS** 

Normal \$1050.00 Retail

Q.T. \$850.00 **Price** 

S.D. FOR SMALL BUSINESSES & SOFTWARE DEVELOPERS BOARD SET #2 (KIT)

Expandoram II with 32K RAM

BIOS for Disk Drives

Versafloppy II Monitor For Serial Terminal Normal Retail

\$1150.00

Q.T. \$1000.00 Price

### PARTICIPATING IN THIS SALE ALSO ENTITLES YOU TO SUCH BONUSES AS:

1. \$44.00 Per set of 4116's — 200ns devices only

2. Free second page of memory option in all Televideo 912 & 920 Smart CRT's.

**QT MEMORY EXPANSION KITS** FOR

TRS-80 • APPLE • EXIDY

**4116** 200 ns

8 for **\$49.50** 

**2716** (5V - 450 ns) \$18.00

**2716** (5 & 12V-450 ns) \$14.00

### **TELEVIDEO SMART (CRT)** TERMINAL

• Reverse Video • Blinking/blank fields • Upper/ lower case character . Protected fields . Nonglare screen • Underlining • 12 x 10 character resolution • Single stroke editing keys • Function keys • Blinking cursor • TTY keyboard • Numeric pad • 9 Baud rates (75-9600 Baud) • Self-test Printer port

912B	\$750.00
920B	\$850.00
920C	\$900.00
OPTION:	
2nd Page Memory	\$ 24.95
Freight Charge	\$ 15.00
Nationwide Field Service available from	
Electric Instrumentation and Commu	nication
Equipment Service Shops.	

### **SWITCHABLE 2 or 4 MHz**

### **THE QT Z+80 REV 1**

Z-80A CPU with Serial I/O Port

The CPU can accommodate a 2708, 2716, or 2732 EPROM in SHADOW Mode, allowing you to use a full 64K of RAM. The MWRITE signal is generated automatically if you use the board without a front panel. There's also an independent on-board USART to control the RS232 serial port at baud rates from 110 to 9600.

CPU-Z+80K (KIT)	\$132.00
CPU-Z+80AT (A&T)	\$189.00
CPU-Z+80BB (BARE BOARD)	\$ 33.00

### **VERBATIM & MEMOREX**

Part No.	Sectoring	Pkg. of 2	Box of 10
QTMO 525 01	Soft Sector	\$ 8.95	\$29.95
QTMO 525 10	Hard 10 Sector	\$ 8.95	\$29.95
QTMO 525 16	Hard 16 Sector	\$ 8.95	\$29.95
QTFO32 1000	Hard Sector	\$11.95	\$34.95
QTFO34 1000	Soft Sector	\$11.95	\$34.95

### KASETTE/10 LIBRARY

Part No. CAS-10-8

Grev Blue Beige Black CAS-10-5

8" Diskette Holder \$4.50 .....or 3/\$10.00

Beige Black

Grey Blue 5" Diskette Holder \$4.25 ..... or 3/\$10.00

# SPECIAL

1 Male DB-25, 1 Female DB-25, 1 Cover

### PARTS

113	
EPROMS	
1702A \$ 4.95	
2706 \$ 6.75	
2516 \$22.00	
2758 \$27.00	
2532 \$75.00	
2732 \$75.00	
USRT	
\$2350 \$10.95	
MISCELLANEOUS	
OTHER COMPONENTS	
N8T20 \$ 3.25	
N8T28\$ 2.50	
N8T97\$ 2.00	
N8T98\$ 2.00	
1488 \$ 1.25	
1489\$ 1.25	
D3205 \$ 3.00	
D3242 \$10.15	
D3245 \$ 5.60	
P3404\$ 8.75	
TMS5501 \$19.00	
DM8131\$ 3.00	
CRT CONTROLLER	
#00045B	
MC8845P \$18.00	
STATIC RAMS	
2114L (450 ns) \$5.25 es.	
100 ea./\$4.50 ea.	
2114L (300 ns) \$5.50 es.	
100 ea./\$4.75 ea.	

# PACKAGE PRICE

RS-232 SET .....\$6.50

(Continental U.S. Only) (Except California)

UARTS

TR1802B .....\$ 3.75

CHARACTER

**GENERATORS** 

2513 (Upper case) \$10.95 2513 (Lower case) \$10.95 2513 Upper (5 v) \$ 9.75 2513 Lower (5 v) \$10.95

AY5-3800 ...... \$13.75

BAUD RATE

**GENERATORS** 

MC14411 . . . . . . \$11.00

1.8432 XTAL ....\$ 4.95 BR1941L .... \$10.00

DISC CONTROLLER

1771B01 ...... \$24.95 1791B01 ..... \$39.95

PLACE ORDERS TOLL FREE 1-800-421-5150 Retail store open 10:00 A.M. to 6:00 P.M. Daily except Sunday. Circle 346 on inquiry card.

•2MHz, 4MHz, Mixed • Type-2716 or 2732 (not incl.) • Dip switch addressing • One wait state added Dip switch disable
 Type—TMS 4016 (not incl.) • 8 additional address lines • Power on/reset firm-

IO4 2P + 2S I/O Interface Kit ......\$134.95 Assembled & Tested ...... \$199.95

ware jump using first instruction in EPROM

• Two serial ports with status • Two parallel inputs • Two parallel outputs • Current-loop by optical isolators . UART presets by dip switch: -stop bits -word length -parity even and odd • Dip switch addressing of serial I/O to any four port boundary Dip switch addressing of parallel I/O to any two port boundary

S-100 BARE BOARDS CB1A 8080 CPU ...... \$33.00 VB2 I/O Mapped Video Interface . . . . . \$33.00 102 Parallel I/O Interface . . . . . . \$33.00 104 2P + 2S I/O Interface . . . . . . . . . . \$33.00 SB1 Music Synthesizer \$40.00
OB1 Vector Jump & Prototyping Board \$29.95 MB3 4K 1702 EPROM Board \$30.00 MB6B 8K Static RAM \$27.00 MB7 Low Power 16K Static RAM ..... \$30.00 MB8A 16K 2708 EPROM Board ..... \$30.00 XB1 Extender Board ..... \$13.50

S-100 KITS & ASSEMBLED BOARDS CB1A 8080 CPU Assembled & Tested . . . . . . . . . . . . . \$199.95

# PRODUCTS

### PB1 2708/2716 EPROM Programmer

Kit with Textool sockets ..... \$134.95 Assembled & Tested w/Textools sockets \$174.95

• 2708 EPROM (not included) • 2716 EPROM +5V type (not included) . Any 4K boundary . Separate 2708 and 2716 sockets • Any 4K/8K boundary above 8000 Hex . Optional Textool sockets (for programming only) . Programming software & bit for bit verify routines provided

IO2 Parallel I/O Interface Assembled & Tested ..... \$ 89.00

MB3 4K 1702 EPROM Board Kit - without EPROMS..... \$ 65.00 Assembled & Tested ...... \$125.00

MB6B 8K Static RAM 450 ns RAM Kit ..... Assembled & Tested ..... \$199.95 250 ns RAM (MB6B)

Assembled & Tested ...... \$245.00 MB7 Low Power 16K Static RAM Assembled & Tested ...... \$375.00

MB8A 16K 2708 EPROM Board Kit - without EPROMS...... \$ 99.00 Assembled & Tested ...... \$159.00

QT TECHNICAL HOTLINE (213) 973-2619

VB3 80 Character Video Interface 80x24 Display, 2 MHz	
Kit	\$324.95
Assembled & Tested	\$399.95
80x24 Display, 4 MHz	
Kit	\$369.95
Assembled & Tested	\$439.00
• 80 char. per line, up to 51 lines • Graphics	up to 160

x 204 matrix • Upper & lower case characters • Software controlled timing, top & bottom margins, horiz. position • U.S. & European T.V. timing • 4096 Bytes (8192 bytes optional) • Switch addressing, 8K increments • CP/M compatible driver routine

MT1 15 Slot Motherboard         Kit (with Connectors)       \$119.95         Assembled & Tested       \$149.95
OB1 Vector Jump & Prototyping Board           Kit         \$ 55.00           Assembled & Tested         \$ 85.00
SB1 Music Synthesizer (4)         Kit      \$199.00         Assembled & Tested       \$279.00
T1 Active Terminator Kit \$34.00 Assembled & Tested \$64.00
VB1B Memory Mapped Video Interface LIMITED SUPPLY — DISCONTINUED BOARD Kit
VB2 I/O Mapped Video Interface Kit

### **EXPANDORAM I**

EXPANDABLE TO 64K USING 4116 RAMS For S-100 boards
 Bank selectable, PHANTOM provision . Designed to work with Z-80, 8080, and 8085 systems • No wait states required • 16K bound-

aries & protect via dip switches . Invisible refresh MEM-16AT (16K A&T) \$249.00 MEM-32K (32K KIT) \$250.00 MEM-32AT (32K A&T).....\$300.00 MEM-48K (48K KIT) ..... \$309.00 MEM-48AT (48K A&T).....\$359.00 MEM-64K (64K KIT) ..... \$364.00 MEM-64AT (64K A&T) ...... \$410.00

EXPANDORAM II

• For S-100 Bus • 4Mhz Operation • Expandable

Memory from 16K to 256K • Dip Switch Selectable

Boundaries • Uses 16K (4116) or 64K (4164) Memory

Devices • Page Mode Operation Allows up to 8 Mem-

ory Boards on Bus • For Z80 CPU's • Phantom Out-

MEMII-16K (KIT) .....\$250.00

MEMII-16K (KIT) \$250.00

MEMII-32K (KIT) \$309.00

MEMII-32AT (A&T) \$369.00

MEMII-32AT (A&T) \$369.00

MEMII-48K (KIT) \$369.00

MEMII-48AT (A&T) \$409.00

MEMII-64K (KIT) \$425.00

MEMII-64AT (A&T).....\$475.00

51/4" DISK DRIVES

8" DISK DRIVES

SHUGART 8" 801R ..... \$475.00

REMEX RFD 4000 ...... \$635.00

put Disable • Invisible Refresh

### SD SYSTEMS

### VERSAFLOPPY $\Pi$

DOUBLE DENSITY DISK CONTROLLER

• For single or double density • 985600 bytes on 8" double sided diskettes • 259840 bytes on double sided 51/4" diskettes • S-100 bus • IBM 3740 format in single density • 8" and 514" drives controlled simultaneously • Operates with Z-80, 8080, and 8085 CPU's • Controls up to 4 drives

# SBC-100/200

2 OR 4 MHz SINGLE BOARD COMPUTER

• S-100 bus Z-80 CPU BD • 1K of on-board RAM 4 EPROM sockets accommodates 2708, 2716, or 2732 • One parallel and one serial I/O port • 4-channel counter timer chip (Z-80 CTC) • Software programmable serial baud rates

SBC-100K (2 MHz KIT) . . . . . . . . . . . . \$255.00 SBC-100AT (2 MHz A&T).....\$325.00 SBC-200K (4 MHz KIT) \$289.00 SBC-200AT (4 MHz A&T) \$369.00

# SSM APPLE SERIAL/PARALLEL

.....\$125.00 AI/O Kit

### TEXTOOL ZIP\* DIP II SOCKETS

16 PIN ZIP\* DIP II ......\$ 5.50 24 PIN ZIP\* DIP II .....\$ 7.50 40 PIN ZIP\* DIP II \$10.25 'ZERO INSERTION PRESSURE

### **PROM-100**

Assembled & Tested ...... \$ 29.95

....\$ 19.95

XB1 Extender Board

Kit (with Connector) ...

• For S-100 Bus • Programs the Following EPROMs: 2708, Intel 2758, 2716, 2732 and Tl 2516 • Dip Switch Selection of EPROM type • 25 VDC Programming Pulse Generated On Board • Maximum Programming Time: 16,384 Bits in 100 seconds • Software Provides for Reading of Object File from SDOS, CP/M or PROM and Programming into EPROM

• Program Verification • Verification of Erasure Zero Insertion Force Socket

PROM-100K (KIT).....\$175.00 PROM-100AT (A&T) ..... \$225.00

### Z-80 STARTER KIT

COMPLETE Z-80 MICROCOMPUTER

 On-board keyboard, display, EPROM Programmer, and cassette interface . On-board S-100 interface interface • Wire-wrap area and room for 2 S-100 connectors • Two 8-bit parallel I/O ports, 4-channel CTC, 5 programmable breakpoints . Examine and change memory, I/O ports, or register

**Z-80K** (KIT) Z-80AT (A&T) .....\$349.00

### \$25 REBATE

on any SD Systems microcomputer board

Offer expires 10-31-80

### STATIC RAM **BOARDS**

SR-8K BARE BD (Ithaca Audio) 21L02 . \$ 19.00 SR-16K BARE BD (Problem Solvers) 2114 . \$ 19.00 SR-16K A&T (Cal. Comp Sys)

.....\$269.95 \$475.00 SR-32K A&T (Uses 2114L) 4MHz .... \$500.00



PLACE ORDERS TOLL FREE 1-800-421-5150 (CONTINENTAL U.S. ONLY) (EXCEPT CALIFORNIA)

TERMS OF SALE: Cash, checks, mone orders, credit cards accepted. Also C.O.D. orders under \$100.00. Milhimum order \$10.00 California residents add 6% sales tax. Minimum shipping and handling charge \$2.50. Prices subject to change without notice.

International sales in American dollars only



# \$2130.00 COMPUTER GET A JADE INFLATION

JADE Saves You\$1130	DOUBLE-D - Jade Double density controller with the inside track	Single Board Computer
4 MHz BOARD SET  SBC-200 CPU with I/O \$400.00 Versafloppy II Dbl density controllr .\$430.00 ExpandoRAM II 64K RAM 4 MHz .\$1300.00 Total price \$2130.00  JADE KIT PRICE \$1074.95 Less SD Systems Rebate \$75.00 YOUR COST ONLY \$999.95	IOD-1200K Kit \$299.95 IOD-1200A 8" A & T \$389.95 IOD-1205A 5'\1/3" A & T \$389.95 IOD-1200B Bare board \$65.00  VERSAFLOPPY I - SD Systems  Versatile floppy disk controller for 8" or 5\1/3" IOD-1150K Kit \$219.95 IOD-1150A A & T \$269.95	AIM-65 - Rockwell 6502 computer with printer, display, & keyboard CPK-50165 1K AIM \$374.95 CPK-50465 4K AIM \$449.95 SFK-74600008E 8K BASIC ROM \$99.95 SFK-64600004E 4K assembler ROM \$84.95 PSX-030A Power supply \$59.95 ENX-000002 Enclosure \$49.95 4K AIM, 8K BASIC, power supply, & enclosure
S-100 Boards  THE BIG Z - Jade  2 or 4 MHz switchable Z-80 CPU with serial I/O CPU-30201K Kit \$145.00 CPU-30201A A & T \$199.00 CPU-30200B Bare board \$35.00  SBC-100 - SD Systems  2.5 MHz Z-80 CPU with serial & parallel I/O ports CPC-30100K Kit \$257.50 CPC-30100A A & T \$325.00  SBC-200 - SD Systems	VERSAFLOPPY II - SD Systems  New double density controller for both 8" & 514"  IOD-1160K Kit \$309.95  IOD-1160A A & T \$369.95  I/O-4 - S.S.M.  2 serial I/O ports plus 2 parallel I/O ports  IOI-1010K Kit \$129.95  IOI-1010A A & T \$189.95  IOI-1010B Bare board \$29.95  PB-1 - S.S.M.  2708, 2716 EPROM board with built-in programmer  MEM-99510K Kit \$119.95  MEM-99510A A & T \$169.95  PROM-100 - SD Systems	Special package price   \$599.00
4 MHz Z-80 CPU with serial & parallel I/O ports CPC-30200K Kit	2708. 2716, 2732. 2758, & 2516 EPROM programmer  MEM-99520K Kit \$175.00  MEM-99520A A & T \$225.00  32K BYTESAVER - Cromemco  32K EPROM board with on-board 2716 programmer  MEM-32550A A & T \$295.00	MEMORY-MATE - for AIM-65  The master-mater with 48K RAM, I/O, PROM, & music  MEM-52301A A & T w/16K \$475.00  Z-80 STARTER KIT - SD Systems  Z-80 computer with RAM, ROM, I/O, & keyboard  CPS-30010K Kit \$289.95  CPS-30010A A & T \$349.95
ExpandoRAM I - SD Systems  2.5 MHz RAM board expandable from 16K to 64K  MEM-16130K 16K kit \$189.00  MEM-16130A 16K A & T \$249.00  MEM-32131K 32K kit \$234.00  MEM-32131A 32K A & T \$294.00  MEM-32131A 32K A & T \$294.00  MEM-48132K 48K kit \$279.00  MEM-48132K 48K kit \$339.00  MEM-64133K 64K kit \$324.00  MEM-64133A 64K A & T \$384.00  ExpandoRAM II - SD Systems  4 MHz RAM board expandable from 16K to 256K  MEM-16630A 16K kit \$249.95  MEM-16630A 16K A & T \$299.95  MEM-32631K 32K kit \$309.95  MEM-32631K 32K kit \$309.95  MEM-32631A 32K A & T \$359.95  MEM-48632K 48K kit \$369.95  MEM-48631A 48K A & T \$409.95  MEM-64633K 64K kit \$429.95  MEM-64633K 64K kit \$429.95  MEM-64633K 64K kit \$429.95	100K DAY CLOCK - Mtn Hardware  Crystal controlled S-100 clock with NiCad backup  IOK-1400A A & T	Accessories for Apple  16K MEMORY UPGRADE  Add 16K of RAM to your TRS-80, Apple, or Exidy  MEX-16100K TRS-80 kit \$47.95  MEX-16101K Apple kit \$47.95  MEX-16102K Exidy kit \$47.95  DISK DRIVE for APPLE  5'/" disk drive with controller for your Apple  MSM-12310C with controller \$495.00  MSM-123101 w/out controller \$425.00  8" DRIVES for APPLE  Controller, DOS, two 8" drives, cabinet, & cable  Special package price \$1475.00  AIO - S.S.M.  Parallel & sprial interface for your Apple
32K STATIC RAM - Jade 2 or 4 MHz expandable static RAM board uses 2114L's MEM-16150K 16K 2 MHz kit	VDB-8024 - SD Systems  80 x 24 I/O mapped video board with keyboard I/O IOV-1020K Kit	SUP'R'TERMINAL - M & R Assoc 80 x 24 video display board for your Apple IOV-2100A A & T
Call for your free 1980 catalog	Call for your free 1980 catalog	

# W ONLY \$999.95

### **Printers**

### BASE 2 - Impact Printer

13<mark>2</mark> cps, bi-directional, tractor feed, & graphics PRM-13100 ..... \$625.00

### **DP-9500 - Anadex**

9 x 9 dot matrix, 176 column, 200 cps, & graphics PRM-10500 Standard DP-9500 .... \$1495.00 PRM-10510 with graphics & 2K ... \$1595.00

### LP-80 - Matchless

9 x 7 matrix, 132 column, 125 cps, bi-directional PRM-37204 ..... \$775.00

### PAPER TIGER - Integral Data

132 column, parallel & serial, 150 cps, graphics PRM-33440 *IDS-440* .......................\$950.00 PRM-33441 *IDS-440 w/graphics* ....\$1050.00

### MIPLOT - Watanabe Instruments Intelligent graphics plotter uses 7 bit ASCII code PRP-10800 ...... \$1075.00

### SPINWRITER - NEC

65 cps, bi-directional, letter quality with tractor PRD-55510 with 2K buffer ..... \$2995.00

### Motherboards

### ISO-BUS - Jade

Silent. simple, and on sale - a better motherboard 6 Slot (51/4" v 85/4")

O SIOL (DAL X DAK)			
MBS-061B	Bare board	\$19.95	
MBS-061K	Kit	\$39.95	
MBS-061A	A & T	\$49.95	

	12 Slot (5.3" x 8%")	
MBS-121B	Bare board	\$29.95
MBS-121K	Kit	\$69.95
MRS-121A	4 & T	\$89.95

18 Slot (14½" x 8¾")			
MBS-181B	Bare board		
MBS-181K	Kit \$99.95		
MBS-181A	<i>A &amp; T</i> \$139.95		

### **Mainframes**

### MAINFRAME - Cal Comp Sys

12 slot S-100 mainframe with 20 amp power supply ENC-112105 Kit .....\$309.95 ENC-112106 A & T ..... \$349.95

### **DISK MAINFRAME - NNC**

Dual 8" drive cutouts with 8 slot motherboard ENS-112320 with 30 amp p.s. ..... \$699.95

### Video Monitors

### VIDEO 100 - Leedex

12" B & W video monitor with 12 MHz bandwidth VDM-801210 ..... \$139.95

### VIDEO 100-80 - Leedex

81 x 24 version of Video 100 with metal cabinet VDM-801230 ..... \$179.95

### B & W MONITOR - Sanyo

High quality, high resolution video monitors VDM-700901 9" monitor ...... \$209.95 VDM-701501 15" monitor ...... \$279.95

### 13" COLOR MONITOR - Zenith

The hi res color you've been promising yourself VDC-201301 ..... \$449.00

### Call for your free 1980 catalog

### **Disk Drives**

### JADE DISK PACKAGE

Double-D controller kit, two 8" double density disk drives, cabinet, power supply, & cables Special package price \$1295.00

### **DUAL 8" DRIVES - Lobo**

A pair of double density Shugarts in a cabinet MSF-12800R 2 single sided \$995.00 MSF-125202 2 double sided \$1425.00

### **DISKETTES - Jade**

Bargain prices on magnificent magnetic media 5¼" single sided, single density, box of 10

MMD-5110103	Soft sector	\$27.95
MMD-5111003	10 sector	\$27.95
MMD-5111603	16 sector	\$27.95
5¼" double s	ided, double density, box of	10

MMD-5220103 Soft sector ...... \$39.95 8" single sided, single density, box of 10 MMD-8110103 Soft sector ...... \$33.95

8" single sided, double density, box of 10 MMD-8120103 Soft sector ...... \$55.95

8" double sided, double density, box of 10 MMD-8220103 Soft sector \$57.95

### FLOPPY SAVERS - Tri-Star

Protect you	r valuable software from spindle o	lamage
MMA-205	51/4" kit	\$13.95
MMA-208	8" kit	\$15.95

### Software

### CP/M 2.2 - Digital Research

Latest & most powerful release of CP/M SFC-52506000D Manual set ...... \$24.95 SFC-52506000M 5\"disk & manual \$149.95 SFC-52506000F 8" disk & manual \$149.95

### MP/M - Digital Research

Multi-user operating system for Z-80 computers SFC-52507000F 8" disk & manual \$295.00

### PASCAL/MT - MetaTech

A powerful language for CP/M systems SFC-73301001F 8" disk & manual .\$229.95

### SDOS - SD Systems

DOS, CBASIC-2, Z-80 assembler/editor/linker

SFX-55001000D Manual set ...... \$24.95 SFX-55001002M 514" disks & man \$149.95 SFX-55001006F 8" disk & manual \$149.95

### WORDSTAR - MicroPro Intl

The finest word-processing package for CP/M SFC-13600100F 8" disk & manual \$395.00

### **VISICALC** - Personal Software

Visible business/accounting calculator for Apple SFA-24101005M 51/4" disk & manual \$145.00

### SINGLE DRIVE COPY - for Apple

Make back-up disks with just a single Disk 11 SFA-51150010M 54" disk & manual \$19.95

### **SUPER-TEXT - Muse**

Professional word-processing package for Apple SFA-13800085M 54" disk & manual \$99.95

### Modems

### **NOVATION CAT**

300 baud, auto answer/originate acoustic modem IOM-5200A Special sale price ..... \$149.00

### EPROM ERASER - L.S.Engineering UV eraser for up to 48 EPROMs

XME-3200 A & T ..... \$39.95



DEVICES 8212...\$ 4.95 8214...\$ 4.65 8216...\$ 2.95

AY5-1013A.. \$5.25 AY3-1014A.. \$8.25 TR1602B \_\_\_ \$5.25 TR 1602B \$5.25 TMS6011 \$5.95

UARTS

6800 SUPPORT

8243 . . . \$ 8.00 8250 . . . \$14.95 8251 . . . . \$ 6.50 ... \$1 .95 BAUD RATE GENERATORS

8255... 8257... MC14411 .. \$12.95 CRYSTA1, . \$ 4.95 8259 .... \$17.95 8275 .... \$.49.95 8275 . . . . \$.49.95 8279 . . . . \$15.95

280 SUPPORT 3881 (P1O) . . . . . \$ 9.50

6821P \$ 5.95 6828P \$11.95 6834P \$12.95 6840P \$18.75 3881-4 (PIO-4 MHz) ... \$14.50 3882 (CTC)..... \$ 9.50

6850P 6850P . \$ 4.80 6852P . \$ 5.79 6875L . \$ 7.40 3882-4 (CTC-4MHz) .. \$14.95 3883 (SIO) ..... \$29.50 3884 (SIO) ..... \$49.50 68488P

**PLACE ORDERS TOLL FREE** 

Inside California Continental U.S. 800-262-1710 800-421-5500

For customer service or technical inquiries call 213-973-7707

Write for our FREE 1980 catalog

### **COMPUTER PRODUCTS**

4901 W. Rosecrans, Hawthorne, CA 90250

TERMS OF SALE: Cash, checks, credit cards money orders or from recognized institutions Purchase orders accepted. Minimum order \$10.00 California residents add 6% sales tax. Minim:m; shipping and handling charge \$2.50. Prices are for U.S. and Canadian delivery only and are subject to change without notice. For export prices and information send for a JADE INTERNATIONAL CATALOG







Circle 347 on inquiry card.

	7400 TTL	Manuar .	JE608 PROGRAMMER 2704/2708 EPROM PROGRAMMER	TELEPHONE/KEYBOARD CHIPS  AY-5-9100 Push Button Telephone Dialler AY-5-92 Repertory Dialler 14,95
SN7400N .20 SN7401N .20 SN7402N .20	SN7470N .29 SN7472N .29 SN7473N .35 SN7474N .35 SN7475N .49	SN74160N .89 SN74161N .89 SN74162N 1.95	** Septem Display Projects: B E.B. 's facilities Key service, 10 LED's 12" 2")  **Indicates Projection: B E.B. 's facilities Key service, 10 LED's 12" 2")  **Indicates Projection: B E.B. 's facilities The Second Market Projection Color of the Market Projection Color of the Second Color	AV-5-92 Repertory Dialler 14.95 AV-5-920 CMOS Clock Generator 4.95 AV-5-2376 Keyboard Encoder (88 keys) 14.55 HD0165 Keyboard Encoder (16 keys) 17.95 14.0922 Keyboard Encoder (16 keys) 17.95 14.0923 Keyboard Encoder (16 keys) 17.95 14.0924 Keyboard Encoder (18 keys) 17.95 14.0925 Keyboard Encoder (18 keys) 17.95 14.0926 Keyboard Encoder (18 keys) 17.95 14.0927 Keyboard Encoder (18 keys) 17.95 14.0928 Keyboard Encoder (18 keys) 18.0928 Keyboard Encoder (18 keys) 19.0928 Keyboard Encoder (18 keys
SN7404N .25 SN7405N .20 SN7406N .29 SN7407N .29	SN7476N .35 SN7479N 5.00 SN7480N .50 SN7482N .99 SN7483N .69	SN74163N .89 SN74164N .89 SN74165N .89 SN74166N 1.25 SN74167N 1.95	Balle.  **Ripped Cackelsin verification of proprament data changes.  **An in the cackels never from a water to RAM's or write into RAM's with  **An intermediate.  **Allows removal or graping-statistic role (or down) at any ederarchication.  **Allows removal or graping-statistic role (or down) at any ederarchication.	CM7045   CMOS Precision Timer   24.95   CM7205   CMOS Precision Timer   19.95   CM7207   Oscillator Controller   7.50   CM7208   Seven Decade Counter   19.95
SN7409N .20 SN7410N .18 SN7411N .25	SN7485N .89 SN7486N .35 SN7489N 1.75 SN7490N .45 SN7491N .59	SN74170N 1.59 SN74172N 6.00 SN74173N 1.25 SN74174N 1.00 SN74175N 1.00	Stand shoof FROM Programmer constitution to:  All Skyr Headerfull (Nicholau stumbly, Prigram et Board assambly with A power pupplicased a LEDT'est Souther Facel Board assambly with Soliche insured local mortes and a LEDT'est Souther Facel Board assambly with Compact delicitud southwest Code reconfidence of brights in seas with Dight tan Whight Sha	Clock Generator   6.95
SN7413N .40 SN7414N .70	SN7492N .43 SN7493N .43 SN7494N .65 SN7495N .65 SN7496N .65	SN74175N .79 SN74177N .79 SN74179N 1.95 SN74180N .79 SN74181N 1.95	The JEGOS EPROM Programmer is a completely self-contained whit which is independent of computer controlland requires no additional systems too its operations. The EPROM can be programmed from the Headerland Keyboard or from a pie-programmed EPROM. The purposan for a viven prior to programmed and program for a viven prior to programming a brigh, alvey harpsets in the program for a viven prior to programming a brigh, alvey harpsets in the program. For a viven prior to program of a viven prior to program of a viven prior to program viven prior to program viven to the receival fivent viven the memory victual viven the Headerland Keyboard so that rewriting the entire program will not be necessary. The JEGOS Programmer contains a Programmer Bload with 35 ICS and fivending power supplies of 59, 59, 121 year 420, 11 ke subsidients (Asys) board and LEDITER Scheder Park 930 and	MCM6575 128 X 9 X 7 Alpha Control Cher Gen 13.50  MISCELLANEOUS  TL074CN Quad Low Noise bi-fet Op Amp 2.49
SN7421N .29 SN7422N .39 SN7423N .25 SN7425N .29 SN7425N .29	SN7497N 3.00 SN74100N 1.25 SN74107N .35 SN74109N .59 SN74116N 1.95	SN74182N .79 SN74184N 1.95 SN74185N 1.95 SN74186N 9.95 SN74188N 3.95	with 35 (C3 and including power supplies of: -5V, -5V, -12V and -26V. The Hexadecims! Keyboard and LED/Test Socket Panel Board are sparale assembles within the system.  JE608 KIT \$399.95  JE608 Assembled and Tested \$499.95	TL494CN
SN7427N .25 SN7429N .39 SN7430N .20 SN7432N .25 SN7437N .25	SN74121N .35 SN74122N .39 SN74123N .59 SN74125N .49 SN74126N .49	SN74190N 1.25 SN74191N 1.25 SN74192N .79 SN74193N .79 SN74194N .89	DISCRETE LEDS  XCS56R .200" red 5/51   MV50 .085" red 6/51   XCILIR .190" red 5/51	DS002eCH
SN7438N .40 SN7439N .25 SN7440N .20 SN7441N .89 SN7442N .59	SN74132N .75 SN74136N .75 SN74141N .79 SN74142N 2.95 SN74143N 2.95	SN74195N .69 SN74196N .89 SN74197N .89 SN74198N 1.49 SN74199N 1.49	XC556G .200" green	MC14433P
SN7443N .75	SN74144N 2.95 SN74145N .79 SN74147N 1.95 SN74148N 1.29 SN74150N 1.25	SN74S200 4.95 SN74251N .99 SN74279N .79 SN74283N 2.25 SN74284N 3.95	XC22Y .200" yellow 4/\$1 XC526Y .185" yellow 4/\$1 INFRA-RED LED MV10B .170" red 4/\$1 XC526C .185" clear 4/\$1 44"x \( \frac{1}{2} \) x \( \frac{1}{2} \) x \( \frac{1}{2} \) \(	49¢ each Substitution   Low Power - Programmable   \$3.95 each   \$3.95 each
SN7448N .79 SN7450N .20 SN7451N .20 SN7453N .20 SN7454N .20	SN74151N .59 SN74152N .59 SN74153N .59 SN74154N 1.50 SN74155N .79	SN74285N 3.95 SN74365N .69 SN74366N .69 SN74367N .69 SN74368N .69	TYPE         PQLARITY         HT         PRICE         TYPE         PDLARITY         HT         PRICE           MAN 1         Common Anode-red         27 0         2.95         MAN 6730         Common Anode-red = 1.560         .99           MAN 2         5 × 7 Dot Matrix-red         .300         495         MAN 6740         Common Cathode-red = 0.560         .99           MAN 3         Common Cathode-red         .125         .25         MAN 550         Common Cathode-red = .560         .99           MAN 76         Common Cathode-red         .187         1.95         MAN 760         Common Anode-red of .560         .99           MAN 76         Common Cathode-red = .70         .125         MAN 760         Common Cathode-red = .560         .560         .99	AY-3-8500-1 and 2.01 MHz Crystal (Chip & Crystal includes score display, 6 games and select angles, etc. 7_95 /Set XR205 S8.40 XR210 4.40 EXAR XR2264 1.50 XR215 4.40 XR215 4.40 XR256 4.25
SN7459A, .25 SN7460N .20 CD4000 .39 CD4001 .39	SN74156N .79 SN74157N .65	SN74390N 1.95 SN74393N 1.95 CD4070 .55 CD4071 .49	MAN 77   Common Anode-yellow   300   99   01.701   Common Anode-red = 1   300   99   MAN 72   Common Anode-red   300   75   01.704   Common Anode-red   300   300   99   MAN 74   Common Anode-red   300   1.25   01.707   Common Anode-red   300   99   MAN 74   Common Anode-yellow   300   49   01.728   Common Anode-red   500   1.99   MAN 82   Common Anode-yellow   300   49   01.728   Common Anode-red   500   1.99   MAN 82   Common Anode-yellow   300   30	XR320 1.55 XR2567 2.99 XR-L555 1.50 JE2206KB 19.95 XR3403 1.25 XR555 .39 XR1800 3.20 XR4136 1.25 XR556 .99 XR2206 4.40 XR4151 3.95
CD4002 .39 CD4006 1.19 CD4007 .25 CD4009 .49 CD 010 .49	CD4028 .89 CD4029 1.49 CD4030 .49 CD4035 .99 CD4040 1 .49	CD4072 .49 CD4076 1.39 CD4081 .39 CD4082 .39 CD4093 .99	MAN 84 Common Cathode-yellow         300         .99         0L741         Common Anode-red         5.50         1.43           MAN 3550 Common Anode-orange         1.30         .49         0L745         Common Anode-red         1.65         5.50         1.49           MAN 3550 Common Anode-orange         1.30         .99         0L749         Common Anode-red         500         1.49           MAN 4610 Common Cathode-orange         3.00         .99         0L749         Common Cathode-red         1.60         1.50         1.49           MAN 4610 Common Cathode-orange         3.00         .99         0L750         Common Cathode-red         6.00         1.49           MAN 4640 Common Cathode-orange         9.99         0.133         Common Cathode-red         1.10         3.55	XR1310P 1.95 XR2209 1.75 XR4212 3.60 XR1310P 1.95 XR2209 1.75 XR4212 2.05 XR1468CN 3.85 XR2211 5.25 XR4558 .75 XR1488 1.95 XR2212 4.35 XR4739 1.15
O 042 .25 C 0 08 .9 C D4014 1.39 C D4015 1.19	CD4041 1 4. 9 CD4042 . 99 CD4043 . 89 CD4044 .89 CD4046 1.79	CD4098 1,19 MC14409 14,95 MC14410 14,95 MC14411 14,95 MC14419 4,95	150	XR1489   1.95   XR2240   3.45   XR4741   1.47
CD4017 1.19 CD4018 .99 CD4019 .49 CD4020 1.19	CD4047 2.50 CD4048 1.35 CD4049 .49 CD4050 .69 CD4051 1.19	M C14433 13,95 M C14506 .75 M C14507 .99 M C14562 11.95 M C14583 2.49	MAN 6610   Common Annote-ratinge D. D.   S60   9.99   509.277.20   Common Annote-red   3.00   9.99   MAN 6830   Common Annote-ratinge D. D.   S60   9.99   MSP-3400   Common Annote-red   8.00   1.50   MAN 6640   Common Candodo-range D. D. S60   9.99   MSP-3400   Common Candodo-range D. D. S60   9.99   S602-7300   4.7 5g) Digit-HiDP   5.00   19.95   MAN 6650   Common Annote-ratinge   5.00	N1751   5.1   400m   4/1.00   1N4005   600 PIV1 AMP   10/1.00   1N752   5.5   400m   4/1.00   1N4006   800 PIV1 AMP   10/1.00   1N753   6.2   400m   4/1.00   1N4007   1000 PV1 AMP   10/1.00   1N754   6.8   400m   4/1.00   1N3560   50   200m   6/1.00   1N757   9.0   400m   4/1.00   1N4148   75   10m   15/1.00   10/1.00   1N757   10m   15/1.00   10/1.00
CD4022 1.19 CD4023 .29 CD4024 .79 CD4025 .23	CD4053 1,19 CD4056 2,95 CD4059 9,95 CD4060 1,49 CD4066 .79	CD4508 3.95 CD4510 1.39 CD4511 1.29 CD4515 2.95 CD4518 1.29	MAN 6680   Common Cathode-orange   560   .99   \$082-7304   Overrange character (=1)   .600   15.00   MAN 6710   Common Anode-ord-O.D.   560   .99   \$082-7304   4 x 7 Spl. Oigh-Hoxadecimal   .600   22.50	W759   12.0   400m   471.00   114154   35   10m   1271.00   118958   62   400m   471.00   114734   5.1   1 w   28   118958   5.5   500m   28   114735   6.2   1 w   28   118923   5.6   500m   28   114735   6.2   1 w   28   118924   6.2   500m   28   114735   6.8   1 w   28   118924   6.2   6.
74C00 .39 74C02 .39 74C04 .45	CD4068 .39 CD4069 .45 74C00 74C85 249	CD4520 1.29 CD4566 2.25 74C163 2.49 74C164 2.49 74C173 2.60	CA30131 2.15 CA30287N 2.00 MM5725 \$2.95 MM5309 4.95 MC1408L7 4.95 CA3035T 2.48 CA3085N 3.5 MM5728 2.95 MM5311 4.95 MC1408L8 5.75 CA3039T 1.35 CA3089N 3.75 DM8864 2.00 MM5312 4.95 MC1408L8 5.75 CA3045N 3.0 CA31017 1.39 DM8865 1.00 MM5314 4.95 MC103022P 2.95 CA3046N 3.00 CA31017 1.39 DM8865 1.00 MM5314 4.95 MC3022P 2.95	N\$235 6.8 500m 28 N\$4736 8.2 1w 28
74C10 .39 74C14 1.95 74C20 .39 74C30 .39	74C90 1.95 74C93 1.95 74C95 1.95 74C107 1.25 74C151 2.90	74C192 2.49 74C193 2.49 74C195 2.49 74C922 7.95 74C923 6.25	CA3089N 3.25 CA3140T 122 DM8887 .75 MM5316 6.95 MC3 1P 3.50 CA3080N 3.25 CA3160T 1.25 DM8889 .75 MM5316 9.95 MC4016744157.26 CA3080T 1.25 CA301N 3.99 93747-seg. MM5369 2.95 MC4024P 3.95 CA3081N 2.00 CA3600N 3.59 LED driver 1.50 MM5387/998a-1.95 MC4040P 6.95 MC4040P	MASS   150   7m   6/1 00   IN1185   150 PIV 35 AMP   1.70   IN1465A   180   10m   5/1.00   IN186   200 PIV 35 AMP   1.80   IN14001   50 PIV 1 AMP   12/1.00   IN1188   400 PIV 25 AMP   3.00
74C48 2.49 74C73 .89	74C154 3.00 74C157 2.15 74C160 2.49 74C161 2.49	74C925 8.95 74C926 8.95 80C95 1.50 80C97 1.50 L.M710N .79	LOW PROFILE (TIN) SOCKETS  1-24	C36D 15.6 @ 400V SCR(2N1849) \$1.95 C35M 35.6 @ 600V SCR 1.95 2N2328 1.6.8 @ 300V SCR
LM106H .99 LM3 H .80 LM301CN/H .35 LM302H .75	LINEAR  LM340K-18 1.35  LM340K-24 1.35  LM340T-5 1.25	LM711N .39 LM723N/H .55 LM733N 1.00 LM739N 1.19 LM741CN/H .35	6 PIN LP .17 .16 .15 .14 PIN ST .27 .25 .24 .18 PIN LP .20 .19 .18 .16 PIN ST .30 .27 .25 .24 .16 PIN LP .22 .21 .20 .18 PIN LP .29 .28 .27 .28 .18 PIN LP .29 .28 .27 .24 PIN ST .35 .32 .30 .20 .20 .20 .20 .24 PIN ST .49 .45 .42 .20 .20 .20 .20 .20 .20 .20 .20 .20 .2	MDA 980-3   122.66   2007   FW BRIDGE REC.   1.95   C106B1   5.0   TRANSISTORS 2H3904   4/1.00   MPSA05   30   2H3055   8.9   2H3905   4/1.00   MPSA05   5/1.00   MLE3055   1.00   2H3936   4/1.00   MLE3055   1.00   2H3936   4/1.00   A/1.00   A/1
LM305H .60     LM307CN/H .35     LM308CN/H 1.00     LM309H 1.10	LM340T-6 1.25 LM340T-8 1.25 LM340T-12 1.25 LM340T-15 1.25 LM340T-18 1.25	LM741-14N .39 LM747N/H .79 LM748N/H .39 LM1310N 1.95 LM1458CN/H .59	24 pin LP .38 .35 .35 .35 .35 .35 pin ST .139 .125 .115 .35 pin LP .38 .37 .38 .40 pin ST .139 .126 .115 .36 pin LP .60 .59 .59 .58 .36 WIRE WRAP SOCKETS	TIS98 67.100 2N3398 57.100 2N4123 67.100 40409 1.75 PN3567 37.100 PN4249 47.100 40410 1.75 PN3568 47.100 PN4250 47.100 40673 1.75 PN3568 47.100 PN4250 47.100 2N4400 47.100 2N4400 47.100 2N4401 47.100 47.100 2N4401 47.100 47.100 2N4401 47.100 47.100 2N4401 47.100 47.10
LM310CN 1.95 L LM311N/H .90 I LM312H 1.95 I LM317K 6.50 I	_M340T-24 1.25 _M358N 1.00 1.M370N 1.95 _M373N 3.25 _M377N 4.00	MC1488N 1.95 MC1489N 1.95 LM1496N .95 L.M1556V 1.75 MC1741SCP 3.00	SOLDERTAIL (GOLD) STANDARD 8 pln ww 59 54 49 10 pin ww 69 63 58 14 pln ww 79 73 67	2N219A   21.00   MPS3702   51.00   2N4402   411.00   2N3704   517.00   2N4403   411.00   2N3704   517.00   2N4403   411.00   2N3705   517.00   2N4409   517.00   2N3705   517.00   2N3086   417.00   2N3705   517.00   2N3086   417.00   41
LM319N 1.30 L LM320K-5 1.35 L LM320K-5.2 1.35 L LM320K-12 1.25 L	LM380N 1.25 LM380CN .99 LM381N 1.79 LM382N 1.79 NE501N 8.00	LM2111N 1.95 LM2901N 2.95 LM3053N 1.50 LM3065N 1.49 LM3900N(3401).59	8 pin SG 39 .35 .31 ls pin ww .85 .77 .70   14 pin SG .49 .45 .41 l8 pin ww .99 .90 .81   16 pin SG .54 .49 .44 20 pin ww .1.19 1.08 .99   18 pin SG .59 .53 .48 22 pin ww .1.49 1.35 1.23	MP52359
LM320K-24 1.35   1 LM320T-5 1.25   1 LM320T-5.2 1.25   1 LM320T-8 1.25   1	NE510A 6.00 NE529A 4.95 NE531H/V 3.95 NE536T 6.00 NE540 6.00	LM3905N 1.49 LM3909N 1.25 MC5558V .59 8038B 4.95 LM75450N .49	28 pin SG 1.10 1.00 .90 28 pin WW 1.69 1.53 1.38 35 pin SG 1.55 1.40 1.26 36 pin WW 2.19 1.99 1.79 40 pin SG 1.75 1.59 1.45 40 pin WW 2.29 2.09 1.89	2X/925 5/1.00 2X/3725A 1.00 2X/5139 5/1.00 MLE2955 1.25 2X/3772 2.25 2X/5210 5/1.00 2X/3053 2/1.00 2X/3823 1.00 2X/549 3/1.00 2X/3903 5/1.00 2X/5151 3/1.00  CADACITOD 50 VOLT CERAMIC COD NED
LM320T-15 1.25   N LM320T-18 1.25   N LM320T-24 1.25   N LM323K-5 5.95   N	NE544N 4,95 NE550N 1.30 NE555V .39 NE556N .99 NE560B 5.00	75451CN .39 75452CN .39 75453CN .39 75454CN .39 75491CN .79	1/4 WATT RESISTOR ASSORTMENTS — 5%  10 DHM 12 DHM 15 DHM 18 DHM 22 DHM ASST. 1 5 E2. 27 DHM 33 DHM 39 DHM 47 DHM 55 DHM 55 DPCS \$1.75	10 pt .05 .04 .03 .001µF .05 .04 .03 .03 .047µF .05 .04 .03 .03 .047µF .05 .04 .03 .03 .047µF .05 .04 .03 .04 .03 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05
LM339N .99 F LM340K-5 1.35 F LM340K-6 1.35 F	NE562B 5.00 NE565N/H 1.25 NE566CN 1.75 NE567V/H .99 NE570N 4.95 LM703CN/H .69	75493N .89 75494CN .89 RC4136 1.25 RC4151 3.95	58 OHM 22 OHM 100 OHM 120 OHM 150 OHM 50 OHM	100 pt
T4LS00 .35 74LS01 .35 74LS02 .35	74LS00TTL 74LS51 .29 74LS54 .29	RC4194 4.95 RC4195 4.49 74LS139 1.05 74LS151 1.05 74LS155 1.05	ASST. 4 5 sa 8.24 104 12% 15% 18% 50 PCS 1.75 22% 27% 33% 39% 47% ASST. 5 sa. 56% 66% 82% 100% 120% 50 PCS 1.75	.0047mf .12 .10 .07 .1mf .27 .23 .17 .01mf .12 .10 .07 .2mf .33 .27 .22 +20% DIPPED TANTALUMS (SQLID) CAPACITORS
74LS03 .35 74LS04 .42 74LS05 .42 74LS08 .35 74LS09 .42	74LS55 .29 74LS73 .54 74LS74 .54 74LS75 .71 74LS76 .54	74LS157 1.05 74LS160 1.15 74LS161 1.39 74LS162 1.25 74LS163 1.39,	ASST. 6 5 ea. 390% 370% 560% 680% 820% 50 PCS 1.75  1M 1.2M 1.5M 1.8M 2.2M  ASST. 7 5 ea. 2.7M 3.3M 3.9M 4.7M 5.6M 50 PCS 1.75	1/35V 39 31 .25 1.5/35V 41 .33 .26 1.5/35V 39 .31 .25 2.2/35V 51 .41 .33 .26 2.2/35V 51 .41 .33 .27 2.2/35V 39 .31 .25 3.2/35V 53 .43 .34 .33/35V 39 .31 .25 4.7/25V 53 .53 .43 .34 .47/35V 39 .31 .25 6.8/25V .59 .53 .51 .41 .47/35V 39 .31 .25 6.8/25V 1.39 .13 .25 6.8/25V 1.39 .12 .89 1.0/35V 39 .31 .25 2/6/5V 1.39 .53 .55 .55 .55 .55 .55 .55 .55 .55 .55
74LS10 .35 74LS11 .75 74LS13 .59 74LS14 1.25 74LS15 .35	74LS78 .49 74LS83 1.05 74LS85 1.50 74LS86 .54 74LS90 .71	74LS164 1. 0 9 74LS175 125 74LS181 2.49 74LS190 1.39 74LS191 1.39	ASST. 8R Includes Resistor Assortments 1-7 (350 PCS.) \$9.95 ea.  \$10.00 Min. Order – U.S. Funds Only Spec Sheets – 25¢ Calif. Residents Add 6% Sales Tax 1980 Catalog Available – Send 41¢ stamp Postage–Add 5% plus\$1 Insurance (if desired)	Arial Lead         Radial Lead           47/50V         .15         .13         .10         .47/25V         .15         .13         .10           1.0/50V         .16         .14         .11         .47/50V         .16         .14         .11           3.3/50V         .14         .12         .09         1.0/16V         .15         .13         .10           4.7/25V         .15         .13         .10         1.0/25V         .16         .14         .11
74LS21 .35 74LS22 .35 74LS26 .35 74LS27 .35	74LS92 .90 74LS93 .90 74LS95 .99 74LS96 1.15 74LS107 .54	74LS192 1.39 74LS193 1.39 74LS194 1.39 74LS195 1.39 74LS253 1.25	THE CATALOG CA	00/25V 15 13 10 1.0/56V 16 14 11 10/56V 10 10/50V 10 15 13 10 1.0/56V 10 15 13 10 10/50V 12 12 12 12 12 12 12 12 12 12 12 12 12
74LS28 .36 74LS30 .35 74LS32 .42 74LS37 .45 74LS40 .35	74LS109 .54 74LS112 .54 74LS123 1.50 74LS126 1.05 74LS132 .99	74LS258 1.75 74LS260 .83 74LS279 .90 74LS367 .75	ELECTRONICS (415) 592-8097  MAIL ORDER ELECTRONICS – WORLDWIDE  1355 SHOREWAY ROAD, BELMONT, CA 94002	100150V .35 .30 .28 47/50V .24 .21 .19 220125V .32 .28 .25 .100116V .19 .15 .14 2201650V .45 .41 .38 .100/25V .24 .20 .18 470/25V .33 .29 .27 .1001670V .35 .30 .28
74L540 .35 74L542 1.05 74L547 1.05	74L.S132 .99 74L.S136 .59 74L.S138 1.06	74LS367 .75 74LS368 .75 74LS670 2-49	1355 SHOREWAY ROAD, BELMONT, CA 94002 9/80 PRICES SUBJECT TO CHANGE	470/25V .33 .29 .27 100/56V .35 .30 .28 1000/16V .55 .50 .45 220/16V .23 .17 .16 2200/16V .70 .62 .55 470/25V .31 .28 .26



### **ULTRAVIOLET** INTENSITY **METER**

by BLAK-RAY

TWO MODELS: LONG WAVE SHORT WAVE



Meter consists of a sensor cell attached to a compact (3" x 31/4" x 3") metering unit. Can be hand-held or placed directly on surface for measuring. Can be used remotely, while connected to a meter housing by a 4-foot extension cord. Two models available — one for long wave and one for short wave ultraviolet. Readings are in microwatts per square centimeter. Weight: 1 lb.

Completely assembled (includes sensor cell, reduction screen, extension cord, contrast filter and certification report.)

J-221 LONG WAVE \$242.00 (300nm-400nm) . . . . . . . .

J-225 SHORT WAVE (200nm-280nm)..... \$260.00

### **EPROM Erasing Lamp**



- Erases 2708, 2716, 1702A, 5203Q, 5204Q, etc.
- Erases up to 4 chips within 20 minutes
- Maintains constant exposure distance of one inch Special conductive foam liner eliminates static
- Built-in safety lock to prevent UV exposure
- Compact only 7-5/8" x 2-7/8" x 2"
   Complete with holding tray for 4 chips

UVS-11E ..... \$69.95

### Jumbo 6-Digit Clock Kit



- common anode displays Uses MM5314 clock chip
- \* Switches for hours, minutes and hold functions \* Hours easily viewable to 30 feet
- Simulated walnut case 115VAC operation
- \* 12 or 24 hour operation
- cludes all components, case and wall transformer

JE747 . . . . . . . . . . . \$29.95



- **JE701**

and hold modes

Hrs. easily viewable to 20 ft.

Simulated walnut case

115 VAC operation

12 or 24 hr. operation

Incl. all components, case & wall transformer

Size: 6%" x 3-1/8" x 1%" 6-Digit Clock Kit \$19.95

### Regulated Power Supply

Uses LM309K. Heat sink provided. PC board construction. Provides a solid any post point solid any post point solid any post point solid point solid point po

JE200......\$14.95



ADAPTER BOARD -Adapts to JE200-±5V, ±9V and ±12V

Bright .300 ht. comm. cath-ode display Uses MM5314 clock chip Switches for hours, minutes and hold modes

DC/DC converter with +5V input. Toriodal hispeed switching XMFR. Short circuit protection. PC board construction. Piggy-back to JE 200 board. Size: 3½" x 2" x 9/16"H

JE205 .....\$12.95

### MICROPROCESSOR COMPONENTS

	8080A/8080A SUPPORT DEVICES	4 7.00		-MICROPRO	CESSOR MANUALS	
8080A	CPU	\$ 7.95	M-Z80	User Manua	11	\$7.50
8212	8-Bi1 Inpul/Outpu1	3.25		User Manua	al	7.50
8214	Priority Interrupt Control	5.95	M-2650	User Manua		5.00
8216	Bi-Oirectional Bus Driver	3.49	111 2000			
8224	Clock Generator/Oriver	3.95			ROM'S -	_
8226	Bus Driver	3.49	2513(2140)		lenerator(upper case)	\$9.95
8228	System Controller/Bus Driver	4.95	2513(3021)		ienerator(tower case)	9.95
8238	System Controller	5.95	2516	Character C		10.95
8251	Prog. Comm. 1/0 (USART)	7.95	MM5230N		ead Only Memory	1.95
8253	Prog. Interval Timer	14.95	11111323011	2010 01111	add dilly mamory	1.33
8255	Prog. Periph. 1/0 (PPI)	9.95			- RAM'S	
8257	Prog. DMA Control	19.95	1101	256X1	Static	\$1.49
8259	Prog. Interrupt Control	19.95	1103	1024X1	Dynamic	99
	-6800/6800 SUPPORT DEVICES-		2101(8101)	256X4	Static	3.95
MC6800	MPU	\$14.95	2102	1024X1	Static	1.75
MC6802CP	MPU with Clock and Ram	24.95	21L02	1024X1	Static	1.75
MC6810API	128X8StaticRam	5.95		256X4	Static	3.95
MC6821	Perlph, Inter, Adapt (MC6820)	7,49	2111(8111)	256X4 256X4		
MC6828	Priority Interrupt Controller	12.95	2112	1024X4	Static MOS Static 450ns	4.95 7.95
MC6830L8	1024X8 Bi1 ROM (MC68A30-8)	14.95	2114			
MC6850	Asynchronous Comm. Adapter	7.95	2114L 2114-3	1024X4	Static450ns low power	10.95
MC6852	Synchronous Serial Data Adapt.	9.95		1024X4	Static 300ns	10.95
MC6860	0-600 bps Digital MODEM	12.95	2114L-3	1024X4	Static 300ns low power	11.95
MC6862	2400 bps Modulator	14.95	5101	256X4	Static	7.95
MC6880A	Quad 3-State Bus. Trans. (MC8T26)	2.25	5280/2107	4096X1	Dynamic	4.95
	DPROCESSOR CHIPS—MISCELLANEOL		7489	16X4	Static	1.75
	CPU CPU	\$13.95	74S200	256X1	Static Tristate	4.95
Z80(780C)		15.95	93421	256X1	Static	2.95
Z80A(780-1) C0P1802	CPU		UP0414	4K	Oynamic 16 pin	4.95
		19.95	(MK4027)			
2650	MPU	19.95	UPD416	16K	Dynamic 16 pin 250ns	7.95
6502	CPU	11.95	(MK4116)			
8035	8-Bit MPU w/clock, RAM, 1/0 lines	19.95	TMS4044-	4K	Static	14.95
P8085	CPU	19.95	4511L			
TMS9900JL	16-Bit MPU w/hardware, multiply		TMS4045	1024X4	Static	14.95
	& divide	49.95	2117	16.384X1	Dynamic 350ns	9.95
-	SHIFT REGISTERS				(house marked)	
MM500H	Oual 25 Bit Dynamic	\$.50	MM5262	2KX1	Dynamic	4/1.00
MM503H	Dual 50 Bit Dynamic	. 50			PROM'S	
MM504H	Dual 16 Bit Static	.50				
MM506H	Dual 100 Bit Static	.50	1702A	2048	FAMOS	\$5.95
MM510H	Dual64 Bit Accumulator	. 50	2716INTEL	16K*	EPROM	59.95
MM5016H	500/512 Bit Dynamic	.89	TMS2516	16K*	EPROM	24.95
2504T	1024 Dynamic	3.95	(2716)	*Requires	single +5V power supply	
2518	Hex 32 Bit Stalic	4.95	TMS2532	4KX8	EPROM	89.95
2522	Dual 132 Bit Static	2.95	2708	8K	EPROM	10.95
2524	512 Static	.99	2716 T.I	16K**	EPROM	29.95
2525	1024 Dynamic	2.95	- **R	equires 3 vo	oltages,5V, +5V, +12V	
2527	Qual 256 Bit Static	2.95	5203	2048	FAMOS	14.95
2528	Qual250 Static	4.00	6301-1(7611)	1024	Tristate Bipolar	3.49
2529	Oual 240 Bit Static	4.00	6330-1(7602		Open C Bipolar	2.95
2532	Quad 80 Bit Static	2.95	82S23	32X8	Open Collector	3.95
3341	Fife	6.95	82S115	4096	Bipolar	19.95
74LS670	4X4 Register File (TriState)	2.49	825123	32X8	Tristate	3.95
1463010	and inclinion tile (Thorace)	2.73	74186	512	TTL Open Collector	9.95
	- UART'S -		74188	256	TIL Open Collector	3.95
A-Y-5-1013		5.95	74S287	1024	Static	2.95
W-1-2-1013	JUN BACIU	5.93		1027	010110	2.33

### **Function** Generator Kit



Provides 3 basic waveforms: sine, triangle and square wave. Freq. range from 1 Hz to 100K from 1 Hzto 100K Hz. Output ampli-tude from 0 volts to over 6 volts (peak to peak). Uses a 12V supply or a ±6V split sup-ply. Includes chip, ply, Includes .... P.C. Board, com-ponents & instruc-

JE2206B....\$19.95

### DIGITAL THERMOMETER KIT



•Dual sensors-switching control for in door/outdoor or dual monitoring
Continuous LED .8 ht. display
Range: -40°F to 199°F / -40°C to 100°C
Raccuraey: -1 nominal
Sim. walnut sae -AC wall adapter incl.
Size: 3-1/4"hx6-5/8"wx1-3/8"D

JE300 ......\$39.95

### **DESIGNERS' SERIES** Blank Desk-Top Electronic Enclosures



- High strength epoxy molded end pieces in mocha brown finish.
- Sliding rear/bottom panel for service and component ac-cessibility.
- Top/bottom panels.080 thk alum. Alodine type 1200 finish (gold tint color) for best paint adhesion after modification.
- Vented top and bottom panels for cooling efficiency.
- Rigid construction provides unlimited applications.

CONSTRUCTION: CONSTRUCTION:
The "DTE" Blank Desk Top Electronic Enclosures are designed to blend and complement today's modern computer equipment and can be used in both industrial and home. The end pieces are precision molded with an internal slot (all around) to accept both top and bottom panels. The panels are then fastened to "k" thick tabs inside the end pieces to provide maximum rigidity to the enclosure. For ease of equipment servicing, the rear/bottom panel slides back on slotted tracks while the rest of the enclosure remains intact. Different panel widths may be used while maintaining a common profile outline. The molded end pieces can also be painted to match any panel color scheme.



Enclo Model		Panel Width	PRICE
DTE-	8	8.00"	\$29.95
DTE-	11	10.65"	\$32.95
DTE-	14	14.00"	\$34.95

\$10.00 Min. Order — U.S. Funds Only Calif. Residents Add 6% Sales Tax Postage—Add 5% plus \$1 Insurance (if desired)

Spec Sheets — 25∉ 1980 Catalog Available – Send 41€ stamp



PHONE ORDERS WELCOME (415) 592-8097

MAIL ORDER ELECTRONICS - WORLDWIDE 1355 SHOREWAY ROAD, BELMONT, CA 94002 PRICES SUBJECT TO CHANGE

### The Incredible

### "Pennywhistle 103"

\$139.95 Kit Only

The Pennywhistle 103 is capable of recording data to and from audiotape with critical speed requirements for the recorder and it is able to communicate directly another modern and terminal for telephone "harming" and communications, addition, it is freed critical adjustments and is built withnon-precision, readily available. parts.
Data Transmission Method .....Frequency-Shift Keying, full-duplex (hall-duplex

selectable).
Maximum Data Rate.,,300Baud.
Data Format
Receive Channel Frequencies 2025 Hz for space; 2225 Hz for mark.
Transmit Channel Frequencies Switch selectable: Low (normal) = 1070 space, 1270 mark; High = 025 space, 2225 mark.
Receive Sensitivity46 dbm accoustically coupled.
Transmit Level15 dbm nominal. Adjustable from -6 dbm to -20 dbm.
Receive Frequency ToleranceFrequency reference automatically adjusts to allow foroperation between 1800 Hz and 2400 Hz.
Oigilal Oata Interface
Power Requirements
Physical
Requires a VOM, Audio Oscillator, Frequency Counter and/or Oscilloscope to align.

### **TRS-80** 16K Conversion Kit

Expand your 4K TRS-80 System to 16K.

Kit comes complete with:

\* 8 each UPD416-1 (16K Dynamic Rams ) 250NS

\* Documentation for conversion

TRS-16K ..... \$59.95

### JE610 ASCII **Encoded Keyboard Kit**



The JE610 ASCII Keyboard Kit can be interfaced into most any computer system. The kit comes complete with an industrial grade keyboard switch assembly (62-keys), IC's, sockets, connector, electronic components and a double-sided printed wiring board. The keyboard assembly requires +5V @ 150mA and —12V @ 10mA for operation. Features: 60 keys generate the full 128 characters, upper and lower case ASCII set. Fully buffered. Two user-define keys provided for custom applications. Caps lock for upper-case-only alpha characters. Utilizes a 2376 (40-pin) encoder read-only memory chip. Outputs directly compatible with TTL/DTL or MOS logic arrays. Easy interfacing with a 16-pin dip or 18-pin edge connector.

JE610 (Case not included) \$79.95

### Desk-Top Enclosure for JE610 ASCII Encoded Keyboard Kit

DTE-AK	22
SPECIAL: JE610/DTE-AK PURCHASED TOGETHE	R
(Value \$129.90) \$124.	95
	_

### JE600 Hexadecimal Encoder Kit

FULL R-RIT LATCHED OUTPUT 19-KEY KEYBOARD



The JE600 Encoder Keyboard Kit provides two separate hexadecimal digits produced from sequential key entries to allow direct programming for 8-bit microprocessor or 8-bit memory circuits. Three additional keys are provided for user operations with one having a bistable output available. The outputs are latched and monitored with 9 LED readouts. Also included is a key entry strobe. Features: Full 8-bit latched output for microprocessor use. Three user-define keys with one being bistable operation. Debounce circuit provided for all 19 keys. 9 LEO readouts to verify entries. Easy interfacing with standard 16-pin IC connector. Only +5VOC required for

JE600 (Case not included) \$59.95

### Desk-Top Enclosure for JE600 Hexadecimal Keyboard Kit

Compact desk-top exclosure: Color-coordinated designer's case with light tan aluminum panels and molded end pieces in mocha brown. Includes mounting hardware. Size: 3%"H x 8%"W x 8%"D.

SPECIAL: JE600/DTE-HK PURCHASED TOGETHER (Value \$104.90) . . . . . . . . . . . . \$99.95

# Computers, Disk Systems

### SUPERBRAIN By INTERTEC



32K or 64K (Double or Quad Density units available). Uses two Z-80 CPU's. Commercial-type terminal with 12" monitor. Dual double density minifloppies. Over 350 kilobytes of storage (twice that with quad density drives). Two serial RS232 ports, I/O ports standard. Expandable with optional S-100 S-100 interface. Comes with CP/M<sup>TM</sup> 2.2 operating system. MiniMicroMart includes BASIC interpreter and can supply a wide range of CP/M Development and Application software.

w/32K Double Density, List \$2995 . \$2685
w/64K Double Density, List \$3345 \$2883
w/64K Quad Density, List \$3995 \$3595
W/64K Quad — MiniMicroMart
Upgrade Special\$3395

### **MICROMATION**



A 64K complete computer with dual density floppies (1 megabyte). Rack or vertical mounting. Systems with double-sided drives, hard disks, and multi-user (MP/M).

Z + 100 64K RAM, Computer, \$2495. . \$2099 Z+120 Includes two 8" disks, \$4995 . . . \$4199

"Z" system features new distributed processing multi-user concept with one Z-80 per user, with Z-80 for MP/M (Master Satellite concept).

ASLOW AS \$11,899!

### **SD SYSTEMS**

SDS-100,	w/32K	RAM,	\$6995	 \$5945
SDS-200	List \$85	995		 \$7645



### INTERSYSTEMS

formerly ITHACA AUDIO



### Call for Price!

The new Series II CPU Board features a 4 MHz Z-80A CPU and a full-feature front panel. 20slot actively terminated motherboard, with 25 amp power supply (50/60 Hz operation, incl. 68 cfm fan).

COMPLETE SYSTEM with InterSystem 64K RAM, I/O Board w/priority interrupt and double density disk controller board. Full 1-year warranty, List \$3595

Call for Price!

### **HEWLETT-PACKARD HP-85A**

Desk-Top Computer Call for **Price** 

### MORROW THINKER TOYS® DISCUS M26™

26 megabytes of \$4,199 formatted storage List \$4,995



### THINKER TOYS® DISK SYSTEMS

Discus 2D, List \$1199 \$1019	}
Discus 2D, dual-drive, List \$1994 \$169	
Discus 2+2, Assem., List \$1549 \$131 Dual Discus 2+2, Assem., \$2748 \$233	9 5
All Morrow systems now include CP/M® 2.2	2

### **NORTH STAR DOUBLE DENSITY CONTROLLER BOARDS**

Kit, List \$399

**OUR PRICE \$329** 

Assembled and Tested, List \$499, ..... \$399

In Stock — First Time in 2 Years!

### FANTASTIC SAVINGS on a "QUAD" DENSITY HORIZON UPGRADE

North Star Double Density Controller Board (see above) and a quad density MPI-52 (features superior disk handling and door mechan-

MDS-H-MQ/K Kit form List \$999

OUR PRICE \$699

MDS-H-MQ/A Assembled form, List \$1099

Shipping and insurance: Add \$6.

### **NORTH STAR MDS-A Double Density Mini** Floppy Disk System

Double Density, Kit List \$799 OUR PRICE \$669

Assembled and Tested......\$719 Quad Version, Kit, List...... \$836 Assembled, List \$1099..... \$896

Above MDS-A units do not include cabinet or power supply.

Shipping and Insurance: Add \$7.50.

### Super Special!

**North Star** Controller Board. Drive, Cabinet, and Power Supply

Complete system similar to above but also includes a cabinet and an assembled/tested power supply for the drive (silver finish). Your choice of Shugart SA-400 or MPI-51 Double Density Drive or MPI-52 quad density drive (MPI drives feature improved door and disk handling mechanism).

w/Controller Bd. kit, SA-400... w/Controller Bd. kit, MPI-51......w/Controller Bd. kit, MPI-52...... w/Assembled Bd. and SA-400. . . . . . w/Assembled Bd. and MPI-51..... w/Assembled Bd. and MPI-52.....\$869

For converting existing Horizon 2 to quad, order additional MPI-52

Shipping and Insurance: Add \$6.

MPI-52 Quad Density Drive . . . . . . . . . \$379

Circle 349 on inquiry card.

# Terminals and Printers!

### **TELEVIDEO TVI-912C**



Upper and lower case, 15 baud rates: 75 to 19,000 baud, dual intensity, 24 x 80 character display, 12 x 10 resolution. Numeric pad. Programmable reversible video, auxiliary port, self-test mode, protect mode, block mode, tabbing, addressable cursor. Microprocessor controlled, programmable underline, line and character insert/delete. "C" version features typewriter-style keyboard. List \$950

### **OUR PRICE \$789**

920C (with 11 function keys, 6 edit keys and 2 transmission mode keys, List \$1030

**ONLY \$849** 

# Intertec EMULATOR

Software compatible with a Soroc IQ-120, Hazeltine 1500, ADM-3A or DEC VT-52. Features block mode transmission and printer port; 12" anti-glare screen; 18-key numeric keypad; full cursor control. List \$895

**OUR PRICE \$729** 



# Intertec INTERTUBE II

List \$995 ONLY \$799

12" display, 24 x 80 format, 18-key numeric keypad, 128 upper/lower case ASCII characters. Reverse video, blinking, complete cursor addressing and control. Special user-defined control function keys, protected and unprotected fields. Line insert/delete and character insert/delete editing, eleven special line drawing symbols.

### SOROC



### **HAZELTINE**



1410 w/numeric keypad, List \$900	\$749
1420 w/lower case and numeric pad	
1510, List \$1395	1089
1520, List \$1650	1389

### **BANTAM 550**

From Perkin-Elmer



### CENTRONICS PRINTERS

NEW 730, parallel, friction, tractor \$6	<b>79</b>
NEW 737 parallel, friction, tractor \$8	49
779-2 w/tractor (same as TRS-80 Line Printer I), List \$1350	049 995 395

TI-810



TI-810 Basic Unit, \$1895 . ONLY \$1695
TI-810 w/full ASCII (Lower case), vertical forms control, and compressed print . \$1895
TI-745 Complete printing terminal with acoustic coupler, List \$1695 . . . \$1399

### **PAPER TIGER**





### NEC SPINWRITERTA



Terminal/Keyboard as well as RO Printer Only models available.

**CALL FOR PRICES!** 

OKIDATA Microline 80 ONLY Tractor Feed Option	\$99
Serial interface	\$89
AXIOM IMP I	. \$699
COMPRINT 912 w/parallel interf 912 w/serial interface, List \$699	
MICROTEK, List \$750	. \$675
ANADEX 80-Col. Dot Matrix	. \$849

Above prices reflect a 2% cash discount (order prepaid prior to shipment). Add 2% to prices for credit card orders, C.O.D.'s, etc. Prices are f.o.b. shipping point. Prices are subject to change and offers subject to withdrawal without notice. WRITE FOR FREE CATALOG.

Circle 350 on inquiry card.

# MiniMicroMart, Inc.



# If North Star or Cromemco offer it . . .

# WE HAVE IT!!

# Immediate Delivery at Discount Price.



### **NORTH STAR** Horizon<sup>®</sup> 2

32K Double Density Assembled and Tested List \$3095

North Star KIT products have been discontinued. MiniMicroMart HAS **INVENTORY of most items!** 

### KITS

### **ASSEMBLED**

HORIZON 1 16K, DD \$1474	
32K, DD, List \$1999 1684	
32K, QD, List \$2199 1869	
HORIZON 2, 16K, DD . \$1824	
32K, DD, List \$2399 2034	
32K, QD, List \$2779 2359	

HORIZON 1, DD	. \$2279
32K, QD, List \$2995	2539
HORIZON 2, 32K, DD.	\$2619
32K, QD, List \$3595	3049
48K, DD, List \$3590	3039
48K, QD, List \$4090	3469
64K, DD, List \$3830	3239
64K, QD, List \$4330	3669

### NORTH STAR APPLICATIONS SOFTWARE

(Exclusive for use with North Star Disk Systems — specify Double or Quad Density)

NORTHWORD, List \$399	 \$339
MAILMANAGER, List \$299	
INFOMANAGER, List \$499	
GENERALLEDGER, List \$999	
ACCOUNTSRECEIVABLE, List \$599	
ACCOUNTSPAYABLE, List \$599	 . 499

### **NORTH STAR HARD DISK HD-18**

18 megabytes, plugs into parallel port of North Star Horizon. Utilizes tried-and-proven 14" Century Data Marksman. List \$4999. **OUR PRICE \$4199** 

**NORTH STAR MDS-A** — Double (or Quad) Density Disk System, Kit, List \$799 . **OUR PRICE \$669** Assembled and Tested, List \$899 SPECIAL \$719

### NORTH STAR MEMORY BOARDS

16K Dynamic RAM (RAM-16-A/A), Assembled, List \$499	\$420
Kit, List \$449 SPECIA	L \$ <b>29</b> 9
32K (RAM-32/A), Assembled, List \$739	.\$620
Kit, List \$669 ONL	<b>/</b> \$499

# NEW System

Now with Du Double Side **Double Dens** over 2 megabyt of Storag 64K of RA List \$73

### LIMITED TIME **INTRODUCTORY SPECIAL**

**CROMEMCO SYSTEM 2** — Now features du sided drives — double the capacity. Similar to System except features dual, double-sided mini floppy d drives. List \$3990 . . . . . . . . ONLY \$33

**Z-2 COMPUTER SYSTEM** (can be rack SINGLE CARD COMPUTER - SCC-W 

**NEW** COLOR GRAPHICS INTERFACE — SDI List \$595 . . . . . . . . . OUR PRICE ONLY \$5

CROMEMCO HDD - 11/22-megabyte Hard Di for use with existing systems. DMA controller. Tra fer rate of 5.6 megabytes/second.

HDD-11, List \$6995 . . . . . OUR PRICE ONLY \$59 

### CROMEMCO Z-2H

Full 11-megabyte Hard D

system. Fast Z-80 4 MHz process two floppy d drives, 64K RA memory, RS2 special interfa printer interfaand extensi software availab



OUR PRICE \$84

master char

VISA

SHIPPING AND INSURANCE: Add \$15 or Horizons, \$2.50 for Boards and Software. Hard Disk Systems and Cromemco systems shipped freight collection of the collect subject to withdrawal without notice. WRITE FOR FREE CATALOG

# MiniMicroMa

1618 James Street, Syracuse, NY 13203 (315) 4 -4467

TWX 710-541-0431

# Try to beat our prices!

### SUPERBRAIN by Intertec



ielf-contained computer with duat disks and wo RS232C ports. Complete with CP/M\* 2.2 nd BASIC.

### **VIDEO TERMINALS**

VEW EMULATOR (Intertec), List \$895 \$	729
NTERTUBE II, List \$995 ONLY \$	799
OROC 120, List \$995 SPECIAL \$	729
1Q140, List \$1495	
PERKIN-ELMER 550, List \$997 \$	799
with anti-glare screen, \$1027 \$	829
HAZELTINE 1410, List \$900 \$	749
1420	
1500, List \$1225 \$	879
1510, List \$1395	
1520, List \$1650	1389
ADDS R-20, List \$995 \$	945
EAR SIEGLER ADM3A, Assembled . \$	
ELEVIDEO 912C, List \$950 \$	789
920C, List \$1030 \$	
PRINTERS	

rniitilio		
NADEX DP-8000		
DP-9500, List \$1650	\$1	1399
NTEGRAL DATA IP-125 w/1210	\$	724
IP-225 w/1210 & 1250 op., List \$988	\$	834
IP-2 <mark>25</mark> w/tractor, 1210, 1250 <u>,</u> 1221		
(2K Buffer), 1241 (graphics) NOW		
PAPER TIGER IDS-440, List \$995		
w/graphics op., incl. buffer, \$1195	\$	989

NEC Spinwriters . . . . . . . Call for Price

ELETYPE 43 KSR	\$1 <b>087</b>
CENTRONICS	
730-1 parallel interface NEW LOV	V \$679
737 parallel interface SUPER VALUE	E \$849
779 w/Tractor, List \$1350	\$1049
702 w/Tractor, VFU, List \$2480	\$1995
703 w/Tractor, VFU, List \$2975	
704 w/Tractor, VFU, List \$2350	\$ <b>1995</b>
<b>I 810</b> Basic, List \$1 <b>8</b> 95	\$1695
810/serial & Centronics-style	
parallel interface, List \$1940	\$1735
810 w/full ASCII (U/LC), Vertical	
Forms Control, Compressed Print	\$1895
1 820 KSR, List \$2165	\$1895
And the second of the second o	

1745 w/full ASCII, List \$1695 . . . . \$1399 COMPRINT 912 w/parallel interface . \$ 559 912 w/serial interface, List \$699 . . . \$ 589 XXIOM IMP I . . . . . . \$ 699

 OKIDATA Microline 80, List \$949
 649

 Tractor Feed Option
 \$ 99

 RS232 Serial Interface
 \$ 89

MICROTEK, List \$750 . . .

# NORTH STAR HORIZON® (Call for North Star Specials)

HORIZON 1 KITS 16K, Double Density, List \$1749	\$1474
32K, Double Density, List \$1999	
HORIZON 1 ASSEMBLED & TES 32K, Double Density, List \$2695 32K, Quad Density, List \$2995	\$2279
HORIZON 2 KITS 16K, Double Density, List \$2149 32K, Double Density, List 2399	. \$2034
HORIZON 2 ASSEMBLED & TEST 32K, Double Density, List \$3095	. \$2619 . \$3049 . \$3039 . \$3469 . \$3239

### **FLOPPY DISK SYSTEMS**

NORTH STAR MDS-A Assembled, List \$899 SPECIAL \$ 719 Kit Version, List \$799 \$ 669
MORROW THINKER TOYS® Discus 2D, List \$1199
MICROMATION Megabox, DD w/       8" drives, 1-megabyte, List \$2295       \$1949         2-megabyte, List \$3095       \$2629         MICROPOLIS 1041 MacroFloppy*       w/enclosure (no P.S.), List \$695       \$ 625         1042 MacroFloppy w/case & AC P.S.       \$ 709         1053 Dual Meta Floppy*       , List \$1895       \$ 1695

### VIDEO BOARDS

# ESCON CONVERSION FOR IBM SELECTRIC

Complete w/microprocessor controller and power supply. Factory built. User installs solenoid assembly or it can be done at Escon
factory at nominal cost.
Parallel (TRS-80, Sorcerer, etc.), \$575 \$514
RS232 Standard Serial, List \$599 534
IEEE-488 (for PET), List \$660 584
TRS-80 Cable

### **CPU BOARDS**

(assembled unless noted)

NORTH STAR Z80A (ZPB-A/A), \$299	\$254
CROMEMCO 4 MHz (ZPU-W), List \$395	\$335
4 MHz (SCC-W), List \$450	\$382
INTERSYSTEMS (formerly Ithaca Audio)	<i>}</i>
	\$349
<b>SSM</b> CB1 8080 A&T, List \$219	\$186
CB1A Kit, List \$159	
CB2 Z-80, A&T, List \$275	<b>\$234</b>
CB2 Kit, List \$210	\$179
<b>DELTA</b> Z-80, with I/O	\$289
<b>SD</b> SBC-100, List \$350	\$ <b>298</b> †
SBC-100 Kit, List \$295	\$250 †
SBC-200, List \$400	\$332†
SBC-200 Kit, List \$320	\$ <b>272</b> †

### **MEMORY BOARDS**

# 32K SD ExpandoRAM Kit ONLY \$249<sup>†</sup>

ONLY \$159 without RAM chips

† Get \$25 rebate from SD Computer when you buy any of their products prior to October 31, 1980.

NORTH STAR 16K Dynamic RAM Board, A&T (RAM-16-A/A), List \$499 \$420 16K Kit Version, List \$449 SPECIAL \$299 32K A&T (RAM-32/A), List \$739 \$620 32K Kit, List \$669 SPECIAL \$499 CROMEMCO 16KZ-W, List \$495 \$419 64KZ-W, List \$1795 1485 MEASUREMENT SYSTEMS & CONTROLS (Guaranteed performance, incl. labor/parts 1 yr) DM6400 64K Board w/all 64K, \$795 \$659
DM4800 with 48K, List \$695 \$589
DM3200 with 32K, List \$595 \$509
DMB6400 64K Board w/all 64K \$859
DMB4800 with 48K \$789
MORROW SuperRAM — all static, all A&T
16K, 4 MHz or 2 MHz, List \$349 \$299
32K, 4 MHz, List \$699 \$629
16K Memory Master, List \$399 \$339
24K Memory Master, List \$549 \$465
INTERSYSTEMS (formerly Ithaca Audio)
8K Static 2 MHz, A&T, List \$165 \$149
8K Static 4 MHz, A&T, List \$195 \$176
16K Static 2 MHz, A&T, List \$475 \$427
16K Static 4 MHz, A&T, List \$495 \$445
64K Dynamic, List \$995 \$895 CALIFORNIA COMPUTER
16K Static, A&T, List \$349.95 \$259

### FLOPPY DISK CONTROLLER BOARDS

NORTH STAR, DD, Kit, List \$399 Assembled, List \$499	\$399
MORROW Disk Jockey 1, A&T (\$213).	\$189
Disk Jockey 2D, A&T, List \$479	\$429
SD Versafloppy 1, Kit, List \$250	\$212
Versafloppy II, DD Kit, List \$350	\$297
Versafloppy II, DD, A&T, List \$430	\$365
DELTA double density A&T (\$385)	\$345
CONDUCTOR, double density A&T	\$269
INTERSYSTEMS FDC-2, A&T, \$495	\$439
MICROMATION Doubler, DD, A&T	\$399
TARBELL Floppy Disk Interface Kit	\$199
double density, A&T, List \$495	
,, == ,, === , ==== , ==== , ==== , ==== , ==== , ==== , ==== , ==== , ===== , ======	

HIPPING AND INSURANCE: Add \$2.50 for boards, \$6 for Selectric Converter or Floppy Disk Drives, \$7.50 for Floppy Disk Systems, \$15 for Horizon. SHIPPED FREIGHT COLLECT: SuperBrain, Centronics 10th Indicates and printers.

Solution of the State of States and Printers and Printers and Printers.

Solution of States and States and States and Printers and Printers.

Solution of States and States and States and Printers and Printers and States and Printers and States and Stat

— WRITE FOR FREE CATALOG —

# MiniMicroMart, Inc.

1618 James Street, Syracuse NY 13203 (315) 422-4467 TWX 710-541-0431

# Unclassified Ads

FOR SALE: TDL Xitan system including TDL ZPU Z80 processor card; TDL SMB containing two serial ports, one parallel port, cassette interface, and 2 K Zapple monitor; Processor Technology VDM-1 video board; 16 K static programmable memory 250 ns; George Risk keyboard. Software includes 12 K BASIC, macro assembler, text editor, and text output processor. All documentation. \$1200 or best offer. Paul Bajorek, 5482 Durrell Rd, Columbus OH 43229, (614) 436-0091.

FOR SALE: S-100 North Star Z80A processor board; \$145. Godbout Econoram II 8 K programmable-memory board; \$100. SD Systems VDB-8024 80 by 24 video display board; \$275. Ithaca Audio 2708/2716 programmable read-only memory board; \$50. Vector Pak enclosure with Vector Graphics mother board and power supply, fan, and 12 edge connectors; \$290. Keyboard with ASCII encoder; \$30. Everything assem-bled and tested. Will consider offers. Harry Haddon, 301 Orchard St, Apt A12, Fayetteville NY 13066, (315) 637-9229.

FOR SALE: XITEX video board with manual, new, assembled and tested, Model SCT-100; Jade Big Z processor with manual, assembled and tested by Jade, 2 MHz; 15-inch black and white monitor, like new; Sperry-Univac terminal/printer; new TEI 22-slot frame with Intersystems front panel, new; Tarbell floppy controller; KIMSI S-100 to KIM board with manuals. Ken Wong, 56 Hollywood Ave, Clifton NJ 07014, Wong, 56 H (201) 773-9033.

FOR SALE: Soroc IQ 140 terminal in original box; \$995. IBM Selectric 731 I/O; \$450. Bob Flaming, 6519 Jetta Ave, Bakersfield CA 93308, (805) 399-8968. FOR SALE: Cromemco Z-2D computer. Factory assembled with extras. \$3000 or best offer. Gregory Clifford, (305) 725-0562.

FOR SALE: Altair S-100 micro system, 17 slots, full display, control front panel, fan, 36 K programmable memory, 2 K programmable read-only memory (½ K un-programmed), parallel I/O, video display interface, cassette interface, keyboard with power supply, serial I/O, real-time clock board, 8-channel priority interrupt, paper-tape reader mechanism, 5 K BASIC listing. All boards assembled and with documentation. \$1185 or will accept offers on individual boards. Thomas T Moore, 505 Fulton PI, Lansing MI 48915, (517) 485-6783.

FOR SALE: BYTE back issues; #1 thru #16, in binder, excellent condition, make offer. 1977 and 1978 complete, \$15/year. T Good, 3 Bergen Ave, Hillsdale NJ 07642.

DONATION: Will donate a Clary DE-60 computer with IBM Model B typewriter printout for eligible charitable deduction. Includes program boards for general engineering and surveying, mahogany console. H K Friedland, POB 893, Solana Beach CA 92075, (714) 481-9339.

FOR SALE: TDL with 8-inch disk drives. TDL Alpha-2 with Z80 ZPU, SMB with Zapple monitor, dynamic 16 K programmable memory, iCOM disk board, case, 8-slot mother board, iCOM FD3712 dual 8-inch disk drives with cabinet, power supply. TDL BASIC, text editor, macro assembler, word processor; iCOM's FDOS, DEBBI BASIC, assembler, text editor; and CP/M. Hardware and software manuals included. \$2700. John French, 8045 Alida St, La Mesa CA 92041, (714) 466-5915.


FOR SALE: 2400 bps synchronous modems. Tele-Signal 883P; 2.0, 1.2, and 1.0 k bps options, switched network or leased. RX: echo delay, compromise delay, slope equalization. TX: answer tone, manual or automatic control. Equivalent to Bell 201. SASE for data sheet. Single units (3) \$135; double unit in rack panel (1) \$200. Full documentation. Dan Dolan, POB 23191, Lexington KY 40503.

**WANTED:** Copy of documentation or manual of Digital Group Phi-Deckcontroller, version A. Ray Johnson, 2758 Sheridan Way, Stockton CA 95207.

WANTED: Back issues of BYTE. All issues of Volume 1 and November 1978 issue. Must be in excellent condition. R Tellier, 943 Dyer Ave, Cranston RI 02920.

INTERNATIONAL CLEARING HOUSE: We use TRS-80 Level II, PET, and Apple for computer-aided Instruction (CAI) programs and educational programs. Send us your noncommercial CAI programs in any subject and receive a similar quality program in exchange. State three priorities (eg: 1. Algebra 2. German 3. Biology, TRS-80 Level II cassettes in English). We represent a successful nonprofit Computer Cooperative at Lisgar Collegiate Institute. Barter is a fantastic way to double your library for the cost of the tape and postage. The Microeducator Exchange, 29 Lis gar St, Ottawa Ontario, K2P 0B9 Canada.

WANTED: I wish to purchase a Z80, 8080 S-100 type computer. It does not need to work. It could have dual disk and a video display. I have ham equipment for trade. Dale Hutchinson, 10818 Brentway Dr, Houston TX 77070, (713) 469-2584.



It includes all the specific routines nec-

essary to bootstrap and run a powerful

floppy disk operating system on an 8080

based microcomputer. K2FDOS features

assembly language source code listings

and object code in hexadecimal listings

and machine-readable (PAPERBYTE®)

# A New Floppy Disk System for the 8080. Small (4K), but powerful!

This and other Byte/McGraw-Hill books are available from Byte books are available from Dyke Books or your local computer store.

ISBN #0-07-069206-8 Price \$20.00

Please send 🗆 \_\_\_\_\_

copies of

K2FDOS A Floppy Disk Operating System for the 8080

Name

Company

State/Province

Code

Street

City

☐ Check enclosed in the amount of \$\_ ☐ Bill Visa

☐ Bill Master Charge Card No.

Exp. Date\_

Add 75¢ per book to cover postage and handling.

Please remit in U.S. funds or draw on a U.S. Bank

Available in October

70 Main Street, Peterborough, N.H. 03458



bar code format.

UNCLASSIFIED POLICY: Readers who are soliciting or giving advice, or who have equipment to buy, sell or swap should send in a clearly typed notice to that effect. To be considered for publication, an advertisement must be clearly noncommercial, typed double spaced on plain white paper, contain 75 words or less, and include complete name and address information.

These notices are free of charge and will be printed one time only on a space available basis. Notices can be accepted from individuals or bona fide computer users clubs only. We can engage in no correspondence on these and your confirmation of placement is appearance in an issue of BYTE.

Please note that it may take three or four months for an ad to appear in the magazine.

WANTED: Used KIM for multiprocessor experimentation. Only for \$90 or less. It can be broken if it is lnexpensive. Chris Pino, 63 7th Ave, Brooklyn NY 11217, (201) 622-8642.

FOR SALE: Complete ready-to-go SwTPC system: 30 K Heathkit terminal, AC-30, JPC TC-3 4800 bps tape interface with CFM-3 operating system on eprom. Eprom board, eprom programmer, D/A board, PR-40 printer, three extra eproms. All documentation, assembly instructions, and user guides. Lots of software Including BASIC, Assembler, many games, and music board. \$1750 or best offer. Send certified check or money order. Steve Wright, 13900 SE Hwy 212 #73, Clackamas OR 97015.

FOR SALE: Assembled and tested SD Expandoprom for \$50, and homebrew S-100 2708 burner for \$45. SSM music synthesizer kit for \$110. Bare boards: S-100 extender for \$12, and SSM VB1B video for \$22. PDP-10 schematics and maintenance manuals for \$5. IBM 360/50 hardware theory and microprogram flowcharts for \$10. All postpaid in 48 states. Stephen Wiebking, 1617 Stockton Trl, Plano TX 75023.

FOR SALE: OSI system. Challenger 2P. 12 K programmable memory expandable to 28 K. Read-only memory BASIC. PIA Installed. Sound, joysticks, and more. Assembler, Disassembler, and Extended Monitor; \$600. Leedex 100 videc monitor; \$110. Digital cassette recorder; \$30. All for \$720. Will consider best offer. For more Information send SASE. Clinton Laskowski, 3631 E Underwood Ave, Cudahy WI 53110, (414) 482-0715.

WANTED: Original or copy of Microsystems International MF8008 Applications Manual, Bulletin 80007. Also, need schematics etc for a Digi-Data 9-track tape deck. I have schematics for a Dura Mach-10 which may prove helpful to someone with a correspondence-coded machine. Gary Simpson, 4891 Amboy, Memphis TN 38117.

FOR SALE: Korn's Minicomputers for Engineers and Scientists, in essentially new condition, for \$15 plus postage COD. No answer to your letter, book already sold. J B Green, 307 W 45th, Austin TX 78751.

FOR SALE: Radio Shack Editor, Assembler, Mailing List, and Inventory Control I programs for TRS-80 Model I, Level II. Half price. Tony Nelzen, 524 Simpson, McPherson KS 67460.

FOR SALE: Micromation Megabox. Two double-density drives. Disk controller for S-100 bus. New/never used. Cost \$2300. Will sell for \$1800 or best offer. Jim Fritz, 1413 Harmony Ln, Annapolis MD 21401, (301) 757-7019.

FOR SALE: 16 K Level II TRS-80 with keypad. New; under warranty. \$700. John Abraham or Joe Gutierrez, POB 3945, McAllen TX 78501, (512) 687-2329 or (512) 682-6731.

FOR SALE: Trendcom 100 printer with interface for the Apple II, Including four rolls of paper for \$300. Art Mena, 10414 Rutgers Ct, Cypress CA 90630, (714) 761-2585.

FOR SALE: Cromemco Z-2 system with Dazzler, Tu-Art, 8 K Bytesaver, 8 K Seals programmable memory, Seattle 16 K plus programmable memory, 16 K eprom board, and Percom 300 thru 2400 bps KC cassette board. Software includes Cromemco Monitor, 3 K and 16 K Extended BASIC In eprom, TSC's Text Editor/Processor, and other software on cassette. Accessories and documentation included. Over \$2200 new, \$1500 or best offer. William Brady, 156 Drakes Ln, Summertown TN 38483, (615) 964-2222 days.

FOR SALE: Heath H8 4 K, assembled, no extras, and In working condition; \$369. Cherry Pro keyboard; \$110. Tiny-c; \$30. XITEX video terminal Interface kit (partial); \$89. Everything for \$585. All equipment in Northbrook, Illinois. Tom, (217) 224-6244.

FOR SALE: Hazeltine Mod One terminal. Detachable keyboard, addressable cursor, local edit mode, eight function keys, numeric keypad—many features. A first-class terminal in new condition. \$1075. Marty Cawthon, 24224 Michigan Ave, Dearborn MI 48124, (313) 565-4000 or (313) 565-2286.

FOR SALE: SWTPC CT-64 terminal, assembled and tested; \$250. SWTPC 8 K static programmable memory, assembled and tested; \$100. Chuck Duff, 7007 N Sheridan Rd, Apt 317, Chicago IL 60626, (312) 996-5523 days, (312) 465-8152 evenings.

FOR SALE: SD Expandoram 64 K unassembled kit; \$210. Uses 4116s. Call for shipping arrangements. Sanjeev K Katyal, 990 Fairfield Dr, Marietta GA 30067, (404) 971-4636

WANTED: For Video Brain Modei 101A: APL/S cartridge, documentation, schematics, and information. Will correspond with other owners. Kendall Stambaugh, 5009 Guide Meridian Rd, Bellingham WA 98225.

WANTED: TRS-80 Level II programs to swap. Games, home, business programs. Send tape or listing with your address. Douglas Collimore, 31 Melisa Ct, Southington CT 06489

FOR SALE: PET 8 K old-style computer. Like new condition, includes all purchased software. \$550 pays for computer and freight. Steven Shaw, 4521 Leona St, Tampa FL 33609, (813) 837-6591.

FOR SALE: Digital Group Z80 computer. Complete system or pieces. Following available: Z80 processor card, three 8 K static-memory boards, dual 8-inch Shugart floppy drives with dress cabinet, cable-controller card, two Phi-Deck cassette drives with dress cabinet, cables, controller card, TVC-64 board, MON-9D display, keyboard (KEY1), IOF board, COMM4 board, processor dress cabinet, 18 A power supply, and other stuff. Brian Gravenhorst, 710 W Roscoe, Chicago IL 60657, (312) 470-4599 9 AM thru 5 PM CT weekdays.

# BOMB

# BYTE's Ongoing Monitor Box

Article #	Page	Article	Author
1	26	<b>Build a Low-Cost, Remote Data-Entry</b>	
		Terminal	Ciarcia
2	46	An 8088 Processor for the S-100 Bus,	
		Part 1	Cantrell
3	76	Dissecting the TI Speak & Spell	Rigsby
4	86	Penny Pincher's Joystick Interface	Wexler
5	102	Machine Problem-Solving, Part 1: Tria	I
		and Error Search, A Plan to Save the	
		Missionaries	Frey
6	116	APL Character Generator	Langer
7	126	Construction of Fourth-Generation	•
		Video Terminal, Part 2	Wierenga
8	180	FCC Regulation of Personal Com-	· ·
		puters and Home Computing Devices	Mahn
9	206	Varieties of Threaded Code for	
		Language Implementation	Walker
10	230	<b>Education Forum: New Cultures From</b>	l
		New Technologies	Papert
11	242	Khachiyan's Algorithm, Part 2	Berresford,
			et al
12	270	Exploring Ballistics With Your Com-	
		puter	Jenks
13	282	An Interrupt-Driven Real-Time Clock	
		for the TMS 9900	Morris
14	328	A BASIC Floppy-Disk Accounting	
		System	Roehrig

# Data From the BOMB Output Port

June BYTE readers communicated their approval of Steve Ciarcia's "I/O Expansion for the TRS-80. Part 2: Serial Ports." An aboveaverage number of responses gave Steve a well deserved first place at 1.51 standard deviations above the mean. Congratulations are also in order to Ronald Parsons for his excellent article "An Answer/Originate Modem," which placed a close second at 1.35 standard deviations above the mean.

# Reader Service

To get further information on the products advertising in BYTE, fill out the reader service card with you name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 15-cent stamp to the card. then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. \*Correspond directly with company.

Inq	uiry No.	Page No.
328 194 260 264	AB Computer ABM Product Ackerman Di Adv Computer	s 281

Adv Computer Prod 352, 353
AEI 165
AEON 287
ALF Products Inc 151
Alpha Products Co 362
Altos Computer 37
American Micro Products Inc 251

251
American Square Comp 76
Ancrona 374
Anderson Jacobson 200
Anderson Jacobson 289
Apparat 157
Apparat 225
APF Electronics 140, 141 207

APF Electronics 140, 141
Apple Computer 12, 13
Applied Logic, Inc 355
Artec Electronics 18
ASAP Computer Prod Inc 357
Atari Personal Computers 24, 25
Atec Systems 358
ATV Research 358
Automated Equipment Inc
(AEI) 165
AD 

337 134

Automated Equipment Inc (AEI) 165
BADGE-A-MINIT 325
base 2 inc 103
BASF Systems 115
Bay Technical Associates 114
Beckian 375
John Bell Engineering 216
Beta Computer Devices 58
Beta Computer Devices 366
Bishop Management Co Ltd 356
Bits Inc 280
Bits Inc 312
Bower-Stewart & Associates 224
Buss/Charles Floto 308
BYTE Back Issues 320
BYTE Back Issues 320
BYTE Back Issues 320
BYTE Back Issues 320
BYTE Subscriber 318
BYTE WATS 324
C & S Electronics Mart 214
California Domp Sys 20, 21
California Digital 385
Cameo Electronics 231
CCM 362
Central Data 215
Central Data 215
Centronics 155
CFR Assoc Inc 269
Chrislin Industries 159
Cleveland Consumer Computers
& Components 162, 163 

97

Chrislin Industries 159
Cleveland Consumer Computers & Components 162, 163
Color Software 334
CompuMart 316
CompuMart 382, 383
CompuServe (MicroNET) 263
CompuServe (MicroNET) 263
Computer Factory 203
Computer Factory 203
Computer Furniture & Accessories 30
Computer Land of Niles Ltd 325
Computer Marketing Corp 295
Computer Prof Book Club 192, 193
Computer Programming 

Computer Prof Book Club 192, 193
Computer Programming Unitd 300
Computer Service Center 364
Computer Services 293
Computer Services 293
Computer Shopper 356
Computer Specialties 281
Computer Specialties 372
Computer Specialties 372
Computer Specialties 372
Computer Stop 281
The Computer Stop 281
The Computer Stop 281
Computer Wholesale 274
Computer Wholesale 274
Computer Wholesale 274
Computer 123
Computime 293
Computime 293
Computime 293
Computive Products Inc 275
Concord Comp Components 373
Condor Computer Corp 306
Contract Services Assoc 285
Control Data Learning 

81

87 188

Control Data Learning Center 135 Coosol 248 

Coosol 248
Cover Craft 271
CP Aids 295
The CPU Shop 367
Creative Software 269
Cromemco 1, 2
Custom Bus Computers 364
Cybernetics Inc 293
Dai-Comp 365
DAR Sales 355
Data Discount Center 60
Datadisk Systems 323 327

Datadisk Systems 323 Datasoft Inc 343
Datasouth Computer Corp 307
Datek Systems Inc 104
Datel Stores 313
Delta Products 386, 387
Dennison Kybe Corp 339
Designers & Builders
Info Service (DBIS) 356
DG Electronics 317
Diablo (Div of Xerox) 51
Digiac 287
Digital Arts Group Contract
Services 315
Digital Graphic Systems 108
Digital Marketing 273
Digital Graphic Systems 108
Digital Pathways 239
Digital Research Corp (CA) 213
Discount Software Group 48
Disc/3 Mart Inc 266
Dual Systems Control Corp 66
Dynacomp Inc 234
Dynamic Microprocessor
Assoc 287
Ecosoft 297
Electravalue Industrial 360 

151

Assoc 287
Ecosoft 297
Electravalue Industrial 360
Electrolabs 380, 381
Electronic Control Tech 78
Electronic Music Systems 358
Electronics Book Club 169
Electronic Specialists 289
Electronic Systems 369, 370, 371
Electronic Systems 369, 370, 371
Electronic Systems 389, 370, 371
Electronic Systems 389, 370, 371 105

36 121 Ellis Computer Systems 271 Emtrol Systems Inc 56 Epson 201

Enson 201
Essex Publishers 276
Estimation Inc 364
Eubanks Engineering 356
Exatron Inc 17
Excom 285
Executive Business Sys 247
Factory Direct 297
Fair Com 341
Faragher & Assoc 362
Farnsworth Comp Center 300
FMG Corp 302
Forethought Products 241
Forth Inc 249
Frederick Computer Prods 324
FUTUREWORLD 40
Gimix 360 302

Gimix 360 

Godbout Electronics 175
Mark Gordon Computers 268
GW Computers 218
H & E Computronics 125
H & E Computronics 178, 179
Hardhat Software 16
Hardsid 228 

Hardhat Software 16
Hardside 228
Harrex Corp 355
Hayden Book Co 278
Hazeltine Corp 188, 189
Heath Company 113
Heath Company 137
High Technology Inc 110
Hobbyworld Electronics 376, 377
Houston Instruments 65 75 89

Houston Instruments 65 IBC 310 IDM 360

IDM 360 Image Resource Corp 89 Industrial Micro Systems 95 Industrial Micro Systems 147 Infosoft Systems Inc 96 Integral Data Sys 79

27 18 

Infosoft Systems Inc 96
Integral Data Sys 79
Integral Oata Sys 79
Integrand 230
Intelligent Systems Corp 43
Intertec Data Sys 33
Intertec Data Sys 319
I/O Technology 301
Ithaca Intersystems 9, 277
J & S Software 355
Jade Comp Prod 390, 391
Jameco Electronics 392, 393
Jini Microsystems 364
Joe Computer 226
Kemco Ltd 109
Robert Kleven & Co 184
Konan Corp 223
Leapac Services 283
Lexington Books/D C Heath 319
Lifeboat 68, 120, 121
Lobo Drives Int'l 23
Lomas Data Products 271
MacMillan Book Clubs 161
Macrotronics 279
Malibu Electronics 233
Marot Software Systems Inc 187
Marymac Industries 266
Matchless Systems 309
Maxell Data 117
J McCarron Software 364
McGraw-Hill Magazines 72, 73

113 176 78

METARESEARCH 362
MICAH 301
Microamerica Distributing 204
Micro Age Computer Store 111
Micro Ap 253
Micro Appl Grp (MAG) 299
Micro Appl Grp (MAG) 299
Micro Architect 243
Micro Business World 378, 379
MicroByte Software 211
Micro Computer Brokers 122
Micro Computer Forkers 122
Micro Computer Serv Corp 291
Microcomputer Tech Inc 157
Microcomputer Tech Inc 225
MicroDaSys 262
Micro Data Base Sys 93
Micromail 98
Micromail 38
Micro Management Sys 173 130 80

171 60

155 108

95 309 29 34 49

Micromail 98
Micromail 238
Micro Management Sys 173
Micro Mikes 237
Micro Mikes 237
Micro Products Unlimited 356
Micro Products Unlimited 356
Micro Products Unlimited 356
Microsoft 59
Microsoft (Cons Prod Div) 41
Micro Software Distributors 362
Microtax Software 48
Microtax Software 48
Microtech Exports 362
Microtek Inc 47
The Micro Works 54
Micro World 77
Mighty Micros 286
Mikos 374
Mini Computer Suppliers 285
Mini Micro Mart 22
Mini Micro Mart 22
Mini Micro Mart 394
Mini Micro Mart 395
Mini Micro Mart 396
Mini Micro Mart 397
Mittendorf Engineering 154
Morrow/Thinker Toys 31
Morrow/Thinker Toys 71
Mountain Computer Inc 19
Mountain Computer Inc 19
Mountain Computer Inc 256

96 17 46 10 165 Mountain Computer Inc 19 Mountain Computer Inc 256 mpi 305 MTI 360

MII 360 MT MicroSYSTEMS 221 Multi Business Comp Sys 360 MVT Microcomputer Sys 61 The National Comp Shows 101 National Small Comp Show 170, 

Nautllis Systems 314 NEECO 204 NEECO 205 

Netronics 6, 8, 10, 181 New England Business Service (NEBS) 196 

New England business Service (NEBS) 196
NJ Computer Show 291
Noble Computer Corp 364
Noesis Computing Co 326
North Star Computers Inc 81
Northwest Comp Services 356
Novation 264
NRI Schools 177
Ohio Scientific Instr 44, 45
Ohio Scientific Instr C IV
Okldata Corp 53
OK Machine & Tool 63
Omega Research 277
Omega Sales Co 197
OmegaSoft 358
Omikron 297
onComputing 257

355 33 41 190

218

Omikron 297
onComputing 257
Orange Micro 100
Organic Software 232
Oregon Software 127
Osborne/McGraw-Hill 259
OSM Computer Corp 268
Owens Associates 182, 183
Pane Digital 384 149 83

OSM Computer Corp 288
Owens Associates 182, 183
Page Digital 384
Palomar Computer Systems 235
Pan American Electronics (A
Radio Shack Auth Sales Ctr) 368
PCD Systems inc 38
Pensadyne Computer Serv 364
Percom Data Co Inc 15
Percom Data Co Inc 69
Peritek Corp 308
Personal Computer Sys 158
Personal Micro Comp Inc 199
Personal Programs by
Victor 355
Personal Software 39
Petersen Manufacturing Co 34
Phase One Systems 185
Pickles & Trout 322
Potomac Micro Magic 258
Power One Inc 14
Priority One 349
Priority One 350, 351 

100

Meas Sys & Controls 27, 211, 227, 243, 255 METARESEARCH 362

Professional Data Sys 314
Professional Software Inc 191
The Purchasing Agent 360
QT Comp Systems 28, 29
QT Computer Systems 388, 389
Quality Computer Parts 358
Quality Software 149
Quasar Data Products 207
Quay Corp 75
Quest 359
Quintrex Inc 356
RACET Computes 304
Radio Shack 219
RCA Solid State 131
RNB Enterprises 36
S & S Computing Inc 362

126 47 295

S & S Computing Inc 362 S-100 Inc 299 SC Digital 321 Scientific Engineering Labs 360 Scion Corp 5 SciTronics 269 

SciOn Corp 5
SciTronics 269
Scottsdale Systems 82
SD Systems 55
Service Technologies 94
Shepardson Microsystems 150
Michael Shrayer Software 70
Shugart 7
Sierra Software 362
Sinclair Research 209
Sirius Systems 217
Small Business Appl 107
Small Sys Design 299
Smoke Signal Broadcasting 87
Smoke Signal Broadcasting (Dealers Only) 87
Softech 83
Software Only 87
Software Concepts 295
Software Consultants 358
Software Development &
Training 227
The Software Exchange 229 

Software Development & Training 227
The Software Exchange 229
The Software Exchange 229
The Software Labs 381
The Software Works 315
Solid State Sales 366
Solid State Surplus 364
Sorcim 88
Sorrento Valley Assoc 172
Southwest Tech Prod Corp C II
Spectrum Software 222
SP Electronics 360
SSM 11

110 Structured Systems Group 174 Structured Systems Group 176 SubLOGIC 301 SubLOGIC 301 Summagraphics 272 Sunny Int'l 375 SuperSoft 208 SuperSoft 261 SuperSoft 265 Sybex 85 338 127

173 55 64 250

304 104 20 228

SuperSoft 265
Sybex 85
Symtec 97
Synergetic Comp Prod 320
System Software 283
SZ Software Systems 255
Tandon Magnetics 99
Tarbell Electronics 167
Tech Sys Consultants (TSC) 35
TecMar Inc 302
Terminal Data 355
Texas Instruments 49
Texas Instruments 105
Thorson Engineering Co 358
3 M Company 57
3G Company Inc 260
3G Company Inc 319
TNW Corp 318
TransNet Corp 210
Trionyx Electronics 289
Ucatan Computer Store 356
United Business Prod C III
United Software of America 91
Universal Data 129
Universal Data 129
Universal Data 129
University Microfilms 288
US Robotics Inc 143
U S Servex Inc 360
VANDATA 236
VANDATA 236
VANDATA 236
VANDATA 236 

VANDATA 256
VANDATA 358
Vector Electronics 283
VERMONT MICROSYSTEMS 

VERMONT MICROSYSTEM:
INC 362
Victor Data Products 303
Videx 355
Vista Computers 354
V R Data 372
Wameco 373
Whitesmith's Ltd 67
Wintek Corp 355
Worldwide Electronics 358
XCOMP Inc 311
Z<sub>S</sub> Systems 316




# A COMPANY TO RELY ON. . . **UNITED BUSINESS PRODUCTS**













**UNITED BUSINESS PRODUCTS** 20268 E. Carrey Rd. WALNUT, CA. 91789



(213) 448-4850

(714) 594-5966

NAME OF COMPANY		
ADDRESS		
CITY, STATE, ZIP		

ATTENTION OR DEPT.

A ☐ The swingline table top burster will separate single-ply continuous forms into individual sheets up to 15". Length 2%" to 12". Paper weight 10 to 110 lb. bond. Speed is constant at 125 ft. per minute.

Price \$ 899.00

B 

Our custom forms have a guarantee that speaks for itself. Our time on forms range from two to five weeks for custom work and before we start a job we now give a guaranteed shipping date and price, depending on art work, from two to five weeks and for everyday we're late we give you a 10% discount. To get a quote just mail the detached portion of this ad with sample of form or layout and we will call you the day we get the information with a price and guaranteed day of shipment.

C ☐ The swingline table top decollator is a portable unit which separates both carbon and carbonless continuous computer forms into stacks. The separated carbon is easily and neatly removed from carbon pick-up spool. Form size is up to 15 "wide. Wt. is 10 to 110 lb. bond paper, and the speed is variable from 75 to 200 feet per minute and takes only 120 volts AC 60 hertz to operate.

Wt. 40 lbs. Price \$ 419.00

D  $\square$  The Datatech Intimus 007 shredder works for Scotland Yard, for government authorities, for important corporations, banks and embassies. The cutting capacity is 12 to 14 sheets at one pass. Cross cut is 1/35 x 3/8. It has a 2 H.P. motor and runs off of 220/380 V 3 phase.

Price \$6799.00

E ☐ The Intimus 306 is designed for trouble free operation and has a switch for forward and reverse rotation. It has 2 motors with terminal overload. Housing consists of coated steel, mounted on rubber cushions for noiseless shredding. The 306 can sit on a table or a stand. Cutting width is '%" or '%" and has two 150 watt 110 V 60 cycle, 1 phase motors.

Wt 66 1 hs Price \$1199.00

F ☐ The Intimus Simplex is designed for security without problems in the office. One push of the button renders confidential information into five illegible paper strips %" thin. The simplex has a wide opening in the middlefor throwaway of cans, etc. Even a paper clip is simply cut into pieces. The cutting capacity is 8 to 10 sheets at one time. It has a 1/5 H.P. motor and runs off of 110

Wt. 27 Lbs. Price \$ 599.00

G ☐ Our catalog consists of more information on equipment in this ad. Other models are available plus a complete line of calculators and typewriters by Adler. Lathem time recorders, several varieties of safes, and our disintegrator that destroys paper, aluminum, film and carbon to a complete loss of identity.

Price \$2.00

VISA

- - 3. □ Forms Handling Equipment
    4. □ Time Recorders
    5. □ Typewriters

Terms: Check or money order U.S. funds only. Prepaid orders add 3% S/H, COD's add 5% S/H (U.S.only). California residents add 6% sales tax.



Prices subject to change without notice.

# Ohio Scientific: The leader in Winchester based microcomputers.

Ohio Scientific produced the first large capacity fixed media hard disk (Winchester) based microcomputers in 1977. Since then we have shipped more of these systems than the rest of the microcomputer industry combined.

### **Family Features**

All standard C3 features including:

- 3-processor CPU with 6502, Z80 and 6800
- .7 MIPS 6502A
- 48K static RAM
- Dual 8" floppies
- Free standing rack for direct expansion capabilities
- 17-slot OSI 48 line BUS architecture for large system expansion
- Directly accepts up to 8 users with currently available memory boards, more with higher density boards in the future
- Directly expandable for use as Network data bases
- Slide-mounted subassemblies, removable side panels and locking rear door for easy expansions and service.

### **C3-A**

The floppy only rack based C3 for users who anticipate expansion to hard disk, multi-user and/or networking in the future.

Under \$7000.

### **C3-E**

The world's most powerful microcomputer (when GT equipped). Features the highly advanced and extensively field proven OKIDATA 3306 Winchester disk.

### **Features**

- System boots from floppies or hard disk on power up
- 74 megabytes end user workspace under OS-65U, 80 megabytes unformatted
- Ultra-high performance disk 74 millisec worst case access

38 millisec average

10 millisec access on cylinder (215K user workspace) 8 megabits per second transfer rate

- Simple on/off disk operation with elaborate internal protection from improper temperature, line voltage and controller failures
- Features spindle brake and designated head landing areas for much longer operational life than the newer low-cost Winchesters
- Multiple level pass word security
  Multiple operating systems on disk
  Ultra-high speed "FIND" command for high speed string
  searches (Associative Access)

• Highly advanced OS-65U operating system:

Upward compatible with multi-user and network systems with full file, peripheral and communications arbitration between users



- Available factory configured for up to 8 users and network data base operation
- Expandable to CP/M operation by adding 4K (CM-2 memory)
   Under \$14,000

### C3-C

A medium performance Winchester disk based system which provides the ideal cost/performance ratio in typical small business applications. The C3-C uses the Shugart SA4008 29 megabyte Winchester disk.

Performance specifications, hardware configuration and software is identical to the C3-B with the following exceptions:

- 23 megabytes of end user workspace under OS-65U
- 29 megabytes unformatted capacity
- Medium performance Winchester 240 millisec worst case access 87 millisec average access

10 millisec access on cylinder (110K user workspace)

Simple on/off disk operation

Under \$11,000

Ohio Scientific has a new OEM program that is easy to start with, and provides generous discounts for quantity purchases.

For literature and the name of your local dealer, CALL 1-800-321-6850 TOLL FREE.



1333 SOUTH CHILLICOTHE ROAD AURORA, OH 44202 • (216) 831-5600