



- NOTES - ALL RESISTORS IN OHMS $\frac{1}{2}$ W 10% UNLESS OTHERWISE SPECIFIED.
 - ALL CAPACITORS IN MFD. AND 400V UNLESS OTHERWISE SPECIFIED.
 - D.C. VOLTAGE READINGS WITH NO SIGNAL APPLIED USING A 20,000 OHM PER VOLT VOLTMETER.
 - NUMBERS IN PARENTHESIS REFER TO AMPEG'S PART NO.
 * - 3A FUSE ONLY FOR 240V MODELS. THE P.T. FOR 240V MODELS HAS BLK WIRE CONNECTED TO BLUE WHT. WIRE.
 - R₁, R₇, C₁, C₄ WILL NOT APPEAR IN SOME UNITS.
 - D.C. VOLTAGE READINGS ARE POSITIVE WITH RESPECT TO CHASSIS GROUND UNLESS OTHERWISE SPECIFIED.
 - CIRCUIT OF CHASSIS MAY VARY SLIGHTLY FROM THAT SHOWN HERE DUE TO NORMAL PRODUCTION CHANGES.
 - D7-D10 ARE SILICON TYPE AV 1AMP 1400V DIODES.

 AREA CODE (201) 923-2000 LINCOLN, NEW JERSEY 07036	POST OFFICE BOX 515	MODELS	MAGNAVOX
		VT-22	NO 591010001
U.S. PATENT PENDING		V-4	
DRN BY	DATE	DWG NO	PART NO REV
S. C.	6-70	06200	4010244 E