TK APRIL, 1919 E 5420 CTS. **ELECTRICAL** OVER 175 ILLUST. **EXPERIMENTER** SCIENCE AND INVENTION

NEW INVENTION-NOT X-RAYS

SEE PAGE 860

BE A CERTIFICATED ELECTRICIAN

A Real Position Like This—For You

The country needs thousands of trained, Certificated Electricians to fill good positions—and at big pay. It's all a matter of knowing how, and I will teach you by up-to-date, modern instruction. You can learn at home, without interfering with your regular work, by my highly successful method of *Home Instruction* in *Practical Electricity*.

Prepare NOW and be ready in a few months to earn your \$46 to \$100 A WEEK

Send for this Book

My book, "HOW TO BECOME AN EXPERT ELEC-TRICHAN," has started thousands of young men on the way to splendid success. A new edition of this has just been printed. I want every young man interested in Electricity to have a copy, and will send you one, ABSOLUTELY FREE and PREPAID. Write me today.

-complete

Ch1(380, 111.

City

Stille

How I Train My Students

As Chief Engineer of the Chicago Engineering Works I know exactly the kind of training a man needs to enable him to get and hold good positions, and to earn big pay. I have trained hundreds of m e n who a r e holding splendid electrical jobs. I give each of my students personal attention and a complete and thorough training. I give him a SPLEN-DID ELECTRICAL OUTFIT FREE, and much of the training is done by actual work. When my students graduate and receive their Certificate, they are ready for a real position. But *still more*, at any time you wish you can come to our splendidly equipped Electrical Shops for special training. No other school can give you this.

A Real Opportunity for YOU

Wishing is never going to make your dreams come true. You've got to *study*—to *learn*. A man is worth possibly \$2 or \$3 a day from his neck down—and no more; but there is *no limit* to what he can be worth from his neck up.

A trained mind is what gets the big pay. It is this training that you need, and I can train you in a few months. Are you ambitious to make a real success—then send me the coupon—today.

Electrical Outfit FREE

To every student who answers this ad I am giving a Splendid Electrical Outfit of standard size Electrical Tools, Instruments, Materials, etc., *absolutely free*. Furthermore, to every Electrical Student I give a truly *valuable* surprise that I cannot explain here.

Free Employment Service

I am continually receiving requests from employers to send them trained Electrical men. I assist my students to secure good positions. I keep in touch with them for years, helping and advising them in every possible way.

Write Now-Don't Delay

Delay never got you anything. Action is what counts. Get started—and get started now. Write me, or send me the coupon, right NOW.



CAN

TOTION ON ON ON ON ON ON ON ON

The Burgess BLUE BOOK for all Practical Men and Electrical Students

(See review of this book by Editor in December issue of your Electrical Experimenter page 568)

I have prepared a pocket-size note book especially for the practical man and those who are taking up the study of electricity. It contains drawings and diagrams of electrical machinery and connections, over two hundred formulas for calculations, and problems worked out showing how the formulas are used. This data is taken from my personal note book, which was made while on different kinds of work, and I am sure it will be found of value to anyone engaged in the electrical business. tions, Calculating Unknow Resistand dar

The drawings of connections for electrical apparatus include Motor Starters and Starting Boxes, Overload and Underload Release Boxes, Reversible Types, Elevator Controllers, Tank Controllers, Starters for Printing Press Motors, Automatic Controllers, Variable Field Type, Controllers for Mine Locomotives, Street Car Controllers, Connections for Reversing Switches, Motor and Dynamo Rules and Rules for Speed Regulation. Also, Connections for Induction Motors and Starters, Delta and Star Connections and Connections for Auto Transformers, and Transformers for Lighting and Power Purposes. The drawings also show all kinds of lighting circuits, including special controls where Three and Four Way Switches are used.

The work on Calculations consists of Simple Electri-cal Mathematics, Electrical Units, Electrical Connec-

WHAT PRACTICAL MEN SAY ABOUT THE "BURGESS BLUE BOOK"

Received your "Blue Book" and must say it is the best book l ever saw. I showed it to a friend of mine and he refused to give it back to me but he paid me a dollar and told me to get another. Rather than be without this book I am sending Money Order for three of them so I can show them to two more of my friends and have one left for myself. Wishing you would mail them at once. I am Yours very truly, Yours very truly, JOSEPH BRAITH, Electrician, Madison, Wisconsin.

Your "Blue Book" received and it is just the book l have been looking for. Please mail me three more by return mail for which l am enclosing Money Order. Respectfully, V. E. JOHNSON, Western Union Tel. Co., Marion, Ohio.

Have received the copy of the "Burgess Blue Book" and am very well pleased with the easily found formulas and data con-tained in it. 1 am enclosing Money Order for four additional copies. Very truly yours, THURE C. ANDERSON, Ridgeway, Penn.

I am enclosing three dollars for which please send me three copies of the "Burgess Blue Book". I showed the copy I got last week to some friends and three of them asked me to get them one. Very truly yours, CHAS. H. DAVIS,

Weight of Wire, Wire Gauge Rules, Ohm's Law, Watt's

Law, Information regarding Wire used for Electrical Purposes, Wire Calculations, Wiring Calculations, Illu-

mination Calculations, Shunt Instruments and How to

Calculate Resistance of Shunts, Power Calculations, Efficiency Calculations, Measuring Unknown Resis-tances, Dynamo and Dynamo Troubles, Motors and Motor Troubles, and Calculating Size of Pulleys,

Also Alternating Current Calculations in finding Impedance, Reactance, Inductance, Frequency, Alterna-tions, Speed of Alternators and Motors, Number of Poles in Alternators or Motors, Conductance, Suscep-

tance, Admittance, Angle of Lag and Power Factor, and

formulas for use with Line Transformers.

Current in Branches of Parallel

Los Angeles, Cal.

I received your "Blue Book" and after I looked over it I see that it is a very useful book. After I showed it to some fellows they wanted a copy also and I am enclosing Money Order for which please send me three at once. Yours very truly, R. S. SWANSON,

St. Paul, Minn.

I received the three books I sent for and the next day I sold them. The fellows think they are well worth the price. Please send me three more for which I am enclosing Money Order, Yours very truly,

R. S. SWANSON, St. Paul, Minn.

AN OPPORTUNITY FOR YOU TO MAKE SOME MONEY

To help get the "Burgess Blue Book" to the men who need it the most, we have established a resale discount to which those who have purchased a book from us are entitled. The "Burgess Blue Book" is not sold through the regular book dealers so we offer the regular book dealers' discount to men who will take orders and send them in to us. In this way the "Blue Book" is only sold by those who know its value and we feel that this arrangement is much more satisfactory to the purchaser, than if he bought it through the regular book-selling channels. The book practically sells on sight, as a man engaged in practical work realizes when he sees it, that it contains information which is extremely useful and which is difficult to obtain in any other way.

The Burgess BLUE BOOK Will Be Shipped, Postpaid, on Receipt of \$1.00

Send dollar bill, money order or check. I guarantee satisfaction or will return your money if you decide not to keep the book after using it for five days

BURGESS ENGINEERING CO., YORKE BURGESS, 747 East 42nd Street YORKE BURGESS, Consulting Engineer Chicago, Illinois

A CONTRACTOR OF CONTRACTOR

tion of

wire 11 w to Figure

BUR

SEP 2 8 1999

Electrical Experimenter

233 FULTON STREET, NEW YORK Publisht by Experimenter Publishing Company, Inc. (H. Gernsback, President; S. Gernsback, Treasurer;) 233 Fulton Street, New York

Vol. VI. Whole No. 72

APRIL, 1919





12

FEW weeks ago Marconi startled the world by stating that he had often received strong wireless signals which seemed to come from beyond the earth. In a recent inter-view publisht in the *New York Evening Post* Nikola Tesla, too, reminds us that he

had made known to the world years ago the fact that extra-planetary signals were recorded in his Colorado Laboratory. That was in 1899, before the world dreamt of wireless.

Even today announcements such as the above are made light of by editorial writers and others of limited sci-entific perception. For the earth-bound layman still persists that intelligence can only exist on Earth. Such childish reasoning shows what sort of "intelligence" blossoms on this planet. It never occurs to these review-ers to question why Nature in her Wisdom should have singled out the little speck called Earth, on which to plant beings endowed with reason. Why should there be such an exception? Life in some form or other is cartain of being found on purieds of media thereast be such an exception? Life in some form or other is certain of being found on myriads of worlds thruout the Universe. And if one world dies, all life does not die with it. Svante Arrhenius shows us how life-bearing spores are carried by the pressure of light thru inter-stellar space, notwithstanding the absolute zero which prevails there.

In our planetary system, conditions for life, such as we know it, probably only exists on two planets: Mars and Venus. Life on the latter being more or less doubtful, due to its heavy water-laden atmosphere, there remains Mars, a body much older in evolution than the earth. Conditions on Mars we know by direct observation as well as deduction are favorable for life, and we may be certain that it exists there. And if we once grant this, we must also grant that it must have existed for hundreds of thousands of years prior to that on Earth: consequently Martian civilization must be thousands of consequently Martian civilization must be thousands of

years ahead of ours. From this we must deduce again that the Martians probably signaled to us ages ago, when prehistoric man still roamed the forests. But why go so far back? Suppose the Martians had sent us radio messages only

thir $_{iy}$ years ago. We could never have received them, for we then had no means of recording them. Detectors

In all this warped logic, we presuppose wireless sig-nals. But why should a civilization so far ahead of ours use—to them—obsolete radio waves, which, like as not, can never hope to bridge 35 million miles! If the Martians are signaling to us, you may be certain that they use an entirely different means than Radio. To be sure, it may turn out to be one of the many wave forms of the ether, but we can only make a poor guess at it today. Meanwhile Martian signals probably fly about our heads day and night, as they may have for thousands of years, but we are still deaf and blind to them. The Martian Wave Detector still remains uninvented. At that the Martian applicable have used wave more matheds on us. It is Wave Detector still remains uninvented. At that the Martians probably have used many methods on ns. It is not even impossible that they may have used reflected sun rays. Bell and Tainter in 1880 demonstrated a "wire-less" telephone—the Photophone—by making use of a vibrating light ray falling upon a selenium cell. Speech was transmitted over many miles this way. With necessary refinements such a system might bridge interplanetarian space.

As to one planet understanding the other, that is of course child's play. Still, many humorous editorial writ-ers have misgivings on that score. They are afraid that on Mars 2 + 2 might equal, perhaps, 5 or 3, so how could we get together, they ask. A simple example might serve as an illustration. Sup-

pose an American and a Frenchman, neither knowing the

That is the basis of interplanetarian communication.



No.

12

₽.



The ELECTRICAL EXPERIMENTER is publisht on the 15th of each month at 233 Fulton Street, New York. There are 12 numbers per year Subscription price is \$2:00 a year in U.S. and possesions Canada and foreign countries, \$2:50 a year. U.S. coin as well as L.S. stamps accepted (no foreign coins or stamps). Single copies, 20 cents each. A sample copy will be sent grafts on request. Checks and money orders should be drawn to order of EXPERIMENTER PUBLISHING CO., INC. If you change your address notify us promptly, in order that copies are not miscarried or lost. A green wrapper lo-dicates expiration. No cepies sent after expiration.

All communications and contributions to this journal should be addrest to: Editor, ELECTRICAL EXPERIMENTER, 233 Fulton Street, New York, Unaccepted contribu-

tions cannot be returned unless full postage has been included. ALL accepted contribu-tions are paid for on publication. A apecial rate is paid for novel experiments; good photographs accommanying them ere bightly desireble. ELECTRICAL EXPERIMENTER. Monthly. Entered as second-class matter at the New York Post Office under Act of Congress of March 3, 1879. This registered U.S. Patent Office. Copyright. 1919, by B. F. Co., Inc., New York. The Contents of this magazine are copyrighted and must not be reproduced without giving full credit to the publication. The ELECTRICAL EXPERIMENTER is for eals at all newsstands in the United States and Canada; also at Brentano's. 37 Avenue de l'Opera, Paris.

Remarkable FREE Charts OF]



By the American University system of instruction, you can become a Doctor of Chiropractic by studying in spare time at home or in class at the University. You do not require special talent or advanced education. A common school education and the ambition to succeed are all that is necessary. You will be trained under the direction of Chiropractic specialists who will teach you thoroughly the principles and practice of the profession. You will graduate with the degree of Doctor of Chiropractic. **Free Charts** AMERICAN UNIVERSITY Manierre Bldg., Dept. 456 Chicago

Mail the Coupon ligent man or woman can readily master by our method—also information on how you can get these 22 instructive Charts. Send coupon for this free offer. Name

AMERICAN UNIVERSITY Address

Chicago, Illinois 🦯

Manierre Bldg., Dept 456

Learn

Gentlemen: Without cost or obligation, send me by mail, your new illustrated, 72-page book and your Free Charts Offer.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

City.

April, 1919

RACTICA As experts Know it SENT FREE FOR INSPECTION Learn electricity as you would in actual PRACTICE-in accordance with the methods employed by the highest paid electrical experts in America. The New McGraw-Hill Library

of Practical Electricity contains the actual working facts which you need in order to succeed in the electrical field. Terrell Croft, formerly with the Westinghouse Company, makes the conquest easy for you.

A New Standard in Electrical Literature

The New Library of Practical Electricity by Terrell Croft marks a new era in electrical literature.

The great field of electrical engineering, with its limitless possibilities of earning power, is brought to you in a form that makes success easy. The Library is a creation —an achievement that is without parallel in technical literature, because it sticks to actual practice throughout its 3,000 pages.

8 Volumes Flexibly bound Pocket size 3000 pages 2100 illustrations Everything you must know about electricity at the finger's end

A letter that means something to YOU---McGRAW-HILL' BOOK COMPANY, Inc. 239 West 39th Street, New York, N.Y.

Gentlemen: In an attempt to express myself about CROFT'S NEW LIBRARY OF PRACTICAL ELECTRICITY, I have never seen, and do not believe there was ever printed in the English language, a more comprehensive set of books. It is a library that is just as valuable to the novice as to the expert, because it is all practice.

Respectfully, GUY H. PEIFER, Chief, Doplan Silk Corporation, Hazelton, Pa.

Learn electricity as you would in actual practiceget Croft's Library NOW



852

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

ONLY

for a complete

Payable \$2 Per month

Electrical

Education-

Records of actual Work NOT ONE PENNY IN ADVANCE

You have always wanted a compact set of hooks containing the solution to all your electrical problems. You have wondered if it were possible for any author to place himself in your shoes, and explain the very reaklose that for any hour work how You problems that face you every day. You have picked up books that covered the other fellow's problems, hut not yours. These books seemed to touch on everything except matters that pertained to your own work.

These books were not complete. They ere probably out of date. They were They were were probably not practical.

You have said yourself and heard others say, "I want books that fit into my work. The man who writes those hooks must un-The man who writes those hooks must un-derstand my work, and know what he is talking about. I like to go into theory and the higher spheres of electricity occasionally, hut not while I am on the joh. Then I want plain facts, plainly stated. I want hooks that have anticipated my problems and figured them out for me."

Your wants have been anticipated and met in the new Croft Library. It is a seven-year undertaking recently completed by a man whose experience covers the whole field of electrical practice.

Examination will show why Croft's Li-brary is now the accepted standard. Why it is used by the highest authority as well as the lowest beginner. Examination will show how it is revolutionizing the methods of teaching the practical side of electricity.

Examination is absolutely free. Merely turn the coupon below.

READ THIS

McGraw-Hill Book Company, Inc., 239 West 39th St., New York. Gentlemen:

I am enclosing money order for \$2.00, which I believe is my last payment on Library of Practical Electricity. I wish to say just a word about the books. I want to go on record with the statement that they are absolutely the best set of books ever published for the man on the iob. To have these books and get familiar with them makes one want to meet and talk with Mr. Croft. As a rule books which claim to be self educational are very incomplete and well padded with tables, etc., which one may find at any time in catalogues, but I will say Mr. Croft has certainly gotten away from this. A man who cannot read these books understandingly is hopeless. There never was a correspondence course even with the aid of personal letters, that could give a man real knowledge as these books do. I am Chief Electrician at a State Institution here and have use for these books every day. I fear no job because I know that if I cannot solve the problem, I've a friend at home in Mr. Croft's books, who will come to my aid.

Yours truly,

E. E. CONYER, Anna, Ill.

Now is the time to master Electricity-Now is the time to prepare for a high salary

Old books won't do. Amateurish books won't do. Books compiled by "desk authors" or men with no practical experi-ence will not serve your purpose. Practical books are easiest mastered. Practical books, writ-ten by practical men, teach you accurately and rapidly. There

Fractical books are easiest mastered. Fractical books, writ-ten by practical men, teach you accurately and rapidly. There is nothing in the Croft Library which you cannot understand. Terrell Croft tells you the secrets of success in electricity in plain words, figures and illustrations. Nothing is left to the imagination. There is no guesswork. There is no theory or higher mathematics or higher mathematics.

Send now for these eight volumes. No matter how many books on electricity you possess, you are unfair to yourself unless you take advantage of this free examination privilege. No matter whether you are beginner or expert, these hooks will show you the clear road to success. Inspection will prove this,

Not one cent in advance—Just the coupon

Examine this new Library for ten full days without expense. Find out for yourself why it is now taking the lead in electrical book sales in America. Use the books as you see fit for ten days. Look at the hundreds of illus-trations that clear up all the mysteries in electrical practice. Stick a couple of the volumes in your pockets, and refer to them during the day. Figure out in au instant the problems that have heretofore taken hours. Gentlemen: Please send me the Library of Practical Electricity (ship-ping charges prepaid) for 10 days' free examination. If satis-factory, I will send \$2 in ten days and \$2 per month until \$16 has been paid. If not wanted I will write you for return shipping instructions.

Then send us \$2 per month for eight months, or return the set entirely at our expense. You risk noth-ing hy returning the attached coupon.

Mc Traw-Hill Book Co. 9nc.

239 West 39th Street, New York, N. Y. Publishers of Books for Engineers Since 1876

Meet Terrell Croft

Be guided in your study of electricity by an experienced Electrical Engineer of high professional standing. Terrell Croft, author of 7 of these volumes, climbed from the ranks to Electrical Engineer with the Westinghouse Company. He gained his knowledge with his sleeves rolled up and has met your problems in advauce. He tells in plain, understandable language how to proceed by the best and most practical methods.

e] lva	cti nig	cic sh -Jus days	ci st tl witho	ty 32 he	7- a] co exp		-ſ L L oor		y		v Ú	v	2	Ó	N	ľ
it rica e m the n c the	is now Use the hur ysteries volum luring problem	takin the b ndreds in e es in the c is tha	g the ooks s of lectri you lay. it	e le as illu ical r	ad yot s·	ı ⁱⁿ	1	Ge Plea		em	2 N en: d_1	B 39 E E me	fcC bok W W	rav Co 39 YO	v-F th RK	illi nc. St.,
h fe er ache	or eight ntirely oth- ed	vII	VA	pai for r	fa and id, etur	pi day: ctor: \$2 If n sh	of ing s' f per not not	rra ch ree wi mo Wa	etic argo ex: 11 nth ante in:	eal ami sen ur ed stru	El pro ina d 3 ntil I ieti	ect epa tio \$2 \$2 willion	ric id: n. in 16 11 8.	ty f If ter ha: writ	(st or sa o d s b te	lip- I0 tis- lays een you
E	Xrr	Home	Addre	ss	• • •	••••			•••		•••	•••	•••		•••	•••
	Name of His Add	Emplo	oyer				•••			•••	•••	• • •		••••		
	Your Pos	ition.											Ex.	Арі	. •	19

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers,

ACT NOW



New York Electrical School 29 W. 17th St., New York, N. Y.

me your 64-page book.

Please send FREE and without obligation to

..... (NAME)

Master Electricity By **Actual Practice**

The only way you can become an expert is by doing the very work under competent instructors, which you will be called upon to do later on. In other words, *learn by doing*. That is the method of the New York Electrical School.

Five minutes of actual practice properly directed is worth more to a man than years and years of book study. Indeed, Actual Practice is the only training of value, and graduates of New York Electrical School have proved themselves to be the only men that are fully qualified to satisfy EVERY demand of the Electrical Profession.

The Oldest and Only Institution of the Kind in America

At this "Learn by Doing" School a man acquires the art of Electrical Drafting; the best business method and ex-perience in Electrical Contracting, together with the skill to install, operate and maintain all systems for producing, transmitting and using electricity. A school for Old and Young. Individual instruction.

Over 5,000 Graduates are Successful Men in the Electrical World

No previous knowledge of electricity, mechanics or mathematics is necessary to take this electrical course. You can begin the course now and by steady application prepare yourself in a short time. You will be taught by practical electrical experts with actual apparatus, under actual conditions.

> Let us explain this course to you in person. If you can't call, send now for 64-page book-it's FREE to you

New York Electrical School 29 West 17th Street. New York



Vol. VI. Whole No. 72

APRIL, 1919

Number 12

Grand Opera in Your Home By H. GERNSBACK

ANY thousands of people musically inclined are deprived of hearing our great operatic stars mainly on account of the high price of admission, also because of the limited seating capacity of even our largest opera houses. Take for instance a limited income prefer such seats and, therefore, the gallery is usually made up entirely of really music-loving Italians. Suppose that all you had to do was to step

Suppose that all you had to do was to step to the telephone at 8.30 in the evening, no matter if you lived in New York or anywhere else in the country, and immediately one great technical difficulty at that time which only during the past two years has been overcome.

While it is a comparatively simple thing to place sensitive microphones about the stage and on the other end of the line connect a loud speaking telephone in order to



Copyright, 1919, by E. P. Co.

Due to the Invention of the Audion, It Is Now Feasible From a Technical Standpoint to Connect to One Stage As Many As Fifty Thousand Telephone Subscribers, All of Which Can Listen Simultaneously to Our Great Opera Stars. The Invention of the Loud Talking Telephone Also Has Made It Possible for the Entire Family to Hear the Music As Pictured Above.

"star" performance at the Mctropolitan Opera House, New York City. It is necessary to secure tickets weeks ahead if one wishes a good seat in the house, otherwise it is often impossible to make a reservation at all.

While seats may be bought at low prices "up in heaven", only our Italian friends of had the whole room filled with Caruso's voice. Would this not appeal to you, providing of course that you were musically inclined? All this is now possible, and, we believe, will shortly come about. While of course the idea itself is nothing new it having been tried thirty years ago to transmit music in this manner,—there was

listen to the transmitted music, it is quite a different problem to connect say twenty or forty thousand subscribers' lines to these microphones and then reproduce the music at the end of all these thousands of circuits. The reason is that heretofore we had no satisfactory instrument whereby the (Continued on page 924)

New York to Chicago Via the Air in Twelve Hours

IRLINE TICKET for Chicago, Please." "Yes, sir; five hundred and twenty dollars, Please. The next 'liner' leaves in half an hour for Chicago and way stations," replied the ticket agent of the Trans-Continental Airline Company on a bright It is proposed to form a company with four dirigibles and two main terminals, one at New York, the other at Chicago. The dirigibles are to be of the Zeppelin type, with rigid housing and multiple conpart-ment structure. The U. S. War Depart-ment's wonderful new discovery, Helium

Balance and altitude will be adjusted by expansion or compression of the gas. The crew will consist of the captain, navigator, chief and two assistant engi-neers, wireless operators, steward, cook, waiter and maid. In regard to the landing places, which



Regular Air Line Passenger and Freight Transportation Between the Larger Cities, Particularly New York and Chicago, Promises to Become an Accomplisht Fact This Spring. A Company Has Already Been Formed to Develop and Promote This Project. All the Usual Conveniences Will Be Available to Passengers, Besides Wireless Communication, Mali Service, Sleeping Quarters and Aerlah Promenade, Not to Mention the Most Wonderful Scenery ever Presented to Alpine Tourists, for These Glant Airships Will Fly Right over the Mountains.

June morning in the year 1919. At least that is a fair sample of the conversation we may find quite common in a few months or so, if the plans of one of the largest aërial transportation organizations materialize in any such manner as their originators predict. Complete arrangements for the construction and operation of a line of passenger carrying dirigibles between New York and Chicago at an initial charge of sixty-five cents a mile for each passenger have been made by J. M. McElroy, chief engineer of the Sturtevant Aeroplane Com-pany, of Boston, in collaboration with Noble Foss, one of the officials of the corporation and a son of former Governor Foss, of Massechusetts Massachusetts.

Answards and the second ments.

gas, will be used, thus removing the danger of fire. The airship will be 425 feet in length and forty-five feet in diameter. Its engines will have a horscpower of 1,200. The bag will have a capacity of 650,000 cubic feet of gas, providing a gross lifting power of twenty tons at sea level. This would mean a practical net lift of ten tons.

It is estimated by Mr. McElroy that a speed of seventy miles an hour can be maintained and that the trip from New York to Chicago could be made in comfort

fork to Chicago could be made in confort in less than twelve hours. "The cost per mile, roughly speaking," says Mr. McElroy, "would approach sixty-five cents per passenger, or \$520 for the entire trip in either direction. There is no doubt but that after the line is run for some time, it will be possible to cut down the rate considerably." Each dirigible will have accommodations

Each dirigible will have accommodations for twenty-five passengers. The power plant will consist of two engines, side by side, driving thru gears a central stub shaft mounting a variable pitch air screw. with dirigibles is a great problem, Mr.

with dirightes is a great problem, Mr. McElroy says: "It is reasonable to believe that hill walled landing zones could be located, or natural depressions in the earth could be enlarged to offer breakairs to permit the air liner to come down safely. The termi-nals at either end of the New York-Chi-care route could be floating piers served cago route could be floating piers secured at one end, so as to swing with the wind to permit easy housing of the ship."

With regard to the possibility of trans-Atlantic flight, Mr. McElroy says:

"When we have put the New York-Chi-cago route into successful operation then it is time to throw a line across the pond and do a real job."

Apropos of transcontinental aerial transportation we find much food for thought in a speech recently made by Allan R. Haw-ley, president of the Aero Club of Amer-ica, before the National Rivers and Har-bors Congress, at Washington, D. C., on (Continued on page 915)

Guiding Airships With the "Radio Barrage" Invisible Walls of the Ether

By DR. LEE de FOREST

UST at this time, when our army and navy officials, and many airplane builders, are taking steps for the commercial development of the airplane and dirigible, along industrial governmental lines, is it not pracand ticable, as well as advisable for radio inventors and engineers, as well as others concerned, to give thought to those essen-tial safety devices which come within the scope of radio-communication and control

I venture to say that if there was any one device used in the European war which contributed to the success of the Allies in their supremacy of the air, it was radio-communication, both telephone and tele-graph. By means of it the fighters in the air were at all times able to talk and sig-

pilots in case of fog, cloud or other inter-ferences. Will it not be necessary, for ex-ample, to establish a regular "traffic squad of the air," for those cities in the principal lines of communication? The use of the innes of communication? The use of the human voice in sounding a warning, with-out wires, is already an accomplished fact; at Point Judith Light, where the *Radio-phore*, at regular intervals, calls out to the ship operator: "Point Judith Light," and then in a weaker voice: "You are getting closer—Keep off."

By means of a number of wireless stations placed around any given city, why can-not we do likewise in the matter of our radio traffic squad of the air? So that when a pilot comes within range, he would re-ceive a message such as the following: "Buffalo Office—Turn West by South, and

with extraordinarily tall buildings with consequent air pockets.

By arrangement of antenna or reflectors not unlike those used behind large searchlights, a beam, or narrow zone of wireless waves, invisible to the eye of course, could be set up. This would necessitate the use of very short wave lengths, of only a few meters, far shorter than the wave lengths used today in radio-communication. This feature would also have the advantage that these short wave lengths would not interfere at all with existing radio-communica-tion. All this short wave vertical radia-tion would be controlled by the automatic-ally repeating phonograph, similar to the *Radiophore* arrangement at Point Judith Light.

The pilot of the airplane, his 'phone

TUNING VARIABLE TUNING CONDENSER CLOCK ulfu ANTENNA AIRPLANE RECEIVING PHONOGRAPH O-MOTOR STATION SHORT WAVE RADIO BARRAGE 0001 INSULATEO ANTENNA REFLECTOR OF REFLECTOR 21.20 RADIO BEAM Se 19 19 RADIO SIGNALS AIRPLANES 0 The State of the second se 10-15 MILES APART AUTOMATIC RADIO PHONE STATION GUIDING AIRSHIPS BY THE DEFOREST "RADIO BARRAGE - AProches

Copyright-1919-by E. P. Co.

The Airships of Tomorrow Will be Guided by Wireless Telephone Signals, Possibly Arranged in "Barrages" or Walls, as Here Illustrated. This is the Only Feasible Way of Signaling Location and Weather Data to Aerial Craft in Stormy and Especially Foggy Weather. Prof. Walter I. Schlichter, of Columbia University, Has Also Recently Advocated the Use of Powerful Wireless Signaling Stations for Guiding Trans-Atlantic Seaplanes in Their Proposed Trips Across the Ocean.

nal with their commanding officers at headquarters, and after a personal examination of the various kinds of apparatus used by the different countries, all of which pay high tribute to American genius, I feel 1 am fully justified in predicting an even greater use of radio control and communication for peace purposes. One of the first questions to be taken

up, it seems to me, when we have reached point of regular passenger and freight traffic by air, is that of proper warning to Pick up Cleveland," or again such warnings as, for example, it will be necessary

ings as, for example, it will be necessary to inform the pilot of weather changes: "Weather Warning—Your are nearing a storm area—Cyclone Ahead," etc., etc. • There should be, no doubt, a continual "radio barrage," or zone of automatic waruings thru which airplanes must pass in approaching regions where air traffic is dense; namely, around landing stations, and especially so near steen mountain and especially so near steep mountain ranges and peaks, or cities like New York,

clamped to his head in the helmet, would hear these safety signals as he flies thru these invisible walls of etheric warning, in ample time to govern his course accord-

With the mastery of the air for governmental, and for commercial purposes, al-ready at hand, certainly the question of radio control, and of traffic regulation, is of prime importance, worthy of the imme-diate interest, and of the best thought in the radio world.

How Electricity Serves World's Largest Hotels

Do you know that the two largest hotels in the world have just opened in New York City, each one with over 2,000 guest rooms and a bath in every room? One of these hotels has, among other startling new features, an electric automobile elevator, which carries the guests' motor cors up to the grand ball room floor, so that milady and her escort do not have to pass thru any chilling winds when arriving at the hotel. These hotels are veritable cities in themselves, and either of them has more telephones than the entire nation of Greece. One hotel has the largest electric laundry in the world, not to mention the gigantic dining rooms, ball rooms, kitchens, swimming pools, children's open-air playgrounds, and a whole regiment of employees.

By H. WINFIELD SECOR

HE two largest hotels in the world recently opened in New York City, one, the "Hotel Pennsylvania," op-

one, the Pennsylvania, op-posite the Pennsylvania Railroad Terminal at 33rd Street and 7th Ave-nue, and the other, the "Hotel Commodore," located adjacent to the Grand Central Ter-minal, and built directly over both the Queensboro and Lexington Avenue sub-ways. There are so many hundreds of in-ovations and conveniences which have been novations and conveniences which have been developed and applied to these—the last word in Hoteldom—that one can hardly judge of the undoubted value of all of these important and elaborate appointments withishment in gradually visited such an estab-lishment in person. Take, for example, the gigantic proportions of the Hotel Pennsyl-vania with its 2,200 rooms and bath. This hotel can accommodate 3,500 registered guests with rooms not to mention several dozen additional small-town populations, which it can easily entertain in the grand ball room and its six well appointed resball room and its six well appointed res-taurants, also numerous private banquet rooms and private dining rooms, not forgetting the roof garden, which is one of the most beautiful and perhaps the larg-cet in the world, Besides a capacity of 3,500 guests with rooms, 3,000 additional guests may be entertained in the several restaurants including the roof garden, or the total capacity of 6,500 guests, which is a respectable little city all by itself. If you haven't already visited one of these magnificent and beautifully appointed 20th century hotels, you will probably wish to know what conveniences are provided for the guest, and with that very object in mind, the writer paid a special visit to these establishments and enjoyed an after-noon off from the editorial rub-dub, amid

noon off from the editorial rub-dub, amid the flowering palms and the aroma of one dollar Havana perfectos arising from the "loungees" reclining luxuriously on the thousand dollar leather settees, which grace the main lobby. This wonderful lobby is furnished in handsome imported marble and is lighted by reflected beams passing thru a richly designed leaded glass ceiling. Both the Hotel Pennsylvania as well as the Hotel Commodore have the same transit facilities, i.e., both have subway as well as railroad service, the one the Pennsylvania Railroad, and the other New York Central Lines. There are underground passageways in either case leading from the railroad terminals directly into the hotels, and special elevators for this service to carry the guests to the floor of the main lobby or vestibule. If one arrives by subway from up or down-town New York, he finds the same conven-iences awaiting him, and is whisked from the subterranean passageway to the splen-dor of the main lobby by elevator, which is operated by young work nextly attication. operated by young women nattily attired in spic and span uniforms. There is even a woman "elevator starter"—and speaking of elevators, the Hotel Pennsylvania boasts of a total of 27. In the following description of the hotel features, as the writer found them, the Hotel Pennsylvania is inferred,

except where otherwise mentioned. On arriving on the floor of the main lobby, which is certainly a magnificent piece of architecture, one finds that the principal

and most important conveniences of the hotel are at once available. Among other appointments immediately accessible and available from the lobby are the main Dining Room, the Palm Room, used for afternoon teas, etc., the men's cafe, the men's bar, the grill room, and in the basement the most attractive barber shop imaginable, resplendent in handsome tile and marble with leather lounges, and adjacent to these the leather lounges, and adjacent to these the handsomest array of lady manicurists ever seen this side of Paris. While dining in the grill room, you may, if you wish, have a one-step or two with your guest on the highly polished dancing floor in the center of the room, while the Original Dixy Jazz Band turns loose the jazziest jazz you ever shook a foot to. Considering for the mo-ment that some rainy afterneon you might ment that some rainy afternoon you might happen to pop in at the "Pennsylvania" from the water-proof subway, and that you might find at arriving in the royally appointed lobby that your capital was limited to the large sum of 15c, due perhaps to the effi-cient activities of an unknown pickpocket cient activities of an unknown pickpocket on your ride up to the hotel, you can still enjoy yourself ostentatiously by repairing to the basement floor, where there is a "Quick Lunch Restaurant," which will ac-commodate several hundred guests, who may for one reason or another wish to en-joy a 15c or 25c meal. That is what you call real service, and both of these hotels are out for service with a capital "S" are out for service with a capital "S," first, last and always. Later, when you are assigned to the guests' floors and see the layout of the rooms, you will find that these hotels undoubtedly count on a heavy, transient traffic, the suites in most cases consisting of from one to three rooms and a bath.

The lower part of the hotel is well shown in the accompanying illustration, and of course there are many rooms and conveniences not shown for obvious reasons, owing to their location on other parts of the mezzanine floors, et cetera, which cannot be brought out in the limited size of our illustration. The mezzanine floors, just above the main or street floors, contain the private offices, and also there are sleeping and living quarters on these floors for the cuployees. On the first mezzanine floor there are exhibition rooms for business purposes, and on the second and third mez-zanines dining rooms for the employees. On the third mezzanine we find the "Grand Ball Room," which is most beautifully decorated in pleasing colors which do not is or irritate the eye as do some of not jar or irritate the eye as do some of these large public rooms in similar estab-lishments. The general decorative scheme thruout the hotel, it may be said, is one of good taste and extremely homelike. The service is carefully worked out to give this feeling at every turn.

The largest private telephone exchange extant, with capacity for 3,340 extensions, 260 trunk lines and 23 operators is con-nected to the various rooms and other parts of the hotel, and this is located on the second mezzanine floor.

In the telephone exchange are also located a large battery of "Telautographs"-the electric machines that write-and both of these recently opened hotels have been

very lavish in their telautograph equipment. The Hotel Pennsylvania has at present some 200 telautographs, and more will undoubt-edly be added later as demands require them. The telautograph equipment at this hostelry has been very carefully worked out by skilled engineers, and it undoubtedly is one of the best that the writer has ever seen put into operation. More will be said with reference to the telautograph system anon, and for the present it will be of interest to the reader to note what happens when a current is to be pared. In most batel, at to the reader to hole what happens when a guest is to be paged. In most hotels, at least in the smaller hotels, a guest is not paged except in the main lobby and dining room, but at the "Pennsylvania", when an outside party or a guest calls up the tele-phone exchange, and the operator writes down the name of the person who is wanted the following operations operations wanted, the following operations ensue: the telephone operator,-(and they are all the telephone operator,—(and they are an good looking, take it from your Uncle Dud-ley, for he had the good luck to actually visit this "holy of holies", past the door of which no man may enter, excepting that he has a pass signed by the powers that be in the telephone world),—proceeds to write the name on the *transmitting* platen of her telephograph, there being a telephograph telantograph, there being a telantograph for each of the 23 telephone operators, and simultaneously the written name appears in simultaneously the written name appears in the main dining room, grill, bar, roof gar-den and the office, as well as at the bell captain's office in the main lobby, so that when the name is called out by one of the bellhops in your vicinity, you can rest as-sured that the same name is being called simultaneously in about ten other parts of the building. This of course, serves two purposes; it promotes speed in locating the guest, which is sometimes a very important fractor, and also aving to the multiplicity. factor, and also owing to the multiplicity of the system, it renders trebly certain the locating of the desired party, which-would

The total amount of electric power, not to mention the steam used for heating, is truly enormous in a building of this size, which covers a whole city block, and while talking to the chief engineer of the building, it was ascertained that the total light and power load for the hotel would require as much as 1400 K.W. or about 1900 horse-power. Electricity is used in a general way for many purposes and important oper-ations conducive to the efficient operation of the hotel, which the average guest never sees or even dreams of. For instance, how do you suppose the ventilation of such a large hotel as this is taken care of? The chief engineer answers this question by taking you down to the sub-basement two sto-ries underground, where you see one of the largest electric motor-driven blower rooms in the world, covering a quarter of a square in the world, covering a quarter of a square city block. Here dozen of powerful elec-tric motors rated at anywhere from 25 to 50 horse-power each, drive gigantic blowers or fans, each of which is connected up with certain air ducts leading to various parts of the building. Thru these ducts, air is pumped which promotes the proper circula-tion thru the hallways, and the rooms of the building. Neither of these monster hotels has a large power plant of its (Continued on page 915) April, 1919



FULL STORY OF THIS LATEST NEW YORK HOTEL-A VERITABLE CITY IN ITSELF-ON OPPOSITE PAGE.

Seeing Thru You Without X-Rays The New Shadow Photography By BATTELL LOOMIS

WHAT of the infra-red ray in pho-tography? Is its penetrative power the equivalent of the ultra-violet, or actuating principle of the X-ray? Has Dr. Paull S. Hunter, former State Secretary of Health for Colo-rado and bailing from the situ of Demogra

rado, and hailing from the city of Denver, stumbled on something hc didn't know and doesn't know yet, in looking for something he had guest? That is a question it may take time and development to answer, but which the writer is content only to raise by way of introduction to a story which has its clement of humor because the it relates its clement of humor because the it relates a serious discovery, worth thousands of dollars to society at large, the discovery will not realize its discoverce one penny. In which it is not unlike many other im-portant scientific discoveries. One night Dr. Hunter was waiting for a car. He held a flashlight in his hand, and covering the ray was attracted by the

a car. He held a hashinght in his hand, and covering the ray, was attracted by the marked red glow of his flesh. He noted the dim shadows of the bones in his ingers. "Hm." said he, "the red rays come thru. If the rays were more vivid, the shadow of the bones would be sharper L can intenthe bones would be sharper. I can inten-

sify them and I'll bet I can photograph that." The idea took hold. The doctor was a user of the X-ray, but he found it easier in ordinary practise to bring a patient to the ray than to take the weighty apparatus with its cells and coils to the patient. What a boon to the country doctor it would be if he could make a fracture diagnosis with an ordinary camera! The X-ray is of value only to the rich and the very poor who receive free treatment. The middle class must pay more than it can afford

or go without. So Dr. Hunter seized the first opportunity to lay his hand on a naked panchromatic photo plate and expose it to the electric light for a moment. He secured

a picture of his bones with his first try. It a picture of his bones with his first fry. It was not very sharp, but it was a good beginning. He reasoned it out: "It wants only a con-centrated *light from a point* to cast a clearer shadow. This ray must go thru a camera which protects the plate from random rays and L have a good hone picture." I have a good bone picture,

he argued. Accordingly he employed his mechanical knack to construct a black box with an opening at one end large enough to receive his hand or foot. See illustration of the apparatus used by Dr. Hunter, herewith. He made it collapsible so it would fit in a physician's grip. He fitted an iris diafram in the top of his box and fastened a plate-holder on the bot-tom with a developing box beneath that, into which the plate might fall the instant of its exposure, for speedy developing He then sedeveloping.



Hold Your Hand Before a Flashlight in the Dark—You Can See the Bone Outlines Dimly. This is the Basis of the New X-Ray-less Bone Photography Here Described.

cured a Wratten F or extreme red ray filter and placed it above his lenseless shutter and diafram. He placed his hand over the holder, and squeezed his bulb for a half second exposure. The result was the ex-cellent bone picture shown herewith.

scolar exposure. The result was the ex-cellent bone picture shown herewith. This picture was taken entirely with a filtered light—the light that passes most easily of all visible light, thru blood. The discoverer has made nothing new except his camera, which is not essential to suc-cess. He has merely combined a stock Eastman panchromatic photo plate brushed with eosin solution to intensify its sensi-tiveness, with an F ray filter and a fine point of light to do simply what Röntgen earned his fame for doing in a more round-about and costly way. He has made a dis-covery which he prophesies every school-boy will at once begin to play with, and every doctor to use in his business. And he has given his discovery freely to the world. He does not intend to secure patents either on his combination of ma-terials or on his novel folding camera,

terials or on his novel folding camera, which may be made in any size and open at both ends to fit different portions of the limbs. Whether the rays will penetrate the trunk for abdominal and intercostal examinations he does not know from prac-tise, altho from theory be contends they might

he contends they might be made to do so by im-

proved technique, such as a more intense ray of light and a more

sensitive plate. Further Dr. Hunter

has to say: "My claim is unit

with a hox fitted out in

this manner and a box of panchromatic plates

a physician can tell whether a broken arm is set right before leav-ing the house, and that it will undoubtedly be

used all over the country for that purpose. "The machine can be

improved by using a roll of film if the manu-facturers would make it, and so do away with

IF you are old enough, you will probably remember the time when the X-ray was first announced. We all thought it one of the most marvelous inventions ever conceived by the human mind, and so it was indeed. But now Dr. Paull S. Hunter announces a strikingly simple way to perform the same experiment which Dr. Röntgen performed in a very difficult, round-about way. Where Prof. Röntgen used a complicated electrical apparatus in order to take shadowgraphs of the human body, Dr. Hunter uses nothing but plain light rays. There is no doubt in our minds that if sufficiently but plain light rays. There is no doubt in our minds that if sufficiently powerful light rays are used in connection with a heat filter in order that the patient does not sustain burns, it should become possible in the near future for physicians to actually see every bone in the human body. Not only this, but we predict that by using certain color rays, it should be possi-ble to bring out every organ in the human body as well, such as heart, liver, blood vessels, etc., which are now very difficult of observation by the X-ray.

Our front cover shows what is already possible today if you will drape the human body in such a way as to cut off all the direct glarc, and then by exposing strong electric arc-lights from behind, it becomes possible to see the bones of the body clearly. Dr. Hunter, who is an American physician, deserves great credit for bringing about this extraordinary result, as simple as it is efficient. The accompanying article explains the system and methods FUTCOR fully. EDITOR.

plate, tied a black cloth at the open end about his elbow, turned on the electric light, removed the slide from the plate-

space.



Diagram of the Actual Bone-Photography Apparatus Used by Dr. Hunter in Successfully Photographing the Bones of the Limbs.

glass plates; the devel-oping tank at the bot-tom wou'd be adapted to films. The whole outfit s, toreover, made to fold up flat and occupy very little

> "These pictures could also be made with a camera using a powerful arc lamp to throw the rays thru the human body, and if plates could be made sensitive enough, pictures of the heart's action could be made on celluloid rolls, giving moving pictures of the heart action and other organs of the body. So far I have only used it for extremity work and it has proved very satisfactory; in fact, the first pictures are as good if not better than the first ones

> "I give the idea to the world with the hope that someone will further de-velop its usefulness and by improved design and more centitive plate he chile to sensitive plates be able to make pictures as well with this \$2.00 outfit as with a \$1,000 X-ray machine."

The front cover picture, showing the bone structure of a woman, gives us a clear idea of how the full figure would appear, using of course, a sufficiently strong light source, such as an arc lamp. A frisket or template would be cut out to just fit the outer contour of the body, thus giving the maximum -raying power available in any case. The fleshy portions of the body would appear red just as our artist has shown them, in contradistinction to the usual X-ray image observed in a fluoroscope, where the outline of the flesh is just discernible. It would seem that this new direct light system of bone photography would be much less harmful the patient, as the X-rays exert a detrimental effect when applied in rea-sonably large dosages, and in some cases cause growths and burns which are incurable.

WAR ACHIEVEMENTS OF U.S. SIGNAL CORPS.

When the American forces came to France "communication" was one of France "communication" was one of the first efforts to which American ingenuity and invention was directed and the Signal Corps, under which communications fall, met it as have the organizations of the American Expe-ditionary Force. Existing French tclegraph and telephone systems were overburdened. There was little left for Uncle Sam and Brig. Gen. E. Rus-sell, chief signal officer, and his staff of experts tackled the job.

What they have done in construction is shown in the following statistics: The Signal Corps has built approxi-mately 1,750 miles of poles on which it has strung 4,175 miles of wire. In addition about 2,000 miles of American wire has been strung on existing systems for our use, and it has leased and operates more than 3,000 miles of French wire. Exchange lines to the extent of 12,750 miles have been

huilt, and to operate these lines it has 244 stations, and 102 telegraph offices. The long-distance telegraph and tele-



Actual Bone Picture of the Hand Taken by the In-ventor of the New System of X-Ray-less Bone Pho-tography—Dr. Paull S. Hunter, with a Strong Electric Light, a Red Ray Filter and a Photographic Plate.

phone system constructed by the Signal Corps is entirely maintained by its own personnel, and in addition some 3,000 miles of leased wires are maintained by it.

All this construction has been made by Signal Corps battalions with implements

THE AERIAL PASSENGER LEFT BEHIND.

TE all know of the taxicab clattering down the street at breakneck speed with the belated passenger making a bee-line for the dock and just arriving in time to see the gang plank pulled in and missing the Liverpool steamer. But the American business man, nothing daunted, by such a trivial occurrence promptly charters a fast harbor boat and races the steamer down the bay, overtakes it and is

hoisted up to the deck in time for lunch.

A few years from now humanity probably will not have changed much, and we will still have with us the late passenger, only this time he will not race down to the dock but up a 30-or 40-story elevator trying to catch the Trans-Atlantic Flier, but just in time to see the big bird "take the air."

Will the American business man of 1925 bewail his lot and return dejectedly to his home? Not if he can help it! He will signal a passing taxiplane which will come down on the huge platform which a few minutes ago harbored the great Trans-Atlantic flier.

Twenty minutes later, the fast little airfiverer will have overtaken the big air monster and after depositing the be-lated passenger on the upper deck of the European bound flier,—not to forget the violent language of our businessman who thinks he has been overcharged by the modern bandit of the air,--he will go to his deck chair and begin perusing the latest edition of the ELECTRICAL EXPERIMENTER.

While the taxiplane might laud directly on the big European-bound flyer, such a

and material from the United States, with the single exception of poles, most of which were obtained in France

THE JOHN FRITZ MEDAL FOR GENERAL GOETHALS. The John Fritz Medal Board of Award, composed of representatives of the National Societies of Civil, Mining, Mechanical and Electrical Engineers, held their annual meeting for 1919 at the Engineers' Club, January 17, and awarded their gold medal to George W. Goethals, the builder of the Panama Canal.

Canal. The medal has previously been awarded to Lord Kelvin, George West-inghouse, Alexander Graham Bell. Thomas A. Edison, Charles T. Porter, Alfred Noble, Sir William Henry White, Robert W. Hunt, John Edson Sweet, James Douglas, Elihu Thom-son, Henry M. Howe and J. Waldo Smith Smith.

Col. John J. Carty, now in France, has been Chairman of the Board, but in his absence Ambrose Swasey, of Cleveland, presided. George H. Pegram has been elected

Chairman for 1919 and W. F. M. Goss. Treasurer, in place of Prof. F. R. Hutton, who died during the year.

NEW MARCONI INVENTION EXPLAINED.

A joint meeting of the Institute of Radio Engineers and the New York Electrical Society was held on Wednes-day evening, March 5, at the Engineer-ing Societies Building, at which Roy
ing Societies Building, at which Roy
e. A. Weagant, chief engineer of the Mar-coni Wireless Telegraph Company of America, read a paper on "Reception thru

Strays and Interference.

The recent announcement of Mr. Weagant's discoveries and inventions in connection with wireless telegraphy created wide sensation.

method might be more or less fraught with danger. Mr. H. Gernsback suggests that the transfer of the passenger might be accomplished much easier, as shown in our illustration. The taxiplane would fly about twenty feet above the deck of the big flyer, in the same direction of course, and also at the same speed as that of the large machine. The passenger could then descend from a rope ladder and drop to the deck with ease, as well as without danger.

> YOU CAN WHIT-TLE THIS IRON. It is well known that rapid cooling of hot metals hardens them. That the op-posite is true has recently been demonstrated in striking fashion by the General Electric Co. One of their scientists annealed American ingot iron surrounded by hydro-gen gas for three hours at a tempera-ture above 1,600° F. The product was very little harder than the softest copper, and could be whittled with a jack

One of the largest electric plants in the world is being planned to supply power for nearly all the mines at Johannes-burg, South Africa,

knife.



The Giant Airplanes of To-morrow May Slip Away from London or New York and Leave You Behind. Then What Would You do? Easy—Board a "Taxiplane" and Chase the "Sky-hound" Down the Bay.

Possibly you will remember having read from time to time of the remarkable tricks resorted to by the native diamond miners in the great Kimberly diamond region in South Africa and other parts of the world. So great has the temptation often become body in a few seconds. This system of detecting the presence of a diamond, no matter whether it is buried in the flesh, resting in a throat cavity, or even in the stomach— an almost unbelievable practise resorted to in several instances on record—the X-ray



The Tricks Resorted to by the Native Diamond Miners In Kimberly, South Africa, and Other M Pass All Human Belief and Imagination at Times. Cases Have Been Known Where the Lucky F of a Particularly Fine Specimen Even Swallowed the Stone, Intending Presumably to Regain the mond Later. In Some Instances Diamonds Have Been Secreted in Self-Inflicted Wounds or Inc In the Leg. But the X-Ray Spoiled All These Clever Ruses as Soon as It Was Adopted for Exam the Miners Every Day, Before They left the Mines. The Eye of the X-Ray Sees All. Mines, Finder he Dia-Incisions Examining

to steal diamonds, especially when an ex-tra large one may have been suddenly unearthed, that these natives have been known to resort to the most unbelievable tactics in order to carry the diamonds out of the mine and to withstand inspection even when stript, as practically all of them are, before they leave the mine at the end of the day's labor.

One of the successful schemes which has been worked out by the superintendent of large South African diamond mine is shown in the accompanying illustration, and it involves the use of a powerful X-ray machine having several X-ray bulbs ex-cited simultaneously. As each miner passes before the X-ray bulbs, the examiner looks thru his fluoroscope and rapidly swings it up and down, so as to take in the entire

examination quickly indicates the presence of the diamond.

Of course, the logical question that arises is-How can the X-ray detect the presence of a diamond inside of the body; especially when it may be temporarily lodged by the clever thief in proximity to large or fairly large bone structures, which would seem to preclude any possibility of detecting the precious stone? However, a perusal of a precide any possibility of detecting the precious stone? However, a perusal of a table showing the various transparencies of different materials under the X-ray will give the solution to the problem. It has been found that the diamond has a different transparency than any ordinary materials, including the bone and flesh of the body, which might happen to be in proximity to it at the time of such an X-ray examination. Also the diamond is a most peculiar sub-

stance, and it has certain fluorescent properties which render the facility of its de-tection all the more possible under an ex-amination by X-ray, as it has a tendency to fluoresce or glow slightly when under the influence of X-rays, which phenomenon is readily detected on a sensitive fluorscope or X-ray screen. The X-ray machine here shown is con-

nected to a battery of four powerful X-ray tubes of the latest Coolidge type, as other-wise if the tube had to be moved up and down behind the subject, considerable time would be lost in performing this operation, and where sev-eral hundred subjects have to be examined in a very short space of time, it can readily be imagined that such a device as here shown is imperative.

GIANT SUBMARINES HAVE 12-INCH GUNS AND STEAM PRO-PULSION.

We are now able to publish a photograph of one of the most jealously guarded secrets of the British Navy, While the Germans were boasting of the buge under-sea cruisers with which they proposed to gain the control of the seas, the British Admiralty were constructing submarines capable of matching the largest destroy-ers afloat and of fighting even cruisers in a surface contest. The secret of these boats was

their great size and speed and the fact that while on the surface they used steam as their

Examining face used steam as they are been as they propelling power, carrying two funnels like an ordinary surface warship. One photo shows a British "K" class, two funnel submarine "steaming" on the surface at sea. This is the largest class submarine produced by any nation and is 340 feet in length. It out-classes any U-boat built by Germany. Great Britain has a whole fleet of these sea ter-rors. Storage batteries and motors are used while running submerged.

The other photo shows a new British monitor submarine with a 12-inch gun, capable of giving battle to most any class of armed ship under favorable conditions. So far as known this is the first photograph to be received in this country showing Great Britain's combination of the U-boat and coast defense vessel. The 12-inch gun is the largest that was ever mounted on a submarine.



The Latest British Style in Submarines. It is Capable of a Speed of 24 Knots on the Surface, When Propelled by its Steam Power Plant. The Two Smoke Stacks Fold Down When the Submarine Submerges, and it is Then Propeiled by Storage Batteries Previously Charged While Running Awash. This Giant Crrft is 340 Feet in Length, and is Armed with Three 4-Inch Guns, Two Forward and One Aft, as the Photo Shows. The Displacement of This Boat When Submerged is 2,700 Tons and the Speed 10 Knots.

GERMAN RADIO FOR HOLLAND STATION.

Details of the giant wireless telegraph station to be erected in Holland by German interests for the purpose of facilitating communication between Holland and her East Indian possessions, according to a contract recently concluded between the Dutch Government and the Telefunken Company of Berlin, are found in a recent issue of Commerce Reports. Paul L. Edwards, Commercial Attaché at The Hague, reports that the receiving station of the new plant which is ex-

Paul L. Edwards, Commercial Attaché at The Hague, reports that the receiving station of the new plant, which is expected to cost about \$2,000,000, will be at Boxmeer, in the Province of North Brabant, and the sending station will be located on a hill at Kootwijk, Province of Gelderland, near Apeldoorn, some thirty-five miles from the receiving station. The sending station will consist of six steel towers, each 200 meters (about 688 feet) in height. The *Radio-Nieuxos* says that the Kootwijk sending station will have the same range as the German station at Nauen. The installation will be able easily to transmit to and receive from a station of like dimensions and capacity which is shortly to be built at Bandoeng, Java. The distance between the Kootwijk and the Bandoeng station is about 6,830 miles.

It is understood that an engineer representing the Telefunken Company is in Java with a view of supervising the construction of the station at Bandoeng. *De Nicutwe Courant* stated some time ago that all of the apparatus and raw material for the construction of the Bandoeng station were

in Berlin ready for shipment at the first opportunity.

INSTRUMENT DISCOVERS COM-ING STORMS AT SEA. A barocyclonometer, which locates the center of typhoons and other storms, and

A barocyclonometer, which locates the center of typhoons and other storms, and also indicates when they are due, and from what direction, has been invented by Father Jose Algue, director of the Manila Weather Bureau, and, according to Capt. A. W. Nelson, of the Pacific mail steamship *Ecuador*, is being used in safeguarding from storms numerous vessels plying in Chinese and Japanese waters.

Stereoscopic Movies

The accompanying illustration shows a possible later-day development of the present moving picture, which, altho it has been greatly perfected in the past few years, leaves considerable detail yet to be worked out. No matter how clear or flickerless a motion picture may be when viewed on the then undoubtedly it will be necessary for the theater proprietor to provide or make readily accessible, by means of slot machines arranged on the back of the theater chairs, etc., a special small size stereoscope similar in appearance to a pair of opera glasses, thru which the duplicate moving images on



Of All the "Movie" Inventions That Have Past OurWay, We Have Yet to See Exploited, at Least Commercially, the "Stereoscopic Movie." If You Have Ever Used a Parlor Stereoscope Then You Will Appreciate What a Wonderful Improvement This Idea Would Make in the "Movie" Show, for Then the Figures Would Actually Stand Out in Relief. A Special "Stereoscope" Would Be Placed on Every Seat. Try This Experiment—Hold a Small White Card Vertically Between the Two Similar Views Here Shown, Move the Page Up and Down Until the Images Appear in Relief.

screen as projected by modern moving picture machines, it would still be one hundred per cent more perfect to our vision, if it could be thrown on the screen in duplicate

The names of the manufacturers of new devices and appliances in which readers are interested will be furnished free of charge by addressing our TECHNICAL INFORMATION BUREAU.

or stereoscopic fashion in a similar manner to the parlor stereoscopes which we have all seen and used. Of course, if we ever do get to the stage of stereoscopic movies, the screen could be properly viewed and focust. These would of course be fitted with proper lenses for the purpose.

with proper lenses for the purpose. It might seem off-hand that this latter refinement would be unnecessary, but it is really one of the great marvels of science that causes us to see the images stand out, as it were, from the picture, when we look thru a stereoscope at the photographs or other views mounted in duplicate. The stercoscope operates on a very simple and yet peculiar physiological arrangement, based on the inter-action of the optical powers of the two eyes when they are focust on two properly made and similar images.



Here's the New British "Monitor-Submarine." It Sports a Dangerous Looking 12-Inch, 50-Ton Gun, Which Can be Traversed 6 Degrees. It Was Built for Bombarding the Forts at the Dardanelles Straits. This is the Famous "M-1," a 1,700-Ton Subsea Craft That Would Make Any Light Cruiser or Similar Warship, Not to Mention a Dozen or So Armed Merchantmen, Scratch as They Never Scratched Before. She Carries, Besides the 12-Inch Gun, Two Torpedo Tubes and an Anti-aircraft Gun, and Several Other Surprises Which Helnie Never Even Dreamed About.

ELECTRICAL EXPERIMENTER

would result, at least, I

thought so. A wooden

model was constructed and

fitted with infinite care and

when I applied the pump on one side and actually

observed that there was a

tendency to turning, I was delirious with joy. Me-

chanical flight was the one thing I wanted to accom-

plish altho still under

the discouraging recollection of a bad fall I sus-

tained by jumping with an umbrella from the top of

a building. Every day I

used to transport myself thru the air to distant

regions but could not un-

derstand just how I managed to do it. Now I had

something concrete-a fly-

ing machine with nothing more than a rotating shaft,

flapping wings, and — a vacuum of unlimited

power! From that time on

I made my daily aërial ex-

cursions in a vehicle of

comfort and luxury as might have befitted King

Solomon. It took years before I understood that

the atmospheric pressure

acted at right angles to

the surface of the cylinder

and that the slight rotary

effort I observed was due

to a leak. Tho this knowl-

edge came gradually it

gave me a painful shock. I had hardly completed



T the age of ten 1 entered the Real Gymnasium which was a new and fairly well equipt institution. In the department of physics were various models of classical scientific apparatus, electrical and mechanical. The demonstrations and experiments performed from time to time the trough is closed by a partition so that the cylindrical segment within the enclosure divides the latter into two compartments entirely separated from each other by air-tight sliding joints. One of these compartments heing sealed and once for all exhausted, the other remaining open, a perpetual rotation of the cylinder

by the instructors fascinated me and were undoubtedly a powerful incentive to invention. I was also passionately fond of mathematical studies and often won the professor's praise for rapid calculation. This was due to my acquired facility of visualizing the figures and performing the operations, not in the usual intuitive manner, but as in actual life. Up to a certain degree of complexity it was absolutely the same to me whether I wrote the symbols on the board or conjured them before my mental vision. But freehand drawing, to which many hours of the course were devoted, was an annoyance I could not endure. This was rather remarkable as most of the members of the family excelled in it. Perhaps my aversion was simply due to the predilection I found in undisturbed thought. Had it not been for a few exceptionally stupid boys, who could not do anything at all, my record would have been the worst. It was a serious handicap as under the then existing educational regime, drawing being obligatory, this deficiency threatened to spoil my whole career and



Nikola Tesla at 60. A Very Recent Portrait of the Great Inventor. An Excellent Likeness.

my father had considerable trouble in railroading me from one class to another.

In the second year at that institution I became obsest with the idea of producing continuous motion thru steady air pressure. The pump incident, of which I have told, had set afire my youthful imagination and imprest me with the boundless possibilities of a vacuum. I grew frantic in my desire to harness this inexhaustible energy but for a long time I was groping in the dark. Finally, however, my endeavors crystallized in an invention which was to enable me to achieve what no other mortal ever attempted. Imagine a cylinder freely rotatable on two bearings and partly surrounded by a rectangular trough which fits it perfectly. The open side of my course at the Real Gymnasium when I was prostrated with a dangerous illness or rather, a score of them, and my condition became so desperate that I was given up by physicians. During this period I was permitted to read constantly, obtaining books from the Public Library which had been neglected and entrusted to me for classification of the works and preparation of the catalogues. One day I was handed a few volumes of new literature unlike anything I had ever read before and so captivating as to make me utterly forget my hopeless state. They were the carlier works of Mark Twain and to them might have been due the miraculous recovery which followed. Twenty-five years later, when I met Mr. Clements and we formed a friendship between us, I told

Copyright, 1919, by E. P. Co. All rights reserved Mr. Tesla's articles started in our February issue him of the experience and was amazed to see that great man of laughter burst into tears.

My studies were continued at the higher Real Gymnasium in Carlstadt, Croatia, where one of my aunts resided. She was a distinguished lady, the wife of a Colonel who was an old war-horse having participated in many battles. I never can forget the three years I past at their home. No fortress in time of war was under a more rigid discipline. I was fed like a canary bird. All the meals were of the highest quality and deliciously prepared but short in quantity by a thousand percent. The slices of ham cut by my aunt were like tissue paper. When the Colonel would put

by my aunt were like the something substantial on my plate she would snatch it away and say excitedly to him: "Be careful, Niko is very delicate." I had a voracious appetite and suffered like Tantalus. But I lived in au atmosphere of refinement and artistic taste quite unusual for those times and conditions. The land was low and marshy and malaria a few days later I learned that the cholera was raging in that district and, taking advantage of an opportunity, I returned to Gospic in disregard of my parents' wishes. It is incredible how absolutely ignorant people were as to the causes of this scourge which visited the country in intervals of from fifteen to twenty years. They thought that the deadly agents were transmitted thru the air and filled it with pungent odors and smoke. In the meantime they drank the infected water and died in heaps. I contracted the awful disease on the very day of my arrival and altho surviving the crisis, I was confined to bed for nine months with scarcely any ability to move. My energy was completely exhausted and for

TillS installment, no doubt the most interesting of the three published so far, reveals many extraordinary occurrences and experiences in the world's greatest inventor's life—experiences such as do not fall to the lot of ordinary mortals. And Tesla, the many sided, aside of inventing, knows the rare art of painting word-pictures. He does so here in a masterly fashion. He tells us how he finally conceived the induction motor—perhaps his greatest discovery—the invention which changed the face of the globe, the invention which made possible the street car, the subway, the electric train, power transmission, the harnessing of water falls and countless others. But let Tesla tell you himself how it all came about. It is a classic worth reading. EDITOR.

fever never left me while there despite of the enormous amounts of quinin I consumed. Occasionally the river would rise and drive an army of rats into the buildings, devouring everything even to the bundles of the fierce paprika. These pests were to me a welcome diversion. I thinned their ranks by all sorts of means, which won me the unenviable distinction of rat-catcher in the community. At last, however, my course was completed, the misery ended, and I obtained the certificate of maturity which brought me to the cross-roads.

During all those years my parents never wavered in their resolve to make me embrace the clergy, the mere thought of which filled me with dread. I had become intensely interested in elec-

tricity under the stimulating influence of my Professor of Physics, who was an ingenious man and often demonstrated the principles by apparatus of his own invention. Among these I recall a device in the shape of a freely rotatable bulb, with tinfoil coatings, which was made to spin rapidly when connected to a static machine. It is impossible for me to convey an adequate idea of the intensity of feeling I experienced in witnessing his exhibitions of these mysterious phenomena. Every impression produced a thousand echoes in my mind. I wanted to know more of this wonderful force; I longed for experiment and investigation and resigned myself to the inevitable with aching heart.

Just as I was making ready for the long journey home I received word that my father wished me to go on a shooting expedition. It was a strange request as he had been always strenuously opposed to this kind of sport. But stitution in the world." he solemnly replied, and I knew that he meant it. A heavy weight was lifted from my mind but the relief would have come too late had it not been for a marvelous cure brought about thru a bitter decoction of a peculiar bean. I came to life like another Lazarus to the utter amazement of everybody. My father insisted that I spend a year in healthful physical outdoor exercises to which I reluctantly consented. For most of this term I roamed in the mountains, loaded with a hunter's outfit and a bundle of books, and this contact with nature made me stronger in body as well as in mind. I thought and planned, and conceived many ideas almost as a rule delusive. The vision was clear enough but the knowledge of principles was very limited. In one of my

Tesla's First Induction Motor. This Historic Model is One of the Two First Presented Before the American Institute of Electrical Engineers.

WHAT IS THE INDUCTION MOTOR?

The induction motor operates on alternating current. It has no commutator like a direct current motor, nor slip rings like an alternating current motor. Contrary to the two types just cited the "field" current is not steady, but the current itself rotates constantly pulling around with it—by induction—the only moving part of the motor—the rotor or armature. Having no armature nor slip rings, the induction motor never sparks. It consequently knows no "brush" trouble. It needs no attention because of its ruggedness. Only the bearings wear out. Its efficiency too is higher. On account of all this the induction motor is used in a prepondering proportion in street cars, electric trains, factories, etc.

inventions I proposed to convey letters and packages across the seas, thru a submarine tube, in spherical containers of sufficient strength to resist the hydraulic pressure. The pumping plant, intended to force the water thru the tube, was accurately figured and designed and all other particulars carefully worked out. Only one trifling detail, of no consequence, was lightly dismist. I assumed an arbitrary velocity of the water and, what is more, took pleasure in making it high, thus arriving at a stupendous performance supported by faultless calculations. Subsequent reflections, however, on the resistance of pipes to fluid flow determined me to make this invention public property.

Another one of my projects was to construct a ring around the equator which would, of course, float freely and could be arrested in its spinning motion by reactionary forces, thus enabling (*Continued on page* 905)

the second time I found

myself at death's door.

In one of the sinking

spells which was

thought to be the last,

my father rushed into

the room. I still see his

pallid face as he tried

to cheer me in tones

belying his assurance.

"Perhaps," I said, "I

may get well if you will

let me study engineer-

ing." "You will go to

the best technical in-

ELECTRICAL EXPERIMENTER

The Moon's Rotation

INCE the appearance of my article entitled the "Famous Scientific Illu-sions" in your February issue, I have received a number of letters criticiz-

seceived a number of letters criticizing the views I exprest regarding the moon's "axial rotation." These have been partly answered by my statement to the New York Tribune of February 23, which allow me to quote: In your issue of February 2, Mr. Charles E. Manierre, commenting upon my article in the Electrical Experimenter for February which appeared in the Tribune of January 26, suggests that I give a definition of axial rotation.
I intended to be explicit on this point as may be judged from the following quotation: "The unfailing test of the spinning of a mass is, however, the existence of energy

is, however, the existence of energy of motion. The moon is not posest of such vis viva." By this I meant that "axial rotation" is not simply "rotation upon an axis nonchalantly defined in dictionaries, but is a circular motion in the true physical sense—that is, one in which half the product of the mass with the square of velocity is a definite and positive quantity. The moon is a nearly spherical body, of a radius of about 1,087.5 miles, from which I calculate its volume to be approx-imately 5,300,216,300 cubic miles. Since its mean density is 3.27, one cubic foot of material composing

it weighs close on 205 lbs. Accord-ingly, the total weight of the satel-lite is about 79,969,000,000,000,000,000, and its mass 2,483,500,000,000,000,000 and its mass 2,483,500,000,000,000,000 terrestrial short tons. Assuming that the moon does physically rotate upon its axis, it performs one revolution in 27 days, 7 hours, 43 minutes and 11 sec-onds, or 2,360,591 seconds. If, in con-formity with mathematical principles, we imagine the entire mass concen-trated at a distance from the center equal to two-fifths of the radius, then the calculated rota-

the calculated rota-tional velocity is 3.04 feet per second, at which the globe would contain 11,-474,000,000,000,000,000 short foot tons of energy sufficient to run 1,000,000,000 horsepower for a period of 1,323 years. Now, I say, that there is not enough of that energy in the moon to run a delicate watch.

In astronomical treatisies usually the argument is advanced that 'fif the lunar globe did not turn upon its axis it would expose all parts to terrestrial view. As only a little over one-half is visible it *must* rotate." But this inference is erroneous,

for it only admits of one alternative. There are an infinite number of axis besides its own in each of which the moon might turn and still exhibit the same peculiarity. I have stated in my article that the

moon rotates about an axis passing thru the center of the earth, which is not strictly true, but it does not vitiate the

By NIKOLA TESLA

conclusions I have drawn. It is well known, of course, that the two bodies revolve around a common center of gravity, which is at a distance of a little over 2,899 miles from the earth's center.



If You Still Think That the Moon Rotates on its Axis, Look at This Diagram and Follow Closely the Successive Positions Taken by One of the Balls M While It is Ro-tated by a Spoke of the Wheel. Substitute Gravity for the Spoke and the Analogy Solves the Moon Rotation Riddle.

Another mistake in books on astronomy is made in considering this motion equivalent to that of a weight whirled equivalent to that of a weight whiled on a string or in a sling. In the first place there is an essential difference be-tween these two devices tho involving the same mechanical principle. If a metal ball, attached to a string, is whirled around and the latter breaks, an axial rotation of the missile results which is definitely related in magnitude

sling. In this case a much more rapid rotation is imparted to it in the oppo-site sense. There is no true analogy to these in the motion of the moon. If

the gravitational string, as it were, would snap, the satellite would go off in a tangent without the slightest swerving or rotation, for there is no moment about the axis and, consequently, no tendency whatever to spinning motion.

Mr. Manierre is mistaken in his surmise as to what would happen if the earth were suddenly eliminated. Let us suppose that this would oc-cur at the instant when the moon is in opposition. Then it would continue on its eliptical path around the cur arterized by the continue of the standard the sun, presenting to it steadily the face which was always exposed to the earth. If, on the other hand, the latter would disappear at the moment of *conjunction*, the moon would gradually swing around thru 180° and, after a number of oscillations, revolve, again with the same face to the sun. In either case there would be no periodic changes but eternal day and night, respec-tively, on the sides turned towards,

and away from, the luminary. Some of the arguments advanced

Some of the arguments advanced by the correspondents arc ingenious and not a few comical. None, how-ever, are valid. One of the writers imagines the earth in the center of a circular or-bital plate, having fixedly attached to its periperal portion a disk-shaped moon, in frictional or geared engagement with another disk of the same diameter and freely rotatable on a pivot projecting from with another disk of the same diameter and freely rotatable on a pivot projecting from an arm entirely independent of the plane-tary system. The arm being held continu-ously parallel to itself, the pivoted disk, of course, is made to turn on its axis as the orbital plate is rotated. This is a well-known drive, and the rotation of the pivoted disk is as palpable a fact as that of the orbital plate. But, the moon in this model only revolves about the center of the system *without the*

W E believe the accompanying illustration and its explanation will dispel all doubts as to whether the moon rotates on its axis or not. Each of the balls, as M, depicts a different position of, and rotates exactly like, the moon keeping alleays the same face turned towards the center O, representing the earth.

But as you study this diagram, can you conceive that any of the balls turn on their axis? Plainly this is rendered physically impossible by the spokes. But if you are still unconvinced, Mr. Tesla's experimental proof will surely satisfy you. A body rotating on its axis must contain rotational energy. Now it is a fact, as Mr. Tesla shows, that no such energy is imparted to the ball as, for instance, to a projectile discharged from a gun. It is therefore evident that the moon, in which the gravitational attraction is substituted for a spoke, cannot rotate on its axis or, in other words, contain rotational energy. If the earth's attraction would suddenly cease and cause it to fly off in a tangent, the moon would have no other energy except that of translatory movement, and it would not spin like the ball.—Editor.

> and direction to the motion preceding. By way of illustration—if the hall is whirled on the string clockwise ten times per second, then when it flies off, it will rotate on its axis ten times per second, likewise in the direction of a clock. Quite different are the condi-tions when the ball is thrown from a

system without the slightest angular dis-placement on its own placement on its own axis. The same is true of a cart - wheel to which this writer re-fers. So long as it ad-vances on the earth's surface it turns on the axle in the true physical sense; when one of its spokes is always kept in a perpendicular position the wheel still *revolves* about the earth's center, but axial rotation has ceased. Those who think that it then still exists are laboring under an illusion.

An obvious fallacy is involved in the fol-

or. is involved in the fol-lowing abstract reason-ing. The orbital plate is assumed to gradually shrink, so that finally the centers of the earth and the satellite coin-cide when the latter revolves simultaneously about its own and the carth's axis. We may reduce the earth to a mathematical point and the distance between the two planets to and the distance between the two planets to the radius of the moon without affecting the system in principle, but a further diminution of the distance is mani- (Cont. on p. 892)

Experimental Physics

By JOHN J. FURIA, A. B., M. A., (Columbia University)

LESSON TWENTY (Conclusion)

PHYSICS AND THE WORLD WAR. S a fitting conclusion to this series of A articles, let us consider to this series of articles, let us consider to what ex-tent Physics helped to beat the Huns. The bulk of the wonder-ful work done by all branches of science has as yet not been disclosed to the



general public; but the following material disclosed by Professor Ames, of Johns Hopkins Uni-versity, in his address at the University of Virginia, by Dr. Hale in his address before the New York Engineering Societies, by

Professor

Wireless Telegraphy — It Often Proved the Only Reliable Communication in Battle.

Millikan, of the University of Chicago, in his address at the Philadelphia meeting of the American Institute of Electrical Engineers, and by Major-General Squier in his address at the New York meeting of the A. I. E. E., is more than sufficient to make it evident to us that Science in general and Physics in particular, deserves a lion's share of the glory accruing from the victory of the Allies Allies

The American public at the beginning of the war held its scientific men in insig-nificant regard, and was very much sur-

prised to learn of the high de-gree of mobilization of Ger-many's scientific men for war work. The "fool professor" was professor" was destined to come before the public eye. On our entering the war our wizard inventors with their efficient press agents won the war



Machine Guns — Another Weapon of Science, Worked Havoc to Both Sides Night and Day.

posed magnets of various

forms, which on trailing

along heneath an airplane

would drag up

any submerged invisible sub-marine. An-other proposed

generating a

wind so strong

that it would

push away any approaching

for us over night by their cpoch-making inventions. Days went by, but our epoch-making in-ventions did not appear, and gradually the usual murder and divorce cases apthe usual murder and divorce cases ap-peared in the papers again, displacing the names and ideas of our wondrous news-paper wizards. An Inventions Board re-ceived some 1,600 inventions from our in-ventors and found about half a dozen of them were worth considering. Magnets of tremendous size were proposed, which when placed in the bottom of the sca would at-tract all shells, etc., and thus stop the war. Others, pro-Others pro-



Giant Bombing Planes Were Threatening to Wipe Out Berlin When the Armistice Was Signed.

airplane, balloon, etc. Thus airplaine raids were eliminated, submarine attacks were ended and the war was over. These fool ended, and the war was over. inventions were coming in so fast that the Board in self-defence determined not to consider any inventions sent in by these wonder-workers unless a "working model" accompanied the papers. It was evident that the road to a successful termination of the war lay in bringing together men pos-sessing scientific knowledge, and equipt with scientific methods. In ordinary peace times the college professor is at a disadvantage —he is usually ignorant of, or not interested in commercial development, and does

IN THE "MAY" EXPERIMENTER

The Editors have in preparation some exceptionally interesting arti-cles for the May number of the ELECTRICAL EXPERIMENTER, among which are the following: The Latest in Aërial Railways. "My Inventions"—No. 4, by Dr. Nikola Tesla. Electricity and Dynamite—How they help the farmer irrigate land

they help the farmer irrigate land, divert streams, loosen hard soil, and

clear land of stumps and stones. Recording Our Thoughts Electri-cally, by H. Gernsback. New York to New Jersey Via Wagon and Auto Tunnel—A Gigan-tic Engineering Problem. The Latest Electrical News from Engineering Core

France, by Jacques Boyer, Paris Cor-respondent of the "E. E." Springtime Fashions in Electric Fans—Several dozen new wrinkles with these useful devices that will interest the whole family. X-Raying Our Teeth-How dis-

X-Raying Our Teeth—How als-ease and mental ailments have been actually traced to ordinarily invisible infections of the teeth. Written by the Medical Director of a Prominent State Hospital. How to Build a Professional Medi-

cal Induction Coil Outfit, by H. Winfield Secor.

Some Interesting Facts Concerning the Electron, by L. R. Jewett, How to Build an Efficient Open-core Step-up Transformer, by Wil-liam Holladay.

Choke Coils-How to compute their dimensions with data on actual coils, by Prof. F. E. Austin, Instructor of Electrical Engineering, Dartmouth College.

"Science in Slang" — Installment No. 3, by Emerson Easterling.

TOP E PROVIDENCE !!

not come in contact with the technical trades. However, his researches in pure sci-ence are eventually commercialized and become of vast technical importance. In bringing together eminent scientists, presenting them with problems, showing them the con-ditions, having them perform their researches ditions, having them perform their researches under the best of conditions and immedi-ately making use of the fruit of their toil— this proved the way to victory. In Wash-ington, London, Paris and Rome, some of the foremost of the Allied scientists were gathered. Among the Physicists we have Millikan, Ames, Mendenhall, Gale, Wood, Duff, Hubbard and others, all in uniform and commissioned as officers in the U.S. and commissioned as officers in the U.S. Army or Navy. Major-General G. O. Squier, the Chief Signal Officer of our army, is a Physicist of considerable repu-

tation, having received his degree of Ph.D. in Physics at Johns Hopkins University. The rest of our Physicists served in civilian capacities.

Let us now see how our war needs af-fected scientific research. It is a well-known property of charcoal that it has a high absorbing p o w e r f or

many gases. When the Huns brought forth their little sur-prise of "poi-sonous gas," the gas mask was immediately evolved. Research developed that a special treatment of charcoal.



The Submarine—A Terror of the Seas, with a Range of 4,000 Miles.

made in certain of the Seas, with a Range sizes from spe-cial kinds of wood had an increased absorbing power. The Physicist knew that charcoal had this buckling generation when the problem absorbing power, and when the problem of increasing this power to make the com-bating of gas warfare more efficient was proposed, the problem was solved. Airplane engines have been manufactured for many years, but never before has the ne-cessity arisen for high speed quantity pro-duction. The problem arose and was solved, the Liberty engine was designed, develop-ing 400 horse-power and weighing only 800 pounds; about 2,000 per month were manu-factured. The



resistance offer-ed by the wings of different sections, the sta-bility of the airplane, the charplane, the char-acter of the covering sur-faces, etc., have all been inves-tigated in de-tail. The instruments of navigation and of signaling are perhaps every bit as important

Tanks by the Thousand Frequently Turned the Tide of Battle for the Allies.

as the airplane itself. Instruments for iudicating speed, direction, height, dis-tance travelled, etc., have all required ex-tended and careful research by the Physicist. In all airplane work, whether in observations or in making attacks, it is necesservations or in making attacks, it is neces-sary for the men in the machines and the men on the ground to be in constant com-munication. The wireless telephone is the obvious solution. Wireless telephony has no doubt made more progress in one month of war than in one year of peace. The modifications and improvements made in

wireless telephony appara-tus in Amer-ica's physical laboratories by her scientists (most of which have as yet not been disclosed to the public) are positively epoch - making. Our improvements have made it possible (Con. on page 926)



Portable Long Range Guns Routed the Enemy and Leveled His Cities as Well as Fortifications.

April, 1919

Popular Astronomy

The Planet Earth as Others See Us By ISABEL M. LEWIS OF THE U.S. NAVAL OBSERVATORY



Copyright, 1919, by E. P. Co.

The Earth As It Appears to an Observer Stationed At the Moon, One of the Most Wonderful and Awe-Inspiring Objects of the Heavens. On the Moon, the Earth Appears Sixteen Times Larger Than the Moon Appears to Us On the Earth. The Sun Shown At the Right Illumi-nates Only Part of the Earth, Which Therefore Appears in Crescent Form. It is, However, Not in Total Darkness for Some of the Light is Reflected By the Moon Onto the Earth and Back to the Moon, Hence the Darknened Portion is Not Entirely Dark, But the Continents Can Be Faintly Seen. There Being No Atmosphere On the Moon, the Sky Appears Dead Black in Day Time. The Sun Will Be Seen With its Corona and Streamers Somewhat as Shown in This Illustration.

W ERE it possible for us to view the heavens from the planet Mars we might see in the hours just follow-ing sunset or preceding dawn a most beautiful star of first magni-tude rivaling and at times surpassing the great star Sirius in brilliancy, closely atgreat star Sirius in brilliancy, closely at-tended by a small companion star consider-ebly less brilliant. The smaller body is evi-dently a satellite of the brighter one, as its position relative to the larger body changes in such a way as to show it is revolving around it. It appears now to the east, now to the west of the chief star. At their widest separations the two form a very distinct double star, unique in the heavens of the Martians. As the little star travels distinct double star, unique in the heavens of the Martians. As the little star travels from one side to the other of the bright star it usually goes above or below it tho occa-sionally it passes directly in front of or behind the brighter body and at such times only one star is then visible to our Martian observers.

This lustrous double star, the morning or evening star of the Martians, is our planet Earth and its satellite the moon. Were we observing our planet from Mars it would be quite beyond our powers of

imagination to conceive that this tiny point of light, glowing by the reflected light of the sun, has been for ages upon ages the abode of species and forms of life of well night infinite variety that have existed under widely different conditions of temperature and pressure not only on the surface of the

and pressure not only on the surface of the planet but in the depths of the seas that cover three-fourths of its surface. We can imagine conservative scientists of Mars frowning at the flights of fancy of the Martians in regard to the nature of the inhabitants of this other world in space. Yet in their wildest speculations the Martians could hardly exaggerate the wonders of our planet Earth or the strength of the conflicting forces for good and evil to be found upon it.

found upon it. Let us consider for a moment how our planet Earth and its satellite would appear were we able to examine it telescopically from Mars. Most of the difficulties that beset us here on earth in our attempts to observe Venus telescopically would be ex-perienced in attempting to view the planet Earth from Mars. A reference to Fig. 1, which shows the relative positions of the three planets, will make this clear. The

earth's orbit lies between Mars' orbit and the sun, just as the orbit of Venus lies be-tween us and the sun. As we will see later, Venus has a decided advantage over Mars for observations of the planet Earth. On Venus and on our own planet, Mars can be seen in opposition to the sun that is on the Meridian at midnight, with its disk fully illuminated like the full moon. To Mars, on the contrary, all the inner planets, Mer-cury, Venus and Earth, appear as half or crescent moons telescopically when they are in the best position for observation and they never appear with fully illuminated disks.

they never appear with fully illuminated disks. When the earth is nearest to Mars, in posi-tion Eq. see Fig. 1, it is invisible to the Mar-tians, just as Venus is invisible to us in the corresponding position, owing to the fact that it is then in line with the sun and lost in the glare of its light. This position is known as the planet's inferior conjunction with the sun. Just before and after the earth is in this position it would show a very thin crescent if viewed telescopically from Mars. from Mars.

In the position E_2 the earth is once more in line with the sun and Mars in what is

known as superior conjunction, and is again invisible. Just hefore and after it is in this position its disk is like a gibbons moon almost entirely illuminated, but it is unfavorably situated for observations from Mars because it is so near the sun and on the far side of its orbit from Mars. In position E_1 and E_3 the earth is at its greatest distance from the sun, spoken of as its greatest castern and western elongations, as seen from Mars. It is then a half-moon in the telescope, is at its highest elevation above the horizon and is evening or morning star to the Martians, according as it is east or west of the sun. We might expect that it would now be in its most favorable position for observation, but this is not so.

Looking at Fig. I we see that as the earth passes from the position E_3 toward inferior conjunction with the sun at E_0 , its distance from Mars decreases and therefore the apparent size of its disk increases. The form of the illuminated portion now changes from half moon to crescent but the *total* area of the illuminated portion increases up to a certain point. When the area of the illuminated portion of the planet has its greatest value the brightness of the planet is at a maximum. The exact time when this will occur can be worked out mathematically. The best observations of the earth seen from Mars would be obtained when the planet is in this position and the corresponding one lying between inferior conjunction and western elongation. (See positions E' and E" in Fig. 1.) We can therefore imagine the Martians observing our planet at its best in the morning or eve-ning twilight. The brilliancy of the earth in Martian skies at this time usually surpasses that of all other planets. Mercury and Venus, the also evening and morning stars to the Martians, appear considerably less brilliant than they do to us. The earth appears to the Martians much as Venus does to the earth, the less brilliant, owing to the fact that Venus comes nearer to the earth than the earth does to Mars. The only planet that may rival the earth at the time of its maximum brightness is the giant planet Jupiter, which appears at times brighter to the Martians than does our own planet.

In their telescopic observations of the earth the Martians would experience the same difficulty that we experience in our observations of Venus. When the planet is in its most favorable positions for observation the greater part of its disk is darkened, owing to the fact that the phase is the same as that of the crescent moon.

The Martians, however, would not be handicapped by a dense cloud-ladened atmosphere such as surrounds Venus and makes it so difficult for us to observe. As the earth's diameter is twice that of Mars, our surface markings would appear considerably more extensive to the Martians than the markings on Mars appear to us, tho drifting clouds and snow storms on our planet would frequently hide temporarily some of the markings on our planetary disk.

We can imagine the M artians puzzling over our seas and continents and largest islands and lakes, our polar snow caps and tropical vegetation showing in green and grey-green splatches, our reddish - tinted deserts, our mountains and our great level plains just as we puzzle over the canalsystem and the desert and marshy tracts on the planet Mars.

The fact that our planet rotates on its axis in twenty-four hours and has marked seasonable c h a n g e s could be as readily de-

termined from the distance of Mars as the seasonal changes and rotation of Mars on its axis have been determined by us. We can imagine the interest that our large satellite would arouse and the speculations that would be made concerning its indistinct surface markings. In one respect the Martians would have an advantage over



The Planet Earth and Its Satellite the Moon As It Appears Among the Stars When In Opposition to the Sun, Viewed from the Planet Venus

us in their observations of the moon. They would be able to examine one side of the moon that we have never seen. The side of the moon that is never turned toward the earth would be visible frequently to the Martians.

> Let us now consider how our planet would appear if we were stationed on the planet Venus, assuming that it is possible at times to see the beauties of the starry beavens thru occasional rifts in dense clouds that apparently shut the surface of this interesting planet almost completely away from the universe beyond.

> Seen telescopically at the time of its opposition to the sun, the planet Earth and its satellite the moon would be for the inhabitants of Venus the most heautiful and interesting object in the heavens. No

planet appears to any other planet as magnificent as the Earth-Moon system does to Venus at the time of nearest approach. The brilliancy of the earth seen from Venus at this time is twice that of Venus as it ap-pears to us at its best. As the earth's disk is then fully illuminated the inhabitants of Venus would have a great advantage over the inhabitants of Mars in their study of the surface markings of our planet. Objects on the earth's sur-face fifty miles in diameter could be made out easily by the inhabitants of Venus with the assistance of such telescopes as we employ for the observations of the planets. When Mars is most favorably situated for observation from the earth the diameter of its disk is between fifteen and twenty-five seconds of arc, according to its distance from the earth at the time of opposition. When the earth is most favorably situated for observations from Venus the diameter of its disk is sixty-three seconds of arc and that of the moon is seventeen seconds of arc. So even the disk of our moon appears at certain times as large seen from Venus as the disk of Mars seen from the earth. The markings on the earth itself seen from Venus stand out more distinctly at opposition than the markings on Mars do to us at the most favorable opposition of Mars as we are nearer to Venus than to Mars.

It is when we take our station on our own little satellite, however, that we behold our planet earth as the ancients wished to consider it—the most wonderful and aweinspiring object in the heavens. To the inhabitants of the moon, were there such, the earth's disk would appear four times greater in diameter and sixteen times greater in area than the moon's disk appears to us. Since the moon, in its revolutions around the planet Earth, always keeps the same face turned toward it, the position of the carth, for any one point of observation on the moon, remains immovable in the heavens, and it goes thru the varions phases of its illumination by the sun in the reverse order to that followed by the moon. When the moon appears to us to pass from new to full the earth appears to the moon to pass from full to new and vice versa.

The rotation of the earth on its axis is plainly visible from the moon even to the naked eye. A distinctive marking will appear at the western edge of the earth's disk, say the Black Sea or Central America. It will be carried gradually eastward by the rotation of the planet and will finally disappear twelve hours later at the eastern edge.

Oceans and continents and polar caps appear in their general outlines and contrasting shades, visible easily to the naked (Continued on page 911)



Fig. 6. The Earth and the Moon As Seen from Planet Venus Thru the Telescope At the Time of Its Opposition to the Sun



Fig. 4. The Earth As Seen from Mars. At the Time of Its Greatest Brilliancy the Earth Appears As a Crescent to the Martians. To Better Understand This See Figs. 2 and 5. To the Martians the Planet Earth Can Never Be Viewed As a Full Disc—Only In Crescent Form. When Entirely Illuminated By the Sun, It is Lost In Its Rays and Is Therefore Invisible to the Martians

Radiophony to Airplanes a Great Success

A CONSIDERABLE time before the United States entered the world war the Bell Telephone system supplied the American Navy with a wireless telephone outfit designed for communication between an airplane and a sta"All this sounds very simple, but it would take volumes to describe the innumerable experiments and heart-breaking failures before the first real successes. So far as the radio part of the equipment was concerned we had an answer in a short time. We had



U. S. Army Airplane Pliot and Observer Equipt with Wireless Telephone Sets for Transmitting as well as Receiving Speech. These Sets Are Provided with a Change-over Switch Which Permits the Instruments to Be Utilized as a Regular Telephone Between the Two Birdmen.

tion on land or on a ship. From that time on until this country entered the worldconflict, the Western Electric Company, as a part of its general study, conducted the work of perfecting light, compact wireless telephone sets, which would be available on small vessels and on airplanes. The first successful wireless test between an airplane and the ground after our entry into the war was made with one of the sets designed and completely built by this enterprising engineering organization prior to our entry into the war. The test was made on Langley Field.

ley Field. On May 22, 1917, Gen. George O. Squier, Chief Signal Officer of the United States Army, sent for Dr. F. B. Jewett, chief engineer of the Western Electric Company, to confer with him with reference to the matter of equipping airplanes with wireless telephone apparatus. At this conference, which was held in Washington, besides Gen. Squier and Dr. Jewett, there were present E. D. Craft, one of Dr. Jewett's principal assistants; Capt., now Col. C. C. Culver, of the Signal Corps, and Col. Rees, of the British Army Air Service. The possibility of providing airplanes with wireless telephone service was discust, and the reports of the development work being done by the Western Electric Company made by Dr. Jewett were so promising that he was ordered in writing by Gen. Squier to proceed with the development of the system, and to actually equip planes with it.

The Bell system engineers had progrest so far at that time that they were able on July 1, 1917, five weeks after the first conference, in a test at Langley Field, to actually demonstrate the working of the wireless telephone between an airplane and the ground. This test also showed that it was practical to operate the system between two or more airplanes in the air. developed some very successful forms of vacuum tubes and it was a simple matter to assemble them with the necessary coils, condensers and other apparatus that comprise the transmitting and receiving elements. Working this apparatus under ordinary conditions on the ground, and in a swiftmoving and tremendously noisy airplane, were two entirely different propositions. The noise of the engine and rushing air was such that it was impossible to hear one's own voice, to say nothing of the weak signals of the telephone receiver," stated Edward B. Craft, Assistant Chief Engineer of the Western Electric Co. One of the first problems was to design a

One of the first problems was to design a head set which would exclude these noises, and at the same time permit of the reception of the telephone talk. A form of aviator's helmet was devised with telephone receivers inserted to fit the ears of the pilot or observer. See accompanying illustration of the helmet with 'phones complete. Cushions and pads were provided for adjusting the receivers to the ears and the helmet fitted close to the face so as to prevent as far as possible, the sound being heard either thru the ear passage or thru the bony structure of the head, which acts as a sort of a sounding board. A helmet, such as that illustrated, was finally developed and was found to solve this portion of the problem. The earpiece finally adopted was made of sponge rubber (made so by blowing air thru it while molten), reënforced by tinfoil, and the receivers themselves embedded therein. These were mounted in a thick leather helmet, to be clamped over the flier's head and ears. It effectually muffles bone transmission also, besides permitting the use of oxygen or gas masks. Everyone knows how sensitive the ordi-

Everyone knows how sensitive the ordinary telephone transmitter is to extraneous noises, and it does not require a wide stretch of the imagination to picture how this would act alongside the exhaust of a 200 horespower gasoline engine. A brilliant line of experimentation finally resulted in a form of a telephone transmitter or microphone, which possest the remarkable quality of being insensitive to engine and



Testing the Radiophone Between New York and Washington. A Photograph of U. S. Naval Operators Communicating with the U. S. Navy Department at Washington, D. C., from the Bankers Club In New York, Thru the Radio Telephone. Many of the Country's Leading Bankers Were Present to Witness the Demonstration. Afterward Tests Were Made from this Station to Airplanes and Dirigibles Flying over New York City, Various Orders Having Been Successfully Sent to the 'Planes.

wind noises, and at the same time very responsive to the tones of the voice. With these two elements in hand, the problem was apparently solved. The fact remains, however, that three solid months of the hardest kind of work was necessary to iron out all the kinks and get the thing in shape so that it might be considered a practicable device for the everyday use of other than experts, as Mr. Craft points out. The microphone perfected for this work has no mouthpicce, but instead a flat cap having three tiny openings about 1/16 inch in diamcter. The voice waves pass thru these onto the diafram easily, but the engine noises swirl round it in other directions and do not enter in sufficient volume to be heard at all.

at all. A typical performance of the radiophone between 'planes and ground will prove of interest. Here is the way it worked at one of the first official army tests at the flying field at Dayton, Ohio, December, 1917, as related by Mr. Craft, "The 'planes left the ground and after what seemed to be an interminable length

"The 'planes left the ground and after what seemed to be an interminable length of time, we got the first sounds in the receiver, which indicated that they were ready



The Vacuum Tubes Which Do the Work in Radiophoning to and from Airplanes and the Ground. At the Left—the Transmitting Tube; at Right—the Receiving Tube. America Was Turning Out These Bulbs by Thousands Every Day When the Armistice Was Signed, so Rapid Had the Standardization and Production Progrest.

to perform. The spectators were only mildly interested, and some seemed to be a bit bored. Suddenly out of the horn of the loud speaker came the words, "Hello, ground station. This is 'plane No. 1 speaking. Do you get me all right?" The bored expression immediately faded, and looks of amazement came over their faces. Soon we got the same signal from No. 2, and the show was on. Under command from the ground the 'planes were maneuvered all over that part of the country. They were sent on scouting expeditions and reported what they saw as they traveled thru the air. Continuous conversation was carried on, even when the 'planes were out of sight, and finally upon command they came flying back out of space and landed as directed."

and finally upon command they came trying back out of space and landed as directed." Electric current must be supplied to operate the wireless set on the 'plane, as we well know, this current being used to heat the filaments of the vacuum tubes and to operate the transmitter. But the 'planes were already loaded down with all the gear they could carry, and the use of heavy storage batteries was out of the question. The airplane engineers would allow nothing to be connected to their engines, so there was nothing left but to supply a separate radio dynamo, and drive it by a wind propeller, taking its power from the rushing air. Airplanes are in the habit of flyIn our next issue will appear an important article by Nikola Tesla entitled "TRUE WIRELESS" In this article Dr. Tesla will make known his views of the propagation of the wireless waves.

ing at various speeds, and the specifications stated this to be from forty to one hundred and sixty miles per hour, the latter figure representing the speed when the machine was diving. The little dynamo, therefore, had to deliver a constant voltage with a speed varying from 4,000 to 14,000 r.P.M.

The microphone and receivers used for radiophoning from 'plane to 'plane or 'plane to earth are arranged by means of a switch so that the pilot and observer can converse over the telephone circuit between the pilot and his mechanician with ease, and by throwing a switch can connect themselves with the radio apparatus and talk with the men in another 'plane three or four miles away, or to the ground.

away, or to the ground. The primary object was to make it possible for the commander of an air squadron to control the movement of his men in the air, the same as a squad leader of infantry does on the ground. For this purpose extra long range is not required, and the distance over which they can talk is purposely limited to two or three miles, so that the enemy cannot overhear, except when actually engaged in combat, and then nobody cares.

The Navy also makes use of these sets in their seaplanes, and here the range is somewhat greater, up to twenty miles in some cases. The Navy has also made use of a modified form of this set in their 110-foot submarine chasers. The chasers hunt submarines in packs, and by means of the radio telephone, their commanders

keep in constant touch with each other, thereby greatly increasing the effectiveness of their operation.

Finally, with the formal demonstration completed, pressure was immediately applied to produce the necessary quantity of sets with their multitude of auxiliary and subsidiary parts. From Jannary 1, 1918, to the early summer of that year the Western Electric Company established factories and trained thousands of operatives so that when the armistice was signed the necessary transmitting and receiving tubes for radio telephone sets were being produced at a rate in excess of a million and a half good tubes per year. Improvement in vacuum pumps has resulted in a wonderfully high degree of exhaustion being attained about one-billionth of an atmos-

phere. Altogether thousands of radio telephone sets of different types have been manufactured and delivered to the Army and Navy since the early part of 1918. In spite of the fact that prior to July, 1917, no commercial types of this apparatus were in existence, and some of the fundamental problems had not yet been solved, the resources of this great telephone engineering organization were sufficient to establish



The Wireless Telephone Apparatus (Outlined In White Square) Installed in Cock-pit of Airplane. It Takes up But Little Room and Has Such a Small Weight as to Be Insignificant, Compared to the Lifting Power of the Plane.

on a commercial basis, within this short space of time, practically speaking, an entirely new art!-Photos Courtesy W. E. Co.

HOW AIRPLANES FIND THEM-SELVES BY RADIO.

In his recent lecture before the American Institute of Electrical Engineers at New York Major-Gen. G. O. Squier, in connection with his description of the war's developments in radio apparatus, spoke as follows concerning the problem of aërial navigation:

"One of the principal problems of airplane navigation has been the evolution of a suitable compass, particularly for night bombing work. Magnetic and gyroscopic compasses have limitations at present which make impossible reliable air navigation by dead reckoning.

(Continued on page 926)



Aviator's Radiophone Helmet Fitted with Special Sound-proof Pads and Having the Two Receivers Mounted Tightly Therein. The Receivers Are Moulded in Sponge Rubber. The Helmet Is Made of Leather.

Do Radio Waves Travel Above the Earth or Thru It?

By DR. LEE de FOREST

(Written exclusively for the Electrical Experimenter)

"HE article on "Radio Around the World" is very interesting. From my own rather extended experience and

based also on the calculations and results obtained by most of the serious workers in this field, I think there can be no doubt but that the *etheric* πaze component is by far the more important one. Understand, however, that these are not ordinary space waves, but are grounded waves gliding over the surface of the earth, thus following the contour of the earth. See Fig. 1. The depth of the wave in the ground or sea water has been shown by actual measurements, as well as by theoretical calculations, to be or-dinarily and until recently only a few feet; sufficient, however, to explain the in-teresting results obtained with an horizontal antenna lying close to the surface of the earth, or even in trenches a

few inches below the surface and extending, of course, in the general direction of wave propagation. Unquestionably the molten interior of the earth would conduct low frequency oscilla-

tions with comparatively little loss, but it is obviously impossible to make connection to this molten interior, ordinarily. If one cared to experiment with two vol-canoes at a comparatively short distance making each apart. crater the terminus of a line connecting with the terminals of an A. C. generator, and at some distant spot of the earth's surface between two neighboring volcanoes another parallel wire, in which a tuning and detecting device was located, very interesting results might be obtained. See Fig. 2.

However, if such a combination could be found there would probably exist not the slightest excuse for sending telegrams between stations thus situated. Unfortu-nately, or fortunate-ly, we cannot locate our volcanoes as we would subway tubes.

If, as you suggest, powerful wireless station could be operated at a sufficient distance from the earth's surface, and completely isolated therefrom, remarkable distances a ble distances of transmission thru the ether might be achieved. However the energy obtainable at the moon from a

given output of energy transmitted near the earth's surface can be calculated, by inverse square law. It will be found that a tre-

<text><text><text><text><text><text>



Various Phases of Gliding Wave Wireless Transmission Used in Discussion Here Given. In General, the Etheric Space Wave Glides along the Surface of the Earth, Accompanied by Its Grounded or Foot Wave.

mendously powerful station would be required to transmit signals to any such dis-You doubtless are of the remarkable tance. aware distances obtainable from airplanes to the earth, using comparatively small trans-mitters. Just recently an army airplane carried on radio communication successfully over a distance of 150 miles. The distances are usually much greater than where a similar transmitter is lo-cated on the earth's surface, using a similar length of antenna.

April, 1919

The phenomena involved in such transmission, where the airplane is, say, two miles above the earth's surface, are doubtless complex. Here the ground wave is originally a free space spherical wave, but when the surface of this wave reaches the earth it doubtless cuts into the earth for a small depth and becomes then a true grounded wave, just as if it originated from an earthed antenna. See Fig. 3. There is great need for interesting data on the

phenomena of transmission from airplanes and whoever will collect and publish such data will be confer-ring a great service to the Radio Art.

Concerning your question as to whether the wireless waves travel or glide along the surface of the earth in the manner which I have de-scribed above, each wave having a grounded foot or base penerating a short distance into the earth, I might mention a very interesting phe-nomenon which we have encountered in installing wireless stations in mountainous or mining country in the western part of the United States. Figs. 4 and 5 illustrate this phenomenon. Fig. 4 shows a case which often happened in the early commercial days radio - telegraphy, of where a mine owner or other party wished to install a station in a valley or cañon, which happened to have sharply rising cliffs on either side. Apparently the composite etheric and ground waves became so stretched out or attenuated in their ef-fort to leap across this valley, that the station was only able to intercept either very weak signals or no signals at all. Therefore it was found advisable in in-(Cont. on page 919)

Aërial or Ground Radio-Which?

The Opinions of Two Leading Wireless Experts

Do Radio Waves Travel Above the Earth or Thru It?--by Dr. L. W. Austin, Radio Expert, U. S. Naval Radio Laboratory.

EPLYING to your queries of recent date, I am very glad that you have asked these questions and will answer them to the best of my ability.

Q-1. I see no reason to doubt the validity of the old theory of wireless transmission which supposes a wave in ether (and under certain circumstances in the upper layers of the earth, provided they are sufficiently bad conductors), the lower ends of the electric lines being grounded on the conducting surface. The space wave under most circumspace wave under most circum-stances certainly carries the greater part of the energy, ex-cept where the wave front is bent very far forward. This theory, it seems to me, is suffi-ciently proven by quantitative observations on received radio current which at moderate discurrent which at moderate distances always agree within a few per cent with the theory that the antenna produces a field corre-sponding to a Hertz oscillator of twice its

length. Q-2. I believe that the currents in the earth are only incidental to the presence of the ether waves.

Q-3. In the case of transmission be-tween airplanes and the earth, the phe-nomenon is similar. In sending from a 'plane, the wave must start as a *pure ether* wave which spreads downward and grounds

Here Are the Questions the Editors Submitted

Here Are the Questions the Editors Submitted Q. 1. Do you believe that wireless transmission is effected by complex ether waves having a grounded foot, these waves gliding over the surface of the earth from the antenna, and if so: (a) Do you think that the etheric space wave above the ground is the predominating one in energy component and amplitude?—or (b) Do you believe that underground wave component is the predominating one in energy component and amplitude? Q. 2. Do you believe that underground wireless transmission is effected by means of ground impulses or currents radiating thrn the earth from the base of the antenna, and that the etheric space wave radiation from the antenna is merely an incidental and separate phenomenon, which dissipates itself at a comparatively short distance of a few hundred miles or so? Q. 3. Do you not believe in this general direction of thought on the matter, that it is the etheric space wave radiation from the antenna that ac-counts entirely for airplane radio transmission; either 'plane to 'plane, 'plane to earth, or earth to 'plane communication? Q. 4. How do you account for the results obtained with the Rogers under-ground and undersea radio transmission and reception? Do you believe that this is accomplisht by the grounded components or "feet" of the gliding etheric space waves in conformity with the usual theory accepted theretofore by the Hertzian wave school, or do you think that it is due to ground im-pulses or high frequency oscillating currents propagated thru the conducting shell of the earth? Q. 5.—Do you think that, all things considered, and in the light of present day radio developments, such as the Rogers underground and undersea sys-tem, that radio transmission would take place with higher efficiency in free interplanetary space, or do you believe that aur wave length, and this phenomenon they are inclined to believe acounts for the results obtained with the underground system. Do you believe this to be a fact?

itself, and then spreads out longitudinally (with a more or less bent wave front) very much like the wave from a grounded antenna.

antenna. Q-4. In antennas close to the ground or buried in the ground which, by the way, behave exactly alike except for a slight difference in static-signal ratio, the reception where the art has a state of the state of the state. is accomplished by picking up the earth cur-rents produced by the wave. These, of

course, become relatively more powerful at greater distances from the sending station, owing to the usual bending forward of the wave front. The sending from earth or buried antennas is probably accomplished as follows:

In the first place, ground cur-rents are formed which produce an electric field in the ether above the earth's surface. This field in spreading out and upward gradually rights itself and travels off very much like the field from au antenna, except that it is directive

Q-5. I do not believe that it is probable that any wireless Q-5. radiation passes thru the Heaviwould seem to eliminate the "Mars" radio story which has been going the rounds of the daily press.)

Q-6. Experiments indicate that long waves can be detected at greater depths than short ones, as would be expected from the ordinary skin effect phenomenon of al-

I am very sorry I have to disagree with Mr. Tesla in this matter, for I consider him the father of wireless telegraphy. His lectures in the early '90s contain full de-scriptions of a wireless system superior to anything which we actually had in prac-tise before 1910, except for the lack of a proper detector. proper detector.

How I Believe Radio Wave Transmission Is Accomplished

By F. H. KROGER

Chief Engineer, International Radio Telegraph Co., Formerly Chief Engineer, National Electric Signaling Co.

N response to the request of the Editors of the ELECTRICAL EXPERIMENTER, I give below my replies to the ques-tions here submitted :

Q-1. Practically all the energy delivered by the radio transmitter is radiated in the form of waves gliding on the earth's In the form of waves gliaing on the earth's surface. Any energy which may be found to exist in the earth's surface is supplied by the waves sent out from the antenna. The poorer the conductivity of this surface, the more energy is taken from the wave, and consequently the less there is available at the receiving station.

Q-2. There must exist in the earth's sur-face, currents at the feet of the waves re-ferred to in question number one. Means for detecting these currents will give a method of receiving messages. These currents, however, represent only a small per cent of the energy of the traveling wave. It is quite generally agreed that the wave above the surface cannot exist without the current in the surface and vice versa.

Q-3. Yes.

Q-4. Currents due to the gliding wave.

The "Heaviside" ionization layer Q-5. must be a boundary to the waves. One of the explanations of the marvelous work done in the North during the winter is the fact that the ionized layer of the Aurora, coming close to the earth, provides a boundary to the waves which prevents the usual attenuation.

Q-6. The ground losses are higher with longer wave-lengths for poorly conducting earth, in the vicinity of the antenna, which indicates that a greater volume of the earth is affected by the currents. This greater penetration would also hold for the gliding wave. Ground tests made some years ago indicated that the ability to receive signals did not depend upon the quality of the ground nor the wave-length: therefore Mr. Rogers' system probably does not depend upon a penetration due particularly to long wave-lengths, but upon a penetration which is sufficient for his purposes, given by any wave-length.

EXAMINATIONS FOR AMATEUR FIRST GRADE RADIO OPER-ATOR'S LICENSE AT NEW YORK.

Examinations for amateur first grade radio operator's license are heing given at Room 603, Custom House, Bowling Green, New York City, every day after 9 a. m., announces Charles D. Guthrie, Radio In-spector of that district. Attention is called to the fact that ap-plicants for amateur first grade radio oper-

ator's license must qualify in the transmission and reception of Continental Morse code at the rate of ten words per minute instead of five as heretofore.

Papers covering these examinations will

Papers covering these examinations will be rated by the examining officer as soon after the examination as possible but no licenses will be issued until amateur sta-tions are permitted to operate. PLEASE NOTE: By taking this examina-tion authority is NOT granted to open your station. It will be necessary after the sta-tions are authorized to open, to furnish on form 762. Applicant's Description of Ap-paratus, the particulars required and await the issuance of station license as well as the operator's license before operating the staoperator's license before operating the station and form 762 cannot be filled in and filed until the station has been made ready for operation as it is important that the exact dimensions of the antenna and the amount of power to be used be stated in this application. You are hereby cautioned that it is un-

lawful to operate an unlicensed station, and all amateur licenses (operator's and station)

When authority is granted to issue ama-teur licenses, new station numbers and call letters will be given.

CHAS. D. GUTHRIE, Radio Inspector.

The How and Why of Radio Apparatus

By H. WINFIELD SECOR

No. 11. How to Make and Use a Direct-Reading Wave Meter and Decremeter. From time to time we will describe one particular instrument used in either the

radio transmitting or receiving set, explaining just how it works, and why. We have received so many requests from new reoders asking for such explanations that we have decided to publish this matter in seriol form. In the course of several issues all of the principal transmitting and receiving apparatus will have been covered. The subject for the eleventh paper is HOW TO MAKE AND USE A DIRECT-READING WAI'E METER AND DE-CREMETER.

THE present time seems an opportune one for the radio student and the radio amateur to prepare for the forthcoming opening of experimental radio opportunities, and we believe that no better use can be made of the spare time than to construct and study the use of the *wave meter* and *dccremeter*. The accompanying text and illustrations show how to build a

home-made wave meter which will give very satisfactory service. The dimensions given for the various parts of the instruments are taken from an experimental one which was carefully calibrated for the writer.

We will first take up the construction of the wave meter and will afterward consider the calibration curves to be used with it, and also the determination of decrement.

Perhaps the first part of the instrument that will come to hand as the student sets about the building of it, is the *inductance*, or rather the inductances. These coils are also referred to as the *cxploring coils* or exploring inductances. They are used to pick up sufficient energy from a radio transmitter or receiving set, so as to cause oscillations to be set up in the wave meter circuit, which will be of sufficient strength to give a positive indication of resonance or non-resonance of the circuit, and thus to determine the exact period at which the current being measured is oscillating.

determine the exact period at which the current being measured is oscillating. The illustration, Fig. 1, gives the details of construction for the three inductances used with this wavemeter. The wooden forms on which the coils are wound are best turned on the lathe from some fine grained hard wood such as mahogany or maple. The physical dimensions of the forms are given in the drawing and the



Dimensions of Home-made Variable Condenser of the Required Capacity for Wave Meter Here Described.



Photograph of Author's Wave Meter Fitted with Calibrated Condenser and Inductance Coils of the Dimensions Given in the Present Article.

enameled magnet wire. These inductances have been accurately calibrated by comparison with a standard wave meter at the Radio Standardization Laboratory of the College of the City of New York, thru the courtesy of Dr. Alfred N. Goldsmith, Di-



Details of Inductance Colls, Three of Which Are Used to Give the Wave Meter a Desirable Range.

rector, and the specifications for building these coils must be rigidly adhered to. Where the accuracy of the instrument within a few per cent below or above the calibrated values is not imperative, No. 20 gage magnet wire, covered with a single winding of silk may be used; but due to the peculiar qualities of enameled magnet wire and the number of turns per inch of winding, etc., it will be seen that the specifications here given should be carefully followed to obtain the inductance values in centimeters here given. The three coils, numbers 1, 2 and 3, have inductances of 36,000, 126,000 and 259,000 centimeters respectively.

The manner of attaching the inductance

coils to the wave meter cabinet is shown at Fig. 1, and consists of two lugs made of 1/16 inch brass and having slots at the lower ends of each. This enables the operator to slip the coils on and off the binding

posts quickly. The inner and outer leads from the winding of the inductance should be carried thru diagonally drilled holes in the wooden form, as is indicated by the dotted lines, and they should be soldered to the two brass hugs, which are screwed to the form by means of small flathead brass wood screws. The wooden form may be varnished or shellacked before winding, but the winding itself should not receive any coating of shellac or varnish, as this changes the distributed capacity of the coil. Do not use any iron in building these inductances.

The next item claiming our attention is the variable condenser, and we might say a great deal concerning this part of the apparatus, and then again we might just as well say very little. Experience dictates that this comes out about as follows: in the first place many radio experimenters would rather obtain on the open market a small variable condenser having apacity for use in this par-

on the open market a small rotary type variable condenser having the proper capacity for use in this particular wave meter, and this should be .00086 microfarad. Of course any condenser having this capacity within a small fraction one way or the other may be used, but if the student wishes to have a good accurate wave meter, and intends to eventually have it calibrated or checked against a standard wave meter, then he will do well to select a good sturdy and reliable make of rotary condenser. Some of the points to be watched in the design of such a condenser are that it should not have the rotary and fixt plates too closely spaced, or else it will frequently give trouble by short-circuiting; the rotary plates should be accurately locked on the rotary shaft either by having their hubs molded on the shaft or else they should be mounted on a square shaft so as not to turn, or again they can be keyed on the shaft. For the purpose of a wave meter there should also be practically no up and down movement or play in the vertical shaft supporting the rotary plates. For all practical purposes, the capacity of a rotary variable condenser (see Fig. 2), is determined by the usual capacity formula using a K value of 1, which is that for air.

Many radio amateurs and experimenters



Usual Hook-up of Detector and 'Phones In Unllateral Fashion, Where There Is Sufficlent Energy to Actuate Detector Properly.

April, 1919

will undoubtedly wish to construct their own variable condenser having this required capacity, and the physical dimensions of such a variable condenser are given in Fig. As will be seen, this particular design comprises three stationary and two rotary aluminum or brass plates. These plates should preferably have a thickness of 1/16to 3/32 inch so as to be perfectly flat and retain their shape, and thus maintain the accuracy of the condenser when once assembled. The four active air dielectric spaces between the plates should be exactly 1/32 inch. The diameter of the rotary plate, as Fig. 2 indicates, should be 8-23/32 inches, and by cutting the lugs on the stationary plates as well as on the rotary plate in the manner indicated, will permit of the accu-rate interleaving of the rotary and fixt plates so as to give the proper capacity.

Thus we see that the two principal parts of any wave meter are-an accurately cali-



Three Schemes for Improving the Wave Me-ter Dial and Indicator so as to Make It "Direct Reading." Fig. 8 Shows an Auto-matic Dial Arrangement Which Causes the Correct Reading to Appear, no Matter Which of the Three Coils Is in Use.

brated precision variable condenser and an accurately calibrated inductance. In prac-tically all cases this inductance and capacity of known values are connected together in parallel or shunt as shown at Fig. 3-A. Referring to Figs. 3-A and 3-B, the lead wires joining the inductance or exploring coil to the variable condenser are composed of two pieces of No. 16 flexible lamp cord, each 6 inches long. A 3-inch length of cop-per strip joins the two pairs of binding posts. Fig. 3 shows one set of binding posts being used for the inductance coil and the other set intended for the connection of a hot wire milliampere meter or thermo-couple and galvanometer. Ordi-narily this latter pair of hinding posts are fitted with a piece of copper strip about 1/16 inch thick forming a *jumper*. It is well in all cases to fit a safety spark

gap across the terminals of the variable condenser as shown at Fig. 3-B, as when the wave meter is used in close proximity



Arrangement of Wave Meter in Cabinet, Including Condenser, Inductance, Gelssler Tube, 'Phone (1,000 or 75 ohm), Etc. The Diagram Shows Geissler Tube and Detector and 'Phone Indicator Circuit, Either of Which Can Be Used.

to radio transmitting sets, there is very often a sufficiently heavy current induced in the wave meter circuit to cause a puncture of the insulation of the inductance coil or a short-circuiting of the variable condenser, especially if the latter happens to have closely spaced plates.

For indicating the maximum resonance when measuring the wave length of a transmitting set, where the induced current in the wave meter is of course quite strong in any case, a very good indicator, as proven by practise and experience, is an ordinary 3-inch Geissler tube, or better yet a small helium gas tube. It is best when using either a Geissler or helium tube as an indicator of maximum resonance, to place the tube in a small box mounted on the lid of the wave meter, the box being black-ened inside and provided with a slot in the front so that the degree of glow in the tube may be easily seen. It is also common practise to connect a hot wire milliampere meter in series with the inductance and condenser of the wave meter by removing the jumper on the series binding post terminals and connecting the meter to this; in this case the maximum resonance, and therefore the wave length at which the circuit under test

is oscillating, is indicated bv turning the condenser handle until the needle of the hot wire meter reaches a maximum reading. Some operators prefer to use the wellknown detector and telephone receiver method of determining S the maximum resonance point in the wave meter circuit as the diagrams at Fig. 3 show. The detector and wireless 'phones are connected (in series or in multiple) across the variable condenser for the purpose. This arrange-ment is extremely sensitive, and is the

9

80

5

length of received signals. The Geiss-ler tube or other apparatus is, of course disconnected from the wave meter circuit, if the detector and 'phone method is to be used. With respect to the detector used on the wave meter, it may be said that either carborundum or iron pyrites proves best, as either may be subjected to a very strong current without harm.

Figures 4 and 5 show two more circuits used with the wave meter. Fig. 4 shows a detector and telephone receiver circuit, con-nected to the main oscillating circuit of the wave meter by a unilateral or one-wire connection. This method is highly recommended in many text books treating on the wave meter and its uses, and at the present time it is used on many of the best commercial wave meters. This connection of the detecting circuit possesses the ad-vantage that it cannot have any detuning or offsetting effect on the oscillating cir-cuit as is the case where it is placed in shunt to the capacity and inductance comfor the purpose in hand, as with this con-nection the detector and 'phone receive just a sufficient amount of energy to operate (Continued on page 921)

Hoir Line on 22 24 28 28 30 Glass Window 0 Lid of Ø Condense Q, Ę, ò Fixt Plates 6 ostatit 10 Rotary Plates O Position of Paper Scale on Rotary Plate of Condenser

Fig. 10

one invariably To Make a "Direct Reading Decremeter" of Your Wave Meter, Cut Out the used in mass- the Top Rotary Plate in the Manner Here Shown. The Decrement Is Read ing the wave thru the Window When Resonance Is Indicated.

German Radio Apparatus Used at Metz

NHE accompanying illustrations show the interesting radio apparatus and antenna mast used at the famous German military base at Metz. These photographs were taken by the French Army when they entered Metz after the signing of the armistice. The photo-

which are placed in a group at the lower center of the front panel. Among other things, we find it interesting to note the very neat arrangement of the interior wiring of the cabinet, the various connections being run symmetrically straight lines, evenly spaced and held rigidly

MORE BUNQUE.

By J. A. Weaver. I often wonder how Noah made the arc

light. And it sure does get my goat why insula-

tors wear petticoats. And of what possible use is a vacuum

SEC. Three Interesting Views of the German Wireless Station at Meiz, Photographed by the French After The Famous Stronghold and Fortress Had Been Surrendmed to the Allies Under the Terms of the Armistice. The Left hand Photo Shows Front Panel View of Elaborate Radio Receiving Cabinet With the Numerous Dial Switches for Closs Tuning. The Center View Shows the Side of the Cabinet Removed with the Intricate Wiring and Switch Connections Necessitated by the Close Tuning Conditions at Such an Important War Time Radio Station. Note the Clever Rotary Silder Control of the Inductance Coil at the Top of the Side Lid. View at Right Shows the Base of the Steel Radio Mast, 80 Meters In Height Which Rests on a Giganite Porcelain Insulator at the Foot of the Station Was Placed Many Feet Underground.

graph of the aerial mast is interesting as it shows a very novel construction whereby a strongly braced tower structure is formed of steel tubes or pipes, provided with flat-tened ends thru which bolts are past. The base of this radio mast, measuring 80 meters in height, is tapered to a point at the bottom, as the photograph shows, and rests on a large porcelain insulator. Suitable guys and pins were used in arranging this insulating base support, so that the foot of the mast could not slip or break away if for any reason the insulator should break. The mast was well-guyed with steel cables running in dif-ferent directions, and the antenna was sup-ported in umbrella fashion from the top of the mast. As the photograph discloses, a high steel fence enclosed the grounds connected with the station to preserve secrecy, and also to prevent any one coming in con-tact with the highly charged aerial conductors.

The remaining two photographs show re-spectively front and side views of the re-ceiving apparatus used at Metz. One of the first interesting things we note in connection with the design of the apparatus, and plainly visible in the side view is the rotary control of the inductance slider. This is accomplisht by a lever secured to a rotary accomplisht by a lever secured to a rotary knob, the free end of which is joined by means of a link member to the slider of the inductance in the manner shown, so that as the handle is turned in rotary fash-ion, the slider will move back and forth along the coil. The detectors, of which there are several in duplicate, are observed at the top of the instrument, while an claborate multiplicity of control handles with graduated inductance pointers, are provided for changing the wave length of the primary and secondary receiving circuits, as well as the coupling between the coils of these circuits, and also the capacity values used.

The telephone receivers, several sets of which may be used when desired, are con-nected with the receiving set cabinet by means of flexible cords and jacks, eight of

in place by means of insulating cleats. In the side view of the apparatus, which shows the interior, one may perceive the neatly wound inductance coil at the bottom of the cabinet, and as will be seen, it is square in form with a number of inductances placed along the form on which it is wound. This along the form on which it is would be set is designed so as to be suitable for receiving either spark or arc signals.



Wireless Terms Illustrated---"Beat Receiver" ---Courtesy The Oscillator.

vacuum bulb detectors or oscillators are shown, hut we know that they were used in many of the German sets, the bulb em-ployed being that devised by Lieben and Riez.

cleaner, being as a vacuum is always clean? And whether undamped waves oscillate or vibrate?

And whether it would be murder to kilowatt?

And whether you can measure water with a wavemeter?

And how a bus-line can run from place to

And now a bus-me can run from place to place without moving? And whether it would be nice to be a miner in the mines of Asia-Minor? And if a condenser is over charged by a conductor would it cause a disturbance on the trolley line?

And where does the dago when nite approaches And how to tell when onion plants arma-

ture? And what is the price of a drink at the

bus bar?

And why some boobs persist in saying a.c. current and d.c. current instead of a.c. and d.c.

And whether there are any seeds in a transformer core.

CHAIN OF RADIO STATIONS.

The establishment of a chain of radio stations, approximately 30 miles apart along the Atlantic Coast, was announced at the headquarters of the 1st Naval District recently. The statement intimated that by this arrangement incoming vessels, when 150 or 200 miles off coast, could determine their position easily by communicating with shore stations, regardless of weather conditions. Along the 250 miles of coast included within the Ist District eight stations are already in operation.

GUARD STATIONS TO HAVE WIRELESS. COAST

In the near future radio stations will be In the near future radio stations will be installed at the coast guard stations at the Isles of Shoals, at Station No. 2 at Cross Island, Buck's Harbor. Me., and Station No. 8 at Damiscove Island, Boothbay Har-bor, Me. A number of radio operators will be sent to these stations.



A Timely Reinforcement A Copper Plated Stomach By THOMAS REED

HERE'S a lot in being forehanded. Mother was that way. Every Satur-day we used to have salt fish for dinner, so she wouldn't be bothered

with getting up anything to eat on

with getting up anything to eat on baking-day. That sounds like a paradox, but it wasn't, it was a shame, for the "bak-ing" was very appetizing and savory, while the fish was—well, not so savory. Now, when you wanted salt fish on Sat-urday, you had to begin way back in the week somewhere. Tuesday was a good day because there wasn't much of anything to do (on top of the regular chores) ex-

to do (on top of the regular chores) ex-cept the ironing, and you had a chance to think. Follow me carefully—you know how long it is from Tuesday before Saturday comes around? Well, mother used to plan ahead all the time, foreseeing she was going to be foreseeing she was going to be heated and tired, and all fust up with cooking formulas, and would need an accommodating viand for dinner that she could slap down most anywhere with-out hurting it, and tell us children to go to it and forget the

dren to go to it and forget the whole business. On Tuesday she commenced *dcodorizing* the fish. You see, while the fish abode with the grocer, it was always picking up scents like coffee and spices and matches and kerosene, from the clerk's habit of wiping his hands on it in passing, and the hostler would chuck a horse-blanket on it often enough to give it a quaint stable tang. But what you'd call the basic flavor was imparted by "Tabby"—the store cat. The pile of codfish was the place where the cat slept and took her bath (the kind of dry-cleansing a cat calls a bath); also her refuge from stray dogs—or am-bush, according to whether she could lick the dog or not. The result was you couldn't say the cat smelt fishy or the fish catty. cat smelt fishy, or the fish catty, but they smelt about alike! It was a blend, like this fancy-named toilet-water you have to have pronounced for you, eau

de something or other. If you just wanted the fish for a smelling fish, you didn't have to do anything to it, it was all right as it was. But when you wanted to use it for an eating fish, you had to go to work and separate the fish part from the odor part, or as much of it as you could. It wasn't difficult or laborious at all, but it took time, and that's why you had to be forehanded. You put this fish into a good stout pan—a pan that wasn't par-ticular whom it associated with—and cov-cred it with common ordinary water. The ered it with common ordinary water. The water didn't stay that way very long. In a few hours it was most uncommon water, yelling to heaven and casting into the air bunches of assorted perfumes, like Springtime tripping o'er the lea and scattering flowers—I mean the operation was the same, not the raw material.

When one dose of water had suffered about enough you poured it off and re-newed it, and so on. If you tended right to your business thru Tuesday and Wednesday and Thursday and Friday and Wednes-day and Thursday and Friday and Satur-day morning, then by Saturday noon there was your fish—transformed into a regular eating fish—at least those who had to eat it could: That's how you had to plan meals in those days—no frittering away your time to tak dayseance till the last minute and at tea-dongsongs till the last minute, and

H)

From that moment nothing was thought of but comebacks to hand to Germany in re-turn for her favors of the past 40 years, with the accent on the last 4—which was righto, and success to the job; but in the rush of business, a very important point was overlached by averychedw but ME was overlooked by everybody but ME. I'll tell you what I mean.

tell you what I mean. You know how thick and fast the cele-brations came, along there in November? They made a record for thickness and fast-ness that won't be beaten till "Bill" gets back from Hell. There was the "Fake Peace Celebration" on Thursday, and the "Peace Celebration" on Mondon and tha

"Real One" on Inursday, and the "Real One" on Monday, and the "Regular One" on Tuesday. I don't know how it was with you, but by Wednesday I had food for thought—and it was the only kind of food I was able to sit up and take one points of and take any notice of.

The thought, being fed, was mainly to the effect, how nice it would have been if I'd had one of those copper-lined stomachs that are always being talked about and never realized. I don't know as I ever appreciated before how reliable copper is. Viewing the ruin of my faithful Gastric Cavity thru handling the few easy objects I'd sent down to it, I envied the old copper boiler at home—how it used to digest 3 or 4 bushels of the family wash, or boil up a barrel of soft soap, or a tub or two of whitewash-stunts really exact-

with evaluation of the state of home with their 16-cent milk, and then tackle a New Year's Eve and a couple of "wakes" on the side, instead of rueing the day—whatever that is—as I wasdoing.

But the real horror of the situation was this; here were a million or two of soldiers and sailors due to come home and go

thru this celebration-thing mul-tiplied to the hundredth-power. The big cities were going to stuff 'em, then the smaller branch cities, and the railroad towns, and the home towns-the strain all the time increasnome towns---the stram all the time increas-in as the burg grew smaller---till finally they'd fetch up at "Home" itself, the one with the Big "H", with Mother roasting chickens and frying flapjacks and baking pies in a wild effort to make up a year's deficiencies in army rations all at one meal. All that, and only an ordinary membranous stomach to stand it! Was there are time to be a to stand it! Was there any time to lose? No. The copper stomach, so long postponed, had to be invented tout de suite if it

was going to be ready for the occasion. Well, here it is, all ready and waiting, (Continued on page 927)



To Copper Plate Human Stomachs So as To Digest the Present Post-War Foods, Thomas Reed Here Shows Us How To Set About Rigging Up the Necessary Apparatus. When You Once Receive This Treatment You Will Be Able to Swallow Nails, Old Milk Cans, Sections of Steam Boilers, Bricks, et Cetera, and Then the Undertaker Will Nail You Up.

tossing on a preserved pig's foot for supper. Examples like this gave me the same habit of being forehanded. I'm always looking ahead and spying out some situa-tion that's liable to be dangerous or dis-agreeable, and providing against it. It's a lucky thing I am, as it happens, and you'll say so, too, when I tell you.

Perhaps you remember we had a "war' or something like that, recently. Well, just when we were thinking it was going to last forever, we began to hear noises from the Other Side that sounded like "By gorry we've got 'em licked!" "They're quitting!" "The war is over!" "Honk-honk!" "Wow!" and other expressions of quiet satisfaction.

877

energy available it will be necessary to convert it into di-

rect current and to use the latter with the battery. There

the battery. There are several methods

which may be em-ployed. First, there is the motor-gen-

used to operate a motor. The motor drives the generator

and produces the direct current for

charging. A mer-cury arc rectifier is another device for converting the alternating current into direct. This de-vice is often more

economical a n d convenient if only a

small current is to be handled.

Of course, direct current may be gen-erated at once. The

equipment necessary will he (1) an cn-

gine or some equiv-

alent means of op-

The altercurrent is

erator.

nating

The Alkaline Storage Battery

By J. F. SPRINGER

TORAGE batteries are of two prin-S and (2) the alkaline battery. Our attention is now directed upon the latter. There is but one alkaline cell of prominence on the market—the Edi-

son battery. Each cell is a complete self-contained unit and may be used alone or in conjunction with other cells. A typical cell will have a voltage of about 1.2 average discharge potential; the maximum discharge potential is about 1.45 volts at the start. The charge and discharge volt-age characteristics are given in the acare given in the ac-companying graph, Fig. 1. While charg-ing the cell voltage may rise as high as 1.85 volts. The am-perage will vary with the size of the cell the size of the cell. By connecting a battery of cells in scries, it is possible to run the voltage up to any de-sired point; see Fig. 2-A. A usual voltage for rather short circuits — un-der 300 feet—is 30-32 volts. Accord-32 volts. Accord-ingly, about 30 cells are required. The are required. The battery used as a unit will have a

voltage equal to the sum of the voltages of the individual cells. The amperage will remain the same as with the single will remain the same as with the single cell. It is necessary, therefore, to choose a size of cell that will give the amperage required for the service or else use more than one battery, connecting the bat-teries—not the cells—in parallel, see Fig. 2-B. For a 110-volt system, a large num-ber of cells will be needed. In making such calculations, it will be best to rate the subaling cell at just about 1 yolt. Thus, for alkaline cell at just about 1 volt. Thus, for 110-volt service use 110 cells, connected in series.

In purchasing a battery, it will be neces-sary to decide on the voltage to be used. There are probably more household and similar devices on the market that are designed for the 110-volt system than for any other. At the same time, there is a considerable range of such devices which are adapted to, and available for use on 30-32 volt circuits.

The alkaline cell has a tight-fitting cover. As in all batteries there will be generated a



Typical Characteristic Curves for Charge and Discharge of Edison Type Alkaline Storage Battery. The Average Discharge Potential is Seen to Be 1.2 Volts. Fig. 1.

certain amount of gas; this escapes thru a special valve. The cell is well suited to rough usage, partly because of the tight cover and partly because the container is of sheet steel and not of glass or hard rubber. The liquid is of an alkaline character. It

be preferred, if conditions make slowness conveniently possible. Whether the battery is charged slowly or rapidly, evenness of charging is always to be adopted. Direct current only is usable in charging.

If alternating current is the only source of



A Typical Alkeline Storage Battery Installation On Ship-Board, the Battery Operating the Wireless Telegraph Equipment in Emergency. The Control and Charging Switch-Board Appear At the Left of tha "Battery Room." All Radio Operators Should Thoroly Understand Storage Batterles, Both the Lead and Alkaline Types. The Smaller Cut Shows the Non-Leaking Gas Vent Fitted On the Alkaline Cell. This Cell Has a Meon Potential of 1.2 Volts.

loses but little of its water as time goes on. In order to determine whether the strength is normal, a hydrometer may be used. electrolyte consists of potassium hydrate (21 per cent solution) to which has been added a small amount of lithium hydrate. added a small amount of lithium hydrate. The specific gravity of the alkaline cell does not change during charge or discharge. The normal specific gravity will be 1.210, but this may drop at times to as low as 1.160 without affecting the cell. A brand new alkaline battery will not develop its full capacity at once. After a number of charge-ings it will settle down to a standard per-formance. This settlement into a standard formance. This settlement into a standard condition is understood to be due to the improvement in the conditions of the negative plate consequent upon regular charging and recharging. This process of self-form-ing continues over a period of from one to three months.

The care of an alkaline battery will ordinarily be simple. The density of the liquid may be watched and corrected, if necessary. This will usually mean the addition of a little water to bring the hy-

drometer reading down to 1.210. Regularity of handling will probably give better re-sults in an alkaline battery than any other one thing. This is especially true in con-nection with the charging.

A battery may be charged slowly or rapidly or at a medium rate. That is, it may he done *normally* in 7 hours, or rapidly in 1 or 2 hours, or at a moderate rate in 4 or 5 hours. Slow, regular charging at the normal rate is to

erating the gener-ator; (2) a gen-erator, and (3) a switchboard. It switchboard. It would probably be cheaper to use the current direct from the generator to operate the lights, etc., and to dispense with the storage battery, if the current were required in a steady, even stream. But current is not ordinarily required thus in a home or on board a boat.

(Continued on page 931)



Diagram Showing Voltage and Amperage With Series and Parallel Connections of Battery Cells.

Experimental Mechanics

THE THEORY OF TWIST DRILLS. HE student who has been following the past lessons in "Experimental Mechanics" may now find himself confronted by a more or less difficult task in properly utilizing a very important tool, namely-twist drills, and



In the Present Article the Author Discusses the Theory of Twist Drilis, the Shape of the Grooves, the Pitch of the Cutting Edges, Et Cetera. The Lips C-C May Be Consid-ered as the Cutting Edges of Two Chisels, Which Turn about the Axis of the Drill. the writer gives below a brief resumé of the subject of twist drills and their grind-ing. Because it is very essential to follow understandinly the subject of twist drills, a short mathematical treatise of simple nature will be given in order to more readily facilitate the understanding of the subject.

The twist drills stand in use so far above fat drills that they are now an indispensable tool in every workshop for metal working. They may be manufactured by milling or forging two spiral grooves out of a cylindrical bar, or by twisting a bar of the desired cross-section, so that the lines originally running parallel to the axis become spiral lines. The first method of manufacturing is today still the most common one. When we take a spiral drill and turn it with the top towards us, we shall see it as shown in Fig. 1. dd are the spiral grooves, cc both cutting edges, so the drill will have to turn the direction of the arrow. ee is the solid part of drill; the top of the drill near-est to us is the edge c^3 , which unites the two edges cc, making an angle of about 55 de-grees with each of them. The cylindrical surface of the drill at ss, only exists for the part aa, for, to prevent unnecessary



Further Illustrating the Similarity of a Chisel Cutting into a Piece of Metal to the Two Cutting Edges of a Twist Drill.

BY SAMUEL D. COHEN LESSON XI

friction against the walls of the hole, the rest of the surface is brought to a somewhat smaller diameter. Sometimes the surface s, is gradually backed off, beginning at the edge without a distinctly perceptible step, as in Fig. 1. The profile of the grooves dd, is chosen so that the intersection with ad, is chosen so that the intersection with the top plane b, gives as far as possible a right angle line C. The shape of the line b is of lesser importance provided that the groove d is wide enough to allow the chips to pass easily. The dimension of the weak-est point of the drill where the edge c^1 is found, is fix by the demand of strength in the drill. The edge c^1 , which cuts very badly, should be as short as possible. Ordinarily, it is taken 1-10th of the diameter at the point of the drill and gradually increases to the upper end, for reasons of strength. When looking at the drill sideways we

now see it as shown in Fig. 2; cc are the now see it as shown in Fig. 2, it are the sectants which form together an angle of about 120 degrees, c^{1} the connection, dd the grooves, the pitch of which amounts to 5 to 8 times the diameter of the drill. We consider *cc* as being the cutting edges of two chisels, which, turning around the axis must cut chips from the metal. The form and the position of these chisels in regard to the metal will have to answer the same to the metal will have to answer the same requirements as every other cutting chisel, which are these: In Fig. 3 A represents a cross-section of the chisel, B the piece of work from which the chip C is cut by mov-ing A in the direction of the arrow. To prevent the chisel breaking its cutting edges the angle G obtained by minding

edge-the angle α -obtained by grinding, and therefore called the grinding angle, must be sufficiently strong. For cutting mild steel and iron α is made upon an average of about 55 degrees; with very good steel the angle can be some degrees smaller; with a poorer grade steel it must be some degrees larger. The loosening of the chip from the metal is not done at the lowest point of the chisel, but at a, being the point most advanced. The metal is pushed down at a length *l*, Fig. 3, and there-



after returns to its level a-d. The smaller the angle *i*, which may be enlarged or dimin-ished by the position of the chisel, the longer l will be, and the greater will be the resistance of the metal being pushed down. Experience tells us how large the angle i must be; it varies between 4 degrees to 8 degrees for lathe and planer tools. We shall see how great it must be made for twist drills. In no case may it be smaller than 4 degrees, or the chisel will refuse the set of the second second second second second the second second second second second second second the second second second second second second second the second to cut

Referring to Fig. 4, the point a, of the cutting edge c, situated on the cylindrical surface of the chisel, we find the grinding angle a, appointed by the tangent spiral and by the tangent to the line ab, soctant of the cylindrical surface of the drill, and the ground top B. So the size of this angle is determined with regard to the this angle is determined with regard to the strength of the edge and practically amounts to about 55 degrees. Then follows the angle *i* in Fig. 3; where to find it. While turning around on its axis the drill ad-vances into the metal. So each point de-scribes a spiral line with the pitch equal to

the feed of the drill for one revolution. the reed of the drift for the revolution. These spiral lines, however, are of unequal diameter. Point *a*, in Fig. 4, on the circum-ference of the drill is given in Fig. 5, as if moving on the spiral line $a^{t}a$. The diam-eter of the drill being D = 1 in. and the feed 1-50th in.; the inclination of the spiral line is found by: line is found by:

$$T_{\text{2n }\beta} = \frac{\text{feed}}{\text{circumference}} = \frac{1}{50 \times \pi} = 0.00637$$
$$\beta = 0^{\circ} 22'$$



Discussion of the Angle and Clearance of the Cutting Edge of a Twist Drill.

Point *a*, in Fig. 4, at a distance of 1-20th in. from the drill axis, describes the spiral line $c^{1}c$ with the same pitch *h*, Fig. 5, as $a^{2}a$; the angle of inclination γ however, is quite a different one; for the case of 1-20th in. it is:

$$Tan \gamma = \frac{1}{50 \times \pi \times 1/10} = 0.0632$$
$$\gamma = 3^{\circ} 39'$$

In Fig. 5 the value h of the feed has been given immoderately large for the sake of clearness, and the angle γ has consequently been drawn much larger than it is in reality.

been drawn much larger than it is in reality. The spiral lines, $a^{i}a$ and $c^{i}c$; are the lines in regard to which the angle i, in Fig. 3, has to be measured. They agree with the line *a-d*, in that figure. From this it fol-lows that for point *a* of the drill the setting angle *i* is measured in regard to the line, inclining already 0° 22', and therefore must be so much greater than usually. For point *c* this difference becomes 3° 39'. The set-ting angle becomes a changeable value, inting angle becomes a changeable value, in-creasing towards the center of the drill. In giving it everywhere the same value for simplicity's sake, that is to say the largest cutting cross-section desired in the center, the edge would become too weak at the circumference.

With the above facts in mind the writer will give a complete practical discourse on how to handle twist drills, grinding, et cetera, in the next installment.

(To be continued)



Diagram Used in Explaining the Value of the Angles of Grinding of Twist Drills.

ELECTRICAL EXPERIMENTER

Practical Chemical Experiments Butter and Butter Substitutes

By ALBERT W. WILSDON

B UTTER is obtained by skimming the milk and putting it thru the pro-cess of churning, the globules coalesce and the solid fat separates more or less thoroly from the other constituents of the milk. As found on the market, butter is rarely found to contain more than 80 to 85 per cent fat; the rest



Fig. 1. Apparatus Used in Making Test for Butter and Oleomargarin or Renovated Butter.

being principally water, with some proteids and lactose from buttermilk still remaining in it, and more or less salt or saltpeter, to flavor and preserve it. It quite frequently is colored with some harmless vegetable compound.

pound. Olcomargarin is usually prepared from the fat contained in the intestinal folds of beef cattle. It is carefully stript from the fresh carcass, washed, chilled and hashed exceedingly fine. It is then rendered in water-jacketed kettles at a temperature of about 50 deg. C. The scum which scuarates out at

deg. C. The scum which separates out at the top is drawn off and the scraps settle at the bottom. The liquid fat is then run into yats is then run into vats and there permitted to stand for a day or two at about 27 deg. C., at which temperature but-ter is just liquid. The semi-liquid mass is then wrapt up in cloths and prest to remove the thin yellow liquid oil (oleo oil) from the solid fat (oleo-stearin). To turn this liquid oil (oleo oil) into a very good substitute for butter it is churned with some milk so that it can ab-

sorb some of the butter taste, then some coloring matter is added (vegetable compound), and the mass is finally run into

ice-water, thus chilling it rapidly. It can then be salted and packed like ordinary butter. Two marked advantages which this

butter. Two marked advantages which this material has over butter are: (1) It is much cheaper, and (2) owing to the ab-sence of buttermilk and butter fats it has much better keeping qualities. Its flavor ranks well with second-class butter. *"Renovated"* or *"Process"* butter is in general prepared as follows: Old, rancid, and unsalable butter is melted in a large vat surrounded by a hot water jacket at a temperature of about 45 deg. C. The curd and brine are then drawn off at the bottom, the scum being taken off at the top. Air is blown thru the mass, to remove top. Air is blown thru the mass, to remove the disagreeable odor, and after mixing with some milk, the mass is churned and then run into ice cold water to make it granular in structure. It is then ripened, worked to free it from buttermilk and salted. It is required by law in some states that this product be marked "Renovated Butter.'

SIMPLE TEST FOR BUTTER Experiment No. 1. See Fig. 1.

Heat about 3 grams of the sample in a large iron spoon over a low Bunsen flame, stirring constantly. Genuine butter will boil quietly, with the production of considerable froth or foam, which may, on removal



Fig. 3. Test for Coal Tar Coloring in But-ter Which Can Be Made by Anyone in a Few Minutes' Time.

from the flame, boil up over the side of the spoon. Renovated butter or oleomar-

BEGINNING with this issue, "EXPERIMENTAL CHEM-ISTRY", as will be noted, has been changed to "PRACTI-CAL CHEMICAL EXPERIMENTS." For several years past,

Mr. Albert W. Wilsdon, who will continue the new department,

has become familiar to our reade, s thru his chemistry articles.

There has, however, been an urgent demand from our readers

for articles on everyday chemistry, practical experiments, etc. We are, therefore, beginning with this issue a series of practical chemistry, free from technicalities. We think the change will

In the same department we are also inaugurating a Question

and Answer Department, and every reader is invited to ask any

question on chemical phases which may occur to him. Such questions will be answered every month hereafter in these col-

umns. When sending questions, they should be addrest to "Editor, Chemistry Department."-Editor.

be welcomed by our friends.

removed from the flame; in the case of genuine butter these particles are *small* and *finely divided*, but in the case of oleomarga-rin the curd *will gather in large masses*.

MILK TEST FOR BUTTER Experiment No. 2. See Fig. 2. To make a "milk test" for butter, place



about 60 cc. of sweet milk in a wide-mouthed bottle, which is set in a vessel of boiling water. When the milk is thoroly heated, a spoonful of the butter is added and the mixture stirred until the fat has melted. The bottle is then placed in a dish of ice-water, and the stirring continued until the fat solidifies. If the sample is but-ter, either fresh or renovated, it will be solidified in a granular condition and dis-

tributed thru the milk in small particles. If, on the other hand, the sample consists of oleomargarin, it solidifies practically in *one piece*, so that it may be lifted by the stirrer from the milk.

By the two tests just described, the first of which distinguishes fresh butter from pro-cess butter or renovated butter and oleomargarin; and the sec-ond of which distinond of which distin-guishes oleomargarin from either fresh but-ter or renovated but-ter, the nature of the sample examined may be determined.

garin will sputter and act like hot fat con-taining water, but will not foam. Examine also the curdy particles when the sample is

E very house-wife should know how to test butter and oleo-margarin and the important differences be-tween them. That is one object of the present paper. The author trusts it proves of value.

(Continued on page 894)

ELECTRICAL EXPERIMENTER



This department will award the following monthly prizes: First Prize, \$3.00; Second Prize, \$2.00; Third Prize, \$1.00, The purpose of this department is to stimulate experimenters towards accomplishing new things with old apparatus or old material, and for the most useful, practical and original idea submitted to the Editors of this department, a monthly series of prizes will be awarded. For the best idea submitted a prize of \$3.00 is awarded; for the second best idea a \$2.00 prize, and for the third best prize of \$1.00. The article need not be very elaborate, and rough sketches are sufficient. We will make the mechanical drawings. Use only one side of sheet. Make sketches on separate sheets.

FIRST PRIZE, \$3.00

A SIMPLE WHIMSHURST IN-FLUENCE MACHINE. By Melville Fisk.

SECOND PRIZE \$2.00

A glance at the illustration will show

that while the magnet side of the relay is

open, the small battery motor is running, volving the drum. A gear may be used if a

BLINKING LIGHTS TELL YOUR FORTUNE.

button is prest, the ar-mature of the relay is attracted, breaking the motor circuit and making connection on the

other side of the relay

which goes to the one set of brushes on one side of the drum. The side of the drum. The armature is itself connected to one side of the battery for the mo-

tor, and to one side of

necting to the different

rings on the drum.

These brushes also con-

nect with the various

lamps which are again

static machine described herein is made of simple materials, is easy to construct and the work does not



A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records. A Home-made Static Machine Constructed from Phonograph Disc Records A Home-made Static Machine Constructed from Phonograph Disc Records A Home-made Static Machine Constructed from Phonograph Disc Records A Home-made Static Machine Constructed from Phonograph Disc Records A Home-made Static A Home-made Static

require the use of special tools. A similar machine built by the writer produces a violent and steady spark discharge about an inch or more in length, without the use of Leyden jars.

The plates are two twelve-inch phonograph records of the disk type. Select two which have one side blank. The tinful sectors are cemented to the smooth side. It is not necessary to varnish the plates. The bosses that keep the plates parallel ca the shaft are small cotton spools, that have a hole in them the size of the one in the record. Fit the spools up with brass tube bearing and fasten to the plates with glue. A thin cloth or paper washer inserted between the boss and plate will help the glue to hold. Rubber tire cement will hold bet-ter if at hand. The shaft on which the plates revolve extends out 3/4 of an inch on either side of the wooden standards; it is held stationary by a cotter pin inserted in a hole bored down thru the top of the standard. Glue a cardboard washer $1\frac{1}{2}$ inches in diameter to the inside of one of the plates. The base and standard are made

of wood in the manner illustrated. Make the double driving pulley from a large spool such as wire is sold on. Fasten it to the shaft by drilling thru the shank and shaft and inserting a cotter pin or screw. Be sure and make the grooves or screw. Be sure and make the grooves in the pulleys deep enough to hold the belts securely. Rubber bands tied together make very good driving belts. Tie them with strong linen thread and leave a half inch of slack between each band. As the plates are to revolve in opposite directions, cross one belt. one helt.

The neutralizing rods are made from 1/8

the motor stops and the circuit thru one of the lamps is made, the particular lamp dedepending upon the position of the drum when the motor stopt. In front of each lamp is a pane of glass on the back of which is passed the fortune telling matter. The front of the glass may be painted with a thin white paint.



An Interesting Electric Fortune-Teller, Which Will Provide Hours of Amusement.

inch copper wire bent to shape. They are pivoted on the protruding ends of the shaft by a short piece of tubing soldered to the center. Press the tubing slightly together at the open end to make it grip firmly. The brushes are made from very fine copper strands accured from wire such as is used in receiver cords (gilt tinsel). Cut about twelve strands two inches long; tie a knot in the center, and fold over so that all ends are together. The brushes are then slipt into the small tubes soldered onto the ends of the rods and are fastened by squeezing the end of the tube together. Make the collectors as per sketch, using heavy copper wire. The points are long

heavy copper wire. The points are long phonograph needles, fastened to the arms

THIRD PRIZE, \$1.00 PORTABLE BATTERY HAND LAMP FOR THE HOME.

The articles for the construction of this lamp can be purchased at a small sum, if you haven't them at home. Flexible lamp wire is the best for the wiring of this light.



You Have Often Wanted a Portable Battery Hand Lamp—Here's How to Make One at Practically No Cost.

About ten feet of wire is needed, when a large dry cell is used which cannot be carried around. For a pocket (flashlight) battery only a few feet is necessary. By means of the hook the lamp can be hung counter or in any corner on a nail, etc. anywhere or in any corner on a nail, etc. A $1\frac{1}{2}$ volt tungsten lamp is right for a to the efficiency of the light. Contributed by RAYMOND WAGNER.

by drilling and then soldering. The needles by drilling and then solutions. An entry should be slanted slightly in the direction in which the plate rotates. The supports

The discharging arms are of brass rod of a size that will fit in the collector supporting tubes. Make a small dent in each tube so that the rods do not slip all of the way thru. Fit balls to the ends of the rods by boring, then pegging and soldering.

The jars are used as supports only. Varnish them inside and out and fit with stoppers, hored to hold the collector tubes. A simple stopper is made by cutting a large wire spool in half and then winding paper around the slank to make a fit with the jar. Before using soak the stopper in melted paraffin. Further insulation can be obtained by placing pieces of a broken rec-ord under the jars. Glue the jars to the base. In operation the neutralizing rade should

In operation the neutralizing rods should be at right angles to each other, the best angle, however, can easily be found by trial. The brushes should touch the plates lightly —no pressure is necessary. The collector points should be about 1/4 inch away from plates. Be sure that they are all the same distance away or else some will not contribute to the collecting. The distance between the plates should be about 1/8 to 1/4 inch.



A Simply Constructed Gas Generator By IVAN CRAWFORD

A MONG the automatic gas generators on the market there are few within reach of the average experimenter. To meet this condition, Prof. C. D. Dilts has re-cently developed a generator which may be easily and cheaply constructed. In experi-



This Illustration Shows the Different Parts Composing the "Gas Generator" Here Described.

menting with qualitative analysis a constant supply of hydrogen sulfide is essential. This generator, being self-regulating, will furnish a constant flow of hydrogen sulfurnish a constant flow of hydrogen sul-fide, carbon dioxid, or hydrogen. The prin-ciple of operation is the same as that of the well-known Kipp generator, namely that when the gas formed is not allowed to es-cape the solid material is automatically raised out of the liquid, but when the pres-sure is relieved the solid substance is low-ered into the liquid, and the generator be-gins to function. As will be seen in the drawing, the four parts are: first, a glass jar or container; second, a bottle of slight-ly smaller diameter, with the bottom re-moved, and fitted with a stopcock in the moved, and fitted with a stopcock in the top; third, a lead basket for holding the solid material; and fourth, a small wash bottle.

The glass jar may be easily made by cut-ting off the top of a large bottle. There

TESTED CHEMICAL LABORA-TORY STUNTS. 1. Spoons That Will Melt in Hot Water. -Fuse together in a crucible 8 parts of bis-nuth, 5 of lead, and 3 of tin. These metals muth, 5 of lead, and 3 of tin. will combine and form an alloy, of which spoons can be easily made which possess the remarkable property of melting in hot

 2. A Self-dancing Egg.—Take a thin glass tube about 3 inches long and fill it with mercury then seal both ends with good hard wax. Next have an egg boiled and then the seal both ends with good hard break a small piece of the shell from the smaller end and thrust the tube with the mercury in, lay it on a table and it will not cease tumbling until the egg is cool. The same can be done by taking a small bladder putting a little mercury inside and blowing it up, then warm the bladder, it will skip

about as long as the heat remains. 3. To Give a Piece of Charcoal a Coat of Silver.—Lay a crystal of silver nitrat upon a piece of burning charcoal; the metallic salt will catch fire and will emit sparks of various colors. The silver is reduced, and, in the end, produces upon the charcoal a

are many methods which may be employed in removing the bell of the bottle, but by far the best and surest is the one described below

Several long strips of newspaper, about an inch wide, should be soaked in water and wound about the bottle in two bands at the place where it is desired to break the bottle. About a quarter of an inch should be left between the two bands. The bottle should then he slowly revolved with the should then he slowly revolved with the hands, allowing a blow-pipe flame to play upon the exposed part between the bands. When this portion is heated sufficiently the application of a drop of water will cause the glass to be evenly broken. The edges 'should then be smoothed on a soft grind-tion. The bottom of the smaller bottle is stone.

removed in the same manner. The sheet lead for the basket may be pro-cured at any plumbing shop. It may be



Sectional View of Gas Generator.

very brilliant and beautiful appearance. 4. In Water But Not Wet.—Powder the surface of a large or small vessel of water with some lycopodium, which may be ob-tained at any drug store; you may then challenge any one to drop a coin into the water, and that you will get it without wetting your hand. The lycopodium ad-heres to the hand and prevents its contact with the water.

with the water. 5. Artificial petrifactions (turning into stone).—In a retort place a small quantity of pounded fluor-spar and sand, and pour upon it some sulfuric acid; fluosilicic acid pounded holding silex in sogas will be disengaged, holding silex in sogas will be disengaged, holding silex in so-lution. The subjects you wish to petrify must be moistened with water and placed in a vessel connected with the neck of the retort, the silex will be precipitated upon them like a frost and will have a beautiful appearance. It will wear for years. Note— Do not breather in this gas.

appearance. It will wear for years. Note— Do not breathe in this gas. 6. An Experiment With Sugar.—Take ahout 5 or 6 pieces of lump sugar and place them in a cup; next pour about 3 tea spoons full of boiling water upon them, and then add some sulfuric acid. It is truly a won-

easily bent to the required shape, leaving small holes in the bottom to allow the acid to enter. The basket is suspended by means of a closed piece of glass tubing, bent to form a hook, which runs thru the two-hole stopper. The delivery tube from the bottle



Completely Assembled Gas Generator and Wash Bottle.

may be fitted either with a glass stop-cock or with rubber tubing and metal pinch-cock. Altho not absolutely necessary, a wash

cock. Altho not absolutely necessary, a wash bottle is a desirable addition to the genera-tor, as it not only steadies the flow but cleans and purifies the gas. The apparatus should now be assembled as is illustrated in the drawing and photo-graph. The solid material, such as iron sulfid (when H_2S is desired) is placed in the lead basket and the dilute acid in the glass jar. When the smaller bottle is placed in the jar the acid, reacting with the iron sulfid, engenders a flow of H_2S which forces the acid out of the basket if the stop-cock is closed. When the stop-cock is opened, the gas escapes and allows the acid opened, the gas escapes and allows the acid to touch the iron sulfid, again causing the formation of H_2S . Thus gas is always easily procurable without waste of material.

derful spectacle, and more instructive than

derful spectacle, and more instructive than reading, to see the sugar turn black, then boil, and now, rising out of the cup in a black color. It is now charcoal. 7. To Melt Steel.—Heat a piece of steel to redness in a fire, then hold it with a pair of pincers. In the other hand take a stick of brimstone or roll sulfur and touch the piece of steel with it. Immediately after their contact the steel will melt and drop like melted butter. 8. Explosion Without Heat.—Take a crystal or two of nitrat of copper and bruise them; then moisten them with water

bruise them; then moisten them with water

bruise them; then moisten them with water and roll them up in a piece of tin-foil, and in a minute the foil will begin to smoke and soon after will take fire and explode. Un-less the crystals of copper are moistened, no heat will be produced. 9. To Melt Lead in Paper.—Wrap up a very smooth piece of lead in a piece of paper, then hold it over the flame of a taper; the lead will be melted without burn-ing the paper providing there are no wrinkles in the paper and that it is in con-tact with the lead everywhere. Contributed by EUGENE MCGOWAN.
April, 1919



Electric Engraving Apparatus (1,289,000; issued to Andrew M.

(1,289,000; issued to Andrew M. Robinson) An electric engraving apparatus employing a source of electric cur-rent forming an arc to produce the engraving. It consists of an ap-



paratus employed with graduating tools, etc., for marking metal parts of machines, etc. A further object in the invention provides an auxil-iary electric current or circuit con-nected to the pencil, and means in the pencil for controlling the make and break of the auxiliary circuit, to open and close the main circuit sraised from the work. This ap-paratus eliminates this objectionable feature. The case contains a trans-former, also a number of switches, by which the character of the cur-rent may he varied at will.

Current Modulator (1,288,117; issued to Francesco Morano) The chief object of this invention is a metallic microphone for high currents, which microphone is con-stituted by one or more metallic



gripping contacts, which gripping contact is formed of two contact elements, so arranged that one of them grips the other. The vibrating element is firmly mounted by the diafram, while the other element is supported by such means that the pressure of the contact which is formed hy hoth elements accurately affects it. In consequence, the elec-trical resistance of the contact itself may be capable of varying in rigid conformity with the vibrations of the diafram according to the ampli-tude of said vibrations.

Apparatus for Locating Sunken Bodies (1,287,907; issued to Patrick B. Delany) Sunken ships and bodies, hy the use of this invention, may he found very readily. It is an electrically operated device, used with some form of communicating device, such as a telephone receiver, and acts upon the principle of the circuit



heing closed, and having normally a certain definite resistance, i.e., the inventor docs not use coils conduc-tively or otherwise for the detec-tion. The bare electrode is lowered hy means of an insulated wire thru the water, and depends upon actual

contact with some metallic body tor its location. The circuit is formed thru a pair of sensitive head re-ceivers, the bare electrode, the water and the electrode, and nor-mally is of high resistance.

Recording Telephone

Recording Telephone (1,290,621; issued to John F. Mal-thaner) A new form of recording tele-phone, more or less on the style of the dictating telephone. A device in convenient size and weight for use on office desks, etc. It is so con-structed that it may be used for receiving direct dictation over the phonograph, and also may be nsed to receive telephone messages from the ordinary telephone receiver, and in this manner to record the same on a phonograph record. Particular attention is attached to a new form of reed diafram constructed of the same width from end to end; ap-proximately at its center is mounted a square soft iron disc held in place by clips, which on its under-side has a bolder for supporting the saffire point of the phonograph.



Advertising Lamp and Radiometer

Advertising Lamp and Radiometer (1,290,749; issued to Edward J. Hunt) The device consists of a motor op-erating on the principle of the radio-meter, in which the moving motor elements are caused to rotate upon their axes by the action of light. The device is primarily intended to be inserted with the enclosure of any ordinary incandescent lamp bulb and combined with the filament sup-port in a manner permitting the use of the usual lamp filament, so that the light issuing therefrom shall cause the rotation of the sev-cral motor vanes. The motor ele-ment consists of a series of vancs, preferably four or more, which are silvered upon one side and black-ened upon the other side with car-bon or lamp black.



Radium-Applicator

Kadium-Applicator (1,288,048; issued to George Kunkle) A radium applicator adapted for the use of radium and other radio-active salts. The applicator is prop-erly calibrated in advance and so arranged that the physician using it can accurately measure and ad-minister by any of the approved

methods the correct dosage at any moment by a simple adjustment of its parts. This instrument auto-matically and evenly irradiates sur-faces of widely variable areas, as, for instance, areas of from one mil-



diameter.

Secondary Or Storage Battery

Secondary Or Storage Battery (1,285,660; issued to Bruce Ford) A new type and form of storage battery, its principal object being to minimize leakage between cells and still have a multiple voltage battery of sufficient strength to withstand the stresses and wear acting on such a hattery. The structure may be described as a number of plates having a central portion, one face provided with a negative formation and the other face having a posi-tive formation, with a rim project-ing beyond both formations so as to fit and be prest into soft rubber tubing, which will make it non-leakable. The spaces between are filled with an electrolyte, which may be any plain liquid, or else held soaked in blotting paper or some other gelatinous formation.



Method of Telephonic Transmis-sion Without Return-Wire

Method of Telephonic Transmis-sion Without Return-Wire (1.287,180; issued to C. Bardeloni) A new method of transmitting speech without a return wire. It is sometimes necessary to use a single wire for telephonic trans-mission without earthing its end. A condition like this might exist in connection with an observation bal-loon where the stringing of the separate telephone cable would not be feasible. Under these conditions the circuit does not close by con-ductivity, hut remains as an open creuit, the return heing formed hy one or more metal conductor squares, electrostatically and elec-tromagnetically connected between each other. This invention has the object of effecting telephonic trans-mission by the variations of the electrostatic and electromagnetic conductors, or the earth, connecting the extremities of the system.



Compass-Gyroscope

(1,289,813; issued to Emil Klahn) The invention consists primarily in mounting the gyroscope so that at all times it is unaffected by gravity, and in utilizing this potential func-tion of the gyroscope to regulate the position of the controlled member, when a disturbing force is acting on

the gyroscope. Its application is mainly a non-magnetic compass, when such disturbing or directive force results from the rotation of the carth, and for movements and changes in the course of a vessel carrying the compass, and apparent rotation of the compass card or con-trolled member taking place and serving as a measure of the change in course. The gyroscope is a means to partly suppress freedom of rotation about its vertical axis and a frame within which said gyroscope is pivotally mounted. A resilient means is connected with the frame adapted to work on the gyroscope, when the control member or com-pass card is in connection with said trame.



Thermostat (1.287,188; issued to Henrich Beck) A new design of thermostat, which to a certain extent eliminates many of the troublesome factors of the cid style instrument. This type of thermostat is one which employs hut cne movable contact, the other being fixt, altho adjustable, and the two thermostat elements generally control the single movable contact, in response to a variation in tem-perature. But only one is subject to the action of radiant heat, and acts directly upon the conterier, and the:eby acts directly upon the mov-able contact. The heat ray 39 30



may he concentrated on the ther-mostatic element by means of a condensing lens. When the element is at a normal room temperature it is straight, but when the radiant heat strikes the thermostatic ele-ment, then it curves slightly upward, moves a crank upon the carrier, which presses the fixt contact, thereby closing the circuit.



Our Amateur Laboratory Contest is open to all readers, whether subscribers or not. The photos are judged for hest arrangement and efficiency of the appa-ratus. To increase the interest of this department we make it a rule not to publish photos of apparatus unaccompanied by that of the owner. Dark photos pre-ferred to light-toned ones. We pay \$3.00 prize each month for the best photo. Address the Editor, "With the Amateurs" Dept,

"Amateur Electrical Laboratory" Contest

THIS MONTH'S \$3.00 PRIZE WINNER - RAYMOND L. CASSELL

HIS MONTH'S \$3.00 PRIZE WINNER - RAYMOND L. CASSELL H EREWITH I present three pictures of my Electrical Laboratory. In this "Lab" you can find anything from a binding post to a six hundred thousand volt Tesla coil. I have constructed two high potential transformers and one welding transformer with an output of three volts and five hundred amperes. Practically everything in this "Lab" was built by me. There are several motors, both A. C. and D. C., dynamos, about a dozen spark coils, transformers, storage batteries, small steam engine, rectifiers, Tesla coil (Oudin type), switches of all kinds, telegraph instruments, condenser, volt and ammeters, et cetera. I can get a twelve to fouriteen inch spark from the Oudin coil. If the spark is not drawn off, it will hrush discbarge to a length of ten inches, crackling and waving like a thing alive. I perform some very interesting experiments with the coil. I also have a small storage hattery set with a separate switch-board for charge and discharge. I have a search-light (arc), which will throw a beam about two miles. I operate this on a 110 volt circuit with a transformer built for the purpose. I am now building a 330 watt b. C. dynamo. I experiment with about everything going and a lot more.—Raymond L. Cassell, Roanoke, Va.

HONORABLE MENTION (1 year's subscription to the "ELECTRICAL EXPERIMENTER")-J. H. ENGLAND

HONORABLE MENTION (1 year's subscription to the "ELECTRICAL EXPERIMENTER")—J. H. ENGLAND HEREWITH are photographs of my Laboratory. In one of the photographs may be seen my "Wireless Table," which contains all the different instruments used for both sending and receiving. The transmitting set consists of a 34 K. W. step-up transformer, condensers, spark gap, war) a tuning coil for short distances and a loose coupler for long distances. For receiving I have used successfully (before the war) a tuning coil for short distances, and a loose coupler for long distances, in connection with a silicon detector, 2,000 ohm Brandes' phones, loading coil, variable and fix condensers. To the left may be seen my switch-board, which is home-made. It contains a number of different switches, a buzzer, a lamp resistance, and a pilot lamp. To the left of the switch-board there are several shelves on which are different electrical books, such as "Hawkin's Electrical Guides," Houston's "Electricity in Everyday Life," and many others. There are various other instruments and photographic table. This table consists of a complete developing and printing set. To the left will be seen the printing box, which is home-made. The frame is an Anto Mask Printing Frame and is secured to the box by means of small hooks, so as to permit it to be removed easily. Inside there is a red and a white light. To the righ' there are a large number of chemicals, such as nitric acid, bromin, sodium, et cetera. This part of my "Lab." comes in handy when I need a ucture of some electrical experiment. This laboratory is the result of but one year and a half of earnest work and study.—J. 11. England, 500 'corge, Greenwood, Miss.



Science in Slang Jazz Stokes on Wireless Dope By EMERSON EASTERLING

SAW a while back in a paper that Tesla and Marconi were expressing their ideas on interplanetary wireless communication. It don't look very reasonable to me that it could be done in the way that they proposed it, but I don't say that the feat is im-possible," remarked Jazz Stokes

the other night.

"How does a wireless wire?" asked Bender.

Heiney Hertz — Who While Monkeying Around Spark Coils and a Micrometer Spark Gap, Fell over the Hertzian Wave.

"It don't wire, that is why they call it wireless," returned Jazz. "Well," I put in, "of course, Punk and I know all there is to know about wireless; but for Bender's sake I wish you would tell us a little about wireless." "You are probably familiar with the Af-rican turn-turns and the Indian signal fires,"

rican tum-tums and the Indian signal fires," he began. "They were the original form of wireless.

"A scientist by the name of Hertz, Herr Heinrich Hertz, got to monkeying around with spark coils and developing the mi-crometer spark gap or resonator. This apparatus worked on the principle that electro-magnetic waves radiate from a point of discharge. The twinkling spark between the gap was due to induced current, being virtually a secondary coil of one turn. Well, this set Heiney to deducing, and he deduced the present Hertzian theory of wireless wave

radiation. "While radiation. "While Hein*rich*, never having caught up with the second syllable of his first name, died a poor man. Nick Teela hadn't been napping either. The Tesla hadn't been napping either. The whole wireless dope to this bird was an unsealed book as early as 1893, when an unsealed book as early as 1893, when Marconi still slid down the banister in his knickers. Thus we see Nikola two-stepping it nonchalantly to the Pat. Office, where he grabs the first REAL wireless patent along in 1900. The old boy had it all down in black on white, aerial, ground, spark gap, *et al*—the real, honest to goodness dope. This earned him the title of "Papa of the Wireless." But in those days there were no detectors and few experimenwere no detectors and few experimen-ters to boot. So the then wiseacres sniffed at Nick's Patents, tapt their foreheads significantly and made known that this wireless stuff was all Marconi Who Deviled Around Oscillators and Who Shot "Can-You-Get-It" Across the Atlantic.

loco, bunque, and then some. The same ginks today however sing a different tune and admit that in 1900 THEY were fast asleep and deader than an Egyptian mummy,

with heads as solid. "Then along comes Kid Marconi and devils around with oscillators, sending waves thru buildings and other masses until he gets to work and builds a real wireless telegraphing station. By sticking his aerials up so as to clear the buildings and other masses he finds that he can send and receive for miles instead of blocks. In 1901, on the twelfth day of December, he shoots a 'can-you-get-it' across the Atlantic-and they

across the Atlantic—and they got it. Soon all the first class vessels were equipt with radio men and added an-tennae to their rigging, so that they could let the world know that all was off with them by their C. Q. D. and S. O. S. yelps, instead of leaving floating spars upon the briny deep for some brig to sight later. "Marconi went on improving his appa-ratus and handled the financial end so that

ratus and handled the financial end so that besides being a first rate experimenter and

besides being a first rate experimenter and Italian gentleman of standing, he don't have to eat macaroni with a pencil. "The world wallows along, and the pat-ent offices pile up the documents in the wireless department, when an ardent bird. Dr. Lee de Forest, waltzes on the stage of industry to the tune of 'N' EVERY-THING' and shows us *something*. You might mistake it for an incandescent bulb, but it is as much like a light globe as a Victrola is like a centre table. We call it the Audion Amplifier, and with it in your receiving set you are able to make a squeal a scream. The wireless nuts first found that it was a scream when the ionizing sunthat it was a scream when the ionizing sunlight failed to close the Hula-hula island and 'Frisco communication in the wee sma

hours of the morning, after the hour that the other detectors went bad on 'em. "For Bender's sake I will give you 'Kicks'* the line up on a simple wireless station. First the transmitting apparatus



obtains its juice from batteries or other sources. Is that plain? Yes, well next there is a spark coil that steps the voltage up to a dangerous stage and a spark gap that lets the high tension current break down across the air space. This discharge sets up an oscillating current of high frequency. To increase the efficiency there are con-densers inserted in the circuit-these store



Doc "Nick" Tesla—Papa of the Wireless, Who Grabbed the First REAL Wireless Pat-ent in 1900

up and discharge the juice like a nigger squirting prune juice thru his teeth, only very much faster." Taking a pen and pad from his pocket, Jazz proceeded, "It is like this—see the K is the key; C, coil: c³, condenser; A, aerial; G, ground; and B is for the source of juice. Then the receiping station is like

G. ground; and B is not the source of juice. Then the receiving station is like this—A, aerial; D, detector; R, receiver. There is added more stuff to sensitize the layout, but they would only look like a telephone central station wiring dimension paper and beidge. diagram here on paper, and besides, there are more different kinds than there are ways for a young boy to go

wrong, "In Guglielmo Marconi's original "In Gughelmo Marcon's original contraption the Signor used a *coherer*, where we use a detector or audion now. The coherer works by being welded by the incoming waves, the clectrical resistance being less when the filings in the coherer are welded. The current is so regulated that when the current is so regulated that when the wave waltzes in and unites the nickel and silver filings, the sounder that is connected in the circuit bangs down with a faint tap. The coherer is tapt by a de-coherer, jarring the nickel and silver filings loose for the next dot dash-ad infinitum.

or dash—ad infinitum. "The detector rectifies the oscillating current, making it fit to vibrate the diafram on the receiver that the 'Radio-bug' has glued to his ear.

"The audion is an incandescent hulb with a parallel grid and plate, work-ing on the theory that current will flow

*That word is Kick and not Hick. Kick is a San Francisco slang word—it means al-most anything, originating from a kick in booze and now applying to almost anything, good, bad, and indifferent.

(Continued on page 911)

April, 1919



be answered:

Only three questions can be submitted to be answered.
Only one side of sheet to be written on; matter must be typewritten or else written in ink, no penciled matter considered.
Sketches, diagrams, etc., must be on separate sheets. Questions addrest to this department cannot be answered by mail free of charge.

If a quick answer is desired by mail, a nominal charge of 25 cents is made for each question. If the questions entail considerable are answered.

500 K. W. DYNAMO DEVELOPS BURNT SPOTS ON COMMUTATOR.

(990) Geo. W. B., Chicago, Ill, inquires of the "Oracle":

Q. 1. What causes commutator bars to burn, blacken and roughen up in the following manner? There are about 4 bars under a set of brushes and every set of 4 bars spaced equally between centers of field poles will blacken. Description of machine: D. C. 500 K. W. rope drive, 8 poles, compound wound, 220 volts. Even airgap all around, commutator undercut, commutator true, field coils equal strength, no reversed coils, no overload, machine runs alone most of the time; sometimes in parallel with a 150 K. W. Brushes have a per-



A Large Dynamo Armature Develops Burnt Spots on the Commutator at Equally Spaced Points, Corresponding to the Pole Pitch. One of the Remedies Suggested is That the Armature Be Equipt with Balancing or Current Equalizing Rings, as Here Illustrated, which Shows Them Applied to a Parallel-Wound D. C. Dynamo Armature. These Rings Help to Equalize Any Heavy Cross Currents in the Armature which Might Produce Such Troubles.

fect gloss, practically no sparking. Four hundred segments to the commutator, all tight. Sanding commutator stops the trouble for 2 to 6 months. What causes it?

A. 1. We were particularly interested in the phenomenon you describe where the 500 K. W. D. C. dynamo, which altho apparently in perfect shape and maintenance, develops burnt spots all around the commutator at points corresponding to the spacing of the brush studs. The Editor of the Oracle, while serving as engineer in a large power house some

The Editor of the Oracle, while serving as engineer in a large power house some years ago, had similar trouble, and it practically defied solution by any of the experts who attempted to remedy it. Also in this case, it is clearly recollected that the machine, of about the size you mention, was in very fine running condition, and everything semed to be in favor of its perfect operation. But still these spots developed just as you state. After some thought on the matter it would seem from later experiences, that some of the following troubles might be the cause of these burnt spots appearing on the commutator:

ODD PHOTOS WANTED AT \$1.00 EACH!!!

Now is the time to make yaur Kodak pay for itself in a real practical way. We are after interesting photographs of out-af-the-ordinary electrical, radia and scientific subjects and are willing to pay \$1.00 cash for every one we can use. Please bear in mind that for half-tone reproduction in a magazine, a photograph should be particularly sharp and clear. Of course, if a subject happens to interest us particularly well, we can have the photo retouched. Far the general run of subjects, however, it does not pay to go to such expense. Therefore, please take pains to properly focus and expose your pictures. It often happens that a really mediocre subject well photographed wins approval over an excellent subject paorly photagraphed. And don't send us plate or film "negatives"; send unmounted or mounted "prints", preferably a light and dark one.

As to what to photograph: Well, that's hard for us to say. We leave that up to you, and every reader now has the opportunity to become a reporter of the latest things in the realm of Electricity, Radio and Science. But, please remember—it's the "odd, novel or practical stunts" that we are interested in. Every photo submitted should be accompanied by a brief description of 100 to 150 words. Give the "facts"—dan't worry about the style. We'll attend to that. Enclose stamps if photos are to be returned and place a piece of cardbaard in the envelope with them to prevent mutilation. Look around your town and sce what you can find that's interesting.

Address photos to—Editor "Odd Photos", Electrical Experimenter, 233 Fulton Street, New York City.

1. From experience with several smaller machines, especially motors on elevator service, it would seem that field discharge currents, which are often of very high instantaneous e.m.f. value, would be liable to cause this burning. The remedy, or rather safeguard, against such trouble from this source would be to provide a field break switch fitted with an extra contact, so that when the switch is open half-way it makes connection, so that the field can discharge thru a resistance. This resistance in some cases has been formed of a lamp bank, and if you try this, you will be surprised to see how brightly the lamps flash up whenever the field switch is open, i.e., when the dynamo is being shut down and after the main D. C. bus-bar switch has been opened. The field magnet, of course, possesses very high self induction, and when the field switch is opened, a very high selfinduced current occurs in the field windings, tending to prolong the magnetization, and causing therefore, a very heavy current of high e.m.f. to occur when the switch is suddenly opened. Practically all dynamos above 50 K.W. capacity are and should be provided with proper protective field discharge resistance and field break switches of the type described.

2. It seems that insufficient brush tension would also cause this trouble, not perhaps while the machine is rotating at its normal speed and load, but due to a tendency which the brushes in such a case might have to jump when the machine was started.

3. Another possible but hardly probable source of this burning might be traced to hard commutator bars. High mica would also cause the trouble, but as you state, in your particular case the mica has been undercut.

4. Trouble is often experienced in powerstation work where two or more dynamos are run in parallel, and especially if there is any weakness in the design of the equalizing circuit between the two or more machines, which may cause heavy cross currents to pass between the two machines. As you will readily conceive, such a current which might be caused by a parti l unbalancing of the load between the two machines, might cause a momentary and in fact a fairly high e.m.f. transitory current to pass thru the brush and commutator system of one of the machines, and such a current would tend to have the effect of producing the burnt commutator.

5. Another trouble which would seem to point very strongly as a frequent source of this trouble, and one also that is very often overlooked entirely, is the unequal distribution of the amature current in such a large machine as this. The Editor recollects a case at one of the southern universities a few years ago, where no end of trouble was experienced in the operation of a large D. C. generator unit, due to this very reason, i.e., the unequal distribution of the current thru the armature windings. This defect in design, for that, of course, is what it is, causes a number of current paths to be set up periodically around the armature, and comparatively heavy currents will start flowing around these paths, their area being that enclosed between the axial lines of the two field poles in most instances. In the case in question, thic was finally solved by the proper designing and installation of

(Cantinued on page 888)

The **Opportunities** In Draftsmanship

By CHAS. W. MOREY President Chicago Technical College



During the twenty-five years in which I have had exceptional opportunities to observe the progress of technical work of every character, I have never known of such oppor-tunities as exist today for competent draftsmen.

Very naturally war had a great effect

in producing the present conditions. Men were called from the drafting room to the

trenches, leaving great gaps in our industrial organization which have not yet been filled. And now when the war is over, we find many men not returning to their old jobs. We see business pushing harder than ever for markets. We hear of great building operations to be undertaken. We see a vast area of Europe devastated beyond description, to be rebuilt and very largely I believe with American ma-terial and with the help of American technical experts.

When it is considered that the draftsman must be employed on every detail that goes into the manufacture of structural work of every kind, machinery, ships, railroads, build-ings, etc., the vast field for men in this pro-fession can be somewhat appreciated.

The problem before thousands of ambitious young men is not whether to become draftsor not, but how and where to learn most men quickly and thoroughly.

Formerly it was necessary to attend a resi-dent school, which often meant giving up a position and spending time as well as money. It also often meant, if a man wanted to graduate, taking studies not really bearing upon technical training. Some got their training in drafting rooms of factories, architects' offices, or other places where they started out as boys and slowly worked their way up. It has remained, however, for correspond-

ence instruction to give every man a chance to become an expert in any branch of draftsmanship without leaving any job he may have and as quickly as his industry will let him pass from one lesson to another. The Chicago Technical College by its method

of training has prepared and is now preparing men everywhere to study in spare time at home and then to step into high-paying positions.

By this method no time is wasted on un-necessary branches. The student gets exactly the training he will use in practical work and in every case he has the direct personal instruction of specialists in the branch he has selected.

Before he decides about enrolling, any man can easily find out just how well qualified he may be to follow Draftsmanship. A test les-son is sent free to show the plan of instruction and to give the prospective student a chance to "size himself up.

We are ready to help ambitious men to get we are ready to help ambitious men to get into this great profession with the least ex-pense of time and money. We here know what the opportunities are. The calls we have to furnish good draftsmen to every kind of an organization prove every day that the job is always ready for the man who can fill it. If young men throughout the country could only realize what a future there is in Draftsman-

ship, many a one now wondering what his future is to be would come to a quick decision. I hope that every reader of the Electrical Experimenter who is now doubtful about the calling he is to follow will write for informa-tion on one of our Drafting courses. If in doubt about which branch to take up a letter doubt about which branch to take up, a letter sent to me personally will bring suggestions based on my own experience and that of our staff.



887



THE ORACLE.

(Continued from page 886)

current equalizing rings placed on the backof the armature, as shown in the accompanying illustration.

Many different windings have been proposed and used successfully, but the ma-jority of direct-current armatures are wound with either the single-parallel ring winding, the single-parallel drum winding, or the single-series drum winding. The single-parallel drum winding is probably more used than any other, and, on large multipolar machines, any unbalanced con-dition in the magnetic circuits is likely to cause the current to divide unequally cause the current to olvide unequally among the several paths thru the arma-ture. For example, if the air gap on one side of the armature becomes *slightly shorter* than that on the opposite side, which may easily occur due to wear of the bearings, the flux in the short air gap will become unduly dense, thus causing the generation of higher e.m.f. in the armature conductors on that side than in those on the other side, and the path that develops the highest e.m.f. takes the greatest share of the current. In some cases this unbalanced condition may not be bad enough to cause trouble other than some slight sparking, but in extreme cases, the e.m.f. of one path or of the paths on one side of the armature may become so excessive as to reverse the current in some of the other paths, making part of the armature act as a generator and part of it as a motor at the same time. This condition is usually accompanied by severe vibration of the whole machine, due to excessive mechanical strains, with more or less violent sparking or flashing at the brushes, and the machine is said to be "bucking." On account of the effects of armature reactions, bucking is somewhat more liable to occur in motors than in generators. The bad effects due to unbalancing can be eliminated by providing the armature with equalizer rings as shown. By means of equally spaced leads these rings connect points of equal potential in the winding and allow an equalization of current between the various paths in the armature.

Sometimes erratic line disturbances, motor flare-backs, defective motor control apparatus, will cause the effect you describe.

We would recommend that you look up some of the better class books on D. C. machinery operation and design, particularly those by Hobart and Parshall, which you can procure at your local library.

BALLAST COIL FOR ALTERNAT-ING CURRENT ARC-LAMP.

(991) Henry Tustin, Ocean Grove, N. J., writes :

Q. I. I am having trouble in operating an experimental arc-lamp on 110 volts. What can you suggest?

What can you suggest? A. 1. Regarding the operation of arc lamp at 110 volts house lighting current, you do not state what kind of current you have, whether alternating or direct. For one thing, this factor would determine whether your experiment would be a success or not, for the reason that if you are trying to operate the arc on alternating current, then you will find invariably that it will not operate well using a simple resistance coil or rheostat in series with it.

For alternating current operation the proper ballast is always composed of an adjustable impedance or choke coil made up of an iron wire or laminated sheet iron core on which several layers of magnet wire are wound. Where an ordinary 1,200 C. P. arc, such as used in ordinary store lighting, etc.. is employed and taking about 5 amperes on a 110-volt circuit, the impedance coil may be composed of an iron core about 4" x 2", as shown in the diagram, and on one leg of which is wound about six layers of No. 14 D. C. C. magnet wire, taking off taps from the third, fourth, fifth and six layers.

We very strongly surmise from the symptoms you give in your letter concern-



How Choke or "Ballast" Coll Is Made for Use in an A. C. Arc Lamp Circuit. This Takes the Place of the Resistance Coll in a D. C. Arc Lamp.

ing the failure of the arc to operate, that this is the trouble, as on A. C. circuits resistance will give a very poor break spark, and for this purpose there is required an inductance of the order described above.

HOMOPOLAR DYNAMO.

(992) O. S. M., U. S. N. R. F., writes: Q. 1. Giving a sketch of a commutatorless D. C. dynamo which he has invented and believes to be entirely new.

less D. C. dynamo which he has invented and believes to be entirely new. A. 1. We have looked over your drawings and description of what you term a direct current commutator-less dynamo, and while you appear to have something new in the peculiar design of the poleshoes of the field magnet and the arrangement of the armature inductors, the whole principle of this type of dynamo has been known for the last forty years or more.

principle of this type of dynamo has been known for the last forty years or more. In other words what you have shown is simply the well-known "homopolar" dynamo, also called the "unipolar" dynamo. Faraday's first disk type dynamo helonged to this class. All machines of this type have the disadvantage of producing a very low electromotive force or voltage and are not usually practical, altho a few machines of this type have been used, where a very heavy current at a potential of a few volts was desired. You will find all the information you may desire in this direction by referring to the following works: "Elementary Lessons in Electricity and Magnetism," by Silvanus Thompson, page

"Elementary Lessons in Electricity and Magnetism," by Silvanus Thompson, page 498. Also you would do well to refer to Professor Thompson's complete treatise, "Dynamo Electric Machinery," and a most thoro work covering the complete design and calculation of the electrical as well as the magnetic circuits of the "homopolar" dynamo is given in Prof. Alfred E. Wiener's excellent book, entitled "Continuous Current Dynamo Electric Machinery Design." These books are available thru our "Book Department."

The outline of the action of the machine you show is in accordance with the opinion of this machine given by Prof. Silvanus Thompson, in which he says in part:

"There is a class of dynamo-clectric machine, differing entircly from any of the commutating types, in which a coil or other movable conductor slides around one pale of the magnet and cuts the magnetic lines in a continuous manner without any reversals in the direction of the induced currents. Such machines, sometimes called 'homopolar' or 'unipolar', have a very low electromotive force or voltage. Faraday's disk machine belonged to this class."

The stream that has been supplying the ancient city of Damascus with water for forty centuries has heen harnessed to provide electricity to light the city and operate a railway.

According to an Italian scientist's figures, a square mile of the earth's surface in six hours of sunshine receives heat equivalent to the combustion of more than 2,600 tons of coal. MUNIU MIL

You can be a Graduate ELECTRICAL ENGIN



Our method of teaching saves you time and money in becoming a graduate, practical, Electrical Engineer-at Big Pay.

There is a large and constantly increasing demand for Graduate Electrical Engineers. Our Diploma is accepted as evidence of a competent, trained electrician. Hundreds of our Graduates are now big, successful Electrical Engineers. They will tell you what we have done for them. We can do the same for you-in your spare time at home. Read how these results are accomplished:

Your object in taking a correspondence course is to *Increase* your Earning Power. To learn exactly what you need and not waste your time and efforts on superfluous matter, is the shortest means to that end. The Joseph G. Branch School of Engineering specializes in equipping you with the practical and usable knowledge that enables you to qualify as an Electrical Engineer in the shortest time, yet our course is practical and complete. This we definitely guarantee.

Get Intensive, Selected, Personal Instruction You

Our courses are simple, practical and easily understood. Everything is made clear. You do not become involved in difficult technical matter of no practical value, and which is so discouraging to the student, but you go straight into the principles of the subject and the application of these principles. Every one of our students gets *personal* instruction, so that his progress is steady and sure. You can't fail with this course if you will simply follow our very clear directions. One of our students says: "Your course is strong for the Engineer. It gives him the vital working knowledge of the subject which makes him a competent Electrical Engineer in a very short time and at a very moderate cost." Many Electricians earn

\$2,500 to \$7,500 a Year

The course in Electrical Engineering covers the installation and operation of all kinds of modern electrical machinery and appliances, including power plant work, viz.: Prac-tical Electricity, Alternating Currents, the Electric Motor, Practical Mathematics and Electrical Wiring. Under Prac-tical Electricity both direct and alternating currents, high potential and high frequency currents are covered. You get *everything* that will make you a proficient,

practical Electrical Engineer-without the loss of time spent on endless theory and difficult technical work of other methods. This has been made possible by the thirty years of practical experience of Mr. J. G. Branch, B.S., M.E., in the engineering field. This is now presented to you in compact, usable and easily learnable form. There is no course which will put you on a big salary basis in so short a time.

SEND FOR COMPLETE CATALOG, TESTIMON-IALS AND LIST OF POSITIONS SECURED **Complete, Practical Correspondence Courses in** Electrical Engineering **Power Plant Accounting**

Stationary Engineering Mechanical Refrigeration Drafting Drawing and Designing Power Engineering

Practical Chemistry Practical Mathematics Ingenieria Electrica (Spanish course) Marine Engineering We trained over 1,000 men for Government Marine Service

THESE BOOKS FREE!

With the Electrical Engineering course you get, FREE, these splendid text books-all Standard Works. These books alone are worth more than the price of the course. Each book hy a recognized authority:

Practical Electricity

The Electric Motor Alternating Currents Simplified

Practical Mathematics Electric Wiring You need this Electrical Library. Here is your chance to get it free.

¹ Due to Mr. Branch's long experience in and close contact with the engineering field the courses embrace such questions as are usually asked by the various Boards of Examining Engineers throughout the country. Our graduates will testify to the ease with which they were able to pass these examinations, and the cooperation received from us in helping them get positions. A Diploma from the Branch School of Engineering is a sure step to a better position and a larger salary. You can soon have your Diploma—without interfering with your present work.

SPECIAL OFFER

The price of the course is extremely low and just now we are making a Special Limited Offer to those who reply to this advertise-ment. This remarkable offer reduces the cost of the complete course to a very low figure. You will be astonished to find how little this tremendously valuable training will cost you. Mail coupon at once for full particulars and Special Terms. Jos. G. Branch School of Engineer-ing, Dept. 14, 542 Dearborn Street, Chicago.



USE THIS COUPON

Jos. G. Branch School of Engineering Dept. 14, 542 Dearborn St., Chicago

Without obligation your Special Offer of Electrical Engineering	you may send me in your course checke	nformation about ed below :
Stationary Engineering Mechanical Refrigeration Drafting	Power Engineering Power Plant Accounting Practical Chemistry	Ingenieria Electrica (Spanish course) Marina Engineering
Name		
Address		
City	State	
Present Position		





BOOK REVIEW I 107

VEST-POCKET DICTIONARY TECHNICAL TERMS USED VEST-FOCKET ERMS USED IN TECHNICAL TERMS USED IN WIRELESS. Flexible cloth covers, I68 pages, indexed alphabetically, size, 334×252 inches, price \$0.75. Publisht by the Wireless Press, Ltd., London, England. OF Wireless Press, Lid., London, England. A very useful compendium of the principal wire-less terms which should prove useful to all radio operators and students of the art. The various technical terms are arranged alphabetically, and the subject matter given seems to cover most of the more important terms used in radio engineering and operating. Some of the definitions are rather terse, and it seems that they could have been easily amplified without increasing the size of the book very much. For instance, we find the term "bill-condenser," and the definition of the term suc-cinctly says—"consists of a metallic tube made to slide over an insulating tube having a metallic lining." This definition does not mean very much to any radio man, and really it is nothing but a trade definition, while as a matter of fact most of the regular text-books on wireless telegraphy de-scribe this condenser as one having a definite electrostatic capacity of one billi-farad. This little work forms a handy, low-priced compilation of wireless terms which may prove of considerable use to radio students and others interested generally in this line of work.

HAND-BOOK OF CHEMISTRY AND PHYSICS — A READY REFERENCE POCKET-BOOK OF CHEMICAL AND PHYSICAL DATA, by Charles D. Hodg-man, B.S., and Melville F. Coolbaugh, M.A. Flexible leather covers, 478 pages, size 7 x 43% inches, price \$2.00. Publisht by The Chemical Rubber Company, Cleveland Obio Cleveland, Ohio.

by The Chemical Rubber Company, Cleveland, Ohio. This work is something out of the ordinary and places in the hands of chemistry students and chemists in general a most excellent collection of tables and formulas worked out, which would re-intry and physics in order to determine these quar-ities. There is a large number of tables giving the complete equations for various organic com-pounds; physical constants of the elements; physical data of organic compounds; qualitative analysis procedure; flame and bead testing; various solutions of salts and other reagents; solubility organic salts in water; a large number of tables giving gravumetric factors and their logarithms; tables of nitric and surfuric acids, as well as ammonium hydroxid and potassium hydroxid, giv-ing the proportion by weight and the correspond-ing specific gravities for these various chemicals in solution; tables of sound and heat velocity and conduction; the various properties of saturated steam; co-efficients of thermal expansion; voltage and composition as well as metals and glass, and composition as well as metals and glass, adio-active tables, etc., etc. This is a practical hand-hook which every student of chemistry and physics should not be worked out and completed, also a large number of various physical lormulas in mechanics, etc. There is given a considerable number of very useful and practical laboratory recipes, such as house for silvering glass, making of pole test paper, making crosshairs for telescopes, etc. A very complete bibliography is appended at the close of the hook, giving a valuable titled list of several hundred works on chemistry and physics.

ILITARY AND NAVAL RECOGNI-TION BOOK, by Lieut, J. W. Bunkley, U. S. Navy, Cloth hound, 224 pages, 51 full page plates, 18 being in color, size 5 x 7 inches, price \$1.00. Publisht by MILITARY Van Nostrand Company, New York D. City.

City. This work proved of great value during the war and is one of the hest ever publisht on the subject of military and naval organizations thru-out the world, giving as it does not only the different insignia of rank in the various organi-zations of the principal countries of the world, but the customs of the service as well, such as etiquette of enlisted men and officers, etc. This book has been endorsed by the Secretary of the Navy. The treatment starts with the organization of the army bureaus and corps, the composition of the army and its various depart-

ments, how the slaff is composed, and the divi-sions into the various arms of the service, such as cavalry, field artillery, coast artillery, infantry and engineers. Then we learn about the various coast artillery districts thruout the United States, the various ranks held in the army, and the duties of the officers holding these ranks, army etiquette and customs including salutes and cour-tesies in conversation, when and when not to address a lieutenant by his title; how to address a colonel, et cetera. The succeeding chapters take up the composi-

a colonel, et cetera. The succeeding chapters take up the composi-tion of the navy and the organization of the naval force ashore, including an explanation at last, on page 41, of the duties of the Bureau of Steam Engineering, and how it comes about that the "Bureau of Steam Engineering" has to do with the installation of Radio Equipment on ships of the navy and on shore—a nice little poser that has been asked many times thru our "Oracle Department," and of the editors per-sonally every time we meet a "Radio-bug."

"Oracle Department," and of the editors per-sonally every time we meet a "Radio-bug." Then follow interesting chapters on naval eti-quette and customs, including what to do when the officer of the deck passes you, when to stand up, and when to sit down when a naval officer cuters a cabin, and when an army officer enters a tent or barracks; what to say and how to say it, why a "gob" or his high superior officer must walk down Broadway in the pouring rain without an umbrella, and also you will find it prescribed in the rules and regulations on invaral etiquette, that it is unbecoming an officer in uniform to carry a package of any kind. But at the close of the hum-drum of red tape, which tells you how you shall place your feet, and when you shall take off your hat, also when you can use your handkerchief, and which proves mighty interesting reading to us poor land-lub-bers, we come to the most interesting announce-ment that—"it is customary for a committee of officers, to make the round of calls on New Year's Day on all ships in the same port," and further— "when in Washington, it is customary to call on the Secretary of the Navy and other high offi-cials on New Year's Day, and you shall appear in your full dress' uniform," rain or shine, and leave your umbrella at home. Other chapters treat of the U. S. Marine Corps, the coast guard and the light house service. We then come to the sections dealing with the strength and organization of foreign armies and navies with the insignia of rank printed in colors. The volume is one of the best works of this kind ever publisht, and Lieut. Bunkley should be complimented on the excellent and very iu-teresting style in which he has compiled the work.

ELEMENTARY NAVAL ORDNANCE AND GUNNERY, by Lieut. H. C. Ramsey. Limp leather cover, size, 4¼ x 7¼ inches, illustrated and numerous draw-ing plates. Publisht by Little, Brown & Company, Boston, Mass., 1918, Price \$3.00 net.

One of the most valuable works publisht dur-ing the war as a ready aid to the new students in the Naval Gunnery Schools and also as a guide to instructors and those trying for com-missions. It has been prepared in a simple, easy and direct manner so that all classes of readers may readily acquire a correct and thoro knowl-edge of the fundamentals and general principles of the art of modern naval gunnery.

of the art of modern naval gunnery. Most of the material has been gathered from lectures delivered at the Ensign School at Har-vard University, and a number of interesting questions asked by students have been incorpo-rated in the work with full answers. A few titles of some of the more important chapters follow:--Naval Guns, Manufacture of Naval Guns, Gun Mounts, Breech and Firing Mechanisms, Electrical Firing Mechanisms, Tur-rets, Gunpowder, Projectiles, Magazines, Inspec-tions and Tests, Spotting, Sighting, Fire Control, The Battery in Action, Care of Turrets, Auto-matic Machine Rifles, Battle Drills, The Gunnery Officer of a Ship, Infantry. The chapter on Infantry has been included in

The chapter on Infantry has been included in order that those new to the service may under-stand some of the newer positions as practised in this branch of the service.

There is no doubt but that this book will fill a very distinct want amongst those who are studying this subject, besides serving to give the layman a real glimpse into what a tremendous part Gunnery plays in every hattle engagement whether on land or sea. Lieut. Ramsey is to he complimented upon the excellent style in which he has covered the work in hand. The illustrations are particularly fine and show at a glance just how the breech mechanisms of the great naval eannon work as well as the small arms, including automatic rifles, machine guns, etc. Every kind of projectile is fully explained with sectional drawings, how the powder is placed and computed, calculating the range from a moving war-vessel with the compensations made for wind, speed of target.-temperature of pow-der charge, etc., etc. A most interesting, authen-tic and valuable work. There is no doubt but that this book will fill

April. 1919

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

890





Free Proof that I Can **Raise Your Pay**

No matter how much you are earning now, I can show you how to increase it. I have even taken failures and shown them how to make \$100—\$200, and in once case as high as \$2,000 weekly. I am willing to prove this entirely at my risk and expense.

A Few Examples

Personal Experiences

Personal Experiences Among over 550,000 users of "Power of Will" are such men as Judge Ben B. Lindsey; Supreme Conrt Justice Parker; Wu Ting Fang, Ex. U. S. Chinese Ambassador; Assistant Post-master General Britt; Lieut, Gov. McKelvie of Nebraska; General Man-ager Christeson of Wells-Farvo Ex-press Co.; E. St. Elmo Lewis, former Vice-Pres. Art Metal Construction Co.; Gov. Ferris of Michigan, and many others of equal proninence.

\$300 Profit from One Day's Reading

"The result from one day's study netted me \$300 cash, i think it a great book and would not be without it for ten times the cost."-A. W. Wilke, Faulkton, So. Dakota.

Worth \$15,000 and More "The book has been worth more than \$15,000 to ne."-Oscar B. Shep-pard, 1117 E. Locust St., Decatur, Ill. Would Be Worth \$100,000 "If I had only had it when I was 20 years old, I would be worth \$100,000 today, It is worth a hundred times the price."-S. W. Taylor, The Santa Fe Ry., Milans, Tex.

Salary Jumped from \$150 to \$800

"Since I read Power of Will my salary has jumped from \$150 to \$800 a month."-J. F. Gibson, San Diego, Cal.

From \$100 to \$3,000 a Month

"One of our boys who read Power of Will before he came over here jumped from \$100 a month to \$3,000 the first month, and won a \$250 prize for the best salesimanship in the State."---Trivate Leslio A, Shill, A, E, F. France.

LET'S have a little chat about getting ahead —you and I. My name is Pelton. Lots of people call me "The Man Who Makes Men Rich." I don't deny it. I've done it for thousands of people—lifted them up from poverty to riches.

I'm no genius—far from it. I'm just a plain, pervday, unassuming sort of man. I know everyday, unassuming sort of man. I know wbat poverty is. I've looked black despair in the eye—had failure stalk me around and hoodoo everything I did. I've known the bitterest kind of want.

But to-day all is different. I have money and all of the things that money will buy. anı rich also in the things that money won't buy-health, happiness and friendship. Few people have more of the blessings of the world than I.

 $\mathbf{I}_{jumped me up}^{T}$ was a simple thing that erty to riches. As I've said, I'm no genius. But I had the good fortune to know a genius. One day this man told me a "secret." It had to do with getting ahead and growing rich. He had used it himself with remarkable results. He said that every wealthy man knew this "secret,"--that is why he was rich.

surely had a good test. At that time I was feed to be a solution of the secret." that time I was flat broke. Worse than that, for I was several thousand dollars in the hole. I had about given up hope when I put the "secret" to work. At first I couldn't believe mu suddar change in fortung

my sudden change in fortune. Money actually flowed in on me. I was thrilled with a new sense of power. Things I couldn't do before became as easy for me to do as opening a door. My business boomed and continued to leap ahead at a rate that startled me. Prosperity be-came my partner. Since that day I've never known what

it is to want for money, friendship, happiness, health or any of the good things of life. That "secret" surely made me rich in every

sense of the word.

 M^{Y} sudden rise to riches naturally surprised others. One by one people came to me and asked me how I did it. I told them. And it worked for them as well as it did for me.

Some of the things this "secret" has done for people are astounding. I would hardly believe them if I hadn't seen them with my own cyes. Adding ten, twenty, thirty or forty dollars a week to a man's income is a mere nothing. That's merely playing at it. In one case I took a rank failure and in a few

weeks had him earning as high as \$2,000.00 a week. Listen to this:

A young man in the East had an article for which there was a nation-wide demand. Was a nation-wide demand. For twelve years he "puttered round" with it, barely eking out a living. Today this young man is worth \$200,000. He is build-ing a \$25,000 home—and paying cash for it. He has three auto-mobiles. His children go to pri-vate schools. He goes hunting, fishing, traveling whenever the mood strikes him. His income is over a thousand dollars a week. In a little town in New York

In a little town in New York lives a man who two years ago was pitied by all who knew him. From the time he was 14 he had worked and slaved—and at sixty he was looked upon as a failure. Without work—in deht to his charitable friends, with an in-valid son to support, the outlook was pitchy black.

was pitchy black. Then he learned the "secret." In two weeks he was in business for himself. In three months his plant was working night and day to fill orders. During 1916 the profits were \$20,000. During 1917 the profits ran close to \$40,000. And this genial 64-year-young man is enjoying the pleas-ures and comforts he little dreamed would ever be his.

I COULD tell you thousands of similar instances. But there's no need to do this, as I'm willing to tell you the "secret" itself. Then you can put it to work and see what it will do for you.

I don't claim I can make you rich over night. Maybe I can—maybe I can't. Sometimes I have failures—everyone bas. But I do claim that I can help 90 out of every 100 people if they will let me. The point of it all, my friend, is that you are using only about one-tenth of that wonderful brain of yours. That's why you haven't won greater success. Throw the unused nine-tenths of your brain into action and you'll be amazed at the almost instantaneous results. The Will is the motive power of the brain. Without a highly trained, inflexible will, a man has about as much chance of attaining success in the without steam. The biggest ideas have no value without will-power to "put them over." Yet the will, altho heretofore entirely neglected, can be trained into wonderful power like the brain or nemory and by the very same method—intelligent exercise and use. If you held your arm in a sling for two years, it would become powerless to lift a feather from lack

memory and by the very same method—intelligent exercise and use. If you held your arm in a sling for two years, it would become powerless to lift a feather from lack of use. The same is true of the Will—it hecomes useless from lack of practice. Because we don't use our Wills—because we continually bow to cir-cumstance—we become unable to assert ourselves. What our wills need is practice. Develop your will-power and money will flow in on you. Rich opportunities will open up for yon. Driving energy you never dreamed you had will manifest itself. You will thrill with a new power—a power that nothing can resist. You'll have an influence over people that you never thought possible. Success—in whatever form you want it—will come as easy as failure came before. And those are only a few of the things the "secret" will do for you. The "secret" is fully explained in the wonderful book "Power of Will."

How You Can Prove This at My Expense

How You Can Prove This at My Expense I KNOW you'll think that I've claimed a lot. Perhaps you think there must be a catch some-where. But bere is my offer. You can casily make thousands—you can't lose a perny. Send no money—no, not a cent. Merely clip the coupon and mail it to me. By return mail you'll receive not a pamphlet, but the whole "secret" told in this wonderful book, "POWER OF WILL." Keep it five days. Look it over in your home. Apply some of its simple teachings. If it doesn't somy ou how you can increase your income many times over—just as it has for thousands of others— mail the book back. You will be out nothing. But if you do feel that "POWER OF WILL" will do for you what it has done for over a quarter of a million others—if you feel as they do that it's the next greatest book to the Bible—send me only three dollars and you and I'lh esquare. If you pass this offer by. I'l be out only the small profit on a three-dollar sale. But you -you may easily be out the difference between what you're making now and an income several times as great. So you see you've a lot—a whole lot—more to lose than I. Mail the coupon or write a letter now—you may never read this offer again. **PELTON PUBLISHING COMPANY**

PELTON PUBLISHING COMPANY 30-H WILCOX BLOCK MERIDEN, COM MERIDEN, CONN.

Pelton Publishing Company 30-H Wilcox Block, Meriden, Conn. You may send me "Power of Will" at your risk. I agree to remit \$3.00 or remail the hook to you in Name

Address



No craving for tobacco in any form when you begin taking Tobacco Redeemer. Don't try to quit the tobacco habit un-aided. It's alosing fight against heavy odds and means a serious shock to the nervous system. Let the tobacco bahit quit YOU. It will quit you, if you will just take Tobacco Redeemer, according to direc-tions for two or three days. It is a most marvelously quick and thoroughly reliable remedy for the tobacco habit. 1

Not a Substitute

Not a Substitute Tobacco Redeemer contains no habit-forming druge of any kind. It is in no sense substitute for tobacco. After finishing the treatment you have absolutely nodesire to use tobacco again or to continue the use of the remedy. It makes not a particle of difference how long you have heen using tobacco, how much you use or in what form you use it-whether you smoke cigars, cigarettes, pipe, chew plug or fine cut or use andf, Tobacco Redeemer will positive-ly bantsh every trace of desire in from 48 to 72 hours. This we absolutely guarantee in every case or money refunded. Write today forour free booklet showing the deadly effect of tobacco upon the human system and positive proof that Tobacco Redaemer will quickly freeyou of the habt. Newell Pharmacal Company.

Newell Pharmacal Company, Dept. 521 St. Louis, Mo. لأألك فالبر بربيا يديد والت تتزيل تقات ا



The Moon's Rotation

(Continued from page 866)

festly absurd and of no bearing on the question under consideration.

In all the communications I have received, tho different in the manner of presentation, the successive changes of position in space are mistaken for axial rotation. So, for in-stance, a positive refutation of my argu-ments is found in the observation that the moon exposes all sides to other planets! It revolves, 10 be sure, but none of the evidences is a proof that it turns on its axis. Even the well-known experiment with the Foucault pendulum, altho exhibiting similar phenomena as on our globe, would merely demonstrate a motion of the satellite about *some* axis. The view I have advanced is NOT BASED ON A THE-ORY but on facts demonstrable by experiment. It is not a matter of definition as some would have it. A MASS REVOLV-ING ON ITS AXIS MUST BE POSEST OF MOMENTUM. If it has none, there is no axial rotation, all appearances to the contrary notwithstanding contrary notwithstanding.

A few simple reflections based on well establisht mechanical principles will make this clear. Consider first the case of two equal weights w and wi, in Fig. 1, whirled about the center O on a string s as shown. Assuming the latter to break at *a* both weights will fly off on tangents to their circles of gyration, and, being animated with different velocities, they will rotate around their common center of gravity *o*. If the weights are whirled n times per secand then the speed of the outer and the inner one will be, respectively, V = 2(R + r) n and $V_1 = 2\pi (R - r)$ n, and the difference $V - V_1 = 4\pi r n$, will be the length of the circular path of the outer weight - Inasmuch however as there will weight. Inasmuch, however, as there will be equalization of the speeds until the mean $V - V_1$

value is attained, we shall have -

 $2\pi r n = 2\pi r N$. N being the number of revolutions per second of the weights around their center of gravity. Evidently then, the weights continue to rotate at the know this to be a fact from actual ex-periments. It also follows that a ball, as that shown in the figure, will behave in a similar manner for the two half-spherical masses can be concentrated at their centers of gravity and m and m_i , respectively, which will be at a distance from o equal to

3% r. This being understood, imagine a number of balls M carried by as many spokes S radiating from a hub H, as illustrated in Fig. 2, and let this system be rotated ntimes per second around center O on fric-tionless bearings. A certain amount of work will be required to bring the struc-ture to this speed, and it will be found that it equals exactly half the product of the masses with the square of the tangential velocity. Now if it he true that the moon rotates in reality on its axis this must also hold good for EACH of the balls as it per-forms the same kind of movement. There-fore, in imparting to the system a given velocity, energy must have been used up in the axial rotation of the balls. Let M be the mass of one of these and R the radius of gyration, then the rotational energy will be times per second around center O on fricgyration, then the rotational energy will be $E = \frac{1}{2}M (2\pi Rn)^2$. Since for one complete turn of the wheel every ball makes one revolution on its axis, according to the prevailing theory, the energy of axial rotation of each ball will be $c = \frac{1}{2}M$ $(2\pi r_1n)^2$, r_1 being the radius of gyration about the axis and equal to 0.6325 r. We can use as large balls as we like, and so make e a considerable percentage of E and yet, it is positively established by experiment that each of the rotating balls contain only the energy E, no power whatever being

consumed in the supposed axial rotation, which is, consequently, wholly illusionary, Something even more interesting may, how-ever, be stated. As I have shown before, a ball flying off will rotate at the rate of the whole and in the correction But the wheel and in the same direction. But this which and in the same uncerner of a pro-jectile, neither adds to, nor detracts from, the energy of the translatory movement which is exactly equal to the work consumed in giving to the mass the observed velocity.

April, 1919

From the foregoing it will be seen that in order to make one physical revolution on its axis the moon should have twice its present angular velocity, and then it would contain a quantity of stored energy as given in my above letter to the *New York Trib*-In my above letter to the New York Trib-une, on the assumption that the radius of gyration is 2/5 that of figure. This, of course, is uncertain, as the distribution of density in the interior is unknown. But from the character of motion of the satel-lite it may be concluded with certified that it is devoid of momentum about its axis. If it be bisected by a plane tangential to the



Diagram Illustrating the Rotation of Weights Thrown Off By Centrifugal Force.

orbit, the masses of the two halves are inversely as the distances of their centers of gravity from the earth's center and, therefore, if the latter were to disappear suddenly, no axial rotation, as in the case of a weight thrown off, would ensue.

WHAT IS MAN?

A man weighing 150 pounds will contain approximately 3,500 cubic feet of gas,oxygen, hydrogen and nitrogen in his constitution, which at eighty cents per thousand cubic feet would be worth \$2.80 for illumi-nating purposes. He also contains all the necessary fats to make a 15-pound candle, and thus, together with his 3,500 cubic feet and thus, together with his 3,500 cubic feet of gases, he possesses considerable *illumi-nating* possibilities. His system contains 22 pounds and ten ounces of carbon, or enough to make 780 dozen, or 9,360 lead pencils. There are about fifty grains of iron in his blood and the rest of the body would supply enough of this metal to make one suite large anough to hold his wight A healthy man contains 54 ounces of phos-phorus. This deadly poison would make 800,000 matches, or enough poison to kill five hundred persons. This, with two onnees No difference how sour a man looks, he contains about 60 lumps of sugar of the ordinary cubical dimensions, and to make the seasoning complete, there are 20 spoon-luls of salt. If a man were distilled into fuls of salt. If a man were distilled into water, he would make about 38 quarts, or more than half his entire weight. He also contains a great deal of starch, chlorid of potash, magnesium, sulfur, and hydro-chloric acid in his wonderful human system.

Break the shells of 1,000 eggs into a huge pan or basin, and you have the contents to make a man from his toe-nails to the most delicate tissues of his brain. And this is the scientific answer to the question, "What is Man?" "I have watched the progress of the International Correspondence Schools almost from the very beginning. To me their rapid growth is easily understood, because I realize the practical value that is back of them and know something too of the success attained by many ambitious men throughout the country who have taken their courses. "May your splendid institution continue to so grow and flourish that the world will come to appreciate the actual worth of the I. C. S. trained man."

-THOMAS A. EDISON.

STEINMETZ

"I am familiar with the textbooks and method of instruction used by the International Correspondence Schools in their Courses in Electrical Engineering, and I also know of a number of young men who have taken these Courses with great henefit. I believe that any young man who is interested in electricity but who cannot find an opportunity to go through an engineering college, if he will apply himself to one of these courses will find it a practical and economical way to acquire a knowledge of the profession second only to that acquired by devoting all the time for years to this study, in a regular college course." -DR. CHARLES P. STEINMETZ.

EDISON

What Would Their Advice Be Worth to You?

Suppose you have a knack for things electrical—that you realize what a wonderful opportunity for earnings and advancement the field of Electricity offers. What, then, would it be worth to *you* to have Edison and Steinmetz, the two foremost figures in the electrical world, tell you of a thorough, practical plan by which you can acquire, right at home, the training you need for success?

Well, *here* is their advice, based on years of familiarity with the instruction given by the International Correspondence Schools and on per-

sonal knowledge of I. C. S. trained men in their employ:

"I know of the success attained by men who have taken your Courses," says Edison. "It is a practical and economical way to acquire a knowledge of the profession," says Dr. Steinmetz. Read their full statements above.

For 27 years the I. C. S. have been training men at home in their spare time for success in Electricity and 280 other subjects. It is training over 100,000 men and women right now. It is ready and anxious to prepare you for advancement in Electrical Engineering or any special branch of it—or in any other line that appeals to you.

Pick the position you want in the work you like best, then put it up to us to prove how we can help you. Here is all we ask—without cost, without obligation, mark and mail this coupon.

BOX 6184, S	CRANION, PA.
Explain, without obligating me, tion, or in the subject, before whi	how I can qualify for the posl- ch I mark X.
ELECTRICAL ENGINEER ELECTRICAL ENGINEER ELECTIC VIPING ELECTIC Lighting Electric Lighting Electric CarRing Electric Machine Designer Telegraph Expert Practical Telephony MECHANICAL ENGINEER Machanical Draftsman Toolmaker Machine Shop Practice Gas Engineer OLVIL, ENGINEER MINE NOILE MAND RENGINEER MARCHITECT Architectural Draftsman Present Occupation Street and No	CHEMICAL ENGINEER SALESMANSHIP Outdoor Sign Painter Outdoor Sign Painter RAILROADER ILLUSTRATOR DESIGNER BOOKKEEPER Stenographer and Typlet Cert, Public Accountant Traffic Management Commercial Law GOOD ENGLISH Common School Subjects CIVIL SERVICE Railway Mail Clerk STATIONARF ENGINEER Textile Overseer or Supt. AdBRICUTURE Natigator Ponitry Rislang AUTOMOBILES
Cite:	State
City	Jallie

Canadians may send this coupon to International Correspondence Schools, Montreal, Canada

W BOY SCOUTS CAN GAIN WIRELESS MERIT" BADGE. HOW

The committee on badges, awards and scout requirements of national headquarters has just established a "wireless merit" badge which no doubt will become quite popular as soon as there is an opportunity for scouts to perfect themselves in the de-tails. The requirements are as follows:

Be able to receive and send correctly not less than 10 words a minute.

Know the correct form for sending a message.

Be able to tell in own words the principal laws regarding radio communication. Know at least 10 of the radiogram abbre-

viations (Q signals). Be able to name two types of detectors and explain how they work

Name five minerals used in detectors in the order of their sensitiveness.

Draw a diagram of a simple transmitting set, showing how the following instruments are connected: Source of power (dynamo or storage battery), transformer, condenser, spark gap, helix, key, and explain their function.

Draw a simple diagram showing how to connect the following instrments: Tuning coil or loose coupler, condensers, fixt or variable, detector, 'phones and ground. Tell the use of the above apparatus. Draw a diagram of three different types

of aerials and tell their advantages or faults.

Know how to properly ground a radio

set and know what precautions to take during a thunderstorm.

Demonstrate how to rescue a person in contact with a live wire, and have a knowl-edge of the method of resuscitation of a person insensible from shock. Write a brief essay on the development

of wireless telegraphy.

ELECTRIC DRIVE FOR U. S. WAR-SHIPS.

America's capital fighting ships of the future will be superior to those of other nations because of their electrically driven machinery, Secretary Daniels told the House Naval Committee recently, in dis-closing remarkable results attained by the new dreadnought New Mexico, equipt with the electric drive which is to be a iea-ture of all the big ships authorized since ture of all the big ships authorized since 1916.

1916. The New Mexico's turbo-electric ma-chinery was designed to develop 26,500 horse-power at full speed and to give the ship a speed of twenty-one knots. "It actually developed more than 31,000 horse-power." Mr. Daniels said, "and main-tained for four hours a speed of twenty-one one querter knots and this when

one and one-quarter knots, and this when running at a displacement 1,000 tons greater than its design called for.

The secretary said fuel economy at cruis-ing speed had been one of the things sought in substituting electric drive for the ordinary turbine equipment.

Practical Chemical Experiments

(Continued from page 880)

TO TEST FOR COAL TAR COLOR-ING.

Experiment No. 3. See Fig. 3.

To test for coal tar colors in butter, a small sample is mixed on a porcelain plate with Fuller's earth, and if coal tars are present, there will be a red mass, while if absent the color will be only light yellow or brown.

Experiment No. 4.

Put a little butter in a test-tube, and a little oleomargarin into another. To each add one inch or so of alcoholic potash solu-tion, and warm each in the steam of the water bath. Distinguish the one from the other by smell. Add a little sulfuric acid (dilute) to each and smell again. Notice that "oleo" test tube will only smell of alcohol, but that the other will smell, besides, of butyric ether.

Radium Substitute.

We are all quite familiar with the uses of Radium in medicine and as an ingredient in luminous paint, both of which have been brought to the general public's attention within the past few years.

Luminons pair in particular offers a field whereby a substitute for Radium may be judiciously utilized. This paint played an important rôle in the war which has just terminated, having been used more particularly on the dials of instruments used on airplanes, so that they could be read at night. It has also been used for electric push buttons, door numbers, etc. The paint is permanently luminous in the dark and contains from 0.1 to 0.25 milligrams radium element to one gram of zinc sulfid. A luminous watch face usually contains from ten to twenty cents worth of radium on it. An excellent substitute for radium for

certain purposes is Meso-thorium. This is a radio-active element found in Monazite a radio-active element round in Monazite sand and other thorium minerals. When first extracted it is not satisfactory for luminous paint, and consequently must be "ripened" for several months, or even a year before it can be used. During this time the *alpha* radiation, which is required for luminous paint becomes sufficiently for luminous paint, becomes sufficiently

strong. On the other hand the *beta* and *gamma* radiation of Meso-thorium grows rapidly and it can be used for medicinal purposes within a few days after preparation

Radium, we are told, has a long life, half of it decaying in approximately 1800 years. Meso-thorium on the other hand possesses a short life, 5 or 6 years being its useful life for luminous purposes. For luminous paint to be used on objects which themselves have a short life, it is an excellent substi-tute for radium and will conserve the element radium for medicinal purposes only.

Static Electricity and Gasoline.

Static electricity, superinduced by the passage of gasoline thru chamois skin dur-ing the filtration process, was declared to be full of great danger. When this idea became prevalent, a well known automobile concern undertook a series of rigid experiments to learn what prospects there were of real danger. Their investigations re-sulted in their finding that the static elec-tricity scare from the use of chamois skin was without foundation. They claim to have secured authentic data from which it was proved that a static electric charge cannot be developed with the temperature above freezing (32 deg. F.), while at zero (0 deg. F.) the conditions for producing the spark are most favorable.

Two Trade Secrets.

There are two trade secrets at least that the world at large may never know, but which it is well worth the while of inventors to study. One is the Chinese method of making the bright and brilliant color known as Vermilion, or Chinese red; and the other is a Turkish secret-the inlaying of the is a Turkish secret—the inlaying of the hardest steel with gold or silver. Among the Chinese and Turks these two secrets are guarded well. Apprentices, before they are taken' for either trade, are compelled to swear an ironclad oath to reveal nothing of what passes in the workshop. They must also belong to families of high standing, must pay a large sum of money as a guranmust pay a large sum of money as a guaran-(Continued on page 911)



Telegraph	Sounders	at Ψ	Leach
Standard Kevs at	Telegra	ph	125 Leach
110 V	olt A.C.		
Dyn Ti D	amos		175]
Ihree Bar.	•••••	••	±each n25
Four Bar.		• •	2 each
Five Bar		**	4 cach
For other b	argains see	page	935

Skinderviken Telephone Equipment Co, Abbreviated Address STECO-2118-2136 N. Clark St. CHICAGO





Thousands of Electrical experts are needed to help rebuild the world. Come to Chicago to the great shops of Coyne and let us train you quickly by our sure, practical way, backed by twenty years of success. Hundreds of our graduates have become experts in less than four months. You can do the same. Now is your big opportunity. Come-no previous education necessary.

Earn \$125 to \$300 a Month

In the Electrical business. Come here where you will be trained in these great \$100,000 shops. Experts show you everything and you learn right on the ac-tual apparatus. You work on everything from the simple bell to the mighty motors, generators, electric locomotives, dynamos, switchboards, power plants, everything to make you a master electrician. We have thousands of successful graduates. Just as soon as you have finished we assist you to a good position. We now have more positions than we can fill. Think of it.

Become an Expert in 3¹/₂ Months

No need of taking from 1 to 4 years to become an expert, we have proved this in thousands of cases. The Coyne method of practical training eliminates all books, useless theory and other non-essentials and trains you in just what you need to know to become an expert.

Earn Your Way

Don't tell yourself you haven't got the money to come to Coyne. If you have ambition and the nerve of a real man, that's all you need. Dozens of our students every year work in their spare time and earn their living expenses. Dozens of others work in the day time, earn all their expense and attend our evening school. Our employment department will help you without charge.

BENNETT W. COOKE, Director COYNE TRADE AND ENGINEERING SCHOOLS 39-51 E. Illinois Street, Chicago, Ill. Dept. 24

MAIL COUPON

Day or Evening Courses

Don't worry about the money. Anyone with ambition can learn here. Our tuition is low with small easy payments if desired. All tools and equipment is furnished free. Our students live in comfortable homes in the best section in Chicago-on the lake-just a few minutes' walk from our school.

Electricity, Drafting Motion Picture Operating Plumbing

We teach all these trades and professions quickly and in such a thorough, practical way that when finished you are ready to step right into a position of responsibility and big pay.

Send Today for Big Free Book

Write today, now, for the book. It tells what Coyne graduates have done. What you can do. Fill in the coupon, check the trade you are most interested in or send a postal card, do it now.

Name....

Learn Drafting

The country is crying for skilled drafts-men in all lines. Thousands of positions open with princely salaries. We have been able to place every graduate in a good position. One firm asked for all our men. Now is the time to get into this big field. Experts train you under practical working conditions, no books and theory go here. Check drafting on the coupon below and mail it at once for full particulars.

COYNE TRADE AND ENGINEERING SCHOOLS Bennett W. Cooke, Director Dept. 24, 39-51 E. Illinois St. Chicago, III. Please send at once your big Free ok-1 am interested in Bookectricity [] Drafting [] Plumbing []. Motion Picture Operating (Check trade interested in) Electricity

Address.....

(m 3 2 2 1 1 1 1

NOW





CONSULT US When in need of definite and reliable data concerning trade formulae or industrial processes. When you desire to either duplicate or improve upon a product or process now in use, we can help you, as we are ever on the alert and closely following the development of the in-dustrial art in all its branches. The formulae listed below will serve briefly to show the field we cover: I— Preparing Solidified Alcohol. 2—Producing Liquit Tollet Noan. 3—Process for Electro-gaivanizing from. 4—Ink for Typewriter Bibbons (all standard colors). 5—Invest for Sonsitizing paper which gives excellent reprise for Sonsitizing paper which gives excellent formative filter and the standard process for the standard soldering attemment. The standard process for challoy for by this bureau in Thirty-five cents. Letters of inquiry welcomed informative filterature set, poor process, Industrial Methods Bureau, 320 Filth Avence, New York, N.Y.



If you have the welfare of your magazine at heart, read Mr. DeMott's message. It means money to you. The Publishers,

dvertising ${f T}$ alks

You, as a reader of the ELECTRICAL EXPERIMENTER, are vitally interested in every department of the magazine. There are some very strong reasons why you should be doubly interested in the advertising.

The publishers are constantly striv-ing and planning to improve the quality of the magazine offered you each month. But it is your magazine and it is up to you as to how big it shall grow. There are a great many things that you ought to know about adver-tising, and how this powerful force affects you personally.

Progressive and responsible firms all over the country announce what they have to offer you through the advertising pages of the ELECTRICAL EXPERIMENTER. Not only will you help your magazine by showing an interest in its advertisers, but you will heught yourself to on oron greater benefit yourself to an even greater degree. I will take up these points one by one each month, and hope that every reader will follow this column and offer any suggestions or ask any questions that may come to his mind regarding advertising and its relation

to a big magazine. If you have any suggestions to make regarding the advertisements that appear, if there is any informa-tion you would like regarding advertising in general, write me personally and your questions will be taken up in due course through this column.

For the next few months I will tell you about "E. E." advertising and its relation to you. Each month I will give you one reason more why the advertisements should be of vital in-terest to everyone of us.

You have watched the EXPERIMENTER grow from a little sixteen-page magazine to its present size. You have watched the class of articles improve, its staff of authorities who contribute each month get bigger and better, finally resulting in the wonderful announcement made in our January is-sue that the publishers had secured for you the services of the world's greatest inventor, Nikola Tesla, to give you exclusive feature articles in every issue for the next two years at least.

One of the principal factors in this rapid growth has been its advertising. Next month I will show you how, by reading and answering the advertisements, you will help to still

further build up and increase the size of the EXPERIMENTER. N. W & more

Advertising Manager.

AN OZONE WATER PURIFIER FOR THE HOME.

For use in homes, offices, drug stores, restaurants, hospitals and institutions, a Milwaukee concern has designed a convenient size of Ozone Water Purifier constructed as shown in the accompanying illustration. It is pointed out that in the ozonizing process employed, ozone is pro-duced by means of an electric current and from the faucet, so that all water used comes into actual contact with ozone. The extra oxygen atoms of the ozone combine with organic matter of the germs in the water and burn them up. The carbon dioxid formed by this chemical action passes out into the air leaving a trace of the same effect produced in carbonated beverages, which adds to the palatability of the ozonized water. It is claimed that all tastes and odors are removed by

all tastes and odors are removed by this process while mineral elements essential to health remain, for they do not oxidize. There are a great many cities whose water supplies are chlorinated and it is claimed that the use of this ozone water purifier will eliminate the odor and taste of chlorin from the water the same as it



New Design of Ozone Water Purifier for the Home, Office and Factory. The Ozonizer Connects With Any Lamp Receptacle. The Purifier Has a Capacity of Over 2,000 Gallons Per Day.

eliminates other objectionable odors and tastes.

As an amelioration of filtered water, or as a substitute for filtered or distilled water, it is claimed the process of ozonization stands by itself; it has no equal in efficiency; the removal of disease germs is absolute; the removal of disease germs is absolute; the water resulting from such process is as perfect as one can wish, being bright and sparkling. Each of the water purifiers has a purifying capacity of over 2,000 gallons a day, and, therefore, any user is entirely independent of the condition of the water at the municipal plant in his city. at the municipal plant in his city.

THE MAKING OF À MATCH.

Thorpe gives the following proportions for match head and for striking surface: Head composition: Potassium chlorat, 5

parts; potassium bichromat, 2 parts; glass powder, 3 parts; gum, 2 parts, Rubbing surface: Antimony trisulfid, 5 parts; red phosphorus, 3 parts; manganese dioxid, $1\frac{1}{2}$ parts; glue, 4 parts.

Tungsten is now used as an electric batelement, tery

Electrical goods of American manufacture are extensively sold in Porto Rico.

WHAT IS A "KILOWATT" AND "KILOWATT-HOUR". By Frank Szabo.

HERE seems to be quite a wrong con-ception of the terms kilowatt and kilo*watt-hour.* Quite frequently one hears expressions such as "10 kilowatts per hour", but such an expression does not mean anything

thing. What is a kilowatt? Kilowatt is a term for power or rate of work. According to Kent and other authorities, one kilowatt is equivalent to the evaporation of 3.52 lbs. of water per hour from and at 212 deg. F., or 3.415 heat-units per hour. In this defi-nition, per hour is a necessary part of it, without which the definition is incomplete. If it takes approximately 3 lbs. of burn-ing coal to evaporate 3.52 lbs. of water from and at 212 deg. F., then one kilowatt represents the consumption of 3 lbs. of coal per hour, and not simply the consumption of 3 lbs. of coal. If we extend the evapora-tion of 3.52 lbs. of water from and at 212 deg. F. by a consumption of 3 lbs. of coal deg. F. by a consumption of 3 lbs. of coal deg. P. by a consumption of 3 his, of coal uniformly over a period of two hours, we do not have the equivalent of one kilowatt, but one-half, or $\frac{1}{2}$ kilowatt, because during one hour only one-half of 3.52 lbs. = 1.76 lbs. of water have been evaporated with a consumption of one-half of 3 lbs. = 1.5 lbs. coal. Also, if we did the above perform-ance in 30 minutes, or one-half hour, we would not have the equivalent of one kilowould not have the equivalent of one kno-watt, but two kilowatts, because at the same rate we would, during one hour, evaporate $2 \ge 3.52$ lbs. = 7.04 lbs, of water with a consumption of $2 \ge 3 = 6$ lbs. of coal. Hence, one kilowatt represents the con-sumption of 3 lbs. of coal per hour. Of course the quantity of 3 lbs. of coal in the above explanation is not fixt; it may take slichtly more or less than 3 lbs per

take slightly more or less than 3 lbs. per hour for one kilowatt, depending on the heat value of the coal and the efficiency of

heat value of the coal and the efficiency of the steam and current generating units, but 3 lbs. is a fair average figure. *Il'hat is a kilowatt-hour?* According to Kent, it is the evaporation of 3.52 lbs. of water from and at 212 deg. F., or 3.415 heat units. In this definition, *per hour* is left out because no matter how fast or how slow the water evaporates the actual work slow the water evaporates, the actual work done in evaporating 3.52 lbs. of water from and at 212 deg. F. is equivalent to one kilo-watt-hour. In other words, one kilowatthour is the equivalent of the rate of one kilowatt for a period of one hour. The kilowatt for a period of one hour. The rate of $\frac{1}{2}$ kilowatt for a period of 2 hours also equivalent to one kilowatt-hour. Hence:

> Kilowatt-hours Kilowatts =

No. of hours and kilowatt-hours = kilowatts x No. of

hours Referring to the operation of electric cars, we cannot correctly say they require four kilowatts per car mile; we must say four kilowatt-hours per car mile, because the speed of the train has to be considered. Suppose we introduce a watt-meter and a watt-hour-meter into the circuit. The watt meter will indicate the rate of power consumed in kilcwatts, whereas the watt-hour-meter sums up all the kilowatt-hours con-sumed during the run. At uniform speed of the car the watt-meter pointer will re-main approximately steady in one position, but the upst hour meter will continue in but the watt-hour-meter will continue in-creasing the reading at a constant rate. If the watt-hour-meter at the end of ten miles' run at constant speed shows a read-ing of 40 kilowatt-hours, and it took one hour to make the run of ten miles, then the watt-meter showed a constant reading of 40 kilowatts. But if the run of 10 miles is made in say one-half hour, the reading of the watt-hour-meter will be approxi-mately the same—40 kilowatt-hours (ne-glecting the difference in efficiency of the unit at different loads)—but the watt-meter (Continued on page 700) If the watt-hour-meter at the end of ten

Taught By A Practical Man and in Your Home!

I am teaching electricity and electrical drafting to many men, young and old, and trust you will become sufficiently interested after reading this advertisement, that you will send for my catalog which tells what I am endeavoring to do and also places before you the simple way in which the instruction work is handled. The catalog is written in a very plain manner, much in the same style as my lessons are writ-

ten, and tells you exactly what you get and what the course can do for you. My catalog, as well as my advertisements, is written in a very careful, conservative manner so there is no possibility of you expecting something you will not get.

The Purpose of the Course of Study

I have been designing courses in electrical instruction and teaching electricity, off and on during the past 17 years, and during that time I have had an unusual opportunity to make a special study of the teaching business, from the stand-point of a practical man. This course of my own is designed with a view of reaching those who do not have a lot of time and money to devote to study work, reaching those who do not have a lot of time and money to devote to study work, and to give them as thorough a knowledge as possible of electricity, in the short-est possible time. The instruction is given like you were working on various jobs and I was the boss telling you what to do and how to do it, and giving the explanation necessary for the understanding of the theory covered by the sub-ject under discussion. There are many conditions which seldom occur in the every day run of electrical experience, and these conditions I lay particular stress on. This part of the instruction makes the course particularly attractive and valuable to those already engaged in active electrical work.

It Is Up To You

The instruction work is laid out and given in a way easily understood. In the instruction work is laid out and given in a way easily understood. It is not a cut and dried book plan, but the lessons are prepared especially for the purpose for which they are used and additional instruction is given to the indi-vidual student, with a view of meeting his particular needs. I have the informa-tion to give and I believe the ability to impart it to others, a fact which is in a way proven by other institutions which have made use of my services in the de-sign and perfecting of instruction courses. To understand this work, IT IS UP TO YOU to stick with me and I will surely stick with you till you understand any part of the work you have gone over any part of the work you have gone over.

Practical Men Take My Course and Recommend it to Others

Sixty percent of my students are actively engaged in electrical work and find the Sixty percent of hig students are actively engaged in electrical work and find the instruction I give well suited to their needs. Several of these men have had their fellow workers take the course also and they are taking the instruction together, making a class-room proposition of it and the results are in every way satisfactory to all concerned. One of these classes was started by a Chief Electrician, one of my students in Glen White, W. Va., who now has practically all the men under him taking my course. I believe the fact that these men who understand electrical work approve of my course to this extent is one of the strongest endorsements I could get.

FIFTY FIFTY

I work absolutely on a 50-50 basis with my students. You pay me the comparatively low price I ask, and I give you the instruction and other help as is stated in my catalog. No student is permitted to pay cash for his entire course on starting, the course being paid for in small monthly payments as you go along. Students have the privilege of discontinuing the work if they should find that it was not just what they were after, and their payments stop at the same time. This is my way of doing business and I would not want your money when I was not giving you the instruction.

Apparatus, Instruments,	
Material, Etc. Certain electrical apparatus, in- struments, material, charts, draft- ing implements, etc., as detailed in the catalog, are included in the	YORKE BURGESS, BURGESS ELECTRICAL SCHOOL, 745 East 42nd Street, Chicago, Illinois.
course and are a part of the regular instruction for which there is no extra charge as it is covered by the regular monthly payments.	Gentlemen: Send me catalog describing your course in Electricity and Drafting.
FILL OUT COUPON FOR ONE OF MY CATALOGS WHICH GIVES FULL INFORMATION.	NAME
BURGESS	ADDRESS
Electrical School	CITY
745 E. 42d St., Chicago, Ill.	STATE

ashington

This

shows

what

big men

think of

the future

of Wireless

LEARN WIRELESS N TEN WEEKS Right In Your Own Home

The Age of Wireless Is Here

The experimental stage has passed. Wireless now equals in importance telegraphy, and telephony. It has assumed its place among the great commercial industries of the earth. So rapid has been the development and growth of wireless in recent years that there has been left in its wake a tremendous shortage of operators. Actually thousands upon thousands will be needed for permanent "peace time" positions offering wonderful opportunities for advancement:

No Previous Experience Necessary

You do not need any previous training or experience in order to become a successful Wireless Expert. By our practical ten weeks' Home Study Course you can quickly qualify for a good position at big pay. Many of our students have secured positions before completing the course.



Mail This Coupon Today

NATIONAL	RADIO INS	TITUTE,	
Dept. 70,	Washington,	D. C.	

Dept. 70, Washington, D. C.
Send me, free of charge, your hooklet, "Wireless, the Opportunity of the
Age," with full particulars regarding your famous 10 weeks' Home Study
Course, and your Special Free Instruments Offer.
Name
Address
TownState

Get Your Instruction From the Nation's Capital

Our Course Is Endorsed by Officials of the U. S. Government

The National Radio Institute, headed by authorities who have been closely allied with government training of students, has perfected an easily mastered course in wireless telegraphy whereby students are taught completely in ten weeks, either here in Washington at our large residence school or at home, by

mail. Many of our students, are ready to take up actual wireless work in much less time. The course is founded on actual practice, hence the rapid progress of the student

Earn Up to \$200 Per Month

In the short period of ten weeks we can make of you a wireless operator, a man with a profession, independent, and not subject to the rise and fall of wages in the labor market. Salaries are as high as \$200 per month. We give you this training at home, by mail, in your spare time. It is not necessary for you to lose any time from your work to take the course. Then when you have received your diploma we help find you a good position.

Free Instruments to Every Student

In addition to text books, lessons and personal instruction, we send you a Home Practice Set consisting of a standard sendkey and buzzer, and a Universal automatic wireless transmitting and receiving set. These instruments are free to every student. No other school can offer you student. No what we do.

Pay As You Go Along With Your Lessons

added, if wireless telestaphic and telephon communication is to continue along the present central lines DECLIVES Steenerson declined to comment upon the thore comments of the comment upon the ster phylerities which they note estimate to swoment, if they would be permitted to

F properties which this four extensions a with about a billion doubler to rament, if they would be permite it their canned in aircle communica-tion of the second second second to the television of the second worth half as much as it second after wireless communication, has a

SAYS RADIO WILL SOON SCRAP WIRES

Our plans of payment bring a wireless education within the reach of anyone who desires to learn. A small payment down and small payments twice a month enable you to carn the cost of your tuition while actually learning to be a wireless operator.

Wireless **News Notes**

The U. S. Shipping Board has recently an-nounced an increase of nearly 30% in the pay of Merchant Marine Wireless Operators.

Nicola Tesla, world f a m o u s inventor, has recently perfected h i s Wireless Light, one of the wonders of the age. Another new invention has been perfected wherehy wire-less messages may now be sent underground.

Due to the recent perfecting of the Wireless Telephone, we expect to soon be able to communicate with our Home Study students by wireless.

Valuable Wireless Book FREE

Our booklet, "WIRELESS, the Opportunity of Today," gives you complete information in regard to our course, the quick and easy methods by which you can master wire-less, and other important facts you should know. It is free, Just mail the coupon. No obligation whatever on your part.

TRANSMISSION OF LIGHT THRU WATER.

The comparative transmission of light thru varying depths of water is a problem that science until recently knew but little



Showing Decrease In Transmission of Light Thru Water for Different Depths. A Problem Which All Submarine Inventors Are Interested In.

about. Now, thanks to Mr. S. L. E. Rose, of the General Electric Company's illuminating engineering laboratorics, who describes his findings in the General Electric Review. Photometric readings were taken every six inches thruout the available range of 5½ feet of water in the cylindrical tank in which the tests were conducted. The water used was Schenectady city water, which is clear artesian well water. Sea water would transmit much less light owing to the apparent blue or greenish tint it possesses which tints bespeak a fairly considerable amount of suspended matter and consequently increased opacity.

considerable amount of suspended matter and consequently increased opacity. The accompanying graphic curve shows vividly the relative transmission of light from a Mazda lamp, fitted with waterproof connections. A table of constants is given in the article, together with a formula for computing the illumination intensity for different depths of water when the initial intensity is known. The present graph shows, however, just how rapidly the illumination falls off in water for any given initial illumination. The particularly interesting feature of the results from a practical standpoint is the very considerable cut-off of light produced by a substance apparently so transparent, amounting for a single foot (0.05 m.) of water to 27.5 per cent. On this basis the transmission through 50 ft. (15.2 m.) of water would be only about one part in 10,000,-000 of the incident light.

The rapid decrease in the transmission factor with increased light travel in water coincides with the well-known facts that, for a so-called transparent medium, the ocean permits the penetration of daylight to but a surprisingly short distance below its surface and that fish native to the depths are blind or carry their own illuminants.

HAMMOND RADIO CONTROLLED BOAT SUCCESSFUL.

Army and navy experts have reported the device of John Hays Hammond, Jr., for radio control of surface craft to be sent laden with explosives against enemy ships, a success, and predict similar results with submerged craft.

Secretary Baker wrote the House appropriation committee recently that the joint army and navy board was "convinced of the practicability of the control" of the surface craft, and added that there had also been demonstrations of the possibility of the control to a craft, completely submerged, except for an air in-take pipe.

Before finally deciding on the purchase of the patents for \$750,000 the board desires further experiment with the submerged craft.

Construction of the submerged craft, which will be about 80 feet long by 7 feet in diameter, will take two years, according to Mr. Hammond, who told the committee, he had spent ten years and \$400,000 on his invention.

"The board considered the ability of the enemy to interfere with the control of the vessel by radio energy. Mr. Hammond's claims are that no interference can be had with the craft outside a radius of 100 to 150 yards from the source of the energy; that is, from the radio plant of a battleship, for example."

Major-General F. W. Coe said he had run the craft "all around vessels coming into the harbor at will." Mr. Hammond said an aviator after four hours' training on control, was able from a height of 9,000 feet and a distance of six or seven miles to exercise absolute control over the highspeed boat.

ELECTRIC SNOW MELTER FOR TRACK SWITCHES.

The electric snow melting device for track switches here illustrated is purely and simply an electric heater enclosed in a $3\frac{1}{2}$ inclustrater are placed between the long. These heaters are placed between the ties, just under the rail. They are wired from a circuit as the amount and character of the supply current makes necessary, and a switch is placed in this wiring at some

his wiring at some convenient point clear of the track. The current can be turned on as the snow storm starts by an employee as easily as an electric light. The heat generated does the rest.

The temperature in the heater rises about 100 degrees Centigrade in the first half hour and by the end of an hour is about 135 degrees Centigrade above the outside temperature. This heat is not enough to set fire to anything but is sufficient to melt the snow.



EARN \$35 TO \$100 PER WEEK

As a Mechanical Draftsman

Thousands of Men Wanted

You can learn Mechanical Drawing at bome in your spare time through our practical Home Study Course and qualify for Big Pay. We have placed hundreds of our students in good paying positions. Government departments and private concerns are continually calling upon us for our graduates.

Become a Chief Draftsman

and get to the very top in this well-established and rapidly growing profession. The training given by the Columbia School of Drafting will give you just the knowledge you need to make good as a Chief Draftsman. No previous training is necessary. You can begin our course now and make rapid progress from the start under the Personal Instruction of the President of the School, Mr. Claflin, by mail. His carefully prepared lessons and personal letters of advice make each step easy and interesting.

Draftsmen Now Getting \$35 to \$100 a Week

with big chances for better pay as the demand grows. All big engineering, construction and manufacturing projects must first go through the drafting room before the workmen can commence. All such enterprises depend upon large numbers of draftsmen. Salaries are advancing steadily.

Drawing Outfit Free with Our Course

As soon as you enroll you will be sent our drawing outfit for your own use throughout the course. This entire outfit will be yours to keep. You are not obliged to return it after completing the course.

Not Only a Correspondence School

The Columbia School of Drafting is probably the largest residence school in the country specializing in the training of professional Draftsmen. Our Home Study Courses are an extension of the same instruction as given locally.

Illustrated Catalog FREE

Simply fill in the coupon below, return it to us and we will send you free a copy of our illustrated catalog which tells all about our practical- Home Study Course and how you may secure our instructions at once on easy terms so as to quickly qualify for one of the big positions open.

Send	This	Coupon	Today.
------	------	--------	--------

COLUMBIA SCHOOL OF DRAFTING Dept. 982, 14th and T Sts., Washington, D. C.
Without obligation to me, please send me y ir Illustrated Catalog and tell how I may secure your practical training in Drafting and your help in securing a position as Draftsman.
Name
Address
City State



New Electric Snow Melter for Railroad Track Switches. Heating Colls Indicated By Arrows.



CORE WIRE

We have been fortunate in securing thru auction several tons of guaranteed pure, double annealed Norway tron Core Wire and are aeiling this wire to "Experimenter" readers

AT PRE-WAR PRICES 20cts LB.

This where is just the thing for spark coils, transformers, etc., and it is, of course, a very much more superior product than the usual iron wire. We absolutely guarantee the quality. If you ever thought of building a spark coil, transformer, or similar apparatus, now is the chance to get the right material for it. As far as we know this is the only lot of iron Norway Core Wire in the hands of any dealer at the present time, and none can be gotten until after the war. We have only two sizes left:

36 INCHES

26 INCHES Thickness about No. 21 B and S If either of these sizes should be too tong we advise cutting the wire down yourself by means of shears. It will pay you to do as real Norway Iron Wire, sold by a few dealers last year, brought from 40c to 50c a pound. American core wire now sells for from 30c upwards per pound. As iong as the supply lasts we offer this wire as described above to our cuatomers at the very tow price of 20c a pound. Order st once.

ELECTRO IMPORTING CO., 231 Fulton St., N. Y. C.

WHAT IS A "KILOWATT" AND "KILOWATT-HOUR?"

will give a constant reading of 80 kilowatts; in other words, for a speed twice as great the watt-meter will show a constant read-

ing twice as high, whereas the watt-hour-meter reading will be the same for the

Applying the formula to this example for a speed of 10 miles per hour and a power consumption of 40 kilowatt-hours, we get

$$\text{Kilowatts} = \frac{40}{1} = 4$$

Making the same run in one-half hour we

Cilowatts =
$$\frac{40}{14}$$
 = 80

Dividing the total power consumed by one car in kilowatt-hours by the distance in miles, we get the power consumption in

kilowatt-hours per car mile. Applying the above terms to electric light, a 40-watt electric light is one that consumes





40-waft lamp 1.000

40 1,000

an electric power station charges you ten cents per kilowatt-hour you can burn one

= 25 hours, or twenty 40-watt lamps

 $- = 1\frac{1}{4}$ hours, for ten cents, since

A new departure in portable lamp guards is shown in the illustration of a split handle which can be quickly attached to a special expanded steel lamp guard supplied by the same concern. This *portable* suc-cessfully fills a de-mand for a substan-tial bandle guard tial handle guard which does not need to be wired. The

to be wired. The halves of the guard including the handle itself, open from the hinge at the bottom of the guard and can instantly be closed and locked around the socket at the end of any extension cord. The cord itself runs thru grooves in the handle.

The convenience of this new product will be appreciated by the motorist in his gar-age as well as in every factory, mill or warehouse, because it permits light to be safely carried to dark corners, in stock bins, engine pits, etc. Fire danger is avoided and lamp users will readily see the advantage and corners, or the modert aget advantage and economy, as the modest cost of the guard is quickly repaid thru preven-tion of lamp breakage.

ANOTHER "USELESS" PATENT.

A Chicago woman has patented a shoe with an electric battery in the heel to supply a mild current to a wearer's ankle as a tonic. Another "useless patnt!"

THE PHOTOELECTRIC SENSI-TIVITY OF VARIOUS SUBSTANCES.

OME time ago an examination was made of various substances to determine their electrical sensitivity to light; and in view of the fact that some of the results obtained are at variance with the measurements made by Case, it seems desirable to publish a summary of these observations, which were made at the Burcau of Standards.

Two of the hercin described substances were examined for change in electrical conductivity caused by the action of light upon them, and all of them were exam-ined for *photoelectrical activity* when they were charged to a negative potential in an evacuated bulb and exposed to light, reports Messrs. Coblentz and Emerson in the Journal of the Washington Academy of Sciences

When the substances were examined for an increase in electrical conductivity, a potential of 2 to 6 volts was connected thru a resistance of zero to 1,000,000 ohms into a circuit containing a d'Arsonval gal-vanometer and the substance under in-vestigation. In most cases the substances were slightly conducting when not exposed to light, so that the *dark current* had to be annulled by joining a counter e.m.f. thru a resistance of 10,000 ohms to the terminals of the galvanometer. This counter e.m.f. was obtained by shunting across a re-sistance of 100 ohms which was in series with a cell of 2 volts and a variable resist-ance of zero to 70,000 ohms. The source of light, when not otherwise into a circuit containing a d'Arsonval gal-

The source of light, when not otherwise

specified, was a 16-c.p. carbon incandescent lamp, placed at a distance of 10 cm. from the substance under investigation. One dis-appointing feature of this investigation is that no substance was found which is com-

parable in sensitivity with the potassium photoelectric cell and with the selenium cell. Gollium. This metal was solid, thus dif-fering from the impure material, which is a liquid.

The results obtained proved disappointing, this metal being quite insensitive to light. When the cell was exposed to day-light the photoelectric current produced a deflection of only 4 to 5 mm., whereas simi-larly exposing a *potassium photoelectric cell* the photoelectric current was sufficient to give a deflection beyond the range of the scale the scale.

Silver Sulfide. The sample examined was a thin flexible strip, 6 by 10 mm. in area. In one test the silver sulfide formed the negative electrode of a photoelectric cell (evacuated glass bulb about 5 cm. diameter with a ring of platinum wire for the anode). It was connected thru an ironclad Thompson galvanometer to a battery of 340 volts. When exposed to daylight a deflection of perhaps 1 to 2 mm. was 'ob-served, but no deflection resulted from exposure to the standard carbon lamp.

Selenium. A crystal of selenium, pre-pared by Dr. F. C. Brown and having a receiving surface of less than one sq. mm., when exposed to the standard lamp gave a deflection of more than 50 cm., which shows its great sensitivity as compared with other substances.

The mounting of the selenium crystal consisted of metal electrodes between which the crystal was held by compression. When operated as a photophone, by connecting the selenium crystal with an Audion ampli-

fier, a loud musical note was obtained. *Tellurium.* This metal is said to change in resistance when exposed to light. The resent tests were made upon a mirror of tellurium deposited upon a glass plate by cathode disintegration. Suitable terminals were attached to a sample about 4 by 50 mm. No change in conductivity was ob-

where attached to a sample about 4 by so served when it was exposed to light. Boleite. The sample of boleite [3Pb Cl (OH). Cu Cl (OH) + Ag Cl], from Boleo, Mexico, examined was a single rectangular crystal 3 by 3 by 1.5 mm. It was held by compression between copper electrodes. No change in conductivity was observed when the crystal was exposed to daylight or to the standard incandescent lamp. Stibnite. The size of one sample exam-ined was 4 by 7 by 0.5 mm. Terminals were attached to it by heating a copper wire to incandescence in a gas flame and bringing it in contact with the plate of stibnite. The standard carbon lamp caused a de-

The standard carbon lamp caused a de-flection of 5 cm. Stibnite may be con-sidered as sensitive as *boulangerite*, to be mentioned presently, but the deflection drifted, due to the decrease in resistance with time already noticed by other observers

ers. Boulangerite. The specimen of houlan-gerite (3PbS. Sb₂ Ss, Irkutsk, Siberia); in-vestigated was obtained from the Smithson-ian collection. Several samples were ex-amined. In one sample, 4 by 7 by 0.8 mm, the electrodes consisted of copper wires melted into the material as just described. The radiation from the standard lamp gave a deflection of 10 to 20 cm. Another sample, 1 by 1.2 by 2 mm., held by compression between two heavy elec-trodes of copper, when exposed to the standard incandescent lamp produced a de-flection of 2 to 3 cm., which is comparable

flection of 2 to 3 cm., which is comparable with the preceding when one considers the size of the exposed surfaces.

Altho this substance seems fairly sensi-tive, it did not appear to be sufficiently so to justify an investigation of its spectral sensitivity with a view of using this mineral as a selective radiometer. Jamesonite. (2PbS,Sb₂S₃; Smithsonian

TQ. Vor **TUON**

Telegraph and Telephone Books Sent to Experimentors for a Whole Week FREE

Absolutely free to use for seven days-no strings of any kind to this offer. Every reader of Electrical Experimenter can have a set of these great instructive and intensely interesting books telling everything that the greatest experts in the business know about telephony and telegraphy. The coupon brings all four volumes right to your door. If they don't please you in every way, we stand the expense of shipping them back. See the list of things the books explain and our *free trial* offer below.

Will Make You An Expert

This Library of Telephony and Telegraphy will fit you to hold the biggest kind of job in this interesting and well-paying field. The 4 big books with 1,728 pages and 2,000 pictures, plates, diagrams, etc., bound in genuine leather, regular library style, explain everything you need to know.

Part of What Electric Telegraph—Wire-less Telegraphy—Wireless They Contain Electric Telegraphy—Wireless Telephony – Elements of Electricity – Line Con-struction—Engineering and Maintenance—Electrical Measurements – Switchboards – Automatic Systems —Power Plants and Buildings—Special Service Fea-tures – Telegraph and Railway Work – Substation Equipment—Party Line Systems—Generators—Train Dispatching—Storage Batteries—Colls—Tests, Alto-gether a thousand different subjects are covered in detail. gether detail.

Consulting With every set of the Cyclopedia of Telephony and Telegraphy we will give without any charge whatever a one year membership in the American Technical Society enabling you to consult our engineers and experts on any telephone, telegraph or wireless problem you want solved for one year. This membership usually sells for \$12.00. It is yours free with the books.

This Coupon

is all You

NEED

DON'T SEND MONEY

Don't send one cent with your free trial request. The coupon is all you need to get the books. Just fill out all three lines and mail it to us. We will ship the books to either your home

Name.

Reference ...

or shop by express collect and you can use them as If they were your own for a whole week. Then if \mathbb{N} you want to send them back do it. It's all right with us and we will pay the expense of shipping them back ourselves. If you want to keep the books send us only \$2.00. You can send the balance of our special \$12.80 price the same way-\$2.00 each month.

We reserve the right to withdraw this price at any time. In fact we cannot maintain it after the present edition is sold. Act now while the low price holds good.

A numerican and out ail it the some m as cen if right with right with consult our char cen if right with right with right with right with char source s

Address.....

AMERICAN TECHNICAL SOCIETY Dept. X-3384 Chicago, U. S. A.





AMERICAN SHARPENING MACHINE CO. (Inc.), Dept E E, 184 W. Washingtom St., CHICAGO

collection, from Cornwall, England.) The sample examined (size 2 by 7 by 1 mm.) had the copper wire terminals attached by fusing the incandescent wire into the material. The standard lamp gave a deflection of only 1 to 2 cm., which seems to indicate that this material is not so light-sensitive as is boulangerite.

Mixtures of galena and stibnite in various proportions were melted in a crucible and poured upon a plate of metal. Several samples, 5 by 10 by 0.5 mm., were examined, but none of them gave any indication of light-sensitiveness (change in resistance) when exposed to daylight or to the standard incandescent lamp.

bismuthinite. Bismuthinite, $Bi_2 S_8$, was obtained from the Smithsonian collection from Jefferson County, Montana. This is the most interesting substance examined, in view of the diverse results obtained and the explanation offered therefor.

The sample of bismuthinite examined consisted of a non-homogeneous mass of acicular crystals, which was easily crushed into numerous fine needle-like crystals. The first sample examined was a small mass of crystals (size 1 by 1 by 0.7 mm.) held by compression between two heavy electrodes of copper. When the crystal was exposed to the standard carbon lamp no change in conductivity could be detected with certainty.

A second sample, 3 by 6 by 1 mm., had the copper wire terminals attached by fusion, as already described. The e.m.f's applied were the same as for the preceding sample. When exposed to the standard lamp no change in conductivity was observed. These results being contradictory to those published by Case, who used a three stage Audion amplifier to detect the change in conductivity of the crystals, the foregoing experiments were repeated in the manner described by him. For this purpose the light from an acetylene flame shining thru a slit 2 by 10 mm. was focused upon the crystal by means of a triple achromatic lens, 6 cm. in diameter and 18 cm. focal length. The light was interrupted by means of a sectored disk having 15 openings and operated by means of an electric motor, the speed of which could be varied. The usual speed gave 240 interruptions per second. The crystal was connected to a three stage Audion amplifier and telephone receiver. A crystal of selenium or a selenium cell produced a loud note, but the samples of houlangerite and jamesonite, which by previous tests were light-sensitive, did not give a musical sound in the telephone.

The sample of bismuthinite with electrodes sealed on produced no andible note when exposed to light.

At least a dozen samples of bismuthinite held by compression between heavy copper electrodes were examined in connection with the amplifier. Of this number only two samples appeared to be light-sensitive. One sample produced only a faint sound in the telephone receiver. The second sample produced a loud note in the telephone. The sound was the loudest when the crystal was exposed along the line of contact with the copper electrode. Covering the crystal with red glass did not reduce the loudness of the note very much, indicating that the effect is due to heating of the material. Unfortunately, this crystal was crushed while under investigation. Prolonged tests on other samples gave negative results as regards the production of sound.

In view of the fact that the tests made with a sensitive galvanometer failed to show an increase in conductivity when bismuthinite was exposed to light, it appears that the change in conductivity which was observed when a certain specimen was exposed to intermittent flashes of light (photophone or, rather, radiophone) is



the result of a thermal change within the crystal, or perhaps a change in the contact resistance at the electrodes. In this connection the following experiments on thin strips of metals are of interest. *Platinum and Gold.* In conclusion it is of

interest to record the results obtained when using thin blackened strips of platinum and of gold-leaf as radiophones, by connecting

them thru a battery to an amplifier. These blackened strips were warmed in-termittently by exposing them thru a ro-tating sectored disk to the acetylene flame, as already described. When a sensitive platinum bolometer re-

ceiver was used as a radiophone, the sound produced in the telephone was not very audible. This no doubt was due to the great heat capacity of the material which prevented the rapid alternations in resist-ance and hence in electric current, from beance and hence in electric current, from being of sufficient magnitude to affect the

telephone receiver. Using a lightly smoked strip (6 by 2.5 mm.) of gold-leaf, the ends of which were clamped between thin (0.02 mm.) strips of tin, the sound produced in the telephone receiver was as loud as was observed in

receiver was as fould as was observed in the photophone made of selenium. This device was mounted in a glass bulb which could be evacuated. As was to be expected, there was no marked difference in the intensity of the sound produced when operated in air and in a vacuum. In the gold leaf radiaphone as used, the

In the gold-leaf radiophone as used, the limit of audibility was attained for a light (radiant power) intensity of 4.8×10^{-5} watts. Using a larger receiver and amplifier and a larger current (which was 0.2 amp. in the present tests) thru the receiver, the sensitivity could be greatly increased.

MENTAL TELEPATHY—A SIMPLE CONCEPTION OF PSYCHICAL ACTIVITY.

By Dr. Charles H. Merlitz

By Dr. Charles H. Merlitz TRICAL EXPERIMENTER there appeared an extremely interesting article by Dr. A. Abrams on *Thought Transference* and Other Phenomena. Altho he gave many interesting experiments he did not show the relationship of this theory to the modern physical theories. It is the author's intention in the present article to present an explanation for this remarkable phe-nomena. nomena.

We know very little in regard to the functioning of the human mind. We have practically no insight into the mechanism of thought and memory. We do know, of thought and memory. We do know, however, that the brain in functioning re-quires nourishment. Thus it follows that any operation of the brain is accompanied by the absorption of a certain amount of energy. However, contrary, to ordinary of thought and memory. energy. However, contrary to ordinary laws, in storing a thought and in subsequently recalling it, *energy is absorbed*. These two processes are the opposite of each other, and it would naturally be supposed that in remembering energy would be dissipated.

To commit a thought to memory we re-peat it several times, each successive repetition requires the expenditure of a certain amount of energy. Thus we may say that the energy expended after a number of

the energy expended after a number of repetitions equals: $1^2 + 1^2 + 1^2 + 1^2 - - - - n$ times Now when we remember it the process is the reverse, which gives us $(-1)^2$ which would equal 1², which means the addition of energy. Thus the act of remembering a fact more firmly implants it in the mind. We new early accurate there is a cert

We may easily assume that there is a certain practical limit to the amount of effect that can be produced. This limit might be called the *saturation* of the brain. It would he reasonable to suppose from this that for each repetition or act of remembering the amount of energy stored is less than that of the preceding one, decreasing in geo-







metrical progression. Each repetition, however, is accompanied by the absorption of a certain amount of energy. Thus it follows that for each succeeding repetition there is a certain amount of surplus energy to be accounted for. It is this surplus energy that gives us an explanation for the process known as *Mental Telepathy*. Our question then resolves itself into the mauner of transference or transmission of this energy.

Sir William Crookes has suggested that the transmission of this energy is effected by means of ether waves of smaller magnitude and greater frequency than those which constitute X-rays. These rays also possess the property of neither being re-flected or refracted. Prof. Flournoy suggested that these waves are undulations starting from the nervous centers in the brain. The greatest objection to this theory of telepathy is that the intensity of the received impulses is not inversely proportional to the square of the distance, no perceptible diminution in the impulses being produced by distance. In actual ex-periments the intensity sometimes even increased with the distance. The explanation of this curions phenomena is extremely simple, however. Pocock has sug-gested that the sensibility and capacity of the brain for the reception of these transmitted impulses is extremely small, so small in fact that the receiver is saturated even at the greatest distance over which telepathy has been observed. The excess energy passes on—unable to produce any ef-fect upon the already saturated brain. This explains why the intensity is not diminished by distance.

We may postulate then that Mental Telepathy is a case of *radiant energy*. These radiations emanating from the brain when the mind is concentrated, are therefore very penetrating and traverse great distances without perceptible decrease in intensity.

The reasoning which I have heretofore pursued has been from the purely theo-retical standpoint. The fact that the brain actually radiates energy has been demonstrated by several scientists. Charpentier showed that the human body emits what he has called "N-rays." He found that the phosphorescence of certain substances is in-creased when they are brought into the vicinity of contracting muscles or one of the nervous centers of the cerebral cortex. He demonstrated this by the use of a sim-ple piece of apparatus. A lead tube about two inches long covered at one end by a piece of paper or silk treated with phos-phorescent calcium sulfate was employed. By placing this tube near nervous centers a marked increase in phosphorescence was observed. Di Brazza showed that when a phosphorescent, platino-cyanid of barium screen faintly illuminated by a distant Xray tube was placed near certain portions of the head, that when the subject con-centrated his will the luminosity of the screen was varied in relation to the subjects *psychical activity*. From this he con-cluded that the brain was the seat of active radiations. When the subject's attention is radiations. When the subject's attention is not concentrated no variation in the limin-osity is noticeable. Di Brazza found that the activity was greatest around the tem-ples, the eyes and behind the ears. This experiment may be repeated by exercising great care. It must be remembered, how-ever, that the variations in luminosity are extremely small extremely small.

There have been many experimenters in this branch of science, many of whom have recorded remarkable instances of telepathy or action at a distance, as it is sometimes called. Professor Henry Sidgwick has collected a great number of instances in which hallucinations directly preceded death, and which he attributed to mental telepathy. Wessermann has recorded a singularly in-



April, 1919

April, 1919

purpose.

universe.

(Continued on page 907)

ELECTRICAL EXPERIMENTER

905



906



MY INVENTIONS.

(Continued from page 905)

the professors had written him to the effect that unless he took me away from the Institution I would be killed thru overwork. Thereafter I devoted myself chiefly to physics, mechanics and mathematical studies, spending the hours of leisure in the libraries. I had a veritable mania for finishing whatever I began, which often got me into difficulties. On one occasion I started to read the works of Voltaire when I learned, to my dismay, that there were close on one hundred large volumes in small print which that monster had written while drinking seventy-two cups of black coffee per diem. It had to be done, but when I laid aside the last book I was very glad, and said, "Never mere!"

My first year's showing had won me the appreciation and friendship of several professors. Among these were Prof. Rogner, who was teaching arithmetical subjects and geometry; Prof. Poeschl, who held the geometry; Prof. Poeschl, who held the chair of theoretical and experimental physics, and Dr. Allé, who taught integral cal-culus and specialized in differential equa-This scientist was the most brilliant tions. lecturer to whom I ever listened. He took a special interest in my progress and would frequently remain for an hour or two in the lecture room, giving me problems to solve, in which I delighted. To him I explained a flying machine I had conceived, not an illusionary invention, but one based on sound, scientific principles, which has become real-izable thru my turbine and will soon be given to the world. Both Professors Rogner and Poeschl were curious men. The former had peculiar ways of expressing himself and whenever he did so there was a riot, followed by a long and embarrassing pause. Prof. Poeschl was a methodical and thoroly grounded German. He had enormous feet and hands like the paws of a bear, but all of his experiments were skillfully performed with clock-like precision and without a miss.

It was in the second year of my studies that we received a Gramme dynamo from Paris, having the horseshoe form of a laminated field magnet, and a wire-wound armature with a commutator. It was connected up and various effects of the currents were shown. While Prof. Poeschl was making demonstrations, running the machine as a motor, the brushes gave trouble, sparking badly, and I observed that it might be possible to operate a motor without these appliances. But he declared that it could not be done and did me the honor of delivering a lecture on the subject, at the conclusion of which he remarked: "Mr. Tesla may ac-complish great things, but he certainly never will do this. It would be equivalent to converting a steadily pulling force, like that of gravity, into a rotary effort. It is a perpetual motion scheme, an impossible idea." But instinct is something which idea." But instinct is something which transcends knowledge. We have, undoubt-edly, certain finer fibers that enable us to perceive truths when logical deduction, or any other willful effort of the brain, is futile. For a time I wavered, imprest by the professor's authority, but soon became convinced I was right and undertook the task with all the fire and boundless confidence of youth.

I started by first picturing in my mind a direct-current machine, running it and following the changing flow of the currents in the armature. Then 1 would imagine an alternator and investigate the processes taking place in a similar manner. Next I would visualize systems comprising motors and generators and operate them in various ways. The images I saw were to me perfectly real and tangible. All my remaining term in Gratz was past in intense but fruitless efforts of this kind, and 1 almost came to the conclusion that the problem was insolvable. In 1880 I went to Prague, Bohemia, carrying out my father's wish to

complete my education at the University there. It was in that city that I made a decided advance, which consisted in detaching the commutator from the machine and studying the phenomena in this new aspect, but still without result. In the year following there was a sudden change in my views of life. I realized that my parents had been making too great sacrifices on my acbeen making too great sacrifices on my ac-count and resolved to relieve them of the burden. The wave of the American tele-phone had just reached the European con-tinent and the system was to be installed in Budapest, Hungary. It appeared an ideal opportunity, all the more as a friend of our formity was at the head of the automatic amily was at the head of the enterprise. It was here that I suffered the complete breakdown of the nerves to which I have referred. What I experienced during the period of that illness surpasses all belief. My sight and hearing were always extraordinary. I could clearly discern objects in the distance when others saw no trace of them. Several times in my boyhood I saved the houses of our neighbors from fire by hearing the faint crackling sounds which did not disturb their sleep, and calling for help.

In 1899, when I was past forty and carry ing on my experiments in Colorado, I could hear very distinctly thunderclaps at a dis-tance of 550 miles. The limit of audition for my young assistants was scarcely more than 150 miles. My ear was thus over thirteen times more sensitive. Yet at that time I was, so to speak, stone deaf in comparison with the acuteness of my hearing while under the nervous strain. In Budapest I could hear the ticking of a watch with three rooms between me and the time-piece. for a solution of the second s made the bench or chair on which I sat vibrate so strongly that the pain was unbear-able. The ground under my feet trembled continuously. I had to support my bed on rubber cushions to get any rest at all. The roaring noises from near and far often produced the effect of spoken words which would have frightened me had I not been able to resolve them into their accidental components. The sun's rays, when periodi-cally intercepted, would cause blows of such force on my brain that they would stun me. I had to summon all my will power to pass under a bridge or other structure as I experienced a crushing pressure on the skull. In the dark I had the sense of a bat and could detect the presence of an object at a distance of twelve feet by a peculiar creepy sensation on the forehead. My pulse varied from a few to two hundred and sixty beats and all the tissues of the body with twitchings and tremors which was perhaps the hardest to bear. A renowned physician who gave me daily large doses of Bromid of Potassium pronounced my malady unique and incurable. It is my eternal regret that I was not under the observation of experts in physiology and psychology at that time. I clung desperately to life, but never ex-pected to recover. Can anyone believe that so hopeless a physical wreck could ever be transformed into a man of astonishing strength and tenacity, able to work thirty-eight years almost without a day's interruption, and find himself still strong and fresh in body and mind? Such is my case. A powerful desire to live and to continue the work, and the assistance of a devoted friend and athlete accomplished the wonder. My health returned and with it the vigor of mind. In attacking the problem again I almost regretted that the struggle was soon to end. I had so much energy to When I undertook the task it was spare. not with a resolve such as men often make. With me it was a sacred vow, a question of life and death. I knew that I would perish if I failed. Now I felt that the battle





er's wish to (Continued on page 909) ¹²⁵²²⁰⁰⁵⁰²² You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.



The Purpose of This Analog is to Portray, As Faithfully As Possible, the Phenomena of Tesla's Rotating Magnetic Field So As to Make Them Easily Understandable to the Average Reader. The Two Alternating Fluxes Are Represented By Streams of Water Having the Same Relation As to Phase, Amplitude and Direction. The Magnetic Polarity of the Rotor Is initiated By the Employment of a Body So Shate Store With Respect to the Streams, Exactly As the Arotor With Respect to the Poles. Moreover, the Corresponding Rotating and Stationard By arts Aro Given a Similar Appearance and Are Disposed in Like Manner. To Make the Analog Complete, it May Further Be Assumed That the Liquid is Compressible So That There Will Be a Phase Displacement Between Pressure and Flow As That Existing Between Eloctro-Motive Force and Current.

Foreman and

Office Manager or Auditor \$1800 to \$5000 Yearly

Carpentry and

Contracting Five volumes, 2138 pages and more that 400 illustrations, Prepares for Contractor, Build-ing Superintendent and Car-penter Foreman. Regular price, \$25.00. Special price, \$17.80.

Civil Engineering

Nice volumes, 3900 pages and 3000 illustrations, plates and diagrams, Prepares for Civil or Structural Engineer, Transit-man, Estimator, Designer or Chief Draftsman. Regular price,\$45.00, Special price,\$29,80.

Telephony and

Four volumes, 1/25 pages and 2000 illustrations, plates and diagrams. Prepares for Tele-phone Engineer, Wire Chief, Exchange Manager, Trouble Man or Telegrapher. Regular price, \$20,00.Special price, \$12.80,

Seven volumes, 3300 pages and 2500 illustrationa. plates, dia-grama, etc. Prepares for Sta-tionary. Marine or Locomotiva Engineer or Fireman. Regular price,\$35,00. Special price,\$21,80.

Law and Practice

(with Reading Course in 25 bound pamphiets). Thirteen volumes, 6000 pages and 24 illus-trations. Prepares for all Bar Examinations. A wonderful aid to husiness men. Regular price, \$72.00. Special price, \$39.80.

Accounting Foor volumes, 1840 pages and 800 illustrations, plates and diagrams, C., P. A. questions and practical problems, Pre-pares for Accountant, Book-keeper or Coat Cierk, Regular price,\$20.00. Specialprice,\$12,80.

Accounting

Practical

Steam and Gas

Telegraphy

Engineering

Contracting

MY INVENTIONS.

(Continued from page 907)

was won. Back in the deep recesses of the brain was the solution, but I could not yet give it outward expression. One afternoon, which is ever present in my recollection, 1 was enjoying a walk with my friend in the City Park and reciting poetry. At that age I knew entire books by heart, word for word. One of these was Göethe's "Faust," The The sun was just setting and reminded me of the glorious passage:

"Sie rückt und weicht, der Tag ist überlebt, Dort eilt sie hin und fördert neues Leben Oh, dass kein Flügel mich vom Boden hebt Ihr nach und immer nach zu streben!*

Ein schöner Traum indessen sie entweicht, Ach, zu des Geistes Flügeln wird so leicht Kein körperlicher Flügel sich gesellen!"† As I uttered these inspiring words the idea came like a flash of lightning and in an in-stant the truth was revealed. I drew with a stick on the sand the diagrams shown six years later in my address before the Amer-ican Institute of Electrical Engineers, and ican institute of Electrical Engineers, and my companion understood them perfectly. The images I saw were wonderfully sharp and clear and had the solidity of metal and stone, so much so that I told him: "See my motor here; watch me reverse it." I cannot begin to describe my emotions. Pygmalion seeing his statue come to life could not have been more deeply moved. A thou-sand secrets of nature which I might have stumbled upon accidentally I would have given for that one which I had wrested from her against all odds and at the peril of my existence.

* "The glow retreats, done is the day of toil; It yonder hastes, new fields of life exploring; Ab, that no wing can lift me from the soil, Upon its track to follow, follow soaring!"

† A glorious dream! though now the glories fade. Alas! the wings that lift the mind no aid Of wings to lift the body can bequeath me."

TESLA ON HIGH FREQUENCY GENERATORS.

Editor, ELECTRICAL EXPERIMENTER:

It is to be regretted that a letter addrest to me by Mr. J. Harris Rogers, in your care, was published in the march number of the ELECTRICAL EXPERIMENTER, altho the concurrence of our views in some wireless fea-tures might have made this desirable to so wide-awake and enterprising a periodical as yours.

Mr. Rogers seems to be a very apprecia-tive gentleman and nothing would be farther from my thoughts than to detract anything from his merit, but in a separate contribufrom his merit, but in a separate contribu-tion, which I expect to prepare for your next issue, I shall express myself on this subject without prejudice and in the inter-est of truth. However, the article by your Mr. H. Winfield Secor on "America's Great-est War Invention—The Rogers Under-ground Wireless" contains a reference to "a novel and original high frequency group novel and original high frequency gener-ator" of Mr. Rogers' invention. May I not communication which appeared in the Elec-trical Review of March 15, 1899. In speak-ing of circuit controllers, I said: "I may ing of circuit controllers. I said: "I may mention here, based on a different principle, which is incomparably more effective, more efficient, and also simpler on the whole. It comprises a fine stream of conducting fluid which is made to issue, with any desired speed, from an orifice connected with one pole of a generator, thru the primary of the induction coil, against the other terminal of the generator placed at a small distance. This device gives discharges of a remark-able suddenness, and the frequency may be

(Continued on page 914)



Enginaers (ali kinda) \$2000 to \$5000 Yeariy

great home study books will quickly fit you for a bigger and better paying job. We will send any set you select for one week's FREE examination, and if you want to keep them you pay only the special reduced price-at the rate of 50 cents a week. This is

TO matter what kind of

work you are doing

now, a set of these

your opportunity to make more money— grasp it NOW. Use these books and a little spare time and LEARN TO FILL BIGGER SHOES.



These books are written by well known authorities --the top-notchers in each line. They will help you make more money. You can't fail to understand them, because they are written in plain, everyday language. Thousands of photographs, diagrams, charts, etc., help to make difficult points as sim-ple as A-B-C.





Ask Our Experts

With these books goes free of all charge a \$12.00 Consulting Membership in the American Technical Society. If any question puzzles you-write us. Our corps of experts and engineers will solve any prob-lem. Ask all the questions you want for a whole year. This serv-ice is absolutely FREE.

Automobile

Engineering Five volumes, 2400 pages and 2000 illustrations. Prepares for Garage Foreman, Automobile Mechanic or Chauffeur. Inval-uahle to car owners. Regular price, \$25.00. Special price, \$17.80.

MachineShopPractice Six volumes, 2300 pages and 2500 illustrations. Prepares for Machine Shop Superintendent or Foreman, Foundryman, Pat-tern Maker, Rogular price, X30,00. Special price, \$19,80.

Sanitary, Heating and Ventilating Engin'ring Ventilating Lingin ring Four volumes, 1634 pages and more than 1400 illustrations, etc. Prepares for Sanitary Engineer, Heating and Venti-lating Engineer, Master Plumber or Plumher, Repular price, \$20.03, Special price, \$13.80,

Mechanical and

Architectural Drawing Four volumes, 1578 pages and more than one thousand illus-trations. Prepares for Archi-tectural or Mechanical Drafts-man. Regular price, \$20,00, Special price, only \$13.80.

Electrical Engineering Seven volumes, 8000 pages and 2600 illustrations, plates and diagrams, Prepares for Elec-trical Engineer, Power Plant Superintendent, Substation Op-erator or Electrician, Regular price, \$35.00. Special price, \$19.80.

Accountancy and **Business Management** Ten volumes, 3880 pages and 1987 illustrations, forms, etc. Prepares for Certified Public Accountant, Auditor, Office Manager, Accountant, Credit Man or Bookkeeper. Regular price,\$50.00. Specialprice,\$24.80.



Write the name of the books you want on the coupon and mail it today. We will send the books at once, express collect, and you can use them just as if they were your own for a whole week. If you decide you don't want to keep them, send them back at our expense. If you like the books, as thousands of other

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

men have after examination, just send us \$2.00. You can send the balance of the special reduced price the same way-\$2.00 each month (50 cents a week).

Start right now and learn to fill bigger There will be a better job looking shoes. for you if you do. Be ready to meet it when it comes. Send the coupon now.

American Technical Society, Dept. T3384, Chicago, III. American Technical Society, Dept. T3384, Chicato, Illinois

Please send me set of______for 7 days' examination, shipping charges collect, I will examine the books thoroughly and, if satisfied, will send \$2 within 7 days and \$2 each month until I have paid the special price of______ If I decide not to keep the books, I will return them hy ex-press at your expense. Title not to pass to me until the set is fully paid for. Name Address Reference the same state and the same state and then the same state and



April, 1919



ing 44 chemicals: Alum Al₂(SQ₄)₅. (NH₄)₂SQ₄ Antimony (powdered) (Sb) Ammonium Aqua (NH₅+H₂O) Ammonium Carbonate (NH₄)₂ CO₅ Ammonium Sulphate (NH₄)₂ SO₄ Barium Chloride (BaCl₂) Boric Acid (H₅BO₃) Brimstone (Sulphur) (S) Calcium Oxide (CaO) Calcium Sulphate (CaSO₄2H₂O) Charcoal (Carbon) (C) Chloride of Zinc (ZnCl₂) Copper Sulphate (FeSO₄) Ferrous Sulphide (FeS) Clycerol (Clycerine) CaH₆(OH)₃ Hydrochloric Acid (HCl) Iodine (1) Iron Chloride (FeCl₂)

C₂H₂(OH)₃ Hydrochloric Acid (HCl) Iodine (1) Iron Oxide (FeCl₂) Iron Oxide (FeCl₂) Lead Acetate Pb (C₂H₃O₂)₂ Litmus Paper Magnesium Carbonate (MgCO₃) Mercury (Quicksilver) (Hg) Nickel Chloride (NiCl₂) Oxalic Acid (H₂C₂O₄) Sodium Bicarbonate (NaHCO₃) Sodium Borate (NaBO₂) Sodium Borate (NaBO₂) Sodium Carbonate (NaCl₃) Sodium Chloride (NaCl) Sodium Mitrate (NaNO₃) Sodium Phosphate (Na₄HPO₄) Sodium Sulphate (Na₂SO₄) Sodium Sulphate (Na₂SO₄) Sodium Sulphate (NaSO₄) Sodium Sulphate (NiSO₄) Sulphate of Nickel (NiSO₄) Sulphate of Nickel (NiSO₄) Sulphate of Xinc (ZnSO₄) Sulphate (ZnO₃) Tin (Granulated) (Sn) Zinc Carbonate (ZnCO₃) The following apparata

The following apparata are furnished: are furnished: One Standard Washbottle One Alcohol Lamp One Conical Glass Measure One Erlenmeyer Flask One Glass Funnel One Delivery Tube Six Assorted Test-Tubes One Test-Tube Holder Ten Sheets of Filter Paper One Spoon Measure Glass Tubing One book containing Trea-tise on Elementary Chemisa-tiry and 100 Chemical Ex-periments to be performed with this outfit.

"The Joy of Father and Boy."

hemical Laboratory

We present herewith to our friends our new E. I. Co. Chemical Laboratory which contains real chemicals and apparata to perform real chemical experiments. This outfit is not a toy, put up merely to amuse, but a practical laboratory set, with all the chemicals, apparata and reagents necessary to perform real work and to teach the beginner all the secrets of inorganic chemistry. With this outfit we give free a book containing a Treatise in Elementary Chemistry, useful data and recipes, and 100 instructive and amusing experiments.

DESCRIPTION OF THE OUTFIT:

DESCRIPTION C The outfit consists of forty-four (44) Chemicals all C. P. (chemical pure) put up in appropriate wooden boxes, glass bottles, and hermetically closed jars. The stoppers and there is a sufficient quantity of chemicals stoppers and there is a sufficient quantity of chemicals doesn's description of the best obtainable make and of standard laboratory size and shape. A sufficient quantity of the best obtainable make and of standard laboratory size and shape. A sufficient of the size a statistic on Elementary (hemistry and deals with the theory of the Ele-ments, Molecules and Atoms, etc. Chemical Nomen-station of the chemical names of the Elements and their compounds. There is a chapter on Laboratory Operations; Glass Working; First Jud; Fire Ex-tinguishers; Experimenters' Aphorismic, etc.

A good part of the book is devoted to Weights and Mcasures. The Metric System, the English system and the U. S. System are fully explained.

The following tables are furnished: Symbols and Atomic weights of the Elements; Measures of Weights, Volume, Capacity and Length; Per Cent solutions; Conversion of Measure expressed in parts; Poisons and their antidotes; Technical and common name of chemical substances; Formulas for Cleaning various substances, etc., etc

Among the 100 Experiments are:

How to make chemical tricks; How to make invisible and magic inks; How to test flour; How to test soil; How to Make Chlorine Gas and smoke (German War Gas); How to bleach cloth and flowers. How to pro-duce Oxygen and Hydrogen; How to make chemical colors; How to test Acids and Alkalies and hundreds of interesting hints and formulas.

The price is still \$5.00

Shipping Weight 10 lbs.

(Can be shipped by Express only.) Send your order today to:



See our full page Ad, on page 906 for Free Cyclopedia

PRACTICAL CHEMICAL EXPERIMENTS.

(Continued from page 894)

tee, and must furnish certificates of good character and honesty. These secrets have been handed down faithfully from one generation to another for hundreds of years.

QUESTIONS AND ANSWERS IN CHEMISTRY.

Standard Soap Solution.

Q. I. Roy Munsell, Henryetta, Okla., wants to know the method of preparing the Standard Soap Solution as mentioned in the lesson on water testing of the "Ex-perimental Chemistry" lessons.

A. A strong solution of this soap is first prepared by rubbing together in a mortar, 75 grams of the so-called "lead plaster" (which consists practically of lead oleate), which may be obtained from your druggist, and 20 grams of dry potassium carbonat. When the two are thoroly mixed a small quantity of methylated alcohol is added, and the mixture worked to the consistency of a thin smooth cream. More spirit is then added, and the contents of the mortar rinsed, using more of the spirits for this purpose. This is then collected in a bottle and the mixture placed aside to settle. The clear liquid is decanted off thru a filter, and the sediment finally washed upon the filter with more spirit. The volume of the liquid may now be made up to 200 or 250 cc., by adding a mixture of equal volumes of spirit and water.

Solvay Process.

Q. 2. C. H. Hathaway, of Peoria, Ill., de-sires information regarding the Solvay Process.

A. Sodium Chlorid, commonly known as table salt, is the source from which the sodium alkalies are derived. The starting point of this process is therefore salt-in the form of a good strong salt brine. If you open a bottle of ordinary smelling salts and inhale the vapor, you will immediately recognize the second fundamental of the process in the form of Ammonia, similar to the gas which is contained in the common household ammonia. The third and last fundamental is ordinary carbonic acid gas, the same as is used to make soda water fizz. For the purpose of this process it is obtained from limestone, by heating the stone to a high temperature. Thus we see that Salt, Ammonia and Carbonic acid gas are the three fundamentals upon which the process is based.

The salt brine is saturated with ammonia gas and carbonic acid gas is then blown into this solution of ammonia in the brine.

The process does not take place in one step, but the final products are Sal-am-moniac and crude bicarbonat of soda. The a white powder and the solar of soda the solar of a soda a separates out as a white powder and the sal-ammoniac re-mains dissolved. The Ammonia takes the place of the sodium in the salt, and the sodium combines with water and carbonic acid to form the well-known baking soda

(Sodium Bicarbonat). This is separated from the liquids by filtration. It is then necessary to prepare this for a commercial product by heating it in a furnace where it loses all its water and carbonic acid gas. The product is now known as sodium carbonat, or soda ash, the finished product of the Solvay process, and the starting point for other forms of sodium alkalies. (The liquid coming from the filtration process contains the sal-ammoniac, and this is distilled

with lime to re- EARTH-MOON cover the ammonia to be used over again-no ammo-

Mercury Vapor

Q. 3. Gordon Jones, Jr., Cordele, Ga., wants to know how Mercury Vapor is obtained

A. Under a pressure of 760 mm., mer-cury boils at 357.25 degrees C., giving off a colorless vapor. Mercury gives off vapor even at ordinary temperatures, and a gold leaf suspended over mercury in a stoppered bottle, gradually becomes white upon the surface, owing to its amalgamation with the mercurial vapor. This vapor is poisonous, giving rise to salivation, such as loosening of the teeth, etc.

Buttermilk in Butter.

Q. 4. Theodore Coughlin, Rochester, N. Y., wants to know why buttermilk is ob-jectionable in butter.

A. Buttermilk is very objectionable as it begins to decompose almost immediately, and sets up fermentation, in the butter itself. See article at head of this month's "Chemistry Department.

BACK NUMBERS CONTAINING "EXPERIMENTAL CHEM-ISTRY SERIES.

The "Experimental Chemistry" series, by Albert W. Wilsdon, started in the June, 1916 issue of the Electrical Experimenter and has run continuously since that date. Prices on the back numbers containing Prices on the back numbers containing these respective lessons, many of which have been of the greatest value to High School as well as Correspondence School and University Scholars, as has been proven by many letters which we have received from readers of all classes, will be fur-nisht upon receipt of stamped and addrest envelope. If you wish a first-class and clearly explained treatise on Experimental clearly explained treatise on Experimental Chemistry, procure all of the lessons and bind them together. Many valuable and original tables and formulas are included in these lessons which the author has found of particular value in his commercial experience as a chemist.

SCIENCE IN SLANG.

(Continued from page 885)

(Continued from fage 885) one way only where the electrodes are of unequal temperature. With the audion, music has even been transmitted with charming effect, and over many miles. With a clever man at the adjusters, a long dash can be construed into a melody. An A flat can be made to sound like a Z sharp; in other words, you would be unable to hear it. As yet they have not got it down so pat that they can run the sound wayes so pat that they can run the sound waves into the visual strata and make 'You Made Me What I Am To-day, Now Aren't You Satisfied?' evolve into a likness of Bill Hohenzollern, or "They Are Wearing Them Higher in Hawaii" into an X-ray.

"Tesla, De Forest and Marconi do not hold the whole stage in the wireless field. Prof. Fessenden has bushels of patents in the Pat. office on the stuff, and there are a lot of other guys who have earned the price of a meal from some little thing that makes (Continued on page 918)

POPULAR ASTRONOMY.

(Continued from page 869)

eye. The play of auroral lights around the poles is plainly visible and the earth's at-mosphere reflects a rim of light to the moon at the time of *new Earth*. Owing to the lack of atmosphere on the moon, there is no diffusion of light and the earth therefore stands out in sharp contrast to a sky of inky blackness in which the solar corona (Continued on pag 912)

VENUS SIIN <25,000,000 MILES ----- 68,000,000 MILES ----nia remains in the soda.) Fig. 7—Relative Position of Earth, Venus and Sun at Time of Observation at Opposition.



I Can Succeed

"What other men have done with the help of the International Correspondence Schools, I can do. If the I. C. S. have raised the salaries of other men, they can raise mine. If they have helped others to advance, they can help me. To me, I. C. S. means 'I CAN SUCCEED.'"

Make up your mind right now that not another day shall pass until you have made your start toward success.

For 27 years men in offices, stores, shops, factories, mines, railroads, and in the Army and Navy have been winning prothe I. C. S. More than 100,000 men and women are getting ready *right now* with I. C. S. help for the bigger jobs ahead.

No matter where you live, the I. C. S. will come to you. No matter what your handleaps, or how small your means, we have a plan to meet your circum-stances. No matter what career you may choose, some one of the 280 I. C. S. Courses will surely suit your needs.

your needs. When everything has been made easy for you-when one hour a day spent with the l. C. S. in the quiet of your own home will bring you a bigger income, more comforts, more pleasures, all that success means—can you let another single price-less hour of spare time go to waste? Make your start right now! This is all we ask: Without cost, without obligating yourself in any way, put it up to us to prove how we can help you. Just mark and mail this coupon.

TEAR OUT HERE INTERNATIONAL CORRESPONDENCE SCHOOLS

INTERNATIONAL CONNECTONDENCE CONSISTS BOX 6183, SCRANTON, PA. Explain, without obligating me, how 1 can qualify for the position, or in the subject, before which I mark X. ELECETICAL EXCINNENT Electric Lighting and Rys. Electric Wiring Telegraph Engineer Telegraph Engineer Telegraph Engineer BMECILANCIAL ENGINEED MECILANCIAL ENGINEED Methanish Draftsmen Machine Shor Tracitone

BOX 6183, Explain, without obligating position, or in the subject, in Electric ltda L ENGINERE Electric Viring Telephone Work Mechanical Draftmene Mechanical Draftmene Mechanical Draftmene Mechanical Draftmene Mechanical Traftmene Minke FOREMA or ENOTE Marine Engineer Structural Engineer Friedren and Heilder Structural Engineer Friedren and Heilder Sheet Metal Worker Traftin Greeneer Stopt. Textlie Overseer or Supt. ONEMIST

Cartooning BOOKKEEPER Stengrapher and Typlet Cert. Pub. Accountant TRAFFIC MANAGER Railway Accountant Commercial Law COOD ENGLISH COOO ENGLISII Teacher Comman School Sableats Mathe manics CIVIL SERVICE Auton School Clerk Auton School Clerk Auton School Clerk Anta Reparling Navigation AgRiCLITURE French Jonltry Helging

Name Present Occupation Street and No	n			
City			SI	ite
I T "E.	РА Е."	Y S ADV	T O ERTIS	R E A D SEMENTS



and the stars appear even in the lunar day. To one equipt with an opera glass on the moon many of the wonders and beauties of our planet would be revealed; the shadows of our lofty mountain peaks would be seen falling across the adjacent plains and passing rain or snow storms would temporarily veil certain portions. Were our most powerful telescopes placed on the moon we could easily distinguish small islands and lakes and cities, as well. All objects five niles or so in diameter would be well within the reach of our great telescopes and we can imagine that the lunar inhabitants would spend a considerable portion of their time in attempting to solve the nature of many mysterious markings that come and go over the face of their nearest neighbor. It is indeed a pity that the opportunity to study a living planet at close range is granted to a world devoid of all forms of life while the great telescopes of our own planet sweep searchingly over a barren mass of lifeless rocks presenting no signs of growth or decay, a desolate and uninhabitable waste.

We have considered how our planet appears from the two other planets that are most likely to be the abode of life, Venus and Mars, and how it would appear if seen from our satellite the moon.

It will not take us long to consider how we would appear from the major planets— Jupiter, Saturn, Uranus and Neptune. The greatest possible distance the earth could depart from the sun viewed from Jupiter would be a little less than twelve degrees. Mercury, as we know, is not an easy planet to observe, yet it departs at times nearly thirty degrees from the sun. Moreover it is so near to the earth that when it is seen



Fig 1. Diagram Showing Relative Positions of Mars and the Three Inner Planets, Earth, Venus, and Mercury, the Three Morning and Evening Stars of Mars. Assuming Mars to Be in the Position M_0 the Planets Are Best Seen When on the Near Side of Their Orbits, Positions E, E', E'' and E₃ for Earth and v, v', v'' and v₃ for Venus. At E₀ and E₂ Earth is Invisible from Mars, Being in Inferior and Superior Conjunction with the Sun Respectively. At E, and E₃ It is at its Eastern and Western Elongations Respectively and at E' and E'' It is at the Greatest Brilliancy. When Venus Is at Its Greatest Brilliancy U' and U'' and the Earth Is in the Far Part of Its Orbit. Beyond E, and E₃ Venus Appears Brighter to the Martians Than Our Own Planet, but When the Earth Is Near E' and E'' It Surpasses Venus In Brightness Because It Is Then Considerably Nearer to Mars.

Experiments in Boston have shown that electric trucks deliver coal at a saving of 3.2 cents per ton mile from the expense of horse delivery and seven cents per ton mile cheaper than gasoline trucks.



FID. 2. Changes in Size and Appearance of the Disk of the Planet Earth As Seen from Mars. In Various Perts of Its Orbit. (1) At Superior Conjunction (E₂ in Fig. 1) Planet invisible from Mars. (2) Just Before and After Superior Conjunction With the Sun. In This Position the Disk is Quite Fully Illuminated, But it is Comparatively Small and indistinct Being On the Far Side of its Orbit from Mars and Near the Sun. (3) At Times of Elongation (E, E₂ in Fig. 1). The Earth is Now At its Greatest Angular Distance from the Sun and Well Placed for Observation, for Mars. (4) At Times of Greatest Brilliancy (E' and E" in Fig. 1). The Planet is Now At its Best for Observation, (5) Just Before and After Inferior Conjunctions. (6) At Inferior Conjunction (E₃ in Fig. 1). Nearest to Mars, But is too Near the Sun and Therefore Invisible from Mara. The illuminated Portion of the Planet's Oisk is Always Turned Toward the Oirections of the Sun.

near its elongations it appears as a bright first magnitude star. Our planet earth on the other hand is so distant from Jupiter that it would be just barely visible to the naked eye if seen against a black sky. When we consider that it never gets more than twelve degrees from the sun under the most favorable circumstances as viewed from Jupiter and must therefore always be searched for in the light of the sun's rays we see the hopelessness of expecting to see our planet earth from the distance of Jupiter without telescopic aid and were it possible to set up our telescopes at the distance of Jupiter we would find that our little planet earth was not only a most elusive little body but also quite uninteresting when found. It would appear only as a very small half moon with a suspicion of a few dark shadings here and there. As we travel outward from Jupiter to the planets Saturn, Uranus and Neptune our interest in the little planet decreases rapidly. It appears to shrink more and more in size in the telescope until at the distance of Neptune it has become so tiny and so near to the sun that it is hardly worth a search in the telescope. Ultra-violet rays are being blamed for the fading specimens in European museums, and a search is being made for a glass for cases that will cut off the rays and at the same time be colorless and inexpensive.



Fig. 5. Relative Positions of Mars, Sun and Earth—Moon at the Time When the Earth Can Be Best Observed from Mars. The Earth as Well as-the Moon in This Position Shows in the Form of a Crescent. (See Fig. 4.)

(The next Installment will appear in the May number.)



In this Department we publish such matter as is of interest to inventors and particularly to those who are in doubt as to certain Patent Phases. Regular inquiries addrest to "Patent Advice" cannot be answered by mail free of charge. Such inquiries are publisht here for the benefit of all readers. If the idea is thought to be of importance, we make it a rule not to divulge all details, in order to protect the inventor as far as it is possible to do so. Should advice be desired by mail a nominal charge of \$1.00 is made for each question. Sketches and descriptions must be clear and explicit. Only one side of sheet should be written on.

NOTICE TO CORRESPONDENTS

Questions on Patent Advice are answered in this department every month, and naturally question must take its turn. We have received so many letters during the past months that it is absolutely impossible for us to answer them all in the "Experimenter." Thus, for instance, the answers appearing in this issue are of letters going back as far as July, 1918. We would therefore urge our correspondents to bear this in mind, and if an answer is wanted quickly, correspondents should make themselves acquainted with the rules printed above.

Angle Finder.

Angle Finder. (305) Geo. E. Zeigler, Urbana, Ohio, submits a device which he calls an *angle-finder*. It is an in-strument to show on a scale directly the degree of any angle. Such an instrument could be used in connection with drafting work, building, construc-tion, etc. Our advice is asked. A. In the instrument described, use is made of a spirit tube with the usual air bubble, and by dis-placing the apparatus, the angle can be read off in a certain manner. This device itself is not new, and a similar one has been used on antos to read the percentage of the grade, and we do not think it would be possible for this reason to obtain a patent.

Submarine Shell.

(306) J. R. Pell, Jr., Parkershurg, W. Va., has submitted an idea on a submarine shell which only explodes fifteen feet under water. Diagram sub-mitted shows the electrical connections which are acted upon chiefly by salt water, making a contact as soon as the shell comes within about 15-ft. under the water. Our advice is asked. A. There is nothing fundamentally new shown in this device, and there are much better ones made which have been used freely in the war.

Electric Depth Bomb.

(307) Geo. W. Curtis, Detroit, Mich., has invented a depth bomb. In this particular bomb, when it is dropt, salt water enters thrn the water inlets, and being conductive, completes a circuit between certain contacts. These contacts may be regulated by a water regulator in such a way, making it possible to explode a homb at any depth. A. Nothing new is shown in this idea, and we doubt very much if a patent can be obtained upon it. There are many patents on electrical depth bombs of this kind.

Flue Cleaner.

(308) Wm. II. Roberts, Chandler, Ind., has in-vented a device which he terms a "flue cleaner." In short, the idea consists of a fan arranged in the chimney in such a manner that the soot is cleaned out automatically, so that the latter will not clog the air passages of the flues. Varions means are shown to carry out the idea. A. While highly ingenious, we doubt if the device will work. Soot will be precipitated along the walls, fan or no fan, to our mind, and we do not think that the problem can be solved satisfac-torily in this manner.

Steam Boat Brake.

(309) Otto I. Kirby, St. Vincent, B. W. I., submits an idea of a brake for steamers or boats. The idea in short is to have large steel vanes folded up against the body of a ship in normal position. If the boat is to be stopt, the vanes automatically open up at right angles to the boat, and the ship, thereby exposing an additional surface to the water, consequently must slow down.
A. This idea is a good one but unfortunately it has been described before, and to our mind no patent can be obtained upon it today. We do not think the device works out in practise.

Grass Cutter.

(310) John C. Reno, Spring Brook, Wis., has an idea of an arrangement to clean out grass that grows over the sidewalk. The device is to be made of sheet steel and by having a triangular nose, in our correspondent's opinion, such a tool would clean out the grass very readily in the corners be-tween roadway and curb. A. While no doubt this device would work satis-factorily on the ordinary concrete sidewalk, there would certainly be trouble if the road was com-promised of cobblestones for instance. Otherwise, we find no trouble with the device, and think that a patent can be obtained upon it.

Fire Truck Device.

(311) M. Dunbar, Lorain, Ohio, writes: "I wish your advice about a patent on an electrical device that will immediately start the engine of a fire truck. My idea is, as soon as the alarm rings it closes the circuit which starts off the engine of the fire truck. Please advise if this idea is patentable." A. Providing such a device can be made rugged enough, so that it conforms with the Fire Depart-ment's exacting requirements, we believe that such a device should prove of considerable benefit, altho most of the Fire Departments now have devices whereby the fire ander the engines is started with-in a few seconds after the alarm has sounded.



LANCASTER 28 ALLWINE 255 OURAY BLDG., WASHINGTON, D. C.

COPYRIGHTS

U.S.PATENT

Our facilities for securing patents enable us to give prompt and reliable service at reasonable rates. Inventors are invited to write to us regarding questions appertaining to securing patent protec-tion. All matters receive prompt attention. Send sketch for preliminary examination. Books free on request

A. M. BUCK & CO. **Patent Attorneys**

205 Second National Bank Bidg.,

Washington, D. C.

RAISE BELGIAN HARES 5



Before disclosing an invention, the inventor should write for our blank form "EVIDENCE ON CONCEPTION." This should be signed and witnessed and if returned to us together with model or sketch and description of the inven-

tion we will give our opinion as to its patentable nature, Our illustrated Guide Book, HOW TO OBTAIN A PATENT, sent Free on request. Contains full instructions regarding Patents, Trade-Marks, Foreign Patents, Our Methods, Terms and 100 Mechanical Movements illustrated and de-scribed. Articles on Patent Practice and Procedure, and Law Points for inventors. An actual search of United States patents made in all cases before preparing application for patent Electrical Cases a Specialty Highest References Prompt Attention Reasonable Terms



Acetylene Bunsen Burner.

(312) Richard E. Mathes, Excelsior, Minn., writes: "I have devised a scheme whereby an acetylene gas plant for bunsen burners and gas in a small chemical laboratory may be installed at very low cost. This is meant especially for the amateur who does not have gas in his home. Is this practical? Could I sell a patent for it? If so, what would it be worth? Could I use an ordinary bunsen hurner as part of the patent without in-fringement?" A. We see nothing fundamentally new about this idea, as burners of this kind have been used for years, and such a device is well known in the art. We are quite positive that a patent could not be obtained upon it.

Double Lock.

(313) Chas. H. Morgan, Newton, Iowa, sends in an idea on a Double Hasp Lock which can be operated from both sides of the door. He wants to know if this device can be patented. A. We see nothing fundamentally new in this, and furthermore doubt the utility of the device. We also doubt if a patent can be obtained on it.

Envelope.

(314) José Mata, San Francisco, Cal., submits a sample of an envelope. He wishes us to give him our advice if such an envelope could be patented and if it is feasible. As will be noted, a string with a knot at each end is glued into the envelope when made

with a knot at each end is glued into the envelope when made. A. This is a good idea but it is not new. Similar devices have been on the market for a long time, and some years ago very many magzines used a string of this kind to open up the mailing wrapper, simply by having a thread incorporated into the magazine wrapper. This thread was pulled in a similar fashion as the string of our corre-spondent's envelope. We are positive no patent can be obtained on this device.

Automatic Fuse Replacer.

Automatic Fuse Keplacer, (315) Wm. Sambur, New York City, says: "I would like to know if an automatic fuse replacer which instantly inserts new fuses after extracting burnt out fuses would be patentable. This device could be manufactured at a cost of \$3.00. Would this he a good selling article? I await unxiously the next issue of the ELECTRICAL EXTERIMENTER for my answer." A. Without having the necessary details, it is should bear in mind that merely by giving vague indications, it is extremely dangerous for us to give advice as well as for correspondents to accept it.

Smoke Stack.

<text><text><text><text>

Radio Break-In System.

Radio Break-In System. (317) C. E. Mitchell, Miami, Fla., submits for wire advice the following idea: "I have a breakin system for use in wireless telegraphy that does advantion of the second systems. It consists of the ordinary heavy wireless key, with an attach mompound lever. When the key is raised the an-lenna is connected to the receiver, the detector un-shorted, and circuit to power transformer opend. In this manner the receiver is always in a receptive ordination at the instant the key is raised. The idea provides for an extension in length to the or-dinary wireless key and may be installed in any adjustment of the key. This means of break-in will revent considerable interference and loss of time. A. This is not at all a new idea and the Patent of the systems are very good, as is our cor-tionary of these systems are very good, as is our cor-tionary of these systems are very good, as is our cor-tionary of these systems are very good, as is our cor-tionary of these systems are very good, as is our cor-tionary of the "Electrical Experimenter" when writing the interiment of the interimenter writing the interiment of the interi

NEW PULL SOCKET HAS CUR-RENT TAP.

In many cases it is desirable to connect an electrical appliance to a single-lamp wall bracket or ceiling fixture without in-terfering with the lamp. A very convenient way for doing this has been provided left way for doing this has been provided by means of the new pull socket current tap illustrated. It is a combination pull socket and plug receptacle built into a single compact body. It is also supplied with a 1%", 14", 3%" or pendent cap. The pull chain controls the current to the lamp socket proper, whereas the terminals of the re-ceptacle in the side of the body are con-tinuously in circuit. tinuously in circuit.

An advantage that this type of socket gives is that it eliminates the annoyance of the long cord running from side-wall out-lets. By means of the new fitting, current can be supplied directly below the fixture

to operate various table appliances or other portable devices such as are in general use, without sacrificing the use of light from the lamp itself. It thus eliminates the annoyance of groping about in the dark while trying to plug into the socket.

AERONAUTICAL EXPOSITION AT NEW YORK.

Army Day at the Aeronautical Exposition in Madison Square Garden and the 69th Regiment Armory, New York City, brought several thousand uniformed spectators at the afternoon and evening sessions. Secre-tary of War Newton D. Baker was to have been the guest of honor, but at the last minute he notified the officials of the exposition that he had been summoned by the President for a conference. Major Gen-eral Thomas Barry, Commandant of the Department of the East, accompanied by members of his staff, represented the Sec-ratary of War retary of War. At the wireless telephone exhibit in the

69th Regiment Armory, Lieutenant J. F. Adams entertained the spectators by read-Adams entertained the spectators by read-ing news from a daily newspaper to ships in the harbor and places on land equipt with apparatus. The spectators, by means of a sounding horn, were able to hear the answers he received. Brigadier General Guy Livingston, who represented the British Air Ministry in this country was an interested spectator at the

country, was an interested spectator at the afternoon session. He said that he be-lieved the Atlantic would be crost by air-plane or dirigible within the next two or three months.

TESLA ON HIGH FREQUENCY GENERATORS.

(Continued from page 909)

brought within reasonable limits, almost to anything desired. I have used this de-vice for a long time in connection with or-dinary coils and in a form of my own coil with results greatly superior in every respect to those obtainable with the form of your letter, make a few statements referring to such make-and-break devices in general, and various forms based on this new prin-ciple."

ciple." I may add that a great many forms of this apparatus were constructed and em-ployed by me for a long time, proving very convenient and useful. Water does not give particularly good results, being incapable of causing very abrupt changes, hut electro-lytes have the property of diminishing enor-mously in resistance when they are heated and the effects are much more intense. Salts of lithium are_especially efficient. NIKOLA TESLA.

New York, February 20, 1919.

DRAFTING **Inventions and Ideas Developed!** Mechanical, Electrical, Patent Office and Engineering Drawings of Every Description. COMPETENT DRAFTSMEN AT YOUR SERVICE A. G. HAGSTROM 116 Nassau St. New York City Telephone Beekman 4559

Washington, D. C.

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.



63

tion.

PAFENTS

TO THE MAN WITH

AN IDEA I offer a comprehensive, experienced, efficient service for his prompt, legal protection and the development of his proposi-

Send sketch, or model and descrip-

Send sketch, or model and descrip-tion, for advice as to cost, search through prior United States patents, etc. Preliminary advice gladly fur-nished without charge. My experience and familiarity with various arts frequently enable me to accurately advise clients as to proh-able patentability before they go to any expense.

any expense. Booklet of valuable information and form for properly disclosing your idea, free on request. Write today.

RICHARD B. OWEN, Patent Lawyer 164 Owen Building, Washington, D. C. 2276-8 Woolworth Eldg., New York City

PATENTS

taining patent protection. Our practical experience covers a period of twenty years. Our band-book ou patents is seut free on request. All communications strictly confidential. Write us today.

TALBERT & TALBERT Patent Lawyers

PATENTS

LACEY & LACEY Attorneys-at-Law-Patent Practice Exclusively Solicitors of **U. S. and Foreign Patents**

Trade-Marks, Copyrights 639 F Street, N. W., Washington, D. C.

Write Us for Our Free Incentors' Book PATENT-SENSE

ESTABLISHED 1869.

Competent Patent Service By a Former Examining Official of the U. S. Patent Office

NORMAN T. WHITAKER

Lawyer and Engineer 480 Whitaker Bldg. Washington, D. Branch Office, 87 Nassau St., New York City.

INQUIRIES INVITED

4287 Talbert Bldg.

INVENTORS: Send us sketches or a

model of your invention and a description of the device for advice in regard to the best way of ob-

Washington, D. C.

HEL-MET THE KAISER



Send one to your boy in camp; all the boys will want them. Auyone against the Kaiser or Germany should wear this pio. Same size as picture. Handsonie metal, black letters. Will wear for years. Men and women wear them - causes laughter wherever seen. Price 10 Cont Price 10 Cents



THE VENTRILO a little lostrument that fits into the mouth out of stight. BOYS or GIRLS can use it. NEVER FAILSI A 32-page book on Ventriloguism sect with the VENTRILO for TEN Cents.

NEW FORD JOKE BOOK 1919

All the latest jokes on the Ford auto. Hundreds of them, and all good ones. Spring a new one on your neighbors. Lorge book with colored cover by moil, loc.



Devil Resigns to the Kaiser



1

1

X-RAY

WONDER.

can have with it

Everyone who reads this book is wild over it. Contains the following:---The Kalser's Dream, A Letter from the Devil to the Kalser. Kalser's Prayer, How Satan Resigns to the King of Devils, The Kaiser, etc. Many other stories, jokes, etc., about the German Emperor. Book mailed 10 cents, postage 2 cents extra.

ROGEN X-RAY Price 10 Cente

Price BR BER With the start you want. With the instrument you can apparently see through clothes, see the ones in your fluers. Think of the fun you it. Sample, by mail, TEN CENTS.

SKULL RING Here is a handsome, up-to-date Ring, representing a Skull and Cross-bones. Has stones in the eyes and looks something fright-tul. Women won't like it, but for mea or boys it is a great novelty. Sample, by mail, 150. Geee ! What a Wad !

This is STAGE MONEY

Looks like the GENUINE STUFF. Some Green backs and come Yellow backs. Create a BIG sensation among your friends. The girls will sil be after you when they see the wad. BIG roll of 15 pieces by mail, 10 cents.

Boys Own Toy Maker and Nine Other Books for 10c Tells how to make a Telephone, Magio Lantern, Kites. Sall Bost, Stills, Electric Telegraph, Pop Oup, Red Fire, Galvanic Battery and many other things. This book, with nine other interesting books, mailed for 10c.



Royal Novelty Co. SOUTH NORWALK, CONN.





NEW YORK TO CHICAGO VIA THE AIR IN 12 HOURS.

ELECTRICAL EXPERIMENTER

(Continued from fage 856) this important subject. Mr. Hawley said: "Aërial transportation is here and here to stay," said the president of the Aero Club, speaking along general lines. Aërial transportation bears the same relation to and water transportation that the wireless bears to the regular mail and telegraph. It is unlimited by obstacles on land and water; curves are eliminated, and there are no grades to climb after reaching your flying level. "It has been estimated that aërial ex-

press could be carried profitably at a charge of \$2 a pound for packages of a given size between New York and Chicago. A twin-motored 'plane can make the New York-Chicago trip without stopping, carry-

ing a thousand pounds of express matter. The postoffice has been operating an acrial mail between New York and Wash-ington daily since May 15, 1918, and has cut down the time of transit to two hours. Only small planes are used, which are more expensive than the large ones, when op-erated on the ton-a-mile basis. Yet the cost has been cut down to 40 cents a mile. It is cheaper than taxicab rates. "British dirigible balloons, some of which

are capable of carrying sixty tons of useful load at a speed of sixty miles an hour, may soon ply between Great Britain and the United States, carrying passengers, mail and express.

HOW ELECTRICITY SERVES WORLD'S LARGEST HOTEL.

(Continued from page 858) own, as they obtain the required electric power and steam for heating and other purposes, from the railroad companies near the respective railroad terminals of which they are located. The Hotel Pennsylva-nia has a high tension transformer vault in the sub-basement as well as a large switchboard for controlling the power and light supply to the various parts of the build-ing, and there is an auxiliary 500 K.W. steam-driven generating unit installed in the power plant.

My guide suggested that we next visit a typical "guest floor", and so we took an *express elevator* to the ninth floor, there heing nineteen floors in all. On each floor there is a lady floor clerk, who has charge of everything on that particular floor, and is responsible for all the service in that particular part of the hotel. Obtaining keys for several of the rooms, we set out to look them over, and as the writer had heard of the far-famed "servidor", long before he had even thought of visiting the hotel, he asked the guide to explain this first of all. The "servidor", as its name implies, is a scheme for rendering service between the guest and the hotel attaches without introducing the objectionable personal touch, which is all right in the public rooms of the hotel, but rarely ever on the guest room floors, excepting when a waiter may have noors, excepting when a watter may have to bring in a table to serve a meal or some-thing of that sort. The accompanying illus-tration includes a detail drawing of the servidor, which at the same time is also the "door" of the room, and "believe me, Xantippe", that door is one of the greatest motorrieges in all Usterleton and thereby masterpieces in all Hoteldom, and thereby hangs a tale, to wit --In the first place the servi-"door" is made of steel, and finished in a perfect imitation of hard wood such In a perfect initiation of hard wood such as mahogany, or in some cases walnut, and so cleverly camouflaged that you cannot perceive the difference, unless you knock your head against it. The guide demon-strated all of the features of this most marvelous door at the request of the writer. This door swells out on both sides giving This door swells out on both sides, giving a depth of ten inches between the inner and outer curved panels, which extend the full height of the door. These hinged steel panels are provided with an interlock, so that the outside or hall door in the



Don't Handicapped Be

You will always stagger under the worst kind of a bandleap, if you remain a puny, weak, alling, skinny, miserable apology for a men. Big men, in the terrific competition of business life to-day, must be virile, strong, full of health and life and jump and ginger. Weaklings wharen't the ghost of a show, in any position; they never can ad-vance, their jobs may be taken from them any day and given to some man the boss knows is going to forge ahead. Apr you hancing to N TO YOUE 1087

ARE YOU HANCING ON TO YOUR JOB? If you are just managing to starger from the starger of the star ARE YOU HANGING ON TO YOUR JOB?

that, and nouse toil the value of the only of any-the only way you'll lose it will be to take another higher up. STRONGFORTISM WILL ENABLE YOU TO DO IT Strongfortism will show YOU, as it has shown thousands of other men on the ragged edge of being fired, how to make yourself too valuable for any employer to lose sight of. No matter how deep a hole of dismal despair you have burned out the last spark of vitality in you by dissipation or early excesses—Strongfortism can make you ever, BUILD YOU UP, strengthen every vital organ in you and make you fine and fit again. No druggist's dope or patent bottled humbugs in the Strongfort way—just living it leads the fit and Conservation of Wealth, Strength and Mental Energy." It will show YOU how thousands of other discouraged men have made themselves whole and well and strong again.





Learn Watchwork, Jewelrywork and Engraving Optics and instrument repair. A fine trade commanding a good salary, and your set-vices are always in demand. Address HOROLOGICAL, Oept. E., Bradley institute, Peorla, III., for latest catalog.



MY NEW BOOK 'Muscular Development'' will tell you how to get a wonderful muscular development like mine, perfect health, abun-dance of vitality and great strength as I have. The results of my system



The results of my system are shown on my own per son and that is recom-mendation enough. To giv every one the opportunit, to profit by what I hav learned, I will mail m book, for a limited tim only, on receipt of 10c Stamps or Coin This wonderful bo a will help you. It is pro-fusely illustrated and contains pictures of many of the world's strongest men whom I have trained. Send for it to-day. Right now, while It is on your wind

EARLE E LIEDERMAN now. uund. EARLE LIEDERMAN, Oept. 207, 203 Broadway, N. Y.



door cannot be opened by a servant until the inner door is shut and locked. What you can't get via the servidor—ain't! There

the inner door 's shut and locked. What you can't get via the servidor—ain't! There are two shelves in the servidor which might accommodate a special order of ice cream soda or near-beer from the tap-room, but mostly, so my gnide explained, the servi-dor is intended for clothes intended to be prest over night, or at any time by the hotel valet, and for soiled linen. The modus operandi of the servidor fol-lows:—Suppose you, the guest, have a suit of clothes which you wish prest, and have just arrived at the hotel, and wish to re-tire at once. You call the telephone opera-tor via your room telephone, and inform her that you have a suit of clothes which you desire prest by the house valet. She does the rest. You go to bed and forget abont it. Next morning you awake and open the inner door of the servi-"door", and "pressed-O"! there is your suit as spick and span as ever before, and perhaps if you are hucky, you might find a couple of five dollar silk shirts and a nice roll of clean collars in your servidor, but how could you be expected to be able to tell to whom they beong out of 3,500 guests' Ennerhow, as be expected to be able to tell to whom they beong out of 3,500 guests! Ennerhow, as Able Kabibble might say, the guests at this hotel are all rich anyway. At least they look it! X? But this is only the start of the tale of the servidor for you can once one tale of the servidor, for you can press one of two buttons on the inside of the door, and open or close a sound-proof ventilator. Also there is another very elaborate and clever mechanical conception incorporated in the knob and lock of the door—this takes the form of a small pin about the size of a lead pencil, placed just under the knob on the hall side of the door. If one of the attachés (in everyday English, the cham-bermaid), tries to enter the room while it is occupied, she will ascertain this fact without having to rattle the knob about fifteen dozen times, and chuck you into a French fit, wondering if one of the Bolshegentlemen is calling on you with a bomb. She simply presses her finger on the projecting pin, just under the knob. If the pin resists the pressure of the finger, then the room is occupied; if not, it is un-

occupied. Simple, yes, but someone spent a lot of time to "dope" this out. The conveniences to be found in the guests' rooms, no matter whether large or small, are all similar, and designed to give the utwost comfort and homelike atmosthe utmost comfort and homelike atmosphere. The basin in each bath room is fitted with three spigots, the two outer ones giving hot and cold water, while the center giving hot and cold water, while the center spigot yields *ice water*, cooled in the hotel's large private refrigerating plant driven by electricity, located in the basement. The rooms as well as all of the halls are cleaned by vacuum cleaners, thus doing away with all dust, besides keeping the car-pets and draperies thoroly clean and germ-proof proof.

The double rooms do have the cutest little "twin beds" you ever laid eyes on. Each one is fitted with a handsome brass reading lamp attached to the head of the bed, and provided with a silk shade and chain pull socket. Yes, you can read in bed if you want to at one of these palatial hotels. Between the beds or alongside of the single beds, there is a telephone and night lamp table, which also comes in conveniently to hold the immortal "ice water" pitcher. In some of the suites of rooms inspected, the furnishings are very attractive, including large pedestal style dresser lamps with silk shades, on the bureau for milady, and all in all the guests can really feel at home, just as much as if they were in their own resi-dence. We should not forget the electric curling iron heater and the electric fan. Perhaps if you feel so disposed, you would ble to hear compthing upping bet made in like to have something piping hot made in the chafing dish. If so, one of the maids will bring you an electric chafing dish, which can be easily connected to a special electric floor outlet provided for just such a purpose



April, 1919

The "Room Service", as it is called in all modern hotels, and which covers the serving of meals in rooms, is very carefully worked out, in the "Pennsylvania" and the "Commodore". At the "Pennsylvania" the system works out in this fashiou: Suppose for a moment you are the guest, and that you decide to have breakfast served in your room. You call up the telephone operator and give her your order. She writes it down on her memorandum pad, and as soon as you have finished, she writes it on her telautograph transmitting platen. Then two important things immediately happen-two telautographs reproduce in writing your exact order for the meal, from coffee to cigars, one telautograph announcing your order in the "room service" kitchen in the basement,—while the second telautograph connected to the same circuit, but situated on your room floor, reproduces the order in writing before the "floor clerk" on your floor, and this is the first notice that she receives that you have ordered a meal. The system works out very beautifully in this new orderies the greatest expedition posway, and gives the greatest expedition pos-sible to rapid service. Each floor has its own service pantry, which contains all ordinary things such as bread and butter, and which are supplied from this pantry. In this room there are also automatic highspeed electric dumbwaiters communicating with the "room service" kitchen in the base-ment, and as soon as any broiled meat, such as chops, steaks, etc., are prepared in the main kitchen, they are whisked sky-ward via the automatic dumbwaiter to your floor. As soon as the dumbwaiter reaches the floor, a buzzer starts signaling the fact, buzzing continuously until the door is opened; the victuals are removed and the door closed, after which the dumbwaiter is dispatched kitchenward. By means of flexible cord and plug and a set of a nexture cord and plug and a set of jacks, one for each of the 19 floors, the kitchen service dumbwaiters may be dis-patched roof-ward and caused to stop at any floor automatically, simply by inserting the plug in the jack corresponding to that particular floor. When the meal is ready, one of the room service waiters stationed on your floor serves the meal in your room, and invariably of course, a table has to be provided for this purpose. Eventually, we presume, the servidor idea will be extended and amplified, so as to permit the serving of meals, altho this is questionable for the reasons already stated.

Returning toward the lower regions of the hotel, my guide piloted me down a long hallway on one of the lower floors, and we inspected the children's open-air playground, arranged in one of the large courts of which there are several, and ended up this part of our inspection trip, by looking over the large ladies' and gentlemen's "plunge", provided with large deep pools, and every "plunge convenience imaginable. The rooms" in general are provided with steam rooms, hot rooms, massage and silent rooms, drying and rubbing rooms, etc., while the women's plunge apartment contains specially fitted dressing and rest rooms, as well as a manicure and hair-dressing parlor and chiropodist.

Just as we were leaving the plunge rooms, we were surprised by seeing two nurses passing down the hall just ahead of us. Upon inquiry we found that the hotel management had not even overlooked such a possibility, and one to be conjured with when such a large number of guests are considered. Not only was it surprising that the hotel should include a "hospital," but it also developed that there is a physician always present. Thus the guests have always available hospital and medical attention for any emergency. Of course, for any protracted illness, the patient would have to be transferred to one of the regular city hospitals. One does not even have to leave

the building in order to get a prescription filled, as there is a large and complete drug store on the street floor, which is accessible from the interior.

In various parts of the hotel, where the architects have found room for them, one suddenly bumps into unsuspected scenes of activity. On some of the lower floors, as well as in spare rooms on the roof, one finds carpenter shops, painters and decorators shops, an up-to-date upholstery shop, yes, even a silver-plating room (for taking care of the vast amount of silverware used in the dining rooms), employees' club rooms, plumbers shop, etc., etc.

A few words may be said here concerning the elaborate kitchen equipment at these hotels, and it is indeed a great revelation to see how cleverly the engineers who designed these departments have worked out their problems. For example, all the soiled dishes from any of the dining rooms are practically never touched by human hands, after once being removed from the dining tables. They are placed in metal carriers resembling large drip pans as soon as they pass the dining room service door. Here they are placed on continuous moving platforms, which travel along at a constantly changing angle, so as to utilize the power of gravity, and eventually the dishes reach the dish-washing department, which is quite an establishment all by itself. The dishes are washed by plunging them into large tanks filled with steam and boiling water. Every germ is thoroly killed as soon as he his the tanks, and the dishes are then rinsed in other tanks filled with boiling water, which is so hot that the dishes are dried as soon as they emerge from the tank, due to the rapid evaporation of the water vapor remaining on them. The clean dishes are then whisked away on another continuous moving platform, which takes them back to their respective kitchens. The scenes in these great kitchens are ones that you will not readily forget, once having visited this important department of the great hotel organization. Here we see dozens of French chefs preparing the various meats and cooking them. It would be a great revelation to any housewife to see how rapidly the cooking is accomplisht. Steam, gas and electricity are used in the various ranges and stoves used for cook-ing the various foods, and there is a spe-cial kitchen fitted with all electric ranges and stoves, which is called the "home cook-ing kitchen". This kitchen is one of the features of the "Pennsylvania" and is in charge of an expert dietician. Any guest who has gastronomic trouble or for other reasons may desire to have a piece of pie "like Mother used to make" with its full quota of calories and other toothsome units, can have just what his stomach craves. When the writer visited the kitchen, it was near dinner time, and the chefs were busy cooking squabs by the hundreds in the gigantic ranges, chops by the same number, and steaks by the dozen, not to mention French-fried potatoes by the bushel. Other activities of the Culinary Department include ice-cream making, pastry and candy making, etc., etc. One of the most wonderful sights in this important section of any hotel, and particularly in this giant of all hostelries, is the storage room, where wagon-loads of vegetables are kept, not to mention several auto-truck loads of meats and fish. Large, thoroly ventilated refrigerators, kept cold by the ammonia com-pressor plant operated by the hotel, maintain a constant degree of cold in them.

Of course, there are the usual wine cellars, one of which extends the whole block, not to mention large rooms filled with snow white linen, shining silver and glassware and crockery, enough to stock an average department store.



of the subjects treated are: Electricity and Magnetism; Electrical Symbols; Batteries; Circuits; Magnetis; Direct and Alternating Currents; Dynamos and Motora; Belts; Shafting; Electroplating; Electrical Measurements; Meters; Arc and Incandescent Lamps; Mercury Arc Rectifiers; Transformers; Insulation; Electric Cars; Single and Multiple-Unit Control; Transmission; Rait Welding; Tables of Wires - Sizes, Capacities, etc.,-Mathematical Rules; Formulas, Symbols; Tables of Constants, Equivalents, Roots, Powera, Reciprocals, Areas, Weights and Measureas; Chemistry; Properties of Metals; Principles of Mechanics; First Aid, etc.

The Electrical Engineer's Handbook is one of 22 I. C. S. Handbooks covering 22 Technical, Scientific and Commercial subjects. (See titles in coupon below.) They have the contents of a full-size book condensed into pocket-size ready to go with you anywhere and he at your instant command. Substantially hound in cloth, red edges, goldleaf stamping, printed from new clear, readshie type on good quality book paper and Illustrated wherever a picture will help.

No Risk Money-Back Offer! The price of the famous I. C. S. Handbooks, of which more than 2,000,000 have been sold and are in practical everyday use, is 81 per copy. So confident are we that you will find them exactly what you need for ready reference in your work, that we stand ready to prompily and cheerfully refund your money if for any reason you are not fully satisfied with their value. Simply send a letter or the coupon below, enclosing fi for each book wanted. If at any time within to days you with to return the books, your money will be refunded.

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 6185 Scranton, Pa,

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 6185, SCRANTON, PA.

I enclose \$ for which send me postpaid the Handbooks marked X, at \$1.00 each. I may return any on all and get my money back within ten days from receipt
Electrical Engineer's Advertiser's
Teleph.and Teleg, Engineer's 🗌 Business Man's
Mechanic's Bookkeeper's
Steam Engineer's Steno, and Correspondent's
Westinghouse Air Brake Salesman's
Civil Engineer's Window Trimmer's
Coal Miner's Cotton Textile Worker's
Concrete Engineer's Earmer's
Building Trades
Dumber's and Fitter's Mariner's

Name	
Street and No	
City	State



The Q. S. Novelty Pistol Co., Delanson, N. Y.



918

SCIENCE IN SLANG.

(Continued from page 911) the wireless more of a success, but who have not had the public notified that they pulled a good one.

"Old Doc, Fleming got a good one in the form of a 'valve,' which is a lot like the audion. It was a close second in the patent office and only lost first place by much wrin-kles and perspiration on the part of a wise old indee who weighed the proposition like old judge who weighed the proposition like

old judge who weighed the proposition like a pair of assayer's scales. "Then suddenly just when we kiss the dear old war good-bye, in drops old man Jimmy Rogers. He steps up on the platform, puts up his hand and says, says he: 'Sh,

puts up his hand and says, says he: 'Sh, boys, before you put up your aerial zing-magics, see me! Nix on those aerial wires!' We say: 'Thehellusay. Whazze-matter with our good old aerial?' "'Not much,' says Jimmy, 'except that aerials are all wrong. Besides you don't need 'em. Just you take a hundred feet of rubber covered auto cable and bury it three feet underground into a trench, savy? Hook the loose end to what was once your Hook the loose end to what was once your Hook the loose end to what was once your aerial connection and, presto, in come the messages louder'n a goat on a tin roof. And you receive twice as far as before, AND the old girl static, who used to tease the life out of you, is gone for good, along with the war. Simple, if you know how!" "I guess that is about all for to-day— now for tomorrow. We may be able to carry around in our pockets a 'phone that will enable us to talk to our colored friend in Africa—when we are in Siberia or Sing-

in Africa-when we are in Siberia or Sing-Sing. The present wireless is a great success—so was the Roman chariot, but the Handley-Page aircraft has it over the old go-cart in more ways than altitude.

"Where are we in the art of cultivation? We thought that we had it down like a scenario until Luther Burbank showed us that cactus did not have to have their stickers and the little posies that we wear on our coat lapels could aspire to the rain-bow. Way back in the old ignorant days, when a gink thought that it was no worse to marry his sister and raise a colony than we consider a divorce or Wall Street play, there lived an old bird who observed that a little hoeing and so forth would not hurt a wheat stalk and that other growths were helped thereby. I don't remember the guy's name—it was so long ago—but it seems he was an Egyptian. I would not say for sure though.

"Now look how long ago it was when we got out of the boyhood stage in the clectrigot out of the boyhood stage in the electri-cal game—there are a string of years ahead of us yet—perhaps some electrical Bur-banks will show up. Don't get it in your head I am slighting Edison, Tesia, Stein-metz, Marconi, De Forest, Fessenden, and others who now have the WATT under the microscope and wearing their glasses at that. What would Caesar have done had he possest a machine gun or a televione who possest a machine gun or a telephone-what would Edison do with the observations and discoveries of the years to come? Men, we are moving! Moving as men have never moved before!"

PREPARED TO DELUGE GER-MANS WITH GAS.

Statements that America next spring would have smothered the German front with undreamed of quantities of poison gases, that Edgewood Arsenal thru gas production would have brought about the capture of Metz, that America alone would have had ten tons of mustard gas to Ger-many's one, and that our chemists had surprises of which German scientists never dreamed—all these facts were recently dis-closed by the War Department. Colonel Bradley Dewey, who was in charge of gas defense production, said that a mask had been evolved which required no nose clip and no piece in the mouth. A man could wear it indefinitely and could sleep in it. would have smothered the German front

in it.



To Every Experimenter Reader

COMBINATION OFFER

Send at once for this interesting and valuable collection. Send only four cents in stamps to cover postage. There is no further charge.

N-S Co. Catalogue C-3

War edition. Thousands of experimenters the world over already have this edition. Don't miss setting it now. Lists wireless goods, electrical and experimental supplies, educational toys, unique novelties. Also contains much useful in-formation. Free on request,

Latest price revision supplement

Applying to Catalogue C-3, Contains latest last minute price changes so that you will know ex-acity what each item in the catalogue is going to cost you without troublesome and delaying correspondence. Free on request.

Code Chart

Very nest and practical. Presents all three tale-graph codes. Pockat size so that you conveniently can carry it with you while learning. Free on request.

Chemistry Supplement A1

Presents a very fine list of pure chemicals and approved apparata for the experimenter. Our "one price-for-all-chemicals" plan will please you, we know. Makes ordering simple and utnost value assured. Complying with the request of hundreds of our experimenter friends we have established a chemistry department. Stocks are of the freshest, assuring good results. You should have our list. Sent free on request.

Chemical Experiments

Describes a series of the hest classical experi-ments in chemistry. Clear, concise directions. Vory instructive for the beginner, Compiled by an expert chemist. Free on request.

Litmus Paper

Free sample of our best quality chemists alkali and acid test papers. Used in every laboratory. Generous sample litmus paper free on request.

All the above free for the asking Send 4c in stamps to cover postage. No obliga-tion. Only 1 set sent to any one addrasa. Just write "Send Free Combination offer" and enclose postage.




919

DO RADIO WAVES TRAVEL ABOVE THE EARTH OR THRU IT?

(Continued from page 872)

stalling later stations under such conditions, to examine very carefully the topography or rise and fall of the country over which this radio system was to operate. Fig. 5 shows a more ideal condition for the opshows a more ideal condition for the op-eration of a radio station in a valley, and one which has proven to be entirely suc-cessful in practise. Here the surface waves have a chance to follow the contour of the ground, as shown, and the antenna in con-sequence receives a full quota of energy from the waves as they pass across it. is conceivable in the case illustrated at Fig. 4 that the etheric space-wave com-ponent at B, may become totally a space wave without a grounded foot, and this would account all the more readily for the station in this case not receiving any signals.

Some very interesting experiments were made some years ago on the relative effic-iency of ground antennae and which were reported in the journal "Jarbuch Für Drahtlase Telegraphic und Telefonie", and the essence of these tests is illustrated diagrammatically at Figs. 6 and 7. The in-vestigator, Kiebetz, working with such an-tennae, utilized one form composed of in-sulated conductors placed in an open trench, as shown in Fig. 6, and later he covered the trench over with boards and piled soil on top of it. The more soil he placed on top of the trench, the weaker the signals became, until finally none were the signals became, until finally none twere that if wireless signals were to be received by an ordinary ground antenna, it must be Some very interesting experiments were by an ordinary ground antenna, it must be by an ordinary ground antenna, it must be placed in close proximity to the earth's surface, as I have already described in the opening part of this article, or else in a more or less shallow trench, the top of which is open and not covered with any conductive substance or material. The dia-grams, Figs. 6 and 7, show how the gliding composite waves, with their ground com-ponents cut across the antenna wires in the ponents, cut across the antenna wires in the open trench, while in the closed trench, the ground waves or "feet" glide over the raised contour of the soil as shown, and how the ground components, reaching but a short distance below the surface as previ-ously explained, do not cut across the buried aërial conductors, and therefore no currents are generated in them, as the tests prove.

One way in which a submarine may pick up wireless messages is shown at Fig. 8. Here the composite radio waves glide over the water with their ground components, as shown by the dotted lines. Now, if the submarine trails a heavily insulated wire, as shown, the upper end of which is supported on two or more floats, then it naturally be-comes possible for this wire to pick up energy from the radio waves travelling in the direction of the wire, and signals will be received. As mentioned above, it is also possible, that by having the floats partly weighted so as to keep the antenna wircs a short distance below the surface of the water, that wireless messages can then still be picked up, due to the partial penetration of the grounded components of the waves into the water, in a readily apparent man-ner. It is very doubtful if the submarine will be able to pick up any radio messages, if it lies at any considerable depth in the water, say below 50 feet, with the antenna wire trailing along behind it, as the pene-tration of the wave base has been shown to be usually but a few feet below the surface, especially over salt water. It must be clearly understood, however, that experiment as well as theory both show that the penetration into moist earth or water increases with increasing wave length. Hence it is that of late, as the wave lengths



Brandes "Superior" Head Set, com-plete with head band, \$6. A profession-al set within the means of every ama-teur. 2000 ohms.

SENSITIVENESS And sensitiveness means more than an ability to receive weak signals. It means being able to bring out a clear, unblurred sound, easily dis-

BRANDES

Wireless Headset

means

tinguishable in spite of static disturbances.

The sharp, readable tone obtained by Brandes receivers is due to long and careful experiment-and to the fact that both diaphrams are matched for tone and pitch.

TRY A BRANDES HEADSET--AT OUR RISK

Test Brandes receivers against any other make. If you do not find the Brandes superior in clearness, sensitiveness, and range, your money will be returned without question.

Order a Brandes Headset today-or send 4c for Booklet "E" with complete description of Brandes receivers.

C. BRANDES, INC. Wireless Receiver Specialists 32 UNION SQUARE NEW YORK **ROOM 814** Complete line of Brandes receivers for those in Western States and Pacific Coast. Catalogue "E" on request.

Balboa Building

FORD KING

San Francisco, Cal.





Variable Air Condenser aluminum plates, 90°. rigid construction, capacity .0005 mf. Can be used one in primary and one in secondary for varying capacity. A high grade, assembled condenser at a lower price than most cheap ones. Complete with knob, scale and pointer, ready to mount on panel.....Each \$4.00

DE FOREST

1391 SEDGWICK AVENUE



Galena Crystal Detector Units complete. Crystal mounted inside weather proof cage. Knob and contact spring mounted on micarta base with binding posts. Close regulation, wide range of adjust-ment, variable pressure. Each \$1.80 Crystal detectors licensed under patents of the Wireless Specialty Apparatus Company of Boston

RADIO TEL. &



Split Head Band

> Best grade light weight nickelplated adjustable ear pieces — will fit any head phone.

50c each TEL. CO. NEW YORK CITY



TWO TYPES OF MICA TRANSMITTING CONDENSERS SUITABLE FOR MODERN AMATEUR APPARATUS, 21000 VOLTS, .004 MFD.

Make Your Wireless Apparatus Send Further Last Longer and Work Better

The wireless amateur and experimenter is once more busy constructing apparatus for use the moment that orders go forward allowing amateur stations to open.

The kind of apparatus you used before the war doubtless answered your purpose nicely, but just consider the tremendous advancement made in the art during the past two years and you will appreciate your modern apparatus must contain several new types of equipment to bring it up to date.

DUBILIER MICA CONDENSERS

proved their real worth in the Navy, the Signal Corps, and as a part of the equipment of the fighting Airplanes both here and abroad since 1916. You can now purchase a genuine DUBILIER MICA CONDENSER for your new set for any voltage and capacity. They replace Leyden Jars with greater efficiency and without brush discharge and with negligible losses. They are compact and indestructible.

Made in any capacity and up to 1,000,000 volts. Special condensers supplied for ex-perimental work.

Used in practically every Government installation. DUBILIER MICA CONDENSERS are now ready for your use. Type A .002-21000 volts......\$11.00 .004-21000 volts......\$20.00

Navy Type \$18.00

DUBILIER CONDENSER CO., Inc., 217 Centre St., New York For Great Britain, Address DUBILIER CONDENSER COMPANY, Ltd., 1 & 3 Stephen St., London, W. I., England

Boys! You Can Make Your Own Electrical Apparatus with the aid of these wonderful books Home-made Electrical Apparatus

By A. M. Powell

35.00



By A. M. Powell Three wonderful big books, cluck full of just the sort of information you have been looking for and at a price within reach of your pocket book. Each volume is printed on heavy paper, contains 75 pages and over 60 illustrations, complete working drawings for making every sort of electrical apparatus. Written so you can understand them. The price is only 25 cents per copy—practically the cost of publication. See partial table of contents below and order now. The supply is limited. Vol. I Contains working drawings and directions for making all sorts of Statie Ma-chines, static Apparatus, Home-made Batteries, Storage Cells, Transformers, Reell-flets, etc.

flers, etc. Vol. II contains working drawings and directions for all sorts of Voltmeters, Am-meters, Galvanometers, Switches, Rheostats, Telegraph Keys, Sounders, Telephones, Shocking Colls, Spark Colls, Experiments, etc., etc. Vol. III contains working drawings and directions for making all sorts of Dynamos, Mutors, Electric Engines, Miniature Lighting Planis, Wireless Telegraph Apparatus, Tesla Colls, Wireless Telephone, Electroplaing, Experiments, etc., etc. Any of these wonderful hooks will be sent to you postpaid for 25 cents.

COLE & MORGAN, Inc., Publishers and Booksellers New York City P. O. Box 473, City Hall Sta.,



always has been, the largest and most complete and dependable Wireless Catalog published. Mailed for 12c in stamps or coin. Not sent otherwise.

Everything in wireless worth while is listed in this catalog. The experienced amateur will tell you to see our catalog hefore buying. You are thereby insured against an unwise purchase. It is the *Beacon Light* to guide you right in the selection of your wireless apparatus. No bigger or better values are obtainable elsewhere.

If you have our catalog No. 11, you have our latest catalog. Do not write for another. Send for a revised price list. It is yours for the asking.

THE WILLIAM B. DUCK CO., 230-232 Superior St., Toledo, Ohio

of the larger stations have been increased, these horizontal receiving antennae can be sunk deeper and deeper before effective screening is observed. Hence the periodic "rediscovery" of the astonishing efficiency of the horizontal receiving directive antenna.

So far as I have heard the first use of the horizontal receiving antennae was at Block Island in July, 1903, where we con-nected the receiver direct to a telephone line running across the island from the wireless station towards the Point Judith (R. 1.) transmitter. Fine loud signals were

thus received. In 1905 I used a bare copper wire lying directly on the ground at New Haven, and then determined within a few degrees the direction of the transmitting station, by swinging this wire around a circle, the swinging this wire around a circle, the center of which was the receiving instru-ment and ground stake. The signals were lond when the wire lay in the plane of the station, in *either* direction to or from the station—practically the same for both. But when at right angles to this plane of propa-gation nothing at all was received.

But to return to your editorial, "Wire-less Around the World", it is highly unforless Around the World, it is highly unfor-tunate that the esteemed advertising pro-pensities of the Marconi interests should have made capital over this performance of their station in the year 1918, when simi-lar performances had been on numerous occasions a matter of record for at least two years prior to that date.

I give below a news clipping sent to me back in 1916 by a wireless operator at Awarna, New Zealand, which is self-ex-planatory. I have received many com-munications from this section which, nn-fortunately, I have not felt authorized to publish, recounting similar "anti-podal" radio-transmission radio-transmission.

"In connection with Commander Cresswell's statement regarding the reception at various Australian wireless stations of messages sent out by Nauen and other places in Germany, it is stated that similar messages are re-ceived nightly at several of the New Zealand radio stations, especially Awarua, which is probably the best equipt in the Dominion. The distance from Nouen to Awarua is about 12,000 miles, which, if it does not constitute an absolute record, is very neor it. The secret of these remarkable results which in less troublous times (re-ferring to the H'orld H'ar) would ex-cite world-wide interest, lics in the De Forest ultra-audion receiver—one of the most remarkable and simple pieces of apparatus invented since Mar-con's first experiments. Dr. de Forest is an American, who lives at New York. His "ultra-audion" has the power not only of receiving the far-flung waves, but can also be used as a wireless trans-mitter far the voice—a field as yet prac-tically unexblored." stations of messages sent out by Nauen mitter far the voice—a field as yet prac-tically unexplored."

In fairness to facts wherever an epoch-marking feat of this sort is accomplisht, whether in science or in any field of dis-covery. I am sure you will agree that it is highly important that due credit should be given to the *first* performance and not to a repetition which happens to be generously advertised years thereafter. Perhaps your article lays unwarranted

Perhaps your article lays unwarranted stress on the improvements which the Alexanderson alternator today enjoys over the arc transmitter. After witnessing what the big arc transmitters are doing in Europe, as well as in the United States, together with their simplicity and ruggedness and the facility with which any wave length can be instantly obtained it is doubtful in my be instantly obtained, it is doubtful in my opinion whether the alternator will soon supplant the big arcs; at least, except in stations where one wave length only is required.







Noted for their extreme sensitiveness and unfailing dependability. At the very reasonable prices, they are the best receiver value in the world.

Buy **now** for present and future needs.

Other Apparatus of Equal Merit Available for Experimenters, Schools, and Colleges.

Ask for Bulletin No. 18.



BOOKSS!!! of every kind. English Translations (word for word):--"CAESAR" (1st 8 hooks). "(ICERO". or "VIRGIL". \$2.00 each, postpaid. "Sexual Disasters", \$2.00 each, pp. All kinds of sex books, and the latest hotion. Tell us your needs. Monongahela Novaitv Ca. Box 239. Mononcahela, Pa.

ELECTRICAL EXPERIMENTER

ELECTRICITY IN FAR-AWAY BOMBAY.

The great success with which the introduction of electric power from the generating station on the Ghats is being developed in Bombay is revealed by the report of the Tata Hydro-Electric Power Supply Company. The energy now being supplied to motors in Bombay amounts to 48,000 horsepower. Thirty-six mills are receiving power, and only the difficulties arising from the war prevented development being more rapid.

THE HOW AND WHY OF RADIO APPARATUS.

(Continued from page 875)

them in the proper manner for giving a good indication. At this point, it is well to mention that no matter which form of detector is used in conjunction with the wave meter, that the wave meter itself must be kept at a sufficient distance from the exciting circuit, no matter what its form or make-up, so that there shall be just sufficient current picked up by the wave meter oscillating circuit to give a good clear indication in the detecting or indicating device. If the wave meter is held too close to the exciting circuit, then several wave lengths or harmonics of various wave lengths may be heard, and an incorrect reading obtained.

For many purposes it is desirable and necessary to excite the wave meter so that it will radiate a wave length of known value, such as in various radio measurements, etc. Fig. 5 shows a standard method of exciting the wave meter. Here we have a high note or other form of buzzer connected with a few cells of dry battery, and a key or switch. This circuit is shunted across the variable condenser of the wave meter as the diagram indicates. This arrangement will cause oscillations to be set up in the oscillatory circuit of the wave meter, and an auxiliary inductance can be placed near the wave meter inductance so as to link the two inductively, and thus transfer the energy electro-magnetically from the wave meter circuit to the auxiliary circuit, and which energy shall have a wave length and frequency of known value.

At this juncture, the matter of arranging the wave meter cabinet, and especially the variable condenser and its scales, etc., should be considered. In this connection we may refer to Figs. 6, 7 and 8, wherein several important and simplified methods of arranging the variable condenser scales, especially direct ending enclosure scales. especially direct reading scales, are given. Fig. 6 shows a method used by the writer for several years with good satisfaction. In the scheme the variable condenser scale is specially made up on heavy bristol board or celluloid, (or else hard rubber with the graduations scratched in with a scriber and then filled with Chinese white), and instead of having simply the angular spaces marked off in degrees, and then having to refer to a calibration chart in the usual way, the corresponding wave length values for the coil are read off from the calibration chart (see Fig. 9) and marked off on the scale as shown in Fig. 6. Then as the indicator attached to the variable condenser knob is mound over the scale and hy meting which moved over the scale, and by noting which inductance coil is in use at the moment, off directly as soon as the maximum reson-ance point is indicated by the detecting cir-cuit. The indicator, Fig 6, comprises a piece of heavy sheet brass, soldered or otherwise secured to the shaft of the variable condenser, and the outer end of the arm is cut to the form shown, with the two side edges bent over to retain a piece of ordinary glass. With a glass cutter, a straight line is scratched across the center of the glass, and this may be darkened

Draftsmen Earn\$35 You can get this big this big pay. All you need is the new 1919 edition of the Cyclo-pedia of Drawing and a little of your spare time. The cost is only 7 centra day. You learn at homosprovide learn-ing. See the FREE EXAMIN-ATION offer below. Architectural and **Mechanical Drawing** 4 big volumes each 5% 8% in., bound in genuine American Morocco and trimued in gold, 1578 pages and over 1000 illus-trations, plates, diagrams and blue prints. The only books that thoroughly cover Mechanical, Structural and Architectural Drawing in a non-tech-nical way. You don't have to know anything about the subject to understand them. They hegin at the hegining and tell you everything about Blue Print Reading-Mechan-ical Drawing-Machine Design-Machine Draw-ing; Structural Drafting; Architectural Drawing-ing and Lettering-Shades and Shadows-Per-spective Drawing-Freehand Drawing-Per and Iak Rendering-Typographical Drafting-Draw-ing instruments and Their Uses and hundreds of other things connected with the work. Theonly books that thoroughly other things connected with the work. **Use One Week FREE** You can use these books for a whole week free without sending one cent. Just send the coupon be-foress collect. Use them as if they were your own-own through them thorougly and send them back at our expense if you don't want to keep them. If you do keep the hocks end us only \$2.00. You can send the halance of our special introductory price-only \$13.80 the same way- \$2.00 each month. Remember you don't take any chances. The risk is all onrs and the benefits will all be yours. SEND THE COUPON TODAY. American Technical Society Dept. D-3384 CHICAGO, ILL. OCINITAL CILIPPOL COLORESA **MIRPL** UP -65 6.4 30 DRAWING DRAWING **DRAWING** DRAWING VOL.I VOLAR VOL III VOLITV American Technical Society Dept. D-3384 CHICAGO, ILL. Please send me the 4-volume Cyclopedia of Draw-ing for 7 days' Free Examination, abipping charges collect. I will send you \$2.00 in 7 days and \$2.00 each month until the special price of \$13.80 is paid, and you will send me a receipt showing the books are mine. If I decide not to bny I will return the books in 7 days. Name. Address References **TELEGRAPHY** AND RADIO DAY AND EVENING CLASSES SEND FOR PROSPECTUS IN SUBJECT INTERESTED EASTERN RADIO INSTITUTE general supervision of E. E. Bucher, Instructing Engineer, Marconi Wireless Telegraph Co. Wireless Individual instruction Y. M. C. A. TELEGRAPH SCHOOL Marcy Ave., near Broadway, Brooklyn, N. Y. READ THE CLASSIFIED ADS. ON PAGES 932-934



if necessary with a little black pigment. A piece of fine wire can also be drawn across the glass and soldered in place.

Fig. 7 illustrates a clever arrangement which also provides a direct-reading wave meter, and here the calibrated dial corresponding in its lay-out to that shown at Fig. 6, is secured to the variable condenser shaft below the shelf of the calinet. A small oblong window is cut thru the cabinet shelf as shown, and a brass slide is placed underwave Length calibration graphs is as follows: Consider that a maximum resonance point is indicated by the detecting instrument connected to the wave meter circuit, when the condenser needle stands at 105 degrees, with the 24 turn inductance in use. Glancing upward from the 105 degrees marked at the base of the chart, and noting the point where this line intersects the curve for the 24 turn helix, we find that the equivalent wave length for air dielectric in the con-



Calibration Curves for Wave Meter and Variable Condenser Here Described. To Read Any Wave Length Value from These Graphs, Note the Condenser Reading at Which Resonance is Indicated. Then Determine the W. L. Value Corresponding to the Intersection of the Vertical and Horizontal Lines with the Proper Inductance Graph, Fig. 9.

neath this shelf so as to be readily operated by hand, in such a way that the small window cut in the slide can be slid into any one of three positions, depending upon which scale and which inductance is being used at the moment. Fig. 8 shows an automatic arrangement, which is easily made by the radio student and whereby each of the three inductances is fitted with pin contacts, one of the pins in either case being made of a different length for each of the three coils. As each inductance is placed in the cabinet thru the spring contacts shown, the longer lug will actuate a lever system connected to the window slide shown at Fig. 7, and thus automatically move the slide to the proper position to read the corresponding wave lengths for that coil.

The calibration curves for the wave meter here described are given at Fig. 9. These values can be transposed to a special variable condenser scale if desired, of course. The variable condenser calibration curve is given as well as the wave length graph for each of the three inductances. As is well known, the capacity of a condenser may be increased by adding a liquid dielectric, such as *castor oil*, which has a coefficient K value of 5; or in other words, if the variable condenser is filled with castor oil, its capacity will be increased five times over that of air. The capacities for the condenser filled with castor oil (as well as air dielectric) are given at Fig. 9 on the right. Also in this way the student will have a greatly increased wave length range on the wave meter for any given coil, when the condenser is filled with castor oil, as the second column of wave length figures on the left indicates. The manner of using the denser is 500 meters, and for castor oil in the condenser 1115 meters.

the condenser 1115 meters. Dircct-Reading Decremeter—The chart shown at Fig. 10 is described in a recent book entitled "Radio Instruments and Measurements," Circular No. 74, issued by the United States Bureau of Standards, and a copy of which can be obtained from the Government Printing Office, Washington, D. C., at small cost. This chart makes a direct-reading decremeter out of any wave meter. Fig. 10 shows how the chart may be attached to the upper rotary plate of the variable condenser; its zero graduation being set to coincide with an indicator mark or hair line thru a window in the top of the condenser case, when the rotary plates. Also it should be seen that the hair line in the window coincides with the straight edge of the semi-circular fixt plates. Full description of this arrangement is given in the work above referred to, as well as all the usual methods of measuring decrement.



Hook-up for Exciting the Wave Meter so That It Will Emit Waves of Known Length.

Glass Tube Health I

The interesting story of a man "too busy to bother" who appreciated perfect health, energy and vitality only after he last it—and how he won it back in a startling way

7 OU probably know dozens of people like Y my friend John Brainard. Strong, robust, a human dynamo for work, a real bulldog for stamina, and a very likable fellow in spite of his entire lack of sympathy for sick-ness and sick people. He regarded sickness as a mild sort of crime and had such faith in his own excellent health that he had about as much sympathy for sick people as, according to Mark Twain, David had for Goliath. you happened to mention that you didn't feel

extra well Brainard would say, as courteously as was absolutely necessary, "T'bad, very sorry"-and you could almost see the entire matter sail out of his other ear. Sickness and suffering were foreign to John Brainard and he couldn't understand it in other people, that was all.

But as Josh Billings once said, "Health is like munny. We never hav a true idee uv its value until we lose it." And quite suddenly John Brainard realized what ill-health is. Too much overwork, inconsiderate hours, immoderate meals, and general inattention to his health finally "told on him." One day I went to his apartments and found him in bed with a severe attack of sciatica, but fuming with rage in spite of the intense pain. "Wby should I have this?—I've been as healthy as a horse all my life. Why should I be sick?—hang it, I won't be sick," and he jerked himself to a sitting posture only to fall back in pain upon the pillow

upon the pillow. For a weck John Brainard lay in bed in intense agony. Those of you who have suffered from acute sciatica or rheumatism know what it is. The doc-tor came and went, but Tuesday and Friday when I called, John only said, with a weak attempt at his former cheerfulness, "Nothing doing, Frank. haven't pushed the right health button

They haven't pushed the right health button yet. Who was that fellow anyway who said some-thing about 'a man too busy to take care of his health is like a mechanic too busy to take care of care of bis tools."

Next day while at lunch with George Conrad, our mutual friend, I mentioned about John's still being so very ill. "Listen, Frank, old boy," be said, "I don't want to be pre-sumptuous or anything like that and I certainly believe that the Doc will fix John up fine, but there's a treatment which entirely used muticate benefits of the set. which entirely cured my wife of chronic neuralgia, and now it's bringing total cure to my cousin, another sciatic sufferer. I think if John would give it a trial it might help him some." Ten minutes further conversation with Conrad

convinced me and I went right over to John's home to "spring it." "John," I said quietly, as I tip-toed into his bedroom, "I've got the very thing. Conrad has given me some real facts about what elec-tric what raw are design for provide a det. tric violet rays are doing for people and I think—" "Oh," he interrupted, "I don't know. I

don't imagine it can help me." "Of course you don't know. And you never

will until you try. Now don't talk foolish, Johnny, old scout. Won't you even believe your friends? This violet ray treatment has proved what it is."

And then I went on to tell him all I had learned about violet ray treatment-how it had been invented by the great Tesla in 1890, how it was being used with wonderful success by eminent physicians all over the world, how be

By FRANK HARTLE

could use it on himself and it wouldn't shock him like electricity in other forms, how it would surely at least *help* his own sciatica when it had *cured* other folks' sciatica, neuralgia, hay fever, asthma, neuritis and dozens of other diseases, and finally I told him how it would bring back to him his old "pep," vigor, and "knock-'em-dead" vitality. Then John and "knock-'em-dead" vitality. Then John rolled over and said, "All right, if it brings me and out of this blamed bed a well man I'll swear by it for life. Cart in the

dynamo, or whatever it is."



"When I ran that glass tube over my 'hide'," said John, "it felt just like a local anaesthetic on a wild tooth."

the sort," I insisted. "It's a handy little tube-shaped thing that attaches to that electric socket right over your head. And you can apply it yourself right to your 'hide' without feeling a bit of a shock." Three days later I had gotten a violet ray instrument form Chineme and John word it on

instrument from Chicago and John used it on his legs and thighs. "Say," he cried, after the first treatment, "I thought electricity always shocked a fellow. Why, when I ran that glass tube over me and the violet rays flashed around, it just felt like a local anaesthetic on a wild tooth. If this keeps up—oh, boy !"

John Brainard got up for good three days ago for the first time in over two weeks. Five days' treatment with the violet rays put him on his feet. "Where is your 'rheumatiz,' John," I re-

marked yesterday. "Dunno, Frank, I can't find it anywhere.

It just 'violet-rayed' itself away, I guess," he said, pointing to the instrument in the bathroom.

"I see you keep it attached."

"Yes, you see my wife discovered that the best beauty specialists in town used it, and she -well, my wife's a woman you know."

Violet rays have brought good results in al-most every disease and Violetta, being the most advanced instrument produced and sell-ing many thousands ahead of all others, is certain to bring you the health-giving results you have always wished. But we do not want you to take our word for it. Judge for yourself-try it for ten days in your home before you decide one way or the other.

Now, through the Violetta, you can have in your own home, the wonderful violet-ray treatments exactly as given by eminent physicians and beauty specialists throughout the country. Now you can rid yourself of Chilblains, Colds, Corns, Constipation, Dandruff, Deafness, Ec-zema, Eye Diseases, Hay Fever, Headache, Goitre, Insomnia, Lumbago, Nervousness, Neu-ritis, Obesity, Paralysis, Piles, Pimples, Py-orrhea, Rheumatism, Skin Diseases, Sore Thread and many other ailments

Multiply your bodily health—vitalize your nerves—double or treble your energy and vi-tality. Sleep better, increase your strength, improve your appctite and digestion. Soothe your nerves, reduce or increase your flesh, tone and strengthen the entire system, beauti-

fy your complexion. All with the Violetta. Trixie Friganza, the famous actress, says, "Cheerfully will I add my praise for Violetta. It's the best 'pain chaser' and 'soother' I've ever had the good fortune to find. It's wonderful. It cured my brother of neuritis. As for myself, I use it for facial treatments and

general massage. I cannot say too much for it." Frank Borzone, of Seat-tle, Washington, says: "I purchased the Violetta for my wife who was suffering from an acute attack of sciatica. From the very first treatment it induced peace-ful rest and she is entirely well now." Scores of letters like these are received

each day. The Violetta is not a vibrator. It is not machine that contracts the muscles it does not shock-it does not pound the muscles-it is absolutely painless.

Eminent physicians from all over the country apply the Violetta with worder-ful results. Dr. Bert H. Rice, of Vinton, Iowa, says: "I have good results with the Violetta. Almost instant relief in the violetta. Almost instant relief in Facial Neuralgia." Dr. Daniels, Lisbon, North Dakota, says: "Have used the Violetta in such cases as Goitre, Bronchitis, Pleurisy, Neuritis, Neuralgia and Lumbago, and find it very beneficial. In fact, I would not be with-out it in my office." Dr. G. B. Duncan, Ke-wanee, Ill., says, "The Violetta is the finest thing

I ever used to relieve congestion in any part of the body; and to relieve pain. Treatments are so pleasant that all of my patients like it.

Write today for a very interesting little booklet explaining fully about the Violetta and how you can try it for ten days before you decide. Read some of the amazing results produced in almost every disease. Read how the Violetta can be attached to any electric socket and also used where there is no electric light. Read how this little instrument, shaped some-what like a thermos bottle with a glass tube and bulb at the end, pours electric energy and vigor into every muscle, fibre, cell, and pore of your body, read how you do not have to obligate yourself in any way until the Violetta has proven its value in your particular case.

Write for this interesting booklet now. Fill out the coupon printed below for your further con-venience, and mail at once. Address, Bleadon-Dun Company, Dept 2C, 11 So. Desplaines St., Chicago, Ill.

BLEADON-DUN CD., Dept. 2C, 11 So. Desplaines St., Chicago.

Please send me your free booklet about the Violetta and ten days' trial offer.

Name		•	•	•	•	 		 	 •	•	•	•	•	•	•	•	•	•	•	•	• •	 •	•	•	•	4	•	•	•	•	•
Address.							 ,				•				•										•		•				

SHAVING THE NECK

TRIMMING THE CHILDRENS

HAIR

CAN USE IT

30

REMOVING SUPERFLUOR

HAIR

FOR

FOR

YOU





Secretary Daniels transmitted a tele-phonic greeting to President Wilson at sea by naval radio on February 22. From his desk at the Navy Department the Secre-tary's voice was carried to the transport George Washington, nearly 800 miles off the Atlantic coast.

The long-distance radio telephone equip-ment had been set up when Mr. Daniels reached his office. With Rear-Admiral Griffin, Chief of the Bureau of Steam En-gineering, and Commander Hooper, the radio expert of the bureau, supervising the experiment, the Secretary's regular desk telephone instrument was connected up thru the telegraph wires to the transmitting sta-tion at the seacoast, where his voice was projected by radio waves to the aërials of the George Washington.

The Secretary said a great welcome waited the President in Boston and again in Washington when he reached the Capitol. Mr. Daniels repeated his sentences sev-cral times to make sure that he was under-

stood.

"Good-bye," the Secretary said into the strument. "I will see you Tuesday. instrument. Good-bye.

GRAND OPERA IN YOUR HOME. (Continued from page 855)

microphone circuit could be loaded simulmicrophone circuit could be loaded simul-tancously with such an immense number of lines which practically constitutes a short circuit, and while the thing is possible in a limited way by means of induction coils, not more than two or three hundred sub-scribers could be linked up by such means. Therefore, the system heretofore was a failure.

The invention of the Audion, however, has changed this and by using audions to "boost" the circuits, it is now possible to connect a practically unlimited number of lines to one microphone transmitter and reproduce the music clearly in 50,000 homes at the same time.

The writer who interviewed high tele-phone officials was informed that the plan was entirely feasible and there was only one objection, which is not of a technical nature but rather a commercial considera-tion. Thus, the telephone engineers did not think it good business to tie up say twenty thonsand to fifty thousand lines simul-taneously for several hours at a time on account of the congestion that would probably ensue, but this is really only a small consideration and not of much importance if the enormous revenue that the companies will derive from this scheme is taken into consideration. While the subscribers now pay only between two and five dollars a month for service on an average, the telephone company could easily double this revenue for at least 20 per cent of all of their subscribers by installing the operatic service.

Today the man who owns a phonograph thinks nothing of spending between three thinks nothing of spending between three to five dollars a month for records which are "dcad". If he knew he could hear Caruso, Galli Curci or any of the other stars tonight in one of his favorite operas, he certainly would not object to spending 50 cents or even a dollar for the privilege, and at that he would think he was getting it cheap because he, with his entire family, would hear the music in his own home would hear the music in his own home, without hear the music m mis own home, without having to travel to and from the opera. Of course, if the system eventually comes into vogue, the opera alone will not be the only source of amusement to be drawn np by a telephone subscriber. Any of the musical shows or comedies, farces, etc., could all be heard over the telephone, other admitted up not to such a guiceble altho admittedly not to such an enjoyable extent as grand opera, where it is the music that counts most.



This is one of the rars occasions when you are shie to connect op with a really "Sell Sight" article. Something that every man and woman will buy on aight, because actually saves them money Agents are coining mooey. Why not you? Handwome ckage, weighs but a triffe. Write at once for terms on the Trimmers and extra Blades.

JOHNSON SMITH & COMPANY Dept. RK2 3224 N. Halsted Street CHICAGO



It will pay you to read the advertisements each month

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

Benjamin N. Bogue, 753 Bogue Building, Indianapolis

As for the technical aspect, we now have very good sensitive microphones, which placed about the stage and orchestra transwhich mit the sounds strongly and faithfully. The microphones are then connected thru the audion switchboard, similiar to the one shown in the lower center of our illustra-tion, which is the identical audion switchboard now used in multiplex telephony where five conversations are held over the same wire. From here the circuit runs thru the telephone exchange shown in the upper center of the picture, whence the circuit enters the subscriber's home as shown at the left of our drawing.

Here we have a novelty suggested by the writer. In transmitting music over the telephone heretofore, it was not possible for more than one member of the family to listen to the music as there was only one telephone receiver. By means of modern lond talking telephones, however, it now becomes possible to lift off the telephone from the hook and place it over a sensitive transmitter, as here illustrated. The weak transmitter, as here inustrated. The weak sounds picked up by this transmitter are strongly amplified and projected from the horn in great volume. Thus, it becomes possible for any one in the room to hear the music clearly and almost as loud as we do sitting in one of the further rows in the opera, where the hearing is not always read as is well known. good, as is well known.

As for the subscriber's amplifier as shown in our illustration, this may be made of the ordinary loud talking variety, having a simple hyper-sensitive microphone connected to a loud talking telephone, or otherwise it may be 2 microphone con-nected to an au³ion amplifier. The latter probably is the better of the two systems.

The amplifying cabinet can be hung near the telephone, in case of a wall set, or otherwise it can be of a different shape tor table use if the telephone is of the portable type. The amplifier could be sold outright the subscriber or otherwise rented to subscribers by the telephone companies.

We feel confident that a plan similar to the one outlined here will soon come into general use, as there is a positive demand, particularly in America, for good (nusic and which demand as yet has not been satisfied

But like ail other large interests, the telephone companies are slow moving organiza-tions and do not make innovations unless they know that a large part of the public actually wants them. Therefore, if you are in favor of this plan, we think it would be a good dea to write the headquarters of the telephone company, advising them what you think of this plan. If, however, you were to write to your local telephone com-If, on the other hand, you address your letter to the American Telegraph and Tele-phone Co., No. 12 Dey St., New York City, then there is a chance that a national move-ment would exchange could form such be ment would perhaps result from such let-ters. Local telephone companies cannot make a change in their present system as they are governed by the policy which orig-inates at the New York headquarters. Perhaps your letter will help to bring the Opera into your home.

TELEPHONE GIRLS' WORK IN FRANCE.

It is difficult for us to realize the scope of the work that has been done and is still being accomplished by the telephone oper-ators in France. To serve the needs of an army of two million men, and to connect that army up with the French by telephone was a matter that required no small amount of organization and planning on the part of the Signal Corps, says the *Telephone Review*. The distribution of the girls in the Signal Corps service asked for careful study and met with unqualified success.



Learn Public Speaking 10 LESSONS Write – quick – for particulars of this extraordinary

offer; an opportunity you will

never forget if you take advantage of it. Ten lessons in effective public speaking absolutely FREE to those who act promptly, to introduce our course in localities where it is not already known.

We teach you by mail to become a powerful and convincing speaker-to in-fluence and dominate the decisions of one man or an audience of a thousand. We have trained hundreds and helped them to increase their earnings and their popu-larity. Learn, in your spare time at home, how to overcome "stage-fright" and conquer fear of others; how to enlarge your vocabulary; how to develop self-con-fidence and the qualities of leadership; how to RULE others by the power of your speech alone; now to train your memory. Our

WHAT THE COURSE TEACHES YOU.

How to talk before your club or lodge;

How to address board

meetings; How to propose and re-spond to toasts; How to make a political

speech; How to tell entertaining

stories; How to make after-

dinner speeches; How to converse inter-

estingly;

How to write better letters; How to sell more goods;

How to train your memory;

How to enlarge your

vocabulary; How to develop self-

confidence; How to acquire a win-

ning personality; How to strengthen your

will power and ambition:

How to become a clear, accurate thinker;

How to develop your power of concentration;

How to be the master of any situation.

New Easy Method

perfected and taught only by Prof. R. E. Pattison Kline, former Dean of the Public Speaking Department of the Columbia College of Expression, can be learned in 15 minutes a day. Prof. Kline is one of the foremost authorities in the country on public speaking and mental development. Do not let this chance escape you.



Send This Free Coupon Now

This Special Offer of TEN LESSONS FREE is made strictly for advertising purposes and will be withdrawn without notice. Write now, before it ex-pires, and receive full particulars with enrollment blank by return mail. No obligations of any kind. Just tear off and mail this free coupon—or a postal will do.

FREE LESSONS COUPON

North American Institute, 7444 Manhattan Bldg., Chicago

I am interested in your course in Effective Public Speaking and your offer of ten lessons free. Please send full particulars. It is understood that this request places me under no obligation of any kind.



\$4.00 per month buys a beautifully reconstructed, latest model visible typewriter, with back spacer, decimal tabulator, two-color ribbon, etc. Every late style feature and modern operating device. Sent on approval. Catalogue and special prices free. Harry A. Smith, 738, 218 N. Wells St., Chicago, Ill.

HOW AIRPLANES FIND THEM-SELVES BY RADIO. (Continued from page 871)

"The use of directional effects of loops or coils for receiving radio signals has resulted in the development of a radio compass for airplanes which gives positive information to the aërial navigator and enables him either to locate his position by triangulation with respect to two heacon land stations or to fly at any given angle with respect to a certain beacon station.

"The apparatus consists of two principal parts—the antenna coils and the tuning and amplifying apparatus. The antenna coils are mounted in the fuselage of the Handley Page airplane, with suitable means for rotating in azimuth. The amplifier is extremely sensitive, consisting of a detector and six-stage amplifier. A novel feature of the amplifier is the use of iron-core transformers for frequencies of 100,000 cycles.

formers for frequencies of 100,000 cycles. "The direction of the beacon land radio station is determined by maximum strength of signals, in a highly ingenious manner developed originally by the British. The precision of the directional effect is remarkable. In fact, the radio direction finder may well be called a radio eye."

EXPERIMENTAL PHYSICS. (Continued from page 867)

to send and take messages in spite of the enemy's interference by sending out impulses of similar wave length and other distributing influences. The problem of using a non-inflammable gas for inflating balloons and dirigibles has been solved under the direction of a Physicist and a Chemist, both "fool professors". The submarine has probably attracted as much of the attention of the scientific men as all other war inventions combined, both

The submarine has probably attracted as much of the attention of the scientific men as all other war inventions combined, both as to its detection and its destruction. The detection of the submarine is a definite physical problem, and it is estimated that about one-fourth of the Physicists of the Allies have devoted a considerable portion of their time to solve this problem alone. The problem had been attacked from three standpoints, light, sound, magnetism and electricity, three branches which almost comprise the entire subject of Physics. The destruction of submarines has been successfully accomplished by the use of the depth bomb.

In long range artillery work, temperature, moisture, and wind are to be carefully determined; this is done by physical apparatus. Wind direction and barometric pressure information is essential in a gas attack. This information is furnished by physical apparatus. Anti-aircraft gunnery is largely indebted to physical research and calculations for its effectiveness. The speed of the airplane must be ascertained, its direction of motion, its height above the ground, the speed of the attacking shell, and its path.

The airplane camera would be almost useless were it not for our knowledge of the branch of Physics known as *spectroscopy*. Pictures can be taken which the eye cannot see because of fog, cloud, haze or distance. By the use of the proper filters, the enemies guns camouflaged so as to be indiscernible to the eye are photographed and their positions located. The sound method of locating guns is very important. Three sounds are heard from a shell sent by the enemy. First we hear the hissing noise of the shell whizzing thru the air. Shortly afterward the boom of the gun is heard. (Since sound travels at about 1,100 feet per second and the shell's speed is greater than that). Finally we hear the sound of the exploding shell. If the time when the first of these three sounds is heard is recorded at several observing stations, from the speed of sound, and the difference in time recorded at these stations, the position of the

April, 1919

The Bureau of Standards, at Washington, a great national Physics institution, has certainly done its share in the war. Vacnum tubes were studied in detail, from the standpoints of sending, receiving, and amplify-ing wireless messages, and many important improvements were evolved. High frequency oscillographic equipment was de-veloped. The characteristics of airplane bombs were studied, resulting in new methods of computing trajectories. New types of machine gun sights were invented. Instruments for recording the speed, altitude, direction, etc., of the airplane were perfected. Special ignition apparatus for the Liberty engine was invented. A carbureter was developed which gives a correct mix-ture by the simple motion of a single throt-tle whether the airplane is on the ground or up 3,000 feet. A fabric 25 per cent. lighter but stronger than linen, extra light but strong alloys, and non-corrosive alloys were invented. These are among the best of its accomplishments which have been made known.

Now that the war is over we shall daily hear of new, marvelous and quite astounding inventions, that have been evolved and perfected. The "fool professor" has now come before the public eye and is regarded with just and long deserved admiration and respect by it. Some, like Professor Milli-kan, have had exciting military times, such as quieting a "buck private" under the influ-ence of liquor, being fed delightful sand-wiches by fair white hands of Red Cross and other workers, etc., while others have suffered an existence under the S. A. T. C., and those more fortunate have spent their time in France near the front; all however have done their share nobly. In closing let us bear in mind that all that has been said of Physics and the Physicist applies equally well to the other sciences and scientists. . (Conclusion)

EGGS PRODUCED BY ELECTRIC-ITY.

The production of eggs by electricity may seem like an idea evolved in a madhouse, but it has been made a paying prop-osition at the Montana State College. By electric lighting of poultry pens, Professor W. F. Schoppe, poultryman of the state college, has created a sort of "daylight saving plan" for hens, whereby egg production has been increased more than twofold at a time when eggs were highest in price. In experiments covering the month of No-vember last, Professor Schoppe showed a net gain of 28 cents per hen in value of eggs produced in ten lighted pens.

The experiment was tried on two pens of Leghorn hens, 160 in each pen. One pen was lighted with four 60-watt lamps, the other was left unlighted. The lights were turned on in one pen at 6 a. m. and switched off at 8.30 p. m. From the time the lights went on until they were dimmed at night, the hens in the lighted pen scratched away with all the energy of early spring or summer, showing a greater interest in the business of egg producing than ever

The 160 hens in the unlighted pen produced during the month 443 eggs. The same number of hens in the lighted pen produced 1,306 eggs, a gain of 72 dozen. Hens in the lighted pen consumed little more food than their less active neighbors.

The net gain was 28 cents per hen in egg production for the "electric" hens. "I cannot say yet," said Professor Schoppe, "what effect this forced produc-tion will have on the hatching quality of eggs and upon the vitality of hirds, as those are problems that will require further investigation.

(See our May, 1918 issue for full de-tails of the automatic electric lighting in hen-houses.—EDITOR.)

A TIMELY REINFORCEMENT. A Copper Plated Stomach. (Continued from page 877)

thanks to mother and the salt fish-and the

cat. You have to begin by discarding the whole idea of sheet copper. It would be all right, and any plumber could make up a good tummy in half a day—even including going back to the shop for his tools-but for the fitting of it, or inserting, or what-ever you'd call it. That's a sticker; it's what's kept the invention back all these years.

But why not plate the copper on from the inside? Sure! There it was, right off the bat! Fig. 1 shows the invention—patents pend-ing—all worked out—perfectly simple. You procure an atomizer, A, and attach to it a long fine rubber tube, B. This tube is sur-rounded by a spiral wire, C, and both are covered by high-tension insulation, K.

At the further end, both the tube and the At the further end, both the tube and the spiral wire are connected with the perfo-rated metallic hollow sphere, E. The atom-izer-bottle, F, is filled with a solution of sulfate of copper, and the spiral wire is connected with one pole of the spark-coil secondary, H. Around the patient's waist is then bluckled the belt I, containing a strip of wire netting J, connected with the other pole of the spark-coil.

All being ready, the patient "swallows" the perforated ball, E, with enough of the tube to maintain communication with the outer world. The ball is then resting nice and cozy within the tummy. Mark the patient closely; a really delightful surprise is about to be handed to him? \times ! Pressure on the bulb, G. projects a spray of copper sulfate from the perforations of the sphere, E, while at the same time a touch of the key, L, causes a shower of sparks to be thrown from the ball toward the metallic belt without. The sparks pass easily thru the patient's tissues, but not so the sulfate. This is decomposed by the electric current, and metallic copper is *deposited* on the gas-tric lining, forming a dense and highly pol-ished surface, ready to tackle any food product short of Bangor red-eye and Irish confetti-brick-bats.

Perhaps you wondered why, before the operation, the patient took a few magnesia tablets, together with a peppermint "life-saver". This was to take care of the other product of the reaction, sulfuric acid— otherwise the patient might as well be fed to death as the way he is. The magnesia to death as the way he is. The magnesia neutralizes the acid, producing a pleasant effervescence, which, being flavored by the peppermint, becomes the exact equivalent of an ice-cream "sody" fresh from the fountain.

So behold! at the end of the operation, when the patient finishes his cigarette and lets go the nurse's hand, there he is, equipt with a perfectly-fitting copper stomach, enclosing a temperance-drink as a hint to guide him in the selection of future contents for it-like a new tin bank for little Willic, with a dime in it.

No, no, put aside that medal. Really 1-well, if you must, you must. But I refuse to patent the idea in Germany. Abso-lutely. It's going to be dedicated to the

lutely. It's going to be dedicated to the free use of all free and civilized countries. "That's me all over—liberal, Mabel." Note—The editor tried "Tom's" latest stunt. After he was dismist from the hos-pital, and was at last equipt with his copper "insides", he felt pretty weak! So he promptly swallowed a few pounds of zinc dust with his next meal. The copper tunny, the gastric injece—(an excellent). the gastric juice-(an excellent electrolyte) -- flus the zinc dust, makes a really excellent battery. It strengthened and revived the editor at once. It works so well that he has given up all food in preference to zine dust. A slight change in diet is had with magnesium dust—it tastes better, and gives a much higher voltage. Iron filings were tried, but they made the editor "rusty"!



Learn Drafting

Employers everywhere are looking for skilled draftsmen. They are offering good sataries to start with splendid chances for advancement.

Drafting offers exceptional opportunities to a young man because drafting itself not only commands good pay, but it is the first step toward success in Mechanical or Structural Engineering or Architecture. And draiting is just the kind of work a boy likes to do. There is an easy delightful way in which you can learn right at home in spare time. For 27 years the International Correspondence Schools have been giving boys just the train-ing they need for success in Drafting and more than 200 other subjects. Thousands of boys bave stepped into good positions through I. C. S. belp, but never were opportunities so great as now.

Let the I. C. S. help you. Choose the work you like best in the coupon, then mark and mail it. This doesn't obligate you in the least and will bring you information that may start you on a success-ful career. This is your chance. Don't let it slip by. Mark and mail this coupon now.



rme R CAPT. GEO. F. CAMPBELL, Chief lostructor, National Aero Institute, 538 S. Dearborn St., Dept. 7444, Chicago

INSYDE TYRES Inner Armor

for Auto Tires. Double milears, prevent blow-outs and punctures. Easily applied in any tire. Thousands sold. Details free. Agents wanted. Amer.Accessories Co., Oept.53, Cincinnati



You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

April, 1919



You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

JOHNSON SMITH & CO., Dept. E5 , 3224 N. Halsted St., CHICAGO (OVER)

ELECTRICAL EXPERIMENTER

929

20

April, 1919



You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

The Alkaline Storage Battery

(Continued from page 878)

Consequently the engine would have to be operated at various rates and at all times. This is uneconomical. By using a storage battery one may arrange to run the engine at its most economical (full load) rate and thus effect a saving to offset more or less completely any loss of current resulting from the use of a storage battery between the generator and the lights. Further, the storage battery tends to improve the character (the steadiness) of the light. With a small installation where the current passes directly from the dynamo to the wires supplying current to the lights, the latter are apt to manifest undesirable fluctuations in hrilliancy because of irregularities in the running of the engine. By using a storage battery, one is able to use this fluctuating current in charging and then to get an even current from the battery.

A shunt-wound dynamo is the thing to nse—else, when the voltage of the battery rises too high, it may "back up" and operate the dynamo (series type) as a motor, causing considerable damage. If a compound dynamo is already installed, or if it is desired to use such a machine for charging storage batteries, it can be done simply by disconnecting the series windings on the field coils, thus converting the machine into a shunt dynamo.

a shunt dynamo. The dynamo which is used to charge a battery should always have an excess voltage capacity. Thus, if we are going to use a battery of 30-32 volts rating, it is good practise to employ a 45-volt dynamo for charging. In fact, we may largely consult convenience when charging a battery, provided we use a high voltage rather than a low one. A 110-volt dynamo may he employed, at times, for charging a 30-32-volt battery, thru a suitable resistance; tho perhaps it will not be the best thing to do. The alkaline battery with which we are

The alkaline battery with which we are concerned is made up in a variety of sizes, of which that known as "A" is quite popular for electric automboiles and trucks. A numeral used along with the letter indicates the number of positive plates used in the cell. These numbers furnish a rough gage by means of which the comparative capacities of this type of cell may be determined. The reason underlying this is that amperage is determined by the total area of plate surface exposed to the action of the electrolyte. An A4 cell will have about half the capacity of an A8 cell, etc.

Charging.

The positive terminal of the battery is conected with the positive line of the supply current; and the negative terminal with the negative line. The positive pole of this type of cell is indicated by a red bushing and also by a + mark stamped in the metal of the container. A black bushing is used for the negative pole. A further means of determining the positive and negative poles is by means of the form of the little containers in the plates. The round tubes belong to the positive plates, and the flat pockets to the negative plates. If substantial heating is noticed at or near a cell pole during the charging operation, it is to be taken as indicative of an imperfect connection. If, however, all the connections are tight, then disconnect and determine whether there is dirt present and whether the metallic contacts are flat and rigidly clamped.

If there is any doubt as to which is the positive wire of the dynamo and which is the negative wire, the following simple test is recommended :--Connect one wire of the generator with some form of resistance. The free end of the unconnected wire of the resistance and the free end of the unconnected wire from the generator may now he brought close together in a cup of salt water. In a moment one wire-end will hegin to turn bright. Bubbles will form at this wire. This is the *negative* one. The other is, naturally, the *positive* wire.

Normal Amount of Electrolyte.

The proper amount of electrolyte is such that plates will be $\frac{1}{2}$ inch below the surface. During the charging operation the attendant evolution of gas will be likely to create a transient level. Tests for the level are to be made after the charging is all completed and the liquid has settled down. As it may not be easy to see conditions inside the cell, a good way to determine the depth of liquid over the plate tops is to use a piece of straight glass tubing with a bore of, say $\frac{3}{16}$ inch or more. Introduce one end of the tube, holding it vertical, until the bottom of the tube is on top of a plate. Then close the top of the tube with the forefinger and withdraw the whole. At the bottom will be found a column of electrolyte whose height will be the depth of liquid over the plate top. When the right amount of electrolyte is in the container, this column will measure $\frac{1}{2}$ inch. Simply a glass tube is required. No rubber cap or tube is needed in addition and the tube of an ordinary fountain-pen filler may be used. The rubber bulb is removed and the larger end of the tube is inserted into the electrolyte. The operation of charging, as already intimated, involves the production of gas. Some, at least, of this gas comes from the electrolyte in the container. Consequently, a very proper time to examine for height of solution is *subsequent to charging*. The remedy for this loss and any other loss due to withdrawal of water (as, for example, by natural evaporation) is the addition of pure water.

Adding Water.

When water is to be added to the contained electrolyte to bring the surface to the required height or to correct a solution that has become too strong, a special appliance—the "electric filling outfit"—may advantageously be employed. Only distilled water is to be used, whatever the method of introducing it. Of conrse, do not add water during charging, for the reason that the level can not be exactly determined at that time, as already explained. The addition of water will not, ordinarily, he required every time the battery is used. Usually, once or twice a week will be sufficient, unless the operation of the battery is very considerable. Other things being equal, water will be necessary oftener when the *constant current* method of charging is used instead of the *tapering current* method.

Two Methods of Charging.

To charge by what is known as the constant current method the rheostat is set a few amperes higher than the current it is proposed to deliver. The amperage will fall off as the charging goes on, but by readjusting the rheostat every 30 minutes or so to a point somewhat higher than the average desired, a fairly even flow may be maintained. To charge by what is known as the tapering current method, the rheostat is set a considerable amount above the desired average, say 50 per cent, and the current delivered without further adjustment. At the end it is proper that the current should be considerably helow the average. An advantage of this method is the relief from attention during the charge.



Be A CERTIFICATED ELECTRICIAN

THIS IS YOUR CHANCE OF A LIFE TIME

I am Chief Engineer of the great Chicago Engineering Works. I am in close official touch with the electrical world. I know how badly we need trained electricians who can take charge of important work as experts. Right now there is such a need for executive electricians that I am making a special effort to help meet the demand. I am publishing this special announcement to secure a certain number of ambitious men whom I will personally train by mail for the wonderful opportunities that are open.

I WILL MAKE YOU a Trained Electrician

I don't care how young or old you are, just as long as you can read and write and have a spark of ambition. I don't care where you live or wbat you do. I don't care if you don't know a blessed thing about electricity. Just give me a little of your spare time for a short period and I'll show you the quick way to success in electricity. You can qualify to earn \$36 to \$100 a week with opportunities for greater earnings.

I Train You by Mail?

Your spare time will do. No interference with your regular duties. I understand just what you must know and I have devised a wonderful way of instructing by mail. I positively guarantee your satisfaction.

Free Wonderful Electrical Outfit

Absolutely free. Not a penny cost to you now or later. To those who act at once I will give a wonderful set of Electrical Equipment with my compliments. Write me at once. I have only a limited number of sets to be given free. Drop me a post card or letter.

Write! You will have to act quick to get in on this opportunity. Write me today for full particulars. Drop me a post card. Write Now.

CHIEF ENGINEER COOKE, Chicago Engineering Works, Dept. 524

441 Cass Street, Chicago, Illinois



Opportunity Ad-lets

YOU will find many remarkable opportunities and real bargains in these columns. It will pay you to read and investigate the offerings made every month by reliable firms, dealers and amateurs from all over the country. No matter what you may be seeking, whether supplies, automobile accessories, the opportunity to make money, or anything else, you will find listed here the best and most attractive specials of the

month. Advertisements in this section seven cents a word for each insertion. No advertisement for less than 50c accepted. Name and address must be included at the above rate. Cash should accompany all classified advertisements unless placed by an accredited advertising agency. Ten per cent discount for 6 issues, 20 per cent discount for 12 issues. Objectionable or misleading advertisements not accepted. Ad-vertisements for the May issue must reach us not later than March 22. month

The Circulation of the Experimenter is over 100,000 and climbing every month EXPERIMENTER PUBLISHING CO., INC., 233 Fulton Street, New York, N. Y.

NO CONTRACTOR FOR A CONTRACTOR OF Automobile Accessories.

More Power, Less Fuel, No Carbon. No mys-tery, plain facts, results guaranteed. Write for booklet S. O. No-Leak-O Piston Ring Co., Balti-more, Md.

Fords Start Easy in Cold Weather with our new 1919 carburetors. 34 miles per gallon. Use cheapest gasoline or half kerosene. Increased power. Styles for any motor. Very slow on high. Attach it yourself. Big profits to agents. Money back guarantee. Thirty days' trial. Air-Friction Carburetor Co., 270 Madison, Dayton, Ohio.

Tectoo Carburetor Co., 270 Madison, Dayton, Ohio.
 Repair parts for all make cars, also engines. Carburetors, magnetos, bucket seats for racing cars. We also carry a large stock of slightly used tires and tubes at very lowest prices. Write for list. Haviland Supply Co., 2306 Seventh Ave., New York City.
 Ford Car Repair Book sent free. This valuable, complete, well illustrated, book explains in a simple way the Causes and Cures of Overheating; Repairing Ford Timer; Curing Piston King Troubles; Carburetor Adjustment and Repairs; Connecting Rods; Transmission Troubles; Care and Repair of Rear Axle; Stopping Axle Grease Leaks; also covers practically every other phase of Ford Car repairing. Another feature is a chart showing exactly how much to pay for work done by rapair men. Send 250 coin for three month's trial subscription and get the valuable repair book free. Ford Owners' Magazine, 417 Montgomery Bidg., Milwaukee, Wisconsin.
 Simplex Belt Power Transmitter for Fords, Statos. Write for circular. Frank R. Weisgerber, Salina, Kans.

Agents Wanted.

Agents W anted. Easy, Pleasant Work for mechauics, shop men, clerks, during spare hours, will add many dollars to their salaries. Also want persons who cau give full time. Big wages assured. Novelty Cutlery Co., 308 Bar St., Canton, Ohio. **310 Daily** refinishing chandeliers, brass beds, automobiles by new method, without capital or expericue. Free particulars and proofs. Write today. Gunmetal Co., Ave. D. Decatur, Ill. **Insyde Tyres**, inner armor for automobile tires, double mileage and prevent punctures and blow-outs. Quickly applied. Costs little. Demand tremendous. Proits uulimited. Details free. American lakless Pen-new invention. Every-

Cincinnati, O. American lokless Pen-new invention. Évery-body wants it. Sells \$1. Agent's sample 6oc. Agents, District Managers wauted. Attractive proposition. Buckeye Distributing Co., 1822 Noble Rd., E. Cleveland, O. Agents! Get busy sell Wax O Polish direct to car owners. Resists dust and mud. Makes the car look new and glossy. Requires uo rub-bing, dries instantly. Good profits given to agents. Send for sample now. Price postpaid \$1.00. Wax O Polish Co., 119 No. 1st St., Al-berquerque, New Mexico. Agents-Exciting fun flying a Yankee Aero-

Agents-Exciting fun flying a Yankee Aero-plane, flies like a real machine. Sample and mouey making plan, 25c. Yankee Mig. Co., Milwaukee, Wis.

Make your own toothpowder and retail it. Great profits, receipt 25c. Mason's, Petaluma,

Agents-New invention puzzles world; wonder-ful chemical cloth; one rub over rain, snow blurred auto windsbield, street car or engine window, presto! glass stays clear 24 hours; can't blur; agents making \$120 weekly. Security Mfg. Co., Dept. 106, Toledo, Ohio.

Telegraphy.

at the ter malarity in this of the

Telegraphy, Wire and Wireless, and Railway Accounting taught thoroughly. Unprecedented demand for both sexes. Big Salaries. Oldest and Largest School-Est. 45 years. Catalog free. Dodges Institute, Seventh St., Valparaiso, Ind.

Postcards.

Everything in Postcards. Live-wire list free. Worth-while samples 25c. Mention subjects pre-ferred. Mutual Supply Co., Bradford, Pa.

Help Wanted.

Nikola Tesla Correctly Chose his hife work. I can help you to choose as intelligently as he chose. Complete character reading showing what natural abilities you possess. Tried and true method based ou photos and handwriting. No magic guesses. Particulars free. Lowell P. Hoyt, Presque Isle, Me.

Itoyt, Presque Isle, Me. U. S. Government Positions, Men-women, \$80 to \$135 month. Paid vacations. Short hours. Pleasant work. Common education sufficient. Write immediately for list positions now open. Franklin Institute, Dept. D26, Rochester, N. Y. Raise White Mice, big profits let me start you. Ray Boyle, Watertowu, S. Dak. Make Die-Castings. Sketch, Sample, Booklet, and Proposition, 12c. Byrd & Blair, Box 227 F, Erie, Pa.

CEDUIDD

Motion Pictures.

Motion Picture Film for home machines 200 feet \$2.00, parcel post prepaid. Charles Guuby, 145 West 45th Street, New York. For Sale Cheap, Motion Picture Films, Seud loc for sample and list. William Halstead, 88 Mamaroneck Ave., White Plains, N. Y.

February 24, 1919. Mr. R. W. DeMott, Advertising Manager, THE ELECTRICAL EXPERIMENTER, 233 Fulton Street, New York City, New York.

Dear Sir:

We take great pleasure in stating that our advertising in your classified depart-ment has been very successful. To tell the truth, we have received more returns and at a lower cost than any me-dium that we are using.

Sincerely yours,

NATIONAL AERO INSTITUTE, (Signed) John A. Tenney, President.

Exchange Ads.

For Sale-Two loose coupler receiving sets, commercial type, best construction, and phones. Splendid condition. Low price. Unusual oppor-unity for amateur station. Call Saturday eve-ning, 354 Convent Ave., uear West 145th Street, New York City.

New York City. For Sale—Train, Camera, and other small stuff. Mahan Smith, Jefferson City, Mo. For Sale—Telephone generators, \$1.50; Battery telephone, 75c; Electrolytic interrupter, \$2.00; \$35.00 Chemistry Laboratory, \$25.00; Brandes Su-periors, \$4.25; Telephone transmitter, 50c; Audion, \$3.00; Double Barreled shot-gun, 12 gage, \$7.00; 17 jewel Waltham, silverine case, \$9.00; etc. Want-Typewriter, Welton, 708 Mariou, Mat-toon, Ill.

Toon, III.
\$300.00 Tent, 40 x 80, cheap, \$30.00 takes it. 4-20
\$1. center poles 9 ft. wall. Also twin cylinder motorcycle engine with magneto \$10.00. V. G. Gustafson, 1402 N. Hickory St., Joliet, III.
Exchange—Thorough Bred Shetlaud Pony for 8 inch spark coil or \$125.00. Deb. Cummins, Wilmat, S. D.

Write immediately for large list of electrical and chemical apparatus. Mr. Keogh, 328 Lorel, Chicago.

For Sale-Electrical Apparatus. Seud stamp for list. Alfred Embovitz, Washington Depot, Conu.

Brand new 15 dial Omnigraph with 15 extra dials, \$15. Write J. F. Maurer, Jr., 682 Broadway, West New York, N. J. Sell-Loose Coupler, \$4.00; Detector, 30c. List of Wireless apparatus 3c. Kenneth Tooker, Coshocten, O.

Will Sell or Trade a Fuller Johnson, over-hauled, gasoline eugine, 1½ H.P. Fred Sheel, 174 Martin Street, Milwaukee, Wis.

For Sale-One 50 amps,--110-125 volts--2 wire -D. C.-Duncau Integrating Wattmeter in first class condition. J. Paternoster, 511 West 160th St. N. Y. C., Phone 9651 Audubou.

Exchange Ads.-Continued.

For Sale-Bluepr	ints of 1	notor wind	lings, see
add under Bluepri	nts, etc.,	this issue	. Charles
L. Chittenden, 811	W. 18th S	St., Kansas	City, Mo.
Wanted-Miguon	Receivin	g Cabinet	RLC 5 or
RLC 6. Cash. L.	H Newt	on Suffolk	Va

For Sale-1, 2, 3, 8, 9 Hawkin's Guides, cheap. Joseph Saltry, 319 Oak St., Scrautou, Pa.

Waated-Omnigraph and Records. State price nd condition. J. A. Burgess, Provost, Va.

aud condition. J. A. Burgess, Provost, Va. Sale-High tension magneto \$5. Austin Ran-dall, Bradford, Me. For Sale-Small Climax talking machine and zo records in Al condition for \$1000. Also Tel-escope, Magazines, Electrical Apparatus. Emil Feldman, Manning, Iowa. Sell-Omnigraph No. 2 Jr. Make me an offer. Myrl Priest, St. James, Minn. For Sale-National Automatic Telegraph Trans-mitter with 25 records in continental code, prac-tically new, \$12,50. Leonard Ulstrip, Freewater, Ore.

Ore. For Sale-Complete seuding and receiving set. Absolutely new. K. Jennings, Newton, Mass. Wanted-Bound Volumes, 3 and 4 of Electrical Experimenter. Printing Outfit or Wireless Re-ceiving Set. Everett Fritzberg, 727 Washington St., Northeast, Minneapolis, Minn. For Sale-1 H.P. D. C. Electric motor; i motor-cycle engine; also other things. George Coalia, 851 Columbus Ave., New York City, N. Y. Sell-Complete Chemical Outfit, Wireless and Electrical Goods. Charles McLaughlin, Cadiz, Ohio. For Sale-16, K.W. Onen. Core. Transformer.

For Sale-½ K.W. Open Core Transformer, unmounted, cost \$6,50, \$2,50; ½ K.W. Closed Core Transformer, \$7,50, \$4; Pancake Oscillation Trans-former, \$7,50, \$2; Jove Detector, 700; 2500 meter Loose Coupler, \$8,54; .22 II. & R. 7 shot revol-ver, \$8,50, \$5; .22 Automatic Rifle, \$17,00, \$8,50; 3000 meter home made Loose Coupler, \$5; all in ince condition. Guns' bores are perfect. Henry Cole, M-2 Box 380, Iudianapolis, Ind.
 Will Swap-No. 2 Folding Autographic Brownie and fishing rod and reel for wireless apparatus. Max Feldner, 1444 W. 13th St., Chicago, Ill.
 Wanted-Parts Type 400-500 Edisou Primary Batteries, Michael Boland, Forest Avenue, En-glewood, N. J.
 Z.K.W. Wireless Outfit. Full particulars hy mail. Rest offer or exchange for mariue eugine. W. Monroe Whaley, Maple Road, Liuthicum Heights, Mot.

For Sale—New 5 record Omnigraph, buzzer, key, 20 records, \$15.00. Margaret Ewing, Nor-wichtowu, Coun.

Wichtown, Conn. For Sale-Hytonc Rotary Gap ½ K.W. Trans-former, Pancake Type Oscillation Transformer. Unusually fine glass plate condenser NAA Coup-ler. All new, low price. V. Van Zandt, 1663 Winfield St., Los Angeles. Sell-Good Remington Typewriter, \$30. C. Gil-lespie, 72 Woodward, Buffalo, N. Y. Exer Sciel Nemeril neutring the second sec

lespie, 72 Woodward, Buffalo, N. Y.
For Sale-Noupareil priuting press, number 22; eight fonts type and orunaments \$25. Donald Peglow, LaPorte. Ind.
For Sale-Curtiss Biplaue, 3 it. Model \$10.00.
Miami bicycle \$12.00. Post card projector electric, \$4.00. Edw. Webb, New London, O.
Electrical Photographic aud Chemical Apparatus, motors, fans, switches, spark plugs. Advise what you want or have for sale. H. C. Hancock, Bogota, N. J.
Exchange-\$800 Omnigraph and dials for variant.

Exchange-88.00 Omuigraph and dials for vari-able condensers or motor. W. T. Gravely, Dau-ville, Va.

Ville, Va. Sell-Twelve complete wrestling lessons, \$5.00. Harry Schulte, 2460 Buchauan St., Baltimore, Md. For Sale-No. 5 (No. S) Omnigraph worth \$7 perfect condition. Wanted- perfect Thordarsen t K.W. sending transformer, state price. Wal-lace lleckman, Windermere Rd., Auburndale, Mass Mass

Wanted-Telegraph Apparatus. Write Gowan, 343 George, Peterhoro, Can. For Sale-Audiou Bulb, Tuner, Condenser and double receiving phones. Cahn, 182 Pulaski St., Brooklyn, N. Y.

For Men.

Shave Yourself? Send ten cents to Meentzen, Beaumont, Texas, for blood stopping styptic

pencil.

Business Opportunities.

Victory-Mechanical Toy Soldier window at-traction. 30 inches high. Salutes, turns head, points with finger, etc., as set. Well made, nicely dressed officers, privates, Uncle Sam, etc. Electrically operated. Does some stunt every half minute or oftener as set and will salute soldier and pay no attention to other if de-sired. Representative wanted in each city and town. Write for prices. The John M. Biggs Co., Box 324, Chattanooga, Tenn. Dollars Yearly in Your Back Yard. No gin-seng, mushroom dope. New ideas. Investigate, Particulars free. Metz, 313 East 89, New York. Build up an Income in Oil-Others are doing

Build up an Income in Oil-Others are doing it-Why not you? Today is the opportunity. Join our easy monthly payment plan NOW-it may mean hundreds in profits. Write for in-formation. National Oil Drilling Co., Dept. K, Houston, Texas.

Incorporate your business under the common law. No organization tax; no franchise tax; no federal corporation tax; certificates not taxable; stockholders exempt from company debts; do business anywhere; directors reside where you wish; lowest cost organization possible. Com-mon Law Organization Co., 4 Randolph, Detroit, Mich.

Patents For Sales: To buy or sell patents address Patent News-H, Washington, D. C. Only inventor's newspaper published.
Start a profitable business manufacturing "Puffed Crisp." Delicious confection. Whirlwind money-maker. Machine, instructions complete \$6.50. Samples 10 cents. Bestever Products Co., 2526-E4, Polk St., Chicago.
Was will stort you in the closing and during the second se

We will start you in the cleaning and dyeing business, little capital needed, big profits. Write for booklet. Ben-Vonde System, Dept. H, Char-lotte, N. C. Why Sell Perfumes and Toilet Goods for others! make your own; get all the profits. Par-ticulars, Laboratory Box 1316-X- Memphis, Tenn.

Hurry: Our First Issue, Plans and specifica-tions for building National Advertising Weather Service. Sales talk picture of finished machine, etc. Profit \$150.00 for manulacturer. Protected territory. Descriptive literature, terms and pic-ture 25 cents, None free. National Sales Co., Box 421, Lima, Ohio.

If Interested in profitable money making plan send quarter. Coffer, 104 Main St., Flushing, L. I.

send quarter. Coffer, 104 Main St., Flushing, L. I. "Quick-Action Advertising-How it is Building Business for the Progressive Advertisers of America"; A little story of RESULTS, told by the advertisers themselves-not the publisher. You will be interested in reading this little booklet, which we have prepared for prospective advertisers, a copy of which will be gladly mailed to you upon request. It tells you how to talk business with 1,000,000 intelligent, inter-ested and responsive Americans every month-men who know what they want and who have the money to buy it. Write for particulars and rates today. Douglas Wakefield Coutlee, 225 West 30th Street, New York.

West 30th Street, New York. Enter a New Business. Earn \$3,000 to \$6,000 yearly in professional fees making and fitting a toot specialty, openings everywhere with all the trade you can attend to; easily learned by any-one at home in a few weeks, at small expense; no further capital required; no goods to buy, job hunting, soliciting or agency. Address Stephenson Laboratory, 18 Back Bay, Boston. Make Die-Castings. Sketch, Sample, Booklet, and Proposition, 12c. R. Byrd, Box 227, Eric, Pa. \$30.00 a week evenings. I made it with a

\$30.00 a week evenings. I made it with a small mail order business; continued my regular job daytime. Free Booklet tells how, 2 cents postage. Albert W. Scott, Cohoes, N. Y.

Gold and Silver Plating without costly electri-cal apparatus. Wonderful example of scientific achievement. Unparalleled opportunity to es-tablish yourself in dignified lucrative business. Experience and capital unnecessary. Complete detailed instructions in both processes. One Dollar. Electroless Plating Co., 1646 Echo Park Ave., Los Angeles.

Ave., Los Angeles. Branch Manager Wanted for old established Chicago Concern. We furnish full stock of goods, advertising matter, and equip store com-pletely, in good location, all at our expense and pay you \$40.00 a week salary, in addition to lib-eral share of the profits your store earns. Work can be started in spare time. No invest-ment or previous experience necessary to secure this position. If you are a hustler and want an opportunity to make \$5,000 to \$15,000 a year we want you and will pay you well from the start. Send me your application today. S. Levy, Mgr., Department 784 Como Bidg., Chicago, Ill. Experimenters: Would you like to earn \$100,000

Experiment 754 como Bug, Chicago, III. Experimenters: Would you like to earn \$100.00 a month in your spare time at home. Send 25 cents (Coin) for instructions. Lloyd Stultz, Middletown, Maryland.

Business Opportunities—Continued.

Make Big Money opening safes and setting combinations. Wayne Strong, P. O. Box 1430, Los Angeles, Cal.

Los Angeles, Cal. Men, get into the wonderful tailoring agency business, big profits taking orders and your own clothes irec. We furnish fine sample outfit and everything free. No experience needed: Write today: Banner Tailoring Co., Dept. 186, Chicago. Attention manufacturers-What have you to of fer for Nail Order House? Must be easy mail-ing. Can use large quantities. Address, Guaran-tee Sales Co., 468 E. 117th St., Cleveland, Ohio.

Miscellaneous.

Luminous Paint makes watches, clocks, any-thing visible at night, 25c bottle. Luminous Paint Co., 2426-X Polk St., Chicago.

Your Opportunity – U s e d correspondence courses bought and sold. Dollars saved. Write now. Enclose stamp. MacMichael Educational Bureau, Dept. 44, Victor, N. Y.

Japanese Incense produces fragrant odour. Sample 10c, Box Yama, Postal Box, 281 Sta. C., Los Angeles, Cal.

Be Healthy! Know the surest way to success. Read "Sincere Words," 1919 wonder. 200 post-paid. Success, 1943 Patten St., Philadelphia, Pa., Cats crave catnip. Send 100 for a "catnip mouse" (a lifelike cloth mouse, stuffed with cat-nip). More fun than a "barrel of monkeys," and your "kitty" will like it. Address: Percy Ewing, Decatur, III.

your killy will like it. Address: Fercy Ewing, Decatur, Ill. You Can Be a Winner. Gain Power and Individuality and become what you wish to be, through our system of Scif-Development. Practi-cal, positive benefits. Send ioc and birth-date for interesting Personality Sketch and first lesson in Efficiency. Thomson-Heywood Co., Dept. 350, Chronicle Bldg., San Francisco, Cal. Catch Fish. Descriptive folder containing valu-able information mailed for stamp. George Julian, Albany Building, Boston. Blacksmith, Listen! Prepare for big wages in Navy and Arsenal with Toy's Modern Methods doing hard jobs easy. Forging and making solid welds, hardening and tempering to a standard, with colored tempering charts. All for one dollar. Sample free. W. M. Toy, Sidney, Ohio. Wanted-Small Gasoline and Steam Engines. Cash paid for 1 to 4 cylinder light weight Motors. 4 to 10 H.P. Johnston, West End, Pittsburgh, Pa.

 Fa.
 Snow Plow. Removes snow from sidewalks, etc. Easy to raise or lower. Thoroughly tested. Can also be used as toy. A. H. Tallyn, Benson, Ill.
 "Opportunity Adlest" bring quick results. Our roo,ooo circulation, uct. Other firms are making money—so can you. For proof address Classified Department, Electrical Experimenter, 233 Fulton St., New York City.

Wireless.

Amateur Radio will be Prohibited in Five Years unless amateurs organize for beneficial protec-tion! Will amateurs be organized body able to protect themselves from this impending calam-ity? Write us for absolutely latest particulars concerning this latest question. Future amateur radio depends on you-the loyal amateur! Only a slacker will hesitate. You write immediately! American Institute of Radio Engineering. Omaha. Complete receiving sets \$8.50, \$0.50 and up. Instruments, parts, minerals. Circular for stamp. Inquiries invited. Jenkins, 923 Purchase Street, New Bedford, Mass.

Inquiries invited. Jenkins, 923 Purchase Street, New Bedford, Mass.
 Mineral Detectors are not one hundred per cent efficient without a sterling silver catwhisker.
 Better than gold, 15c each. Gooding and Layton, 1604 Broome Street, Wilmington, Delaware.
 DeForest Ship's Set Complete. Loose coupler, detector stand, reversing switch, variable con-denser, etc., all mounted on hard rubber base and mahogany cabinet-very fine. Price \$30.
 W. M. Ronan, 172 Front St., New York.
 Better stock up now on switches and switch points for that new set. Circular describing the most perfect on the market sent free. Enreka Secondary Co., 639 S. May St., Chicago, Ill.
 Learn Wireless Telegraphy at Home Cheap-Through home course outlined which will not ex-ceed \$5.00 including the entire outlay. Don't waste time and money learning elsewhere. Use your spare time for this purpose. I tell you how to obtain this complete course and answer all questions free thereafter. Complete instructions and details, \$1.00. Investigate. Satisfaction guar-anteed. E. Jones, 818 Roosevelt, New Orleans, La.
 Switch Points. Binding Posts, Switch levers,

Switch Points, Binding Posts, Switch levers, and small parts, send 2c for catalogue describing these and other goods. A. W. Bowman & Co., 23 Church St., (Harvard Square), Cambridge, Mass. Amateurs, Complete Set of Blue Prints and In-structions for construction of (RA6) Regenerative Receiver, amplification 100, range 180-580 meters. Easy to construct. Just revised. Price \$1.50 postpaid. Radio Research Laboratories, 2148 Fifth Avenue, Troy, New York.

Formulas.

933

500 Formulas, resilvering mirrors, renewing dry batteries, luminous paints, mechanics' soap, 25c, lists 2c. "Bestovall," 3311-E Belleplaine, Chicago. lists 2c. "Bestovall,

Chemicals.

"Chemical 'Analysis honestly and correctly done by Leland E. Tenney, Chemist, Colton, N. Y.

If you are in need of Chemicals you will be wise if you send your orders here. We handle the Chemicals that are most rare and most diffi-cult to obtain. Send 5c for sample price list. Ziegler Experimental Laboratory, 47 Judson Street, Rochester, N. Y. 11/10/17/10/19/19 בעינים בירולי בירון בירו ברובר בירו לא הידירון הדרו בירו בירו בירו באוד באוד בארג באני באוד בארג בארג באיני בי

Electrical Supplies & Appliances.

Motor Winders: See ad under blueprints, etc., this issue. Charles L. Chittenden, 811 W. 18 St., Kansas City, Mo.

One Service Station Storage Battery Generator; High tension magnetos; S. D. Motor starter; D. C. Motors tio v.; Motorcycle engines and parts. Telephone parts of all kinds, belt, pul-leys, spark coils, 2 cylinder Thor Engine car-buretor and magneto complete. Going to sell dirt cheap while they last. P. A. Paul, Lewis-burg, Ohio.

For Sale: 250 Penlites exact representation of fountain pens complete with 2 cell guaranteed battery only 65c each, postage 4c extra. Extra batteries 20c. Also 50 2-cell fiber tubular flash-lights 90c, and 15 3-cell flashlights \$1.05. Postage 7c extra on either. J. A. McLardie, 424 Edgewater, Dayton, Ohio.

S2.00 75-ohm double pole watch case receivers-NEW-permanent magnet type, fine for wireless, prepaid, §1.25. Electro Sales Co., 1844 Cleveland Ave., Chicago, Ill. Electrical Tattooing Machine and Supplies-Catalogue Stamp, Prof. Temke, Exp., 1019 Vine St., Cincinnati, Ohio.

Recharge 25 Dry Cells for Five Cents. Direc-tions 10c. Gilbert, 28 Chestnut, Binghamton, N.Y. All sizes of refillable fuses. Send 25c for sam-ple plug fuse and 10 refills. State Amperage. Knoll and Palmer, 7076 Jenkins Arcade, Pitts-burgh, Pa.

burgh, Pa. For Sale-Electrolytic rectifiers, glass jars, Knapp motor, 19, 21, 23, 25 and 35 D. C. C. mag-net wire, 24 and 31 S. C. German silver wire, transformer iron, switchboard complete, minia-ture sockets, battery binding posts, spark gap, electric heater. J. L. Lange, 9 Roosevelt Ave., Jersey City, N. J. For Sale-Electrical apparatus all kinds. List for purple stamp. Wm. Doty, 207 John St., Port-land, Oregon.

Personal.

Are you self conscious-embarrassed in com-pany-lacking in self control? These troubles overcome. C. E. Veritas, 1400 Broadway, New York.

Letter Specialists.

Letters That Land Orders and Money Orders-written for \$4.00; three for \$10.00. Guaranteed. Criterion Service, Dept. 3, West New York, New

Real Estate for Sale.

Real Estate for Sale. Is This Your Idea of Florida? A little piece of land near the water, a boat, a garden, some strawberry plants, and perhaps a few chickens; and oysters in abundance, plenty of quail and game-a simple, natural, wholesome life in the open the year round-Home, Health and Con-tentment. All this is within your reach at modest outlay in this beautiful land of sunshine and roses. We are on the Gulf and a navigable river; also on the Dixie Highway. Here we have the freedom, comfort and economy of country life, yet are only two hours by motor bus from stone of the fastest growing in the State. Prices have not gone sky-high and living expenses are moderate. no Northern families already here. They like it-perhaps you will. May we send complete information? Board of Trade, Box 298, New Port Richey, Fla. Motorcycles.

Motorcycles.

Motorcycles from \$25 up-New and second-hand. Easy terms, large list to choose from, all makes. Send 4c stamps for Bulletin "A." Peer-less Motorcycle Co., Watertown, Mass.

Song Poems Wanted.

Write the Words for a Song. We write music and guarantee publisher's acceptance. Submit poems on war, love, or any subject. Chester Music Co., 538 S. Dearborn St., Suite 265, Chi-

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

Patent Attorneys.

Inventions Patented. Trade-marks Registered, abels, Prints and Publications Copyrighted, easonable fees; correspondence solicited; de-

Inventions Patented. Trade-marks Registered, Labels, Prints and Publications Copyrighted, reasonable fees; correspondence solicited; de-tailed information free; booklets. Jaynes & Jaynes, 702 Kellogg, Washington, D. C. Patents Procured-Trade Marks Registered-A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge. Booklet of information and form for disclosing idea free on request. Richard B. Owen, 130 Owen Bldg., Washington, D. C., or 2278-1 Woolworth Bldg., New York. M. F. Miller, Ouray Bnilding, Washington, D. C. Patent Attorney, Mechanical and Elec-trical Expert. Best quality of work and results. Moderate charges. Advice free.

Moderate charges. Advice free. Millions spent annually for ideas! Hundreds now wanted! Patent yours and profit! Write today for free books-tell how to protect your-seli, how to invent, ideas wanted, how we help you sell, etc. American Industries, Inc., 212 Patent Dept., Washington, D. C. John M. McLachlen, Atty. at Law, Patents, Trade Marks, Copyrights, 410 McLachlen Bldg., Washington, D. C. Patents-My fee payable in monthly install-ments. Send sketch for advice. Booklet free. Frank Fuller, Washington, D. C. Patent Your Own Inventions. Save attorney's

Patent Your Own Inventions. Save attorney's lees; we prepare applications; furnish full in-structions and give satisfaction. Free informa-tion. Carl Larsen Co., Park Row Building, New York City.

Pateot Attorney, Electrical Engineer, Mechan-ical Expert; Thorough Personal Service. Frank Ledermann, 21 Park Row, New York. Frank

Pateats. My fee payable in installments. Full particulars returo mail. John Patten Duffie, Patent Attorney, Washington, D. C. THE DECOD CONCERNMENT

For Inventors.

We Have A Proposition that will probably in-terest you. Inquiries invited. The Wakefield Engineering Co., 922C-F St., N. W., Washington,

B. C.
 600 Mechanical Movements, also illustrations and explanations of 50 perpetual motions. My book, Inventors' Universal Educator, 4th edition, tells how to procure and sell a patent for your new invention. Government and other costs. Covers the matter from A to Z. 140 pages ele-gantly bound, Contains noted Court decisions on Patent cases. Mechanical Movements greatly assist inventors-suggest new ideas that might prove of great aid in perfecting inventions. Tells how to select an attorney. Has valuable informa-tion regarding Patent Sharks, Selling Agents and Brokers. Price \$1. Postage free. Fred G. Diet-crich, 603 Ouray Building, Washington, D. C.
 Inventors. Protect your Idea before exposing it. Advice Free. Inventor's Patent Service, Park Row Building, New York City.
 Invedtions Commercialized. Cash or royalty.

Inventions Commercialized. Cash or royalty. Adam Fisher Mig. Co., 205 St. Louis, Mo. Inventors join National Institute of Inventors, World Building, New York City; membership society 1,000 strong; will help protect, develop, finance and market your invention. Absolutely no charge. Write for booklet.

Patents for Sale.

Patent-Cork float oil gange for Ford cars. Price right. L. A. Randall, Conimicut, R. I.

News Correspondents.

Earn \$25 Weekly, spare time, writing for news-apers, magazines. Experience unnecessary; de-ails free. Press Syndicate, 566 St. Louis, Mo. papers, ma tails free.

Scenery for Hire.

Collapsible Scencry for all Plays. Amelia Grain, Philadelphia. Pennsylvania. Philad

Cameras, Supplies-Photo Developing.

Send us your next film for developing and printing. No charge unless you are satisfied with our work. The Photolo Co., 36 Garrison Road, Claredon, Virginia. Mail Us 15c with any size Film for develop-ment and 6 velvet prints. Or send 6 negatives any size and 15c for 6 prints. 8 x 10" mounted enlargements 35c. Prompt, perfect service. Roa-noke Photo Finishing Co., 255 Bell Ave., Roanoke, Va.

Camera bargain list free. Durso, Dept. 41, 25 Mulberry, City

Clean, Neat, Perfect Kodak Finishing at the lowest prices. Work returned the same day re-ceived. Send film for sample print and copy of Catalog on Developing, Printing, Enlarging and Hand Coloring, also copy for Photo Craft Maga-zin; which will help you make better pictures. Photo Craft Co., Box 69, Ann Arbor, Mich.

Books.

What Every Draftsman Should Know. Very useful booklet. Price 12c postpaid. Wack Book-let Co., 1943 Patten St., Philadelphia, Pa.

let Co., 1943 Patten St., Philadelphia, Pa. Dear Reader-H Occult, New-Thought and Sci-entific books appeal to you, send for my catalog, it's free. I have books on Personal Magnetism, Concentration, Spiritnalism, Clairvoyance, Seer-ship, Will, Mind, Hypnotism, Mesmerism, Char-acter Reading, Healing, Mysticism, Success, Salesmanship, Mechanics, Entertainment, etc. A. W. Martens, J.-49. Burlington, Iowa. World-Romic System, Masterkey to All Lan-guages. Six Textbooks, \$1.44. French Chart, 37c; Spanish, 37c; Aviation Dictionary, 61c. Languages, 143 West 47th, New York. Books on Seer-Catalogue free United Sales

Books on Sex-Catalogue free. United Sales o., Springfield, Ill.

Books for Real Live People. Lists free. J. E. Sheridan, 417 E. 151st, New York. 20,000 Formulas, Recipes and Trade Secrets in double-column, 530-page book, only \$1. Postpaid. Clifford Camp Co., 32 Prospect St., Claremont, N. H.

Clifford Camp Co., 32 Prospect St., Claremont, N. H. To Get Better Pictures: Read the Amateur Photographer's Weekly; illustrated; weekly prize competitions; print criticisms; many unique leatures; \$1.50 per year; three months' trial sub-scription 25c. Abel Publishing Company, 401 Caxton Bldg., Cleveland, Ohio. Old E. E. Back Numbers: We have some valu-able old E. E. back numbers on hand as follows: 1015-Jan., March, April, May, June, July, Aug., Sept., Oct., Nov., Dec., price each 35c. 1916-Jan., Feb., March, May, June, Sept., Dec., price each 35c. 1917-Jan., April, May, Aug., Nov., Dec., each 35c. 1918-Jan., Mar., 35c; 1918-May, June, July, Aug., Sept., Oct., Nov., Dec., each 20c. 1919-Jan., Feb., Mar., 20c. We can fill orders at once upon receipt of your remittance, and if you have not these numbers already, now is your chance to get them, as they probably will be snapped up very quickly. Experimenter Pub-lishing Co., 233 Fulton St., New York City. Sexual Knowledge-By Dr. Faulkner. Plain facts about sex matters. Over 100 pages valu-able information for men and women, married or single. Price 25c, in plain wrapper. United Sales Co., Springfield, Ill. Leading Magical Magazine. You'll like it! All magicians do! Wy? The value is three. Sam.

Co., Springfield, Ill.
 Leading Magical Magazine. You'll like it! All magicians do! Why? The value is there. Sam-ple toc; three months, 25c; year \$1.00. The Eagle Magician, Dept. E, Minneapolis, Minn.
 "Nature Book" facts every married and engaged person should know. 35c. Central Company, 599 Ninth Avenue, New York.

Blue Prints.

Blue Prints: ½ H.P. Gas Engine 30c, ¼ H.P. Steam Engine 50c, ¼ H.P. Boiler and Engine 70c, all 3 \$1.00. Circulars for stamp. Universal Gas Motor Co., 364 Monadnock, Chicago. Blue Prints of Motor windings. 108 A.C. con-nections, 132 D.C. armature windings, complete 240 diagrams §5.00 cash. Scnd 25c for 12 samples or write for particulars. Charles L. Chittenden, 811 West 18th Street, Kansas City, Mo. Make volt and ammeters. Simple practical Make volt and ammeters. Simple practical instruction and blue print 25c. D. R. Hansell, 2328 N. Carlisle Street, Philadelphia, Pa.

Health.

Enjoy Vigorous Health. My new book "Mnscu-lar Development" tells how. Send for it today-oc. Earle Liederman, Dept. A, 203 Broadway, New York.

Tobacco or Snuff Habit Cured or no pay; \$1.00 cured. Remedy sent on trial. Superba Co., A. Baltimore, Md.

SA, Baltimore, Md. Pyorrhea-H. E. Kelty, D. D. S., M. D., pyor-rhea specialist for 15 years, has developed a suc-cessful home treatment for pyorrhea. Purifying, healing, preventative. Full month's treatment and booklet \$1.00. Circular free. Dr. H. E. Kelty, 106 Gladwin Ave., Leonia, N. J. Cigarette, pipe or chewing habit conquered. Nature's method. Guaranteed. Write for free brochure. Edw. J. Woods, TA-300, Station F, New York.

Stammering.

St-Stu-t-t-tering and Stammering cured at home. Instructive booklet free. Walter McDon-nell, 105 Potomac Bank Building, Washington, D. C.

For the Hair.

I was Bald. Obtained hair growth by an In-dian's ointment containing genuine bear oil and rare plant juices. Many others have good hair-growing results. Will send box, postpaid, with recipe, 10c. John Hart Brittain, 150 E 32nd St., BA-300. New York.

Tricks, Puzzles and Games.

Tricks, Puzzles, Jokes, Toys, Games, Novelties, Doll and Cane Racks, Plays, Wigs, Stage Sup-plies, Escapes and Illusions. Large 1917 catalog free. Oakes Magical Co., Dept. 549, Oshkosh, Wis

 Wis.

 1000 Stage Tricks with 500 illustrations. Catalogue toc, small catalogue free. Hornmann Magic Co., Sta. 6, 170 Eighth Avenue, New York.

 Black Art Hindoo Experiments, 1919 Edition, 25c. Invisible Ink. Free Trick, Catalogue each order. Linhorst Magic X Shop, St. Louis.

 Ventriloquism taught almost anyone at home. Small cost. Send today gc stamp for particulars and proof. O. A. Smith, Room R-605, 801 Bigelow Street, Peoria, Ill.

 100 Kinds Wire and Steel Puzzles. Catalog and leader 10c postpaid. Western Puzzle Works, St. Paul, Minn.

CITHURNING

Phonographs, Needles and Supplies

Build Your Own Phonographs and manufacture them for profit. Drawing instructions, Parts, Price List, Blue Prints, etc., complete, sent free npon request. Write today. Associated Phono-graph Co., Dept. E-1, Cincinnati, Ohio. Build Your Phonograph. "Perfection" high-quality spring and electric Motors, Tone Arms, Reproducers. Wonderful results. Big saving. New catalog and building instructions mailed for ten cents. Indiana Phonograph Supply Co., Indianapolis, Indiana. Phonograph Owners: Test our wonderful. new

Indianapolis, Indiana. Phonograph Owners: Test our wonderful, new Ring Point needles. Buy at wholesale prices and make money selling to your friends who hear how they improve tone. Scientific method, important discovery, very interesting. Single needle plays 100 records. Send 25c for samples and special offer. K. Kenyon Company, 31 Union Square, New York. Wonderful \$75 Phonograph. 42 inches high, 12-records album, needles, \$45. Stamp. 631 New-hall, Milwaukee, Wis.

REEDING

Motors, Engines and Dynamos.

Small Motors and Generators: 1000 New Motors and Generators from Bankruptcy Stock, ½ H. P. A. C., \$18.50 each; ½ H. P., \$30.00. Battery Charging Sets-Robbins & Myers new ontfits, all sizes, \$30.00 each and up. Charging, Lighting and Moving Picture Arc Generators, \$10.00 each and up. Motors for all phases of current. Im-mediate delivery Less than ½ regular prices. Write for late bulletin. Johnston, West End, Pittsburgh, Penna. For Sale-The following 60 cycles, single-phase motors, 1800 r.p.m., new. 24-½-110 volts, 3½ h.p., 220 volts, 24 h.p. 220 volts, 2-2 h.p. 220 volts, 24 h.p. 220 volts, 24 h.p. 220 volts, 2-2 h.p. 220 volts, Electric Machinery Equipment Co., 714 W. Van Buren St., Chicago.

Chicago.

Wanted for Cash-Marine, rowboat, stationary, automobile, motorcycle engines or bicycle at-tachment motors. State condition, price, etc. Write, A. J. Temps, 305 Broadway, New York City.

Printing.

100 Bond Noteheads, 4 lines and 100 envelopes, prepaid, \$1.00 Southwestern, 1413-H Berendo, Los Angeles

100 Engraved Style Visiting Cards 50c; 100 Emblem Cards 70c. H. Gregory, Warwick, N. Y. CITED ITTER FOR THE AND A RECEIPTED

Stamps and Coins.

500 Finely Mixed United States or Foreign Stamps, 12c. Philatelic Star, Madison, N. Y.
California Gold, Quarter size, 27c; Half-dollar size, 53c; Dollar size, \$1.10; Large cent, 1820, and catalogue, 10c. Norman Shultz, Kings City, Mo.
Stamps-61 all different free. Postage, 3c. Mention paper. Quaker Stamp Co., Toledo, Ohio.
Free-Packet Valuable Stamps to applicants 50% approvals. Benj. Forbes, 160 Devilliers, Pittsburgh, Pa.
Free packet of stamps to approval applicants. Laskaris, Union City, Pa.
Stamps 100 different, 8c; 200, 23c. Approvals. Michaels, 5600 Prairie, Chicago.
Acme Stamp Co.—Send stamp for pocket list. 494 12th St., Brooklyn, N. Y.

For Advertisers.

For Advertisers. "Quick-Action Advertising-How it is Building Business for the Progressive Advertisers of America"; A little story of results told by the advertisers themselves-not the publisher. You will be interested in reading this little book-let which we have prepared for prospective ad-vertisers, a copy of which will be gladly mailed to you upon request. It tells you how to talk business with 1,000,000 intelligent, interested and responsive Americans every month-men who know what they want and who have the money to buy it. Write for particulars and rates today. Douglas Wakefield Coutlee, 225 West 30th St., New York.



7 OU can easily make a highly Y sensitive detectophone bv using a Skinderviken Transmitter Button to collect the sound waves.

You can build your own outfit without buying expensive equipment. Think of the fun you would have with such an instrument! It's very simple, too, and inexpensive.

You can install an outfit in your home and hear the conversation being held all over the house. You can connect up different rooms of a hotel. Our outfit was used by secret service

operatives during the War. It is being used on the stage. So much for its commercial adaptations! You can procure apparatus of the same type.

One of the main

advantages of the Skinderviken Transmitter Button lies in its ultra - sensitiveness. You can place it in any position



you like. It is the greatest invention in micro-phones and has won recommendations from men of high standing in the scientific world. It is being used all over

the world. You can mount it most anywhere. In figures 3, 4 and 5 are shown some unusual and practical methods. Card board boxes, stove pipes, stiff calendars and hundreds of other places will suggest themselves to you. The buttons cannot be seen by any one in the room as they are so small and light. Only a small brass nut is exposed to the view

Full directions for connecting up the button for use as a detectophone are given in booklet No. 4 which is sent with each button. Figures 1 and 2 of this advertisement, two of the many illustrations in booklet No. 4, show



Fig. 1 Transmitter Button mounted on Dia-phram. Simplest circuit.









the circuit connections of the detectophone. The only instruments needed to complete a detectophone outfit, in addition to a Skinder-

viken Transmitter Button are a receiver, bat-

Induction coils





I wish to inform you that it works great and is the best I have ever seen or heard of for the price. I will certainly recommend it to my friends. I wish to thank you for your good service."

"I have been using one of your transmitter buttons, and it has proved to be worth more than its value in my experimenting.' "I received one (Transmitter Button) some

time ago, and they are just O. K. for ex-perimentary." "I have been using one of your transmitter buttons for experimental work and it certainly lives up to all you say for it and then some" then some.

935

Next chi of the work of a cells. We have the utmost faith in our transmitter button. We guarantee satisfactory service or we will refund the purchase price. Boys — Young and old—send in a dollar bill RIGHT NOW! You can't lose. If you're not satis-fied, yon receive your dol-lar back. Isn't that fair? Send a 3c stamp for a copy of Booklet No. 4.

R Flg. 2

Transmitter Button mounted the same but with Induction Coil.





STECO, 2134 North Clark St., Chicago, Illinois.		(Use Pencil) E. E. 4-19 Enclose sufficient postage for mailing.
[] Skinderviken transmitter buttons@	\$1.00 prepaid Wtlhs.	Ship to
[] 110 volt generatorsDars@ [] Ringersohms@	Wtlbs.	
[] Cords@ a Induction coils	Wtlbs. .35 Wtlbs.	
[] Transmitters with T. Button@	1.50 WtIbs.	Send Booklet No. 4. []
		and the second

ERIMENT

GERNSBACK

HOW

SENDINELE

H.W. SECOR

SECO

April, 1919

OFFER No. 1 Wireless Course The most comprehensive Wireless Course ever printed. Contains 160 pages, 350 illustrations. Size of book 63/4"x10". Very fine flexible cloth cover.

FREE with a year's subscription. Add 5c for postage

OFFER No. 2 Experimental Electricity Course

This masterpiece contains 160 pages, 400 illustrations. Size of book 5"x9". Printed on extra thin paper, so book can be slipped into pocket. Handsome flexible cloth cover. FREE with a year's subscription. Add 5c postage

OFFER No. 3 How to Make Wireless Sending Apparatus By 20 Radio Experts How to Make Wireless Receiving Apparatus By 20 Radio Constructors

Receiving Apparatus By 20 Radio Constructors These books are by far the most successful wireless books on the

far the most successful wireless books on the market. Size of each book 5"x7", well bound on good book paper. Covers in two colors. We really cannot praise these books too highly. Each book contains 100 pages and from 88 to 90 illustrations. BOTH books FREE with a year's subscription. Add 5c for prograge

Act Now.

NEW YORK CITY

This is a very limited offer. It may be withdrawn at any time, due to the tremendous cost of paper, which IS JUST DOUBLE WHAT IT WAS ONE YEAR AGO. We have only a limited supply of these fine books on hand; after they are gone we cannot reprint the books until conditions become normal again. Now is your chance.

The publishers of this journal have earned an enviable reputation of giving more than 100 cents' worth for each dollar spent with them. Profit by this liberal opportunity NOW; it may never be made again.

HERE'S THE OFFER

Subscribe to the ELECTRICAL EXPERIMENTER for one year, at the regular subscription price of \$2.00 per year (Canada, foreign and N. Y. C. \$2.50) and we will send you either books shown in one of the above offers. If you subscribe for two years, two offers will be given, etc.

If you are a subscriber at present take advantage of this wonderful opportunity anyway. If you do, we will extend your present subscription.

EXPERIMENTER PUB. CO.

This Offer Limited.

IN

4-19

223 FULTON STREET

Karkar

ED X (F)

Byery Blechical Man Wants These Books and we ship them for your inspection However Electrical

Flexible Covers Handy Pocket-Size **Volumes**

AWKINS **AWKINS** ELECTRICAL ELECTRICAL CUIDE GUIDE Nº1 Nº2 BEELDICITY HS CHETISH HS CHETISH HS CHETISH HS CHETISH DI NAMUS AN HATURGS HS MATURGS HS MATURGS KANAGHEN SYNAMOS MILTONS TESTING

AGES



HAWKINS HAWKINS ELECTRICAL Electrical GUIDE GUIDE <u>N</u>*5 N=6 A.C. SYSTEMS CURCUIT BALARLE MUARIEU G A.C. MOTORS TRANSFORMERS CONVENTERS RECTIFIERS

ELECTRICAL GUIDE Nº7 A.C. WINING POWER STATIONS TELEPHONE WORK

HAWKINS

HAWKINS HAWKINS ELECTRICAL ELECTRICAL GUIDE N=8 TELECANP WINELESS RETUS LIGHT ING

Nº9 RALLWAYS MOTION FICTURES IGNITION

GUIDE

LAWKINS

ELECTRICAL

GUIDE

N-10

MOLERN

APPULATION

HECTAL

LIERENG

INDEX

nushes, etc. No. 2 Contains 348 pages, 394 illustrations. Motor principles—armature reaction—motor starting— calculations—brake horsepower—selection and installadoo of dynamo and motors—galvanometers—standard cells—ourrent measurement — resistance measurement — voltmeters — watt-neters—weit hour meters—operation of dynamos—operation of motors, etc.

HAWKINS FLEUNIL GUIDE 12970 QUESTIONE LUISTRATIONS 10 Volumes 3500 Pages 4700 Pictures \$1 Per Volume \$1 Per Month

THEO. AUDEL & CO. 72 Fifth Avenue New York, N. Y.

Just what you need to know to succeed in ELECTRIC READ THIS PARTIAL LIST OF CONTENTS No. 1 Contains 343 pages, 383 illustrations. Electrical -primary cells-conductors and insulators-resistance and cooductivity-magnetism-induction colls-dyoamo priociples -classes of dyoamos-armatures-windings-commutatioo-brushes, etc.

E VERY electrician, every engineer, every mechanic should know about these wonderfully helpful instructive books, which give in plain words a complete working knowledge of electrical engineering in all its phases.

You run into some new electrical problem almost every day. The information you need to help you in your every day work is in

ELECTRICAL GUIDES

These books place electricity at your finger ends. They cover every imaginable subject, principle, theory, problem, trouble, and way of doing things electrically. Every subject is indexed so that you can turn right to it. They are a study course and a reference guide in one, written in plain every day language—no wasted words —only what you need to know—chock full of up-to-the-minute electrical knowledge. The guides are a complete course in electrical engineering. They will help you in every detail of the day's electrical work. You can't ask an electrical question that Hawkins Guides can't answer.

72 Fifth Ave.

Pocket-Size Flexible Covers

What Electrical Men Say Helped Him Make Good

Helped Him Make Good "It is only right for me to recom-mend highly the Hawkins Guides, for they here been of the greatest assist-ent os the back of the greatest assist-ent position as Superinteodent of Con-struction Department of one of Ohio's largest Electrical Companies. I would like to see every man have a set of Hawkins Guides." Geo. Knecht, Columbus, Ohio.

In the Naval Electrical Dept.

"The Hawkins Guides are great help to me in the Naval Electrical Depart-ment, which they cover very thorouch-ly". C. J. Cornell, U. S. Receiving Ship, Brooklyn, N. Y.

Superintendent

"I am now superintendent of the Dunnellie Hydro - Electric Systems, and Hawkins Guides were a great belp to me in bolding down a responsible position " to me in Bolding activity positioo." W. E. Swartz, Dunnville, Onterio.

Wireless Operators

"I have worked wirelsss for ten years—but I wish I had these books years ago, an they have saved me a graat deal of trouble." H. Marshell. Steamor M & B No. 2, Walkerrülle, Ont.

The works are smell enough to all loto your cost pocket—handsomely bound in flexible black covers. You can carry each volume with you until you havs mastered its contents. 3,500 pages of actual information and 4,700 illustrations. Once you see these hooks and put them into actual use you will never again want to be without them. Try it at our expense.

SERND NO MONEY The will cost you nothing to receive these books—to look the over—ask them all the questions you can think of the over—ask them all the questions you can think of the over—ask them all the questions you can think of the over—ask them all the questions you can the the over—ask them all the questions you can the the over—ask them all the questions of the over—ask them all the questions of the over-ask them all the questions and over the over-ask them all the start of the start the over adapt of the over the the start over and the the over adapt over a constant of the start over and the the over adapt over a constant over a start the over adapt over a start over a start over a start the over adapt over a start over a start over a start the over adapt over a start over a start over a start the over adapt over a start over a start over a start the over a start over a start over a start over a start the over a start over a start over a start over a start the over a start over

THEO. AUDEL & CO.

SEND NO MONEY- USE THE COUPON

dynamo and motors-galvenometers-standard cells-current measurement - resistance measurement - wiltmeters - wait hour meters-operation of dynamos-operation of motors, etc. No. 3 Contains 300 pages, 423 illustrations. Distribution systems-wires and wire calculations-lighting pro-tection-rectifiers-correct hittery guitemeters. No. 4 Contains 270 pages, 370 illustrations Alternating current principles-alternation con-struction-windings, etc. No. 5 Contains 280 pages, 614 illustrations. A. C. Motore mutator mators-induction motory inciples - A.C. commutator mators-induction motory inciples - A.C. construction, connections, test-converters-rectificas, etc. No. 6 Contains 298 pages, 370 illustrations. Alternating erso-release - Median devices - motory inciples - and contains 280 pages, 370 illustrations. Alternating ment, selection, location, erection, testing, runnoing, care acid repair-telephones, etc. No. 8 Contains 322 pages, 456 illustratione. Telegraph wireless-electric healthing devices- motory inciples repair-telephones, etc. No. 9 Contains 322 pages, 456 illustratione. Telegraph wireless-electric health-currentiese - current ins-trolley car operation - miscellaneous applications-tric raining-electric health-currentiese - current visis-electric health-currentiese - current visis-electric health-currentiese - current addering and hrazing-industrial electric visis-electric health-currentiese - current visis-electric health-currentiese - curren en en Electrical Guides (price \$1 each). Ship at once pro-praid, the 10 numbers, if sat-isfactory I agree to send you \$1 within seven days and to further mail you \$1 each month until paid

Raferenca

Business Address Residence

E. E. Apr

You benefit by mentioning the "Electrical Experimenter" when writing to advertisers.

New York, N.Y.





Earn While You Learn

Mail this coupon for full details of this school's splendid parttime employment plan, which enables students, to earn living expenses while pursuing studies.

WHY NOT CLIP THIS COUPON RIGHT NOW?

SCHOOL OF ENGINEERING OF MILWAUKEE

83-373 Broadway, Milwaukee, Wis.

Learn" plan, and your
 Electrical Engineering Course—3 years Electrical Technician Course 11: to 3 yrs. If t-year General Electrical Course Six Months Trade Courses
II Students' Reserve Officers' Training Corps
Name
Address
CityState
AgeEducation

Coming! A World Era of Opportunity for Trained Electrical School Graduates!

Do you realize that this country, and practically all of the civilized world as well, is today facing a period of unparalleled demand for electrical engineers and trained electrical school graduates? Has it occurred to you that thousands upon thousands of engineers and electrical men are going to be needed soon, both here and abroad, to rebuild Europe's industries and restore her war-shattered commercial life? Have you heard what President Wilson says about after-the-war engineering? "It is of first consequence to the country that there be an adequate supply of engineers for the period of reconstruction which must follow the war."—Woodrow Wilson.

Prepare Now for This Extraordinary Opportunity—Learn the Electrical Profession as it Is Taught in America's Most Practical Electrical Institute.

Whether you take up Electrical Engineering, Expert Electrical Technique, or one of the Electrical Trades, your course in this school will be a complete, practical training for a definite kind of position. Under this institution's combined shop, drafting-room and recitation-room curriculum—with our high grade faculty of practical engineers, with our large splendidly-equipped shops and laboratories in which students learn to know electrical apparatus by actual, daily contact—an "S. O. E." Diploma has become a known badge of merit in the electrical industry.

B. S. Degree in 3 Years—Electrical Technician Diploma 1½ to 3 Years —Six Months' and One-Year Electrical Trade Courses.

cal Trade Courses. Recognized "Bachelor of Science" degree riven graduates of the Electrical Engineering Department, under laws of Wisconsin, in 3 years. Electrical Technician diploma given in 1/2 to 3 years, according to whether student is only Grammar School graduate, or has some High School credits. (Diploma qualities student for expert rechnician, Electro-Mechanical Draftsman, Power Plant Superintendent, Technicial Salesman of Electro-Motive Power Installations, etc.) Lyear and 6-months' Trade Courses qualify students as Draftsmen, Linemen, Metermen, Motor Repairmen, Wiremen, Telephone Trouble and Repairmen, Armature Winders.

Two Reserve Officers' Training Corps Units Just Authorized in This School by United States Government.

MEN

The War Department has just authorized Junior and Senior R.O.T.C. units in this school. Students joining one of these units will be issued free uniforms and given a free six weeks' summer training camp trip each year. Members of Junior or Signal Corps Unit will receive free instruction in Wireless Telegraphy. And after a period of 2 years' enrollment, all R.O.T.C. students recommended for same will receive a Government allowance of \$12.00 per month. Requires 3 hours' military training per week. Membership cancelled on leaving school. Mail coupon for full particulars. New Term every 3 months.

SCHOOL OF ENGINEERING OF MILWAUKEE