



### Resistenze mm. Telaio

R	val.	unità
R 1	reg. vol. 0,5 MΩ	
R 2-R3	30+120 Ω a filo	
R 4-11	resist. 0,25 MΩ	½ W
R 5	50000 Ω	¼ »
R 6	100 »	» »
R 7	25000 »	½ »
R 8	2,5 MΩ	¼ »
R 9	25000 Ω	» »
R 10	10 MΩ	½ »
R 12	0,5 »	¼ »
R 13	380 Ω	» »

### Condensatori

C	val.	Cond. elett.	30-30	μF
C 1-C 2		carta	0,1	μF
C 3-C 14		mica	640	pF
C 4		»	2000	»
C 5		»	285	»
C 6		»	64	»
C 7		»	150	»
C 8-9-10		»	180	»
C 11		»	250	»
C 12		»	200	»
C 13		»	50000	»
C 15-17		»	50000	»
C 16		»	50000	»
C 18		»	2500	»
C 19		»	5000	»
C 20		»	20000	»
C 21	compens.		5-60	»

RADIO MARELLI. — Mod. FIDO 11°. — V1 = 12A8, V2 = 12K7, V3 = 12Q7, V4 = 35L6, V5 = 35Z4, tutte GT. — Media frequenza: 470 kHz.