



NOTES:

1. RESISTORS ARE 1/2 WATT, 5%, UNLESS OTHERWISE NOTED.
2. RESISTOR VALUES ARE IN OHMS (K=1,000, M=1,000,000).
3. CAPACITOR VALUES ARE IN μ F, UNLESS OTHERWISE NOTED.
4. ∇ DENOTES CIRCUIT GROUND.
5. \bigcirc DENOTES A DC VOLTAGE MEASURED FROM THE POINT INDICATED TO GROUND WITH THE FOLLOWING CONDITIONS
 - A. RANGE SWITCH (SW1) MAXIMUM COUNTERCLOCKWISE.
 - B. TUNING CAPACITOR (C12,C13) MAXIMUM COUNTERCLOCKWISE.
 - C. AF AMPLITUDE MAXIMUM COUNTERCLOCKWISE.
 - D. MEASUREMENTS MADE WITH A HIGH IMPEDANCE VOLTMETER.
6. \square DENOTES A CIRCUIT BOARD CONNECTION.
7. \bigcirc DENOTES OTHER CONNECTIONS.
8. SWITCHES ARE SHOWN IN CCW POSITION. "D" ON SWITCHES DENOTES DUMMY LUGS USED FOR ELECTRICAL TIE POINTS.
9. SW1.AR SHORTS ALL UNUSED COILS TO GROUND.

